<u>codepad</u> [<u>create a new paste</u>] <u>login</u> | <u>about</u>

Link: http://codepad.org/XG0SDxsw [raw code | output | fork | 14 comments]

C, pasted on Aug 17:

```
1
     #include<stdio.h>
 2
     #include<conio.h>
 3
    int main()
 4
 5
 6
             int i, n;
 7
             long S;
 8
             S = 0;
             i = 1;
 9
             printf("\nNhap n: ");
10
             scanf("%d", &n);
11
12
13
             while(i <= n)
14
                     S = S + i;
15
                     i++;
16
17
             printf("\nTong 1 + 2 + ... + %d la %ld: ", n, S);
18
19
             getch();
20
             return 0;
21
```

Output:

```
1 Line 17: error: conio.h: No such file or directory
```

Create a new paste based on this one

Comments:

codepad.org/XG0SDxsw 1/4

```
posted by congphong on Mar 18
hfghjhjhjkh
reply
posted by thaitieuloi on May 7
Giành tăng cho các ban mới vào lập trình
https://www.youtube.com/watch?v=NI1ZB1kFyyc&index=2&list=PLQARQPH19bFoyy6eXnah8Fi8C4sUiNKuV
reply
   posted by duongthcsgiaothuy on Aug 18
   ths
   <u>reply</u>
posted by <u>141c910036</u> on Oct 10
cái này mình ko cần dùng lặp mình có thể dùng
int tong = (n*(n+1))/2;
https://www.quora.com/How-do-I-create-a-program-in-Java-that-calculates-the-sum-from-1-to-n-1-+-2-+-%E2%80%A6+-
n-where-n-is-a-variable
reply
posted by trinhvathi on May 30
reply
posted by <u>DacingGr3nade</u> on Nov 24
thanks
reply
posted by thieuhuan18 on Mar 20
Nó báo lỗi Line 17: error: conio.h: No such file or directory làm sao sửa.
reply
   posted by dattrd on Dec 25
   conio.h khi dùng trên trình biên dịch Windows nhé, Linux/Unix ko có
   reply
posted by hieunv1996 on Nov 19
Tôi đến từ khóa học lập trình C miễn phí của anh Hiếu
https://nguyenvanhieu.vn/khoa-hoc-lap-trinh-c/
reply
posted by NgTrgKi on May 6
```

codepad.org/XG0SDxsw 2/4

```
10/23/21, 8:41 PM
  hay
  <u>reply</u>
  posted by NgTrgKi on May 6
  e cũng muốn viết ra được trang web như này :(((
  <u>reply</u>
  posted by HauVanNgoc033542770 on Oct 15
  câu lệnh khác nè
  for(i=1,i \le n,i++)
  s=s+i;
  cout<<s;
  <u>reply</u>
  posted by <u>luongphongnhan</u> on Oct 17
  #include<iostream>
  using namespace std;
  int tong(int n) {
  int tong = 0;
  for (size t i = 0; i \le n; i++)
  tong += i;
  return tong;
  int main() {
  int n;
  do {
  cout << "Moi nhap gia tri a" << endl;
  cin >> n;
  if (n < 0) {
  cout << "gia tri nhap phai lon hon 0";
  return -1;
```

codepad.org/XG0SDxsw

```
10/23/21, 8:41 PM

} system("cls");
cout << "gia tri cua tong la: " << tong(n) << endl;
} while (n >= 0);
system("pause");
return 0;
reply.

posted by PhanHueTruong on Nov 20

reply.
```

Post Comment

codepad.org/XG0SDxsw 4/4