KHQR & Card Deposit API

Merchant integration guide · Version 1.0 · October 2026

1. Overview

This API lets your website accept deposits by **KHQR** or **Visa / Mastercard**, processed through ACLEDA Bank. You redirect your customer to our API, the customer pays on the bank's secure page, and the result is sent to your callback URL. You never handle card details.

2. Before you start

Your account manager will give you your `merchant_code`. Your merchant account must be active and enabled for this payment method.

3. Payment flow

1. Your site redirects the customer's browser to the deposit endpoint.
2. We open a payment session with the bank. **This can take 15–20 seconds**; do not retry or resubmit during this time.
3. The customer pays on the bank's page (scan the KHQR or enter card details).
4. The customer returns to our status page, which shows the result.
5. After about 5 seconds, the customer's browser sends the result to your `callback_url` as a form POST.

4. Create a deposit

`GET` `https://sprint.zaffranpay.com/api/acleda/deposit`

Open this URL in the customer's browser (a redirect, not a server-to-server call), with these query parameters:

Parameter	Required	Description
`merchant_code`	**Yes**	Your merchant code.
`referenceId`	**Yes**	Your own order ID, up to 64 characters. Use a new value for each payment. It is returned in the callback.
`callback_url`	**Yes**	Full URL on your site that receives the result.
`Currency`	**Yes**	`USD` or `KHR`. Case-sensitive parameter name.
`amount`	**Yes**	Number greater than 0, for example `100` or `25.50`.
`channel`	Optional	`khqr` (default) or `card`.

Example (PHP)

```php
<?php
$params = [
    'merchant_code' => 'YOUR_MERCHANT_CODE',
    'referenceId'   => 'ORDER-1001',
    'callback_url'  => 'https://your-site.com/payment/callback',
    'Currency'      => 'USD',
    'amount'        => '100.00',
    'channel'       => 'khqr',
];

$url = 'https://sprint.zaffranpay.com/api/acleda/deposit?' . http_build_query($params);
header('Location: ' . $url);
exit;
```

5. Receive the callback

We send a browser form POST (`application/x-www-form-urlencoded`) to your `callback_url` with these fields:

Field	Description	Example
`merchant_code`	Your merchant code	`YOUR_MERCHANT_CODE`
`referenceId`	The reference you sent	`ORDER-1001`
`transaction_id`	Our transaction ID. Quote it in support requests.	`TR202610301232026687`
`amount`	Transaction amount	`100`
`Currency`	Currency code	`USD`
`customer_name`	Customer name; can be empty	
`payment_status`	See section 6	`success`
`created_at`	Time the transaction was created	`2026-10-30 12:32:26`

```php
<?php
// https://your-site.com/payment/callback
$reference = $_POST['referenceId'] ?? '';
$amount    = $_POST['amount'] ?? '';
$currency  = $_POST['Currency'] ?? '';
$status    = $_POST['payment_status'] ?? '';

// 1. Load your order by $reference
// 2. Check that the amount and currency match your order
// 3. Update the order only if its status has changed
if ($status === 'success') {
    // mark as paid (once only)
} elseif ($status === 'failed') {
    // mark as failed
}
// pending: do not deliver yet
```

Important for your callback URL

• The POST comes from the customer's browser, so exclude this URL from CSRF protection.
• The callback is not signed. Always compare the amount, currency and reference with your own order, and review high-value orders before delivering.
• A callback can arrive more than once; process each order only once.
• If the customer closes the browser early, the callback may not arrive. Contact your account manager to have it resent.

6. Payment status values

Status	Meaning	What to do
`success`	Payment confirmed by the bank.	Complete the order.
`pending`	Payment not completed yet.	Do not deliver yet. Ask your account manager to confirm the final status.
`failed`	Payment failed, was declined, or the session expired.	Ask the customer to try again with a new `referenceId`.

7. Request errors

If a request is rejected, the browser shows a plain-text message and no payment is created.

Message	What to do
`The amount field is required.` and similar	Check the parameters in section 4.
`Invalid Merchant!`	Check your `merchant_code`.
`Merchant is Disabled!`	Contact your account manager.
`Gateway not configured for this Merchant!`	Ask your account manager to enable this payment method.

8. Testing checklist

1. Create a small KHQR deposit and a small card deposit.
2. Confirm your callback URL receives all the fields in section 5.
3. Let one session expire, and confirm your site records `failed`.
4. Send the same callback twice, and confirm the order is processed only once.