

The current UI, rearranged.

33 mobile screens. 16 desktop views.

Based on the current production-component test screenshots.

1A: rearrange existing components.

1B: add the minimum missing functionality.

2: visual polish later.

Mobile retains Thy Quill, Minions, Scrolls, Rituals and Omens. Control and Chronicle stay desktop-only in this draft.

HTML design proposal; product implementation and QA remain open.

How to read this proposal

1 · Find and enter work

Workspace → task list → filters → task detail.

2 · Review what belongs to it

Material shelf → PDF → live document → video → audio.

3 · Continue with the agent

Associated agents → existing terminal → explicit instruction → activity.

4 · Handle real conditions

Start and edit deliberately; add resources; answer questions; recover from filters, offline states and material errors.

5 · Keep the phone focused

Ritual definition → occurrence → retained output. Existing Settings, Scrolls and Omens → human review. No mobile Control or Chronicle.

6 · Desktop composition

Quill left; selected material centre; associated agents and existing terminal right. Same meanings, more room.

Rearrange existing components

Keep current visuals, controls, five mobile tabs and desktop modes. Move Quill left, current viewer centre, agents/terminal right. Preserve identity, focus and access.

Exit condition

Existing actions remain reachable and behave as before in the rearranged layout.

Views in this phase

M01 · Choose your workspace

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: None: retain the existing workspace selection route.

M02 · Your work, at a glance

Reuse: Workspace header, task cards, overflow, add action and five existing mobile tabs.

Add / move: Stage 1B adds the filter row; Stage 1A shows the existing board without those controls.

M12 · Continue the actual conversation

Reuse: Existing agent/session pill, output area, mic and Draft thy decree composer.

Add / move: Rehost the existing terminal; same session and input controls.

Stage 1A · functional allocation

M15 · Start only when you choose

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M16 · Edit without losing your place

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M17 · Add the right kind of resource

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M18 · Open links deliberately

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M24 · The same pattern for Rituals

Reuse: Existing Rituals tab, schedule cards, run status and add/menu actions.

Add / move: Reuse definition and occurrence navigation; Stage 1B links their materials and associated agents.

M25 · Keep instructions and timing clear

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M26 · Review one particular occurrence

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

Stage 1A · functional allocation

M27 · Do not invent a live session

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M30 · Keep the current settings route

Reuse: Current settings gear and settings rows.

Add / move: None in this phase; appearance redesign is deferred.

M32 · A notification returns to the work

Reuse: Existing Omens inbox and destination links.

Add / move: Preserve exact workspace/task/session destination when selected filters would hide it.

M33 · You decide when it is done

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: No new mobile repository review. Retain the current deliberate completion action.

M34 · Keep Scrolls available

Reuse: Current Scrolls tab, file rows and viewer route.

Add / move: Stage 1B adds task-to-material return context.

D01 · The whole workspace together

Reuse: Current toolbar, workspace label, Command/Control/Chronicle modes, Quill, navigation and PTY.

Add / move: Rearrange panels with independent material and terminal focus; retain all current controls.

Stage 1A · functional allocation

D08 · Give the terminal room

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

D09 · Rituals share the composition

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

D10 · Control and Chronicle keep their jobs

Reuse: Current desktop Control and Chronicle workflows.

Add / move: None on mobile; preserve desktop repository-wide scope.

D13 · Keep desktop repository history

Reuse: Current desktop chronicle surface.

Add / move: None; preserve existing behaviour.

D14 · Keep desktop Armoury available

Reuse: Current desktop settings surface.

Add / move: None; preserve existing behaviour.

Add the minimum missing functionality

Task detail/material shelf; ordinary PDF and MP4/audio adapters; status filters; exact task/material/agent selection and back/context glue. Add metadata only for a proven selected save or publication gap.

Exit condition

Select task, filter, read/watch/listen and continue its exact existing agent; correct back, offline and failure behaviour.

Views in this phase

M03 · Find the work you need

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M04 · Only the active work

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M05 · One task, everything together

Reuse: Existing task label, resource counts, attachment expansion and associated session evidence.

Add / move: A compact task detail route with Materials and Agents choices; return restores the same board position.

Stage 1B · functional allocation

M06 · A shelf for what already exists

Reuse: Existing Attachments, Workspace documents and Public URL sections, statuses and actions.

Add / move: Present those same groups in a dedicated task material view; add selected-material context.

M07 · Read the PDF in the task

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Minimal ordinary PDF reader and page/zoom adapter, only where the current viewer lacks it.

M08 · Know when a document is live

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Preserve exact task/resource context around the existing document viewer.

M09 · Watch without leaving the task

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: In-app MP4 H.264/AAC player adapter with deliberate playback and lifecycle handling.

M10 · Listen to the same material

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: In-app MP3, M4A/AAC and WAV PCM adapter using the same existing file binding.

M11 · Reach the agent doing this work

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Task-scoped associated-agent selector and typed exact-target projection where absent.

Stage 1B · functional allocation

M13 · Send with a clear target

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Show the exact selected task/material revision around the existing explicit send action; new persistent feedback systems remain separate.

M14 · Activity is not acceptance

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M19 · Questions deserve a clear place

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M20 · A filter cannot steal your task

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M21 · Make empty results recoverable

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M22 · Unknown is different from unstarted

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

M23 · Failure states stay useful

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

Stage 1B · functional allocation

M35 · Break the work into phases

Reuse: Existing task and child-work identities, materials, agents and configured pipeline statuses.

Add / move: Small phase metadata, task-local phase grouping and explicit name/order/membership controls; no new dispatch engine.

M36 · Name, order and assign the work

Reuse: Existing task and child-work identities, materials, agents and configured pipeline statuses.

Add / move: Small phase metadata, task-local phase grouping and explicit name/order/membership controls; no new dispatch engine.

D02 · Find the work that matters

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Status/text/material filters and a truthful scoped status projection; no new task database.

D03 · A brief beside a working agent

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Independent viewer/terminal selection plus the missing ordinary PDF adapter.

D04 · A clear material shelf

Reuse: Current resource popover sections, links, status and remove/bind actions.

Add / move: Move the same resource groups into the centre shelf and add selection state.

Stage 1B · functional allocation

D05 · Watch the proposed experience

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

D06 · Listen and keep your context

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

D07 · Choose the exact associated agent

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Task association/ancestry display without replacing the existing sessions.

D11 · State changes without losing your place

Reuse: Current task identity, resource bindings, session and platform controls.

Add / move: Only the task/material/agent context needed for this flow.

D15 · Break the work into phases

Reuse: Existing task and child-work identities, materials, agents and configured pipeline statuses.

Add / move: Small phase metadata, task-local phase grouping and explicit name/order/membership controls; no new dispatch engine.

D16 · Name, order and assign the work

Reuse: Existing task and child-work identities, materials, agents and configured pipeline statuses.

Add / move: Small phase metadata, task-local phase grouping and explicit name/order/membership controls; no new dispatch engine.

Polish the working experience

Visual consistency, icons, density, themes, responsive refinements and accessibility matrix. No new functional architecture or mobile desktop-mode expansion.

Exit condition

Same functional fixtures pass with the intended visual refinements.


Views in this phase

D12 · Visual polish comes after function

Reuse: The functioning Stage 1A and Stage 1B composition.

Add / move: Later icons, spacing, typography, themes and accessibility refinements, without new functional scope.

Current Thy Quill




Workspace picker, grey task cards, resource expansion and orange add action.

Compare with proposed view M02. Screenshot is unchanged; the proposed HTML is labelled separately.

android/app/src/test/snapshots/images/home/dark.png
SHA-256 f1b84098b0e15d879c7fe15f...

Current expanded resources



Keep the current resource groups, rows and states; move them into the selected task.

Compare with proposed view M06. Screenshot is unchanged; the proposed HTML is labelled separately.

android/app/src/test/snapshots/images/note-item-row/materials-expanded.png
SHA-256 cb2cf0d06b114765a3ea375b...

Current Minions terminal




Keep the agent/session pill, text output and bottom Draft thy decree composer.

Compare with proposed view M12. Screenshot is unchanged; the proposed HTML is labelled separately.

android/app/src/test/snapshots/images/agents/dark.png
SHA-256 b9a4e4ae46ae6549f4691017...

Current Rituals




Keep the existing schedule cards, menu/add actions and run states.

Compare with proposed view M24. Screenshot is unchanged; the proposed HTML is labelled separately.

android/app/src/test/snapshots/images/scheduled-tasks/dark.png

SHA-256 7425432bfedf223eae43501b...

Current Scrolls




Keep the existing open-file destination; task context does not replace it.

Compare with proposed view M34. Screenshot is unchanged; the proposed HTML is labelled separately.

android/app/src/test/snapshots/images/scrolls/dark.png

SHA-256 56dcaeaeb3bd97da87d08876...

Current desktop toolbar




Keep Summon, workspace label, Command / Control / Chronicle, cloud and Local controls.

Compare with proposed view D01. Screenshot is unchanged; the proposed HTML is labelled separately.

tests/snapshots/toolbar-ascension/update-available.png

SHA-256 9e13ed061e4e51c1346b2aff...

Current desktop resource popover




Keep the resource groups and existing open/reveal/copy/detach actions; move the view into the centre.

Compare with proposed view D04. Screenshot is unchanged; the proposed HTML is labelled separately.

tests/snapshots/notepad-materials/note-item-row-materials-hover.png

SHA-256 9815db30f46e31c3416aa34d...

Current desktop agent and terminal area




Keep compact navigation, blue active selection, terminal tab and actual output controls; rehost on the right.

Compare with proposed view D08. Screenshot is unchanged; the proposed HTML is labelled separately.

tests/snapshots/history-marker/exhausted-all-loaded.png
SHA-256 edfd40536eaab5ce0bfd5846...

Choose your workspace

Start with the right context




Begin with the workspace selector you already have. This revision uses the actual test screenshots as its visual baseline: the same charcoal surfaces, text hierarchy and orange mobile actions. We rearrange existing tools first, add the small missing functional pieces next, and leave visual polish for Stage Two.

Next: Open Northstar → M02


Your work, at a glance


Thy Quill



Keep the current Thy Quill cards, workspace picker, overflow actions and add button. The phone retains its five existing destinations: Thy Quill, Minions, Scrolls, Rituals and Omens. Control and Chronicle are not part of this mobile draft.


Next: Filter tasks → M03





Find the work you need

One status, plus useful refinements




Choose one status filter, then optionally add text search and Has materials. Started means work began before. Agents running means someone is executing now. Needs your attention is an actual question or request, not a guess based on an idle terminal.

Next: Apply filters → M04


Only the active work

Agents running · 2 matches



Here are the tasks with agents running. A child asking a question stays visible alongside its working parent. Unknown status has its own route. Filtering changes what you see; it never moves a row or starts an agent.

Next: Open Welcome screen → M05






Stage 1B · add minimum

HTML draft · 4/33

Next →

One task, everything together

Welcome screen feels clear




Open the task through its explicit detail action. The brief, materials and associated agents now belong to one place. Editing and dragging the board row keep their existing routes. The agent can keep working while you review what it produced.

Next: Open Materials → M06


A shelf for what already exists

Copies, live files and destinations




This is the existing expanded-materials presentation from the tests, moved into the selected task. Keep separate Attachments, Workspace documents and Public URLs, including their current freshness and availability states. Stage One B adds a neat viewing route; it does not invent a new file library.

Next: Read the brief → M07




M06 · full scroll / 2



Read the PDF in the task

Brief.pdf · page 2 of 4




Read an ordinary PDF without leaving the task. Page controls and zoom are easy to reach. The copied brief keeps its revision label. Returning to materials keeps your task and reading context, rather than making you find the row again.

Next: Read the live document → M08

Know when a document is live

Workspace document · current source




A workspace document is visibly live. Its current revision may be newer than the copied PDF. That distinction matters when you comment on a specific version. The interface should show freshness honestly instead of calling every file the latest.

Next: Watch the walkthrough → M09

Watch without leaving the task

Walkthrough.mp4 · video player




Video playback belongs in Stage One. An MP4 opens inside the material view, with play, pause, seeking, elapsed time, volume and an expand action. Playback begins deliberately. Unsupported or unavailable media gets an honest explanation, not a pretend loaded player.

Next: Listen to the audio → M10

Listen to the same material

Brief narration.mp3 · audio player




Audio gets a proper player too, using the existing attached file. You can pause, seek and replay. Leaving the phone player releases playback. Coming back never starts hidden sound automatically. Generating new narration is a separate capability from playing what is already attached.

Next: See associated agents → M11

Reach the agent doing this work

Two associated agents




The agent list uses proven task associations. Rowan is the lead, and Mira is a real child in this fictional example. Selecting an agent opens that exact existing session. Unknown or ended associations are explained; opening the task never silently launches a replacement.

Next: Open Rowan’s terminal → M12

Continue the actual conversation

Rowan · existing session




The mobile terminal keeps its current agent pill, output typography and bottom composer. Selecting an associated agent opens that existing session. Back returns to the selected task. We are retaining Minions and its current controls, not inventing a second chat interface.

Next: Write an instruction → M13

Send with a clear target

Review the instruction before sending




Before sending, the task and recipient remain visible. Here we ask Rowan to shorten the introduction in the reviewed brief. This reuses explicit communication with the existing agent. A new persistent feedback and iteration system is still separately scoped.

Next: Send to Rowan → M14

Activity is not acceptance

Instruction delivered · work continues




The instruction is delivered to the current session, and activity changes without pretending the task is complete. Agent completion, product QA and your own acceptance remain separate. The board is not moved or cleared just because an agent returns a successful result.

Next: Review the question → M19

Start only when you choose

An accepted task, ready for work




For an unstarted task, the existing launch sheet makes recipient, folder and execution target explicit. In Thy Quill, the configured start rules still apply. Simply choosing a filter, opening a material or viewing this sheet starts nothing.

Next: Inspect the task menu → M16

Edit without losing your place

Task menu · deliberate actions




Editing stays deliberate. The task menu offers Edit, and the editor has clear Save and Cancel actions. Tapping elsewhere does not silently discard a draft. Materials stay attached to the same identity while the title changes.

Next: Add a material → M17

Add the right kind of resource

Three different resource meanings




Choose whether to attach a copied file, bind a live workspace document or add a labelled web destination. These are different operations. The interface must not quietly turn a live document into a copy, or download a public link as though it were an attachment.

Next: Inspect a public link → M18

Open links deliberately

Public URL · destination visible




A public link shows its label and destination before the deliberate open action. It stays a link. This concept uses a harmless example address, and every task and file shown in these mock-ups is fictional.

Next: Back to attention → M19

Questions deserve a clear place

Needs your attention




Needs your attention brings real questions and approvals forward. A working lead does not hide a child waiting for you. The action takes you to the correct existing conversation, rather than a similarly named agent in another workspace.

Next: Inspect a hidden selection → M20


A filter cannot steal your task


Selected task outside current filter



Suppose the agent stops running while you are reading its brief. The task may leave the running filter, but your open work stays put. A notice explains that it is outside the current filter, and Reveal takes you back without switching to a neighbour.


Next: See an empty result → M21





Make empty results recoverable

No matching tasks




An empty result tells you which filters are active and offers one clear way back to all tasks. It does not look like lost data. Search and material filters are private viewing preferences, and Back restores your prior list position.

Next: See an offline state → M22

Unknown is different from unstarted

Offline · last known information




When connectivity is unavailable, the app keeps known started history and labels current agent status as unavailable. An ended connection is not proof that work never began. Available local materials can still be read, while pending actions retain their honest state.

Next: Inspect a material error → M23

Failure states stay useful

This material cannot play yet




A damaged download, denied access or unsupported codec explains what failed and what you can do next. Retry and external opening are explicit fallbacks. They do not count as successful in-app playback for the supported formats in the Stage One requirement.

Next: Switch to Rituals → M24

The same pattern for Rituals

Rituals




Rituals remains its existing mobile tab, with the schedule cards and overflow actions from the test screenshots. We reuse those definitions and occurrences. The new task-like material and agent context connects to them in Stage One B; it does not replace the scheduler or add desktop modes to the phone.

Next: Open the definition → M25

Keep instructions and timing clear

Daily summary · definition




The definition shows the existing instructions, schedule and target. Editing the schedule is a deliberate save, separate from commenting on a report. Reviewing an output does not silently change tomorrow’s timing or launch another occurrence.

Next: Review the latest occurrence → M26

Review one particular occurrence

Today · 09:00 occurrence




An occurrence keeps its own output and associated run. Open its report using the same material experience. A successful scheduler result is different from a useful report; the screen makes space for your review rather than treating green execution as approval.

Next: Inspect retained output → M27

Do not invent a live session

Finished occurrence · retained summary




An ended occurrence keeps its retained output available. This uses the existing Ritual history and report routes. It does not fabricate a live agent or a complete conversation archive. The next stop is the existing settings screen, reached from the workspace header.

Next: Open existing settings → M30

Keep the current settings route

Settings




Settings stays behind the current gear in the workspace header. This draft retains the existing mobile appearance and controls. It does not add a new Armoury bottom tab or promise a mobile light-mode redesign. Visual polish is a later phase, after the task experience works.

Next: Open Omens → M32

A notification returns to the work

Omens




A notification names the task and the agent that needs you. Following it restores the right workspace and task, even if an old filter would hide it. It should never throw your reply into whichever terminal happened to be selected previously.

Next: Review before completion → M33

You decide when it is done

Agent finished · your review remains




Review the changed material and the evidence available for the task. Mobile does not gain Control or Chronicle in this draft. Existing agent discussion and material review are enough here; repository review stays on desktop. Only your deliberate acceptance completes the task.

Next: Return to the board → M02

Keep Scrolls available

Scrolls




Scrolls remains the current mobile file destination. The task material shelf is a contextual view of existing bindings, not a replacement for workspace files. Use the same document rows and viewer routes, then return to the task that owns the material.

Next: Open task materials → M35


Break the work into phases


Optional phases within a task



A task can optionally organise its existing work into named, ordered phases. Show all phases, the current phase, or unassigned work. Add or rename a phase, change its order, and assign existing work without duplicating its identity, materials or agents. Removing a phase returns its work to Unassigned. A phase is separate from pipeline status: it never starts work, completes a task or moves a board row automatically.


Next: Organise phases → M36





Name, order and assign the work

Optional phases within a task




A task can optionally organise its existing work into named, ordered phases. Show all phases, the current phase, or unassigned work. Add or rename a phase, change its order, and assign existing work without duplicating its identity, materials or agents. Removing a phase returns its work to Unassigned. A phase is separate from pipeline status: it never starts work, completes a task or moves a board row automatically.

Next: Save phase membership → M05

The whole workspace together

Task · material · agents · terminal




Start with the existing desktop interface from the test screenshots: compact toolbar, Command, Control and Chronicle tabs, grey panels, blue selection and the real terminal. Stage One A moves Thy Quill left, the existing viewer centre and the current agent and terminal controls right. It is a rearrangement of the current product.

Next: Next view → D02

Find the work that matters

Search and status above the task list




Filters sit above the task list. Choose one status, then combine it with text search and Has materials. Started and currently running are different. Unknown status is visible. The seven board sections, stored order and row identities remain unchanged.

Next: Next view → D03

A brief beside a working agent

Independent material and terminal selection




Read the PDF while the same agent continues working alongside it. This needs independent material and terminal selection, because the current shared area chooses between them. The new viewer host reuses existing Markdown and image viewers and adds the missing ordinary PDF reader.

Next: Next view → D04

A clear material shelf

Snapshot · live document · public URL




The shelf shows what is already attached or bound to the task. A copied PDF remains a snapshot, a workspace document is live, and a web destination remains a public link. Names, freshness and availability help you choose the right thing before giving feedback.

Next: Next view → D05

Watch the proposed experience

MP4 playback in the centre




MP4 video plays inside the centre material area. Play, pause, seek, volume and expansion are ordinary first-stage controls. The agent terminal stays alive. A public URL is not automatically fetched, and a failed decoder does not masquerade as a working player.

Next: Next view → D06

Listen and keep your context

Audio playback without a new library




An attached audio file uses the same shelf and a compact player. Playback begins deliberately, and switching material stops the previous player. A filter change alone keeps your selected task and media intact. Generation, editing and transcoding remain separate proposals.

Next: Next view → D07

Choose the exact associated agent

Working parent · child needs attention




The right-hand inspector shows existing task associations and actual ancestry. Here a lead is working while a child needs your answer. Selecting either one focuses its exact session. Unknown or ended links stay honest; the view does not invent a replacement agent.

Next: Next view → D08

Give the terminal room

Expand, then return to the same task




Expand the terminal when you need more room, then return to the reading layout. The session, input, scrollback and execution target remain the same. Keyboard focus belongs to one control at a time, so typing into search or the viewer never sends accidental terminal input.

Next: Next view → D09

Rituals share the composition

One source change, one coherent context




The Notepad and Rituals selector changes every Command region together. Open a particular occurrence to review its output and associated run. Existing scheduler controls keep their authority. Looking at a report never changes its schedule or triggers another delivery.

Next: Next view → D10

Control and Chronicle keep their jobs

Code review and repository history




Control remains code review, and Chronicle remains repository history. Their scope does not shrink to the selected task. This preserves existing workflows while making task work more coherent, rather than replacing the whole application with a single new screen.

Next: Next view → D11

State changes without losing your place

Outside-filter, unavailable and empty states




When live status changes, counts and list membership can update without stealing selection. An open task outside the current filter stays visible with a Reveal action. Offline and unknown states are explicit, and clearing an empty filter restores the list without changing stored data.

Next: Next view → D12

Visual polish comes after function

Stage 2 — deferred




Stage Two is visual polish after the working layout and minimum additions. This draft deliberately retains the current Classic test-screenshot appearance instead of inventing a new skin. Desktop Control and Chronicle remain desktop features. The PDF maps every functional addition to Stage One A or One B, with separate exit criteria.

Next: Next view → D01

Keep desktop repository history

Existing desktop function




Retain this existing desktop workflow and its current visual controls. The task composition does not change its scope or create a corresponding mobile feature.

Next: Return to Command → D01

Keep desktop Armoury available

Existing desktop function




Retain this existing desktop workflow and its current visual controls. The task composition does not change its scope or create a corresponding mobile feature.

Next: Return to Command → D15

Break the work into phases

Optional phases within a task




A task can optionally organise its existing work into named, ordered phases. Show all phases, the current phase, or unassigned work. Add or rename a phase, change its order, and assign existing work without duplicating its identity, materials or agents. Removing a phase returns its work to Unassigned. A phase is separate from pipeline status: it never starts work, completes a task or moves a board row automatically.

Next: Organise phases → D16

Name, order and assign the work

Optional phases within a task



A task can optionally organise its existing work into named, ordered phases. Show all phases, the current phase, or unassigned work. Add or rename a phase, change its order, and assign existing work without duplicating its identity, materials or agents. Removing a phase returns its work to Unassigned. A phase is separate from pipeline status: it never starts work, completes a task or moves a board row automatically.

Next: Save phase membership → D01