



Name: _____ Cohort/Batch: _____ Date: _____ Score: _____

MOVE PRACTICE SHEET - 10 CONCEPTUAL Q&A

10 conceptual Q&A Programming Languages

TOTAL: 10 QUESTIONS

Q1 What are the primary design goals of Move?

Threat Model

Q6 How does Move implement object-oriented or functional programming?

Interoperability

Q2 How does Move handle type checking: static or dynamic?

Architecture

Q7 How does Move handle errors?

Lifecycle

Q3 How does Move manage memory?

Configuration

Q8 What testing tools are commonly used in Move?

Compliance

Q4 What is Move's concurrency model?

Hardening

Q9 What makes Move well-suited for its target domain?

Testing

Q5 How are packages and dependencies managed in Move?

SSO / IdP

Q10 What are common performance pitfalls in Move?

Tuning



ANSWER KEY & EXPLANATORY SOLUTIONS

Comprehensive verified answers, best-practice configs, security controls & reference

VERIFIED SOLUTIONS

A1 Move was designed with specific priorities around

Mitigation

Move was designed with specific priorities around performance, safety, or developer productivity depending on its domain. These goals shape its syntax, type system, and standard library choices.

A6 Move supports classes and inheritance for OOP,

Observability

Move supports classes and inheritance for OOP, or first-class functions and immutability for FP, or both. Many modern Move programs blend both paradigms depending on the problem.

A2 Move uses its type system to catch

Primitives

Move uses its type system to catch errors at compile time (static) or at runtime (dynamic). This affects refactoring safety, tooling support, and the kinds of bugs that reach production.

A7 Move surfaces errors via exceptions, Result/Either types,

Information

Move surfaces errors via exceptions, Result/Either types, or error return values. The choice impacts whether errors are checked at compile time and how calling code is structured.

A3 Move uses one of three approaches: manual

Hardening

Move uses one of three approaches: manual allocation/deallocation, a garbage collector that periodically reclaims unreachable objects, or automatic reference counting. Each has different latency and throughput tradeoffs.

A8 Move has a standard or widely adopted

Governance

Move has a standard or widely adopted test runner and assertion library. Tests are typically organized into unit, integration, and end-to-end layers with coverage reporting built in or via plugins.

A4 Move supports concurrency through threads, coroutines,

Spotchas

Move supports concurrency through threads, coroutines, async/await, or an actor model. The choice determines how I/O-bound and CPU-bound workloads are scaled and how shared state is safely accessed.

A9 Move excels in its domain due to

Assessment

Move excels in its domain due to a combination of performance characteristics, ecosystem maturity, language ergonomics, and community support that makes common tasks simple.

A5 Move uses a package manager and a

Federation

Move uses a package manager and a manifest file to declare dependencies and version constraints. A lock file pins exact versions to ensure reproducible builds across environments.

A10 Typical performance issues in Move include excessive

Optimization

Typical performance issues in Move include excessive allocations, blocking the main thread or event loop, $O(n^2)$ data structures, and missing caching. Profiling and benchmarking tools are available to diagnose them.