



Name: _____ Cohort/Batch: _____ Date: _____ Score: _____

SCIKIT-LEARN PRACTICE SHEET - 10 CONCEPTUAL Q&A

10 conceptual Q&A AI/ML

TOTAL: 10 QUESTIONS

Q1 What is Scikit-learn and what AI/ML use case is it designed for? **Model**

Q6 How do you evaluate a model's performance in Scikit-learn? **Scalability**

Q2 What are the core abstractions in Scikit-learn? **Architecture**

Q7 How do you deploy a model trained with Scikit-learn? **Lifecycle**

Q3 How does Scikit-learn handle training or inference? **Configuration**

Q8 How does Scikit-learn handle distributed or multi-GPU training? **Compliance**

Q4 How does Scikit-learn manage data preprocessing? **Hardening**

Q9 How do you track experiments and versions in Scikit-learn? **Testing**

Q5 How does Scikit-learn support GPU/TPU acceleration? **SSO / IdP**

Q10 What are common pitfalls when using Scikit-learn in production? **Tuning**



ANSWER KEY & EXPLANATORY SOLUTIONS

Comprehensive verified answers, best-practice configs, security controls & reference

VERIFIED SOLUTIONS

A1 Scikit-learn is a framework or service targeting

Mitigation

Scikit-learn is a framework or service targeting a specific AI/ML domain training neural networks, building LLM pipelines, deploying models, or orchestrating agents. Understanding its scope helps you know when to use it vs alternatives.

A6 Evaluation uses a held-out validation set and

Observability

Evaluation uses a held-out validation set and metrics (accuracy, F1, BLEU, perplexity) appropriate to the task. Monitor both training and validation metrics to detect overfitting. Use a test set only at the very end to report final results.

A2 Scikit-learn organizes work around abstractions like models,

types

Scikit-learn organizes work around abstractions like models, tensors, pipelines, agents, or embeddings. Learning these core types is the first step to using the framework effectively.

A7 Export the model to a portable format

Automation

Export the model to a portable format (ONNX, TorchScript, SavedModel). Serve it via a model server (TorchServe, TF Serving, Triton) or embed it in an API endpoint. Monitor inference latency and drift in production.

A3 For training, Scikit-learn defines a model architecture,

Hardening

For training, Scikit-learn defines a model architecture, a loss function, and an optimizer. For inference, a trained model processes input data and returns predictions. Batch processing and hardware acceleration are key performance levers.

A8 Scikit-learn provides data-parallel or model-parallel strategies

Scikit-learn provides data-parallel or model-parallel strategies to split work across GPUs. Data parallelism replicates the model on each GPU and averages gradients. Model parallelism splits layers across devices for models too large for one GPU.

A4 Scikit-learn provides data loaders, tokenizers, or pipeline

orchas

Scikit-learn provides data loaders, tokenizers, or pipeline components that transform raw data into the tensor or embedding format the model expects. Proper preprocessing is critical for model correctness and training speed.

A9 Use an experiment tracker (MLflow, Weights &

Assessment

Use an experiment tracker (MLflow, Weights & Biases, Comet) alongside Scikit-learn to log hyperparameters, metrics, and artifacts. Track the code version and data version for full reproducibility.

A5 Scikit-learn detects available accelerators and moves

Federation

Scikit-learn detects available accelerators and moves computation to them. Specify the device explicitly (cuda, mps, tpu) to avoid accidentally running expensive operations on CPU. Mixed-precision (fp16/bf16) further reduces memory and increases throughput.

A10 Common issues include training-serving skew (different

optimization

Common issues include training-serving skew (different preprocessing), missing input validation, no latency SLA enforcement, models not versioned, and no process to retrain on drifted data distributions.