



Name: _____ Cohort/Batch: _____ Date: _____ Score: _____

WALLETS PRACTICE SHEET - 10 CONCEPTUAL Q&A

10 conceptual Q&A Blockchain/Web3

TOTAL: 10 QUESTIONS

Q1 What is Wallets and what AI/ML use case is it designed for? Model

Q6 How do you evaluate a model's performance in Wallets? Observability

Q2 What are the core abstractions in Wallets? Architecture

Q7 How do you deploy a model trained with Wallets? Lifecycle

Q3 How does Wallets handle training or inference? Configuration

Q8 How does Wallets handle distributed or multi-GPU training? Training

Q4 How does Wallets manage data preprocessing? Hardening

Q9 How do you track experiments and versions in Wallets? Testing

Q5 How does Wallets support GPU/TPU acceleration? SSO / IdP

Q10 What are common pitfalls when using Wallets in production? Monitoring



ANSWER KEY & EXPLANATORY SOLUTIONS

Comprehensive verified answers, best-practice configs, security controls & reference

VERIFIED SOLUTIONS

A1 Wallets is a framework or service targeting

Mitigation

Wallets is a framework or service targeting a specific AI/ML domain training neural networks, building LLM pipelines, deploying models, or orchestrating agents. Understanding its scope helps you know when to use it vs alternatives.

A6 Evaluation uses a held-out validation set and

Observability

Evaluation uses a held-out validation set and metrics (accuracy, F1, BLEU, perplexity) appropriate to the task. Monitor both training and validation metrics to detect overfitting. Use a test set only at the very end to report final results.

A2 Wallets organizes work around abstractions like models, tensors, pipelines, agents, or embeddings. Learning these core types is the first step to using the framework effectively.

Primitives

A7 Export the model to a portable format

Automation

Export the model to a portable format (ONNX, TorchScript, SavedModel). Serve it via a model server (TorchServe, TF Serving, Triton) or embed it in an API endpoint. Monitor inference latency and drift in production.

A3 For training, Wallets defines a model architecture,

Hardening

For training, Wallets defines a model architecture, a loss function, and an optimizer. For inference, a trained model processes input data and returns predictions. Batch processing and hardware acceleration are key performance levers.

A8 Wallets provides data-parallel or model-parallel strategies to

Scalability

Wallets provides data-parallel or model-parallel strategies to split work across GPUs. Data parallelism replicates the model on each GPU and averages gradients. Model parallelism splits layers across devices for models too large for one GPU.

A4 Wallets provides data loaders, tokenizers, or pipeline

Gotchas

Wallets provides data loaders, tokenizers, or pipeline components that transform raw data into the tensor or embedding format the model expects. Proper preprocessing is critical for model correctness and training speed.

A9 Use an experiment tracker (MLflow, Weights &

Assessment

Use an experiment tracker (MLflow, Weights & Biases, Comet) alongside Wallets to log hyperparameters, metrics, and artifacts. Track the code version and data version for full reproducibility.

A5 Wallets detects available accelerators and moves computation

Optimization

Wallets detects available accelerators and moves computation to them. Specify the device explicitly (cuda, mps, tpu) to avoid accidentally running expensive operations on CPU. Mixed-precision (fp16/bf16) further reduces memory and increases throughput.

A10 Common issues include training-serving skew (different preprocessing), missing input validation, no latency SLA enforcement, models not versioned, and no process to retrain on drifted data distributions.

Optimization

Common issues include training-serving skew (different preprocessing), missing input validation, no latency SLA enforcement, models not versioned, and no process to retrain on drifted data distributions.