



Name: _____ Cohort/Batch: _____ Date: _____ Score: _____

EVENT-DRIVEN ARCHITECTURE PRACTICE SHEET - 10 CONCEPTUAL Q&A

10 conceptual Q&A Architecture

TOTAL: 10 QUESTIONS

Q1 What is Event-Driven Architecture and what problem in Architecture does it solve?

Threat Model

Q6 How does Event-Driven Architecture handle reliability and high availability?

Observability

Q2 What are the core components or concepts in Event-Driven Architecture?

Architecture

Q7 What observability does Event-Driven Architecture provide out of the box?

Lifecycle

Q3 How does Event-Driven Architecture compare to its main alternatives?

Configuration

Q8 What are common performance bottlenecks in Event-Driven Architecture?

Compliance

Q4 How do you get started with Event-Driven Architecture for a new project?

Hardening

Q9 What security best practices apply when running Event-Driven Architecture?

Testing

Q5 What configuration options most affect Event-Driven Architecture's behavior in production?

SSO / IdP

Q10 What mistakes do teams commonly make when adopting Event-Driven Architecture?

Tuning



ANSWER KEY & EXPLANATORY SOLUTIONS

Comprehensive verified answers, best-practice configs, security controls & reference

VERIFIED SOLUTIONS

A1 Event-Driven Architecture is a tool or

Mitigation

Event-Driven Architecture is a tool or platform that automates or simplifies a specific concern in the Architecture domain, reducing manual effort and operational complexity for engineering teams.

A6 Event-Driven Architecture provides HA through

Observability

Event-Driven Architecture provides HA through leader election, replication, or stateless horizontal scaling. Deploy at least two instances across availability zones and configure health checks for automatic failover.

A2 Event-Driven Architecture has key building blocks

Primitives

Event-Driven Architecture has key building blocks that work together: a configuration layer defines intent, a runtime layer enforces it, and an API or CLI layer allows operators to manage and observe the system.

A7 Event-Driven Architecture exposes metrics

Automation

Event-Driven Architecture exposes metrics (Prometheus endpoint or built-in dashboard), structured logs, and optionally distributed traces. Define SLOs on the key metrics and alert before users are affected.

A3 Event-Driven Architecture trades off simplicity

Hardening

Event-Driven Architecture trades off simplicity against feature richness differently than its alternatives. Choose Event-Driven Architecture when its specific strengths performance, ecosystem, or ease of use align with your team's primary constraints.

A8 Performance bottlenecks typically stem from

Governance

Performance bottlenecks typically stem from misconfigured connection pools, large payload sizes, insufficient worker threads, or missing caches. Profile with built-in diagnostics before optimizing.

A4 Install Event-Driven Architecture via its package

Gotchas

Install Event-Driven Architecture via its package manager or binary release. Follow the quickstart to initialize a project, configure the minimal required settings, and run the default command to verify the setup works end-to-end.

A9 Run Event-Driven Architecture with the

Assessment

Run Event-Driven Architecture with the principle of least privilege, enable TLS for all communication, use a secrets manager for credentials, and keep the software patched to the latest stable release.

A5 Production-critical settings typically include

Federation

Production-critical settings typically include concurrency limits, timeout values, retry policies, resource limits, and logging levels. Review the official production hardening guide before deploying.

A10 Common pitfalls include skipping the

Optimization

Common pitfalls include skipping the documentation and learning the API by trial and error, using default configurations in production, lacking a runbook for operational issues, and not testing failover scenarios.