B1.

```
abstract class XeMay {
        abstract void brake ();
}
class XeMayTheThao extends XeMay {
    @Override
    public void brake () {
        System.out.println (" xe máy thể thao
                                phanh nhanh ");
    }
}
Class XeMayLeoNui extends XeMay {
    @Override
    public void brake () {
        System.out.println (" xe máy leo núi
                                phanh chậm ");
    }
}

Class Main {
    Public static void main (String [] args)
    {
        XeMay x1 = new XeMayTheThao ();
        XeMay x2 = new XeMayLeoNui ();
        x1. brake ();
        x2. brake ();
    }
}
```

Câu lý thuyết về như static là : Vd
toString là : Memo No. Đưa thành ngoại thành
Date

B2 :

```
abstract class Shape {
        abstract void draw ();
        public String get Color () {
            return "Red";
        }
}

Class Rectangle extends Shape {
    @Override
    public void draw () {
        System.out.println (" Draw Rectangle
                with color " + get Color());
    }
}

Class Circle extends Shape {
    @Override
    public void draw () {
        System.out.println (" Draw Circle
                with color " + get Color());
    }
}

Class Triangle extends Shape {
    @Override
    public void draw () {
        System.out.println (" Draw Triangle
                with color " + get Color());
    }
}
```

TUANVIET BOOKS

```
Class ShapeApp {
    public static void main (String [] args)
    {
        Shape s1 = new Rectangle ();
        Shape s2 = new Circle ();
        s1.draw ();
        s2.draw ();
    }
}
```

B3:

```
abstract class HinhHoc {
    public final float PI = 3.14f;
    String ten;
    float chuvi;
    float dienTich;
    public HinhHoc () { }
    abstract void xuatTen ();
    abstract void tinhChuVi ();
    abstract void tinhDienTich ();
    void inChuVi () {
        System.out.println ("Chu vi: " +
                                ChuVi);
    }
    void inDienTich () {
        System.out.println ("Dien tich: "
                                + dienTich);
    }
}
```

```
Class HinhTron extends HinhHoc {
    float banKinh;
    void nhapBankinh () {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Nhap ban kinh: ");
        bankinh = sc.nextFloat ();
    }
    void xuatTen () {
        System.out.println ("HinhTron");
    void tinhChuVi () {
        ChuVi = 2 * PI * bankinh;
    }
    void tinhDienTich () {
        dienTich = PI * banKinh * bankinh
    }
}

Class HinhChuNhat extends HinhHoc {
    float dai, rong;
    void nhapChuanDai () {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Nhap chuan dai: ");
        dai = sc.nextFloat ();
    }
    void nhapChuanRong () {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Nhap chuan rong: ");
        rong = sc.nextFloat ();
    }
```

```
    void xuatTen() {
        System.out.printf("Hinh Chu Nhat");
    }
    void tinhChuVi() {
        Chu vi = 2 * (dai + rong);
    }
    void tinhDienTich() {
        dienTich = dai * rong;
    }
}

Class HinhTron extends HinhTron {
    float Chieu cao;
    void nhapChieuCao() {
        Scanner sc = new Scanner(System.in);
        System.out.print("Nhap chieu cao:");
        ChieuCao = sc.nextFloat();
    }
    void tinhTheTich() {
        float theTich = PI * bankinh *
            bankinh * ChieuCao;
        System.out.println("The tich: "
            + theTich);
    }
}
```

```
Class HinhVuong extends HinhChuNhat {
    void nhapCanh() {
        Scanner sc = new Scanner(System.in);
        System.out.printf("Nhap canh:");
        dai = rong = sc.nextFloat();
    }
}

Class Main {
    Public static void main(String[] args) {
        HinhTron ht = new HinhTron();
        ht.xuatTen();
        ht.nhapBanKinh();
        ht.tinhChuVi();
        ht.tinhDienTich();
        ht.inChuVi();
        ht.inDienTich();

        HinhChuNhat hcn = new HinhChuNhat()
        hcn.xuatTen();
        hcn.nhapChieuDai();
        hcn.nhapChieuRong();
        hcn.tinhChuVi();
        hcn.tinhDienTich();
        hcn.inChuVi();
        hcn.inDienTich();
    }
}
}
```

Bài:

```
abstract class Person {
    String name;
    String address;
    public Person (String name, String address)
    {
        this name = name;
        this address = address;
    }
    public void setName (String name) {
        this name = name;
    }
    public ~~void~~ String getName () {
        return name;
    }
    public void setAddress (String address) {
        this address = address;
    }
    public ~~void~~ String getAddress () {
        return address;
    }
    abstract void display ();
}
```

```
Class Employee extends Person {
    int salary;
    public Employee (String name, String
        address, int salary) {
        super (name, address),
        this salary = salary,
    }
    void display () {
        System out println ("Employee"),
        System out. println ("Name: " + name
        System out println (" Address : " +
                address );
        System out. println (" Salary : " + sal
    }
}

Class Customer extends Person {
    int balance,
    public Customer (String name, String
            int balance) {
        Super ( name, address ),
        this balance = balance;
    }
    void display () {
        System out. println (" Customer" )
        System out. println ("Name : " +
        System out. println (" Address : " +
        System out. println (" Balance : " +
    }
}
```

Memo No.....
Date...../...../.....

Sa Su

```
Main {
public static void main (String [] args){
    Employee e = new Employee ("An"
        "HCM", 50000);
    Customer e = new Customer ("
        Tang", "AnGiang", 2006);
    e.display();
    e.display();
```