

DATABASE REFERENCE

Federal Reserve G.6 Data Dictionary

Deposit Turnover by Type, 1977–1996

Current raw, staging, and core DDL • 13 August 2026

Database overview

This PostgreSQL database digitizes the Federal Reserve's historical G.6 Debits and Deposit Turnover at Commercial Banks releases for 1977-1996 into a fully auditable research dataset. Prior to July 1977, only demand deposit data was collected. The release was retired in October 1996.

Auditability is essential because the archived documents combine poor scans with recurring layout changes, shifting deposit definitions, revised releases, and occasional internal inconsistencies that make OCR uncertain. PDF Embedded OCR has errors and is used for corroboration rather than a source of truth.

For each detected table cell, the raw layer preserves competing OCR readings, confidence and repair evidence, page geometry, document version, and extraction run. Staging then resolves selected readings into controlled economic observations, reconciles repeated release appearances, and applies rounding-aware arithmetic checks before core receives one accepted fact.

In parallel, versioned category definitions organize the publication's many concept changes into distinct direct series. Core combines only segments that are directly compatible, producing coherent continuous series for plotting and analysis without hiding real definition breaks.

Evidence flow: source PDF -> OCR candidates -> physical cells -> preprocessed observations -> controlled observations -> consensus -> cross-checked facts -> direct and compatible continuous core series.

Scope

Structural reference for every current PostgreSQL schema, table, view, and column. Types and constraints reflect the completed database dump and numbered construction scripts; populated artifacts clarify semantics but do not redefine the schema.

Schema	Role	Tables	Views	Columns
raw	Extraction evidence and provenance	7	0	103
staging	Controlled transformation and reconciliation	7	0	87
core	Authoritative facts and series views	3	5	68
Total		17	5	258

Interpretation: SQL NULL geography means not applicable for non-demand deposits; SQL NULL customer type means an unsplit/not-applicable category. The current cross-checked population contains accepted positive numeric facts only.

Schema: raw

Evidence-preserving source layer for document versions, page OCR, physical cells, and candidate readings. It retains uncertain and rejected evidence so every downstream value remains auditable.

Table: raw.extraction_run

One row per extraction execution, recording its pipeline version, inputs, completion state, and run documentation. run_label is unique.

Column	Type	Null?	Description	Key / rule
extraction_run_id	smallint	No	Surrogate key for one pipeline execution	PK; identity
run_label	text	No	Human-assigned unique execution label	Unique
pipeline_version	text	No	Extraction code and configuration version	
input_root	text	Yes	Resolved root of the source-document corpus	
full_corpus_completed	boolean	No	Whether all full-corpus load validations passed	Default false
input_artifact_manifest	jsonb	No	JSONL part names, byte sizes, and line counts	JSON array; default []
cleanup_report_path	text	Yes	QA report produced by this extraction run	
run_notes	text	Yes	Optional notes about the extraction execution	
loaded_at	timestampz	No	Database load time for this row	Default current timestamp

Table: raw.g6_era

Defines the bounded report eras used to group releases by presentation or methodology. Era identifiers are restricted to 1–8.

Column	Type	Null?	Description	Key / rule
era_id	smallint	No	Stable identifier for one reporting-presentation era	PK; 1–8
first_document_date	date	No	Inclusive first release date in the era	At or before last date

Column	Type	Null?	Description	Key / rule
last_document_date	date	No	Inclusive final release date in the era	At or after first date
source_reported_doc_count	smallint	Yes	Document count transcribed from the era map	
era_description	text	No	Presentation changes and source anomalies defining the era	

Table: raw.g6_release

Represents each logical monthly G.6 release cycle and assigns it to an era. Publication code and cycle month uniquely identify a release.

Column	Type	Null?	Description	Key / rule
g6_release_id	smallint	No	Surrogate key for one logical monthly release	PK; identity
release_cycle_month	date	No	Month-start key for the logical release cycle	Month-start; unique with publication code
publication_code	text	No	Federal Reserve publication-series code	Default G.6
release_title	text	No	Standardized publication title	Default G.6 title
era_id	smallint	No	Reporting-presentation era associated with the row	FK → raw.g6_era
release_notes	text	Yes	Optional notes about the logical release	
created_at	timestampz	No	Initial database insertion time	Default current timestamp

Table: raw.source_document

Catalogs the physical source files and versions associated with each logical release. It identifies the preferred version and explicit supersession chain.

Column	Type	Null?	Description	Key / rule
source_document_id	smallint	No	Surrogate key for one physical source file	PK; identity
g6_release_id	smallint	No	Key for the associated logical monthly release	FK → raw.g6_release; unique with version

Column	Type	Null?	Description	Key / rule
document_date	date	No	Canonical release date assigned from the filename	
source_filename	text	No	Basename of the stored source file	
source_relative_path	text	No	Source-file location relative to the corpus root	Unique
source_format	text	No	Stored source-document file format	Default pdf
document_version	smallint	No	Version ordinal within the logical release	Positive; default 1
version_type	text	No	Original, revised, corrected, replacement, or unknown	original, revised, corrected, replacement, or unknown
is_preferred_version	boolean	No	Whether consensus may use this document version	One true per release; default true
supersedes_source_document_id	smallint	Yes	Earlier source file replaced by this version	Self-FK
page_count	smallint	Yes	Pages loaded from the source document	Positive when present
source_notes	text	Yes	Optional notes about the file or document version	
created_at	timestampz	No	Initial database insertion time	Default current timestamp

Table: raw.source_page_extraction

Stores page-level extraction and classification results for a source document in a specific run. It retains OCR text, word geometry, table structure, and date reconciliation evidence.

Column	Type	Null?	Description	Key / rule
source_page_extraction_id	smallint	No	Surrogate key for one extracted source page	PK; identity
source_document_id	smallint	No	Key for the associated physical source document	FK → raw.source_document
extraction_run_id	smallint	No	Surrogate key for one pipeline execution	FK → raw.extraction_run
page_number	smallint	No	One-based page number within the source document	Positive

Column	Type	Null?	Description	Key / rule
input_part_name	text	No	JSONL part containing the page audit record	
input_line_number	smallint	No	One-based line within the input JSONL part	Positive
page_classification	text	No	Detected role of the page within the release	table_page, metadata_page, unrelated_release_page, or uncertain_page
classification_score	double precision	Yes	Pipeline score assigned to the page role	
classification_reason	text	Yes	Structural evidence supporting the assigned page role	
printed_release_code	text	Yes	OCR-detected page-header code; not authoritative	
printed_release_title	text	Yes	OCR-detected page-header title; not authoritative	
printed_release_date	date	Yes	OCR-detected page-header date; not authoritative	
page_adjustment_status	text	No	SA/NSA label inferred from page content	SA, NSA, or unknown
mean_ocr_confidence	double precision	Yes	Mean rendered-page OCR word confidence	
raw_ocr_text	text	Yes	Full rendered-page OCR text	
sparse_ocr_text	text	Yes	OCR text from sparse page segmentation	
embedded_locator_text	text	Yes	Embedded PDF text used only for locating content	
date_reconciliation	jsonb	No	Cross-table month-sequence reconciliation evidence	JSON object; default {}
rendered_ocr_words	jsonb	No	Rendered OCR words with geometry and confidence	JSON array; default []
sparse_ocr_words	jsonb	No	Sparse-segmentation words with geometry and confidence	JSON array; default []
embedded_locator_words	jsonb	No	Embedded locator words with page geometry	JSON array; default []
table_anchors	jsonb	No	Detected semantic table titles and bounds	JSON array; default []
table_structure	jsonb	No	Detected grids, dimensions, offsets, and evidence	JSON array; default []

Column	Type	Null?	Description	Key / rule
created_at	timestampz	No	Initial database insertion time	Default current timestamp

Unique grain: (source_document_id, extraction_run_id, page_number). The composite (source_page_extraction_id, source_document_id, page_number) is also unique for cell provenance.

Table: raw.g6_cell_extraction

Represents one detected physical table cell with its geometry, interpreted column/date metadata, status, support, and selection diagnostics. Its physical position is unique within a page extraction and table instance.

Column	Type	Null?	Description	Key / rule
g6_cell_extraction_id	integer	No	Surrogate key for one detected physical table cell	PK; identity
source_page_extraction_id	smallint	No	Key for the associated page-extraction record	Composite FK → page extraction
source_document_id	smallint	No	Key for the associated physical source document	Composite FK → page extraction
page_number	smallint	No	One-based page number within the source document	Positive; composite FK
table_number	smallint	No	Semantic table ordinal: debits, deposits, or turnover	Positive
table_instance_id	text	No	Page-local identifier for one detected table	Physical-grain component
row_index	integer	No	Zero-based physical row position within the table	Nonnegative
column_index	integer	No	Zero-based physical data-column position	Nonnegative
physical_row_center	double precision	Yes	Rendered-page vertical center of the row	
physical_row_bounds	jsonb	No	JSON top and bottom bounds for the row	JSON array
cell_bbox	jsonb	No	JSON cell bounds: left, top, right, bottom	JSON array
ink_density	double precision	Yes	Share of dark pixels within the cell bounds	
row_label_raw	text	Yes	OCR text read from the month-row label	

Column	Type	Null?	Description	Key / rule
matched_month_label_candidates	jsonb	No	Candidate month/year readings and supporting evidence	JSON array; default []
pipeline_observation_date	date	Yes	Month assigned after date reconciliation	
observation_date_status	text	Yes	Whether the month was recognized, inferred, or reconciled	
observation_date_source	text	Yes	Evidence path used to assign the month	
column_path	jsonb	No	Hierarchical headings printed above the cell	JSON array
canonical_column	jsonb	No	Normalized deposit, geography, and customer context	JSON object
pipeline_cell_status	text	No	Final semantic outcome selected for the cell	reported, not_available, blank, or extraction_error
pipeline_selection_reason	text	Yes	Why the pipeline selected the final cell result	
cross_release_support_count	integer	No	Nearby releases agreeing with the selected value	Nonnegative; default 0
adjacent_release_values	jsonb	No	Nearby-release values for the same economic key	JSON array; default []
validation_flags	jsonb	No	Pipeline diagnostics retained for ranking and audit	JSON array; default []
arithmetic_selection	jsonb	Yes	Within-page identity evidence used in candidate selection	
cross_release_selection	jsonb	Yes	Nearby-vintage evidence used in candidate selection	
created_at	timestampz	No	Initial database insertion time	Default current timestamp

Unique physical grain: (source_page_extraction_id, table_instance_id, row_index, column_index).

Table: raw.g6_ocr_candidate

Stores every OCR interpretation considered for a physical cell, including confidence, normalization, eligibility, and final selection. At most one candidate is selected per cell.

Column	Type	Null?	Description	Key / rule
g6_ocr_candidate_id	integer	No	Surrogate key for one candidate cell reading	PK; identity
g6_cell_extraction_id	integer	No	Physical cell evaluated by this candidate	FK → raw.g6_cell_extraction
candidate_order	integer	No	Zero-based position among candidates for the cell	Nonnegative; unique per cell
ocr_source	text	No	OCR pass or embedded-locator source	
ocr_variant	text	Yes	Preprocessing, crop, or segmentation variant	
raw_recognized_string	text	Yes	Exact text returned by this OCR pass	
candidate_numeric	numeric	Yes	Numeric interpretation parsed from this OCR reading	
candidate_status	text	No	Semantic outcome represented by this candidate	reported, not_available, blank, or extraction_error
ocr_confidence	double precision	Yes	OCR-reported confidence for this reading	
normalization_rule	text	Yes	Parsing or repair rule producing this candidate	
is_eligible	boolean	No	Whether this candidate may become the final reading	Selected implies eligible
is_selected	boolean	No	Whether this is the cell's final candidate	At most one per cell; default false
selection_reason	text	Yes	Why this candidate was selected, when applicable	
measure_canonical	text	Yes	Measure inherited from the containing semantic table	
unsafe_decimal_relocation	boolean	Yes	Whether parsing found an ambiguous decimal relocation	
trimmed_trailing_digits	integer	Yes	OCR suffix digits removed during repair	
supporting_raw_strings	jsonb	Yes	OCR strings combined to form this candidate	

Column	Type	Null?	Description	Key / rule
created_at	timestampz	No	Initial database insertion time	Default current timestamp

Schema: staging

Controlled refinement layer that converts selected physical cells into economic observations, assigns definitions and units, reconciles repeated vintages, and applies final arithmetic and manual corrections. Existing keys preserve traceability to raw evidence.

Table: staging.g6_unit_dimension

Defines the controlled measure/unit combinations used throughout staging. Each unit and measure pair is one-to-one in this corpus.

Column	Type	Null?	Description	Key / rule
unit_id	smallint	No	Surrogate key for one controlled measure/unit pair	PK; identity
unit_code	text	No	Stable machine-readable unit label	Unique
measure_canonical	text	No	Economic measure: debits, average deposits, or turnover	debits, average_deposits, or turnover; unique with ID
quantity_kind	text	No	Flow, stock, or frequency classification	currency_flow, currency_stock, or frequency
currency_code	character(3)	Yes	Currency code; absent or not applicable for turnover	
scale_to_base_unit	numeric	No	Multiplier from stored values to base units	Positive
annualization_basis	text	No	Annual-rate, unannualized, or per-year interpretation	annual_rate, not_annualized, or per_year
display_label	text	No	Human-readable measure and unit label	

Table: staging.g6_deposit_category_definition

Defines precise, versioned deposit-category concepts and their component coverage. Definition code is unique; family plus version is also unique.

Column	Type	Null?	Description	Key / rule
category_definition_id	smallint	No	Surrogate key for one versioned category definition	PK; identity
definition_code	text	No	Stable machine-readable category definition	Unique
concept_family_code	text	No	Higher-level deposit concept family	demand, savings, other_checkable, or mmda

Column	Type	Null?	Description	Key / rule
definition_version	smallint	No	Definition ordinal within the concept family	Positive; unique within family
includes_mmda	boolean	No	Whether MMDA balances are included	Default false
includes_telephone_or_preauthorized_transfers	boolean	No	Whether telephone or preauthorized-transfer accounts are included	Default false
is_separately_reported	boolean	No	Whether the category has its own published series	Default true
definition_description	text	No	Plain-language scope of the category definition	

Table: staging.g6_deposit_definition_rule

Maps canonical extracted deposit labels to precise category definitions over release- and observation-date ranges. Rule code is unique.

Column	Type	Null?	Description	Key / rule
definition_rule_id	smallint	No	Surrogate key for one date-sensitive assignment rule	PK; identity
rule_code	text	No	Stable machine-readable assignment-rule code	Unique
deposit_type_canonical	text	No	Pipeline deposit label matched by this rule	demand, savings, ats_now, mmda, or other_checkable
category_definition_id	smallint	No	Precise category definition assigned by the rule	FK → category definition
release_date_from	date	Yes	Inclusive first applicable release date	Bounded range
release_date_to	date	Yes	Inclusive final applicable release date	Bounded range
observation_date_from	date	Yes	Inclusive first applicable observation month	Bounded range
observation_date_to	date	Yes	Inclusive final applicable observation month	Bounded range
rule_description	text	No	Plain-language definition-assignment condition	

The composite (definition_rule_id, category_definition_id) is unique and supports the post-processed composite FK.

Table: staging.g6_parsed_observation_preprocessed

Provides one analysis-oriented record per raw physical cell using the Python pipeline's selected candidate and normalized labels. Detailed document, geometry, and OCR evidence stays in raw.

Column	Type	Null?	Description	Key / rule
g6_cell_extraction_id	integer	No	Raw physical cell represented one-to-one by this row	PK; FK → raw cell
selected_candidate_order	integer	Yes	Chosen raw candidate within the physical cell	Composite FK → OCR candidate; nonnegative
release_date	date	No	Publication date of the source document	
observation_date	date	No	Month measured by the economic value	
observation_date_status	text	No	Whether the month was recognized, inferred, or reconciled	recognized, inferred, or page_consensus_reconciled
measure_canonical	text	No	Economic measure: debits, average deposits, or turnover	
adjustment_status	text	No	Published seasonal basis: SA, NSA, or unknown	SA, NSA, or unknown
deposit_type_canonical	text	No	Normalized deposit label before version assignment	
geography_canonical	text	Yes	Demand-bank geography; NULL for non-demand deposits	
customer_type_canonical	text	Yes	Published customer component; NULL when unsplit	
units_raw	text	Yes	OCR-extracted unit heading, which may be absent	
value_numeric	numeric	Yes	Pipeline-selected reading; NULL unless reported	Required only when reported
value_status	text	No	Reported, unavailable, blank, or extraction-error outcome	reported, not_available, blank, or extraction_error
validation_flags	jsonb	No	Pipeline diagnostics retained for ranking and audit	JSON array; default []
cross_release_support_count	integer	No	Nearby releases agreeing with the selected value	Nonnegative; default 0
created_at	timestampz	No	Initial database insertion time	Default current timestamp

Reported and not-available rows require a selected candidate; blank and extraction-error rows do not.

Table: staging.g6_parsed_observation_post_processed

Adds controlled units, precise category definitions, and document precedence to each preprocessed cell without changing row grain. It is one-to-one with preprocessed staging.

Column	Type	Null?	Description	Key / rule
g6_cell_extraction_id	integer	No	Preprocessed cell represented one-to-one by this row	PK; FK → preprocessed
g6_release_id	smallint	No	Key for the associated logical monthly release	FK → raw.g6_release
source_document_id	smallint	No	Key for the associated physical source document	FK → raw.source_document
source_document_precedence	text	No	Preferred source version or superseded version	preferred or superseded
release_date	date	No	Publication date of the source document	
observation_date	date	No	Month measured by the economic value	
observation_date_status	text	No	Whether the month was recognized, inferred, or reconciled	recognized, inferred, or page_consensus_reconciled
measure_canonical	text	No	Economic measure: debits, average deposits, or turnover	debits, average_deposits, or turnover
adjustment_status	text	No	Published seasonal basis: SA, NSA, or unknown	SA, NSA, or unknown
definition_rule_id	smallint	No	Date-sensitive rule assigning the category definition	Composite FK with definition
category_definition_id	smallint	No	Versioned deposit definition assigned to the cell	Composite FK with rule
geography_canonical	text	Yes	Demand-bank geography; NULL for non-demand deposits	all_banks, new_york_city, or other_banks when present
customer_type_canonical	text	Yes	Published customer component; NULL when unsplit	total, business, other, or ats_now when present
unit_id	smallint	No	Controlled measure and unit assigned to the row	Composite FK with measure
value_numeric	numeric	Yes	Selected value carried unchanged from preprocessing	Required only when reported

Column	Type	Null?	Description	Key / rule
value_status	text	No	Reported, unavailable, blank, or extraction-error outcome	reported, not_available, blank, or extraction_error
created_at	timestampz	No	Initial database insertion time	Default current timestamp

Table: staging.g6_observation_consensus

Contains one reconciled record per economic observation key after excluding superseded documents and applying methodological revision cutoffs. It retains consensus method and support counts for the selected value.

Column	Type	Null?	Description	Key / rule
g6_observation_consensus_id	smallint	No	Surrogate key for one reconciled economic observation	PK; identity
observation_date	date	No	Month measured by the economic value	Economic-key component
measure_canonical	text	No	Economic measure: debits, average deposits, or turnover	debits, average_deposits, or turnover; economic key
adjustment_status	text	No	Published seasonal basis: SA, NSA, or unknown	SA, NSA, or unknown; economic key
category_definition_id	smallint	No	Versioned deposit-category definition	FK; economic key
geography_canonical	text	Yes	Demand-bank geography; NULL for non-demand deposits	Null-aware economic key
customer_type_canonical	text	Yes	Published customer component; NULL when unsplit	Null-aware economic key
unit_id	smallint	No	Controlled measure and unit assigned to the row	Composite FK; economic key
value_numeric	numeric	Yes	Winning numeric result; NULL unless reported	Required only when reported
value_status	text	No	Status of the winning consensus result	reported, not_available, blank, or extraction_error
consensus_method	text	No	Winner classification based on group size and support	singleton, unanimous, plurality, or other_tiebreaking_support
potentially_authoritative_cell_count	smallint	No	Preferred-source appearances remaining after revision cutoff	Positive
selected_value_support_count	smallint	No	Authoritative appearances supporting the winning result	Positive; not above candidate count

Column	Type	Null?	Description	Key / rule
distinct_potentially_authoritative_celli_count	smallint	No	Distinct status/value results in the authoritative set	Positive
revision_cutoff_date	date	Yes	Method-break date excluding older release vintages	Only 1982-10-14 or 1991-02-19
created_at	timestampz	No	Initial database insertion time	Default current timestamp

Economic key is unique with nulls treated as equal: (observation_date, measure_canonical, adjustment_status, category_definition_id, geography_canonical, customer_type_canonical, unit_id).

Table: staging.g6_observation_cross_checked

Contains the accepted numeric consensus observations after automated arithmetic reconciliation and limited manual correction. Each row is unique both by consensus source and economic key; its own primary key is the direct core lineage key.

Column	Type	Null?	Description	Key / rule
g6_observation_consensus_id	smallint	No	One-to-one source consensus result	Unique FK → consensus
observation_date	date	No	Month measured by the economic value	Economic-key component
measure_canonical	text	No	Economic measure: debits, average deposits, or turnover	debits, average_deposits, or turnover; economic key
adjustment_status	text	No	Published seasonal basis: SA, NSA, or unknown	SA, NSA, or unknown; economic key
category_definition_id	smallint	No	Versioned deposit-category definition	FK; economic key
geography_canonical	text	Yes	Demand-bank geography; NULL for non-demand deposits	Null-aware economic key
customer_type_canonical	text	Yes	Published customer component; NULL when unsplit	Null-aware economic key
unit_id	smallint	No	Controlled measure and unit assigned to the row	Composite FK; economic key
value_numeric	numeric	No	Final one-decimal value after arithmetic and manual cleanup	Exactly one decimal
created_at	timestampz	No	Initial cross-checked-row insertion time	Default current timestamp
manually_adjusted	boolean	No	Whether an approved manual correction changed the value	Default false

Column	Type	Null?	Description	Key / rule
g6_observation_cross_checked_id	smallint	No	Final-staging fact and direct core-lineage key	PK; identity; core lineage key
cross_checked_value_replaced	boolean	No	Whether arithmetic reconciliation changed the consensus value	Default false

Economic key is unique with nulls treated as equal: (observation_date, measure_canonical, adjustment_status, category_definition_id, geography_canonical, customer_type_canonical, unit_id).

Schema: core

Authoritative positive monthly facts with compact controlled dimensions and direct final-staging lineage. Its views expose direct series coverage and only the explicitly approved continuity constructions, without duplicating the underlying facts.

Table: core.measure_definitions

Defines the core measure/unit members. Because measure and unit are one-to-one, observations reference only measure_id.

Column	Type	Null?	Description	Key / rule
measure_id	smallint	No	Controlled measure/unit member copied from staging	PK; composite FK → staging unit
measure_code	text	No	Economic quantity represented by this member	Unique; controlled values
unit_code	text	No	Stable machine-readable unit label	Unique
quantity_kind	text	No	Flow, stock, or frequency classification	
currency_code	text	No	Currency code; absent or not applicable for turnover	USD or not_applicable
scale_to_base_unit	numeric	No	Multiplier from stored values to base units	Positive
annualization_basis	text	No	Annual-rate, unannualized, or per-year interpretation	
display_label	text	No	Human-readable measure and unit label	

Table: core.non_demand_variant_definitions

Collapses each observed non-demand category-definition/customer combination into one controlled variant. Member 0 is the explicit not-applicable member used by demand observations.

Column	Type	Null?	Description	Key / rule
non_demand_variant_id	smallint	No	Surrogate key for one non-demand definition/customer member	PK; 0 is not applicable

Column	Type	Null?	Description	Key / rule
variant_code	text	No	Stable definition and customer-component combination code	Unique
source_category_definition_id	smallint	Yes	Staging category definition represented by the variant	FK → staging category; null only for member 0
source_customer_type_canonical	text	Yes	Staging customer component, preserving SQL NULL	Null preserved from staging
denulled_customer_type_canonical	text	No	Explicit customer component or not_applicable	business, other, total, ats_now, or not_applicable
definition_code	text	No	Category-definition code copied from staging	
definition_version	smallint	No	Category-definition version copied from staging	0 only for member 0
includes_mmda	boolean	No	Whether MMDA balances are included	
includes_telephone_or_preauthorized_transfers	boolean	No	Whether telephone or preauthorized-transfer accounts are included	
definition_description	text	No	Category scope copied from staging	
introduced_in_era_id	smallint	Yes	First release-presentation era for the variant	FK → raw.g6_era; null for member 0
last_applicable_era_id	smallint	Yes	Final release-presentation era for the variant	FK → raw.g6_era; null for member 0

Source combination is unique with nulls treated as equal: (source_category_definition_id, source_customer_type_canonical).

Table: core.g6_observation

Stores the authoritative positive monthly numeric facts at their precise economic grain. Its primary key directly references the originating cross-checked staging row.

Column	Type	Null?	Description	Key / rule
g6_observation_cross_checked_id	smallint	No	Primary key and direct final-staging lineage key	PK; FK → final staging
observation_date	date	No	Month measured by the economic value	Month-start; economic key
measure_id	smallint	No	Controlled measure and unit member	FK → measure; economic key

Column	Type	Null?	Description	Key / rule
is_demand_deposit	boolean	No	Selects demand versus non-demand fact structure	Deposit-shape discriminator
demand_deposit_geography	text	No	Demand-bank geography or explicit not_applicable	not_applicable for non-demand
non_demand_variant_id	smallint	No	Non-demand definition/customer member; 0 for demand	0 for demand; FK → variant
seasonally_adjusted	boolean	No	True for SA observations; false for NSA	Economic-key component
value_numeric	numeric(14,1)	No	Accepted value in the measure member's unit	Positive; one decimal
manually_adjusted	boolean	No	Whether an approved manual correction changed the value	Default false
loaded_at	timestampz	No	Core-row insertion time	Default current timestamp

Economic grain is unique: (observation_date, is_demand_deposit, demand_deposit_geography, non_demand_variant_id, measure_id, seasonally_adjusted). Demand rows require a named geography and variant 0; non-demand rows require not_applicable geography and a nonzero variant.

View: core.g6_direct_series

Relabels every direct core observation with a stable series code derived from its full economic key. It does not copy or transform values.

Column	Type	Description
series_code	text	Composite deposit, measure, and adjustment series key
g6_observation_cross_checked_id	smallint	Direct final-staging lineage key
observation_date	date	Month measured by the economic value
measure_id	smallint	Controlled measure and unit member
measure_code	text	Economic measure: debits, average deposits, or turnover
is_demand_deposit	boolean	Selects demand versus non-demand fact structure
demand_deposit_geography	text	Demand-bank geography or explicit not_applicable
non_demand_variant_id	smallint	Controlled non-demand definition/customer member
non_demand_variant_code	text	Machine-readable non-demand definition/customer scope
seasonally_adjusted	boolean	True for SA observations; false for NSA
value_numeric	numeric(14,1)	Unchanged accepted core fact value
manually_adjusted	boolean	Whether the source fact was manually corrected

View: core.g6_direct_series_catalog

Summarizes each direct economic series with its identifier fields, coverage dates, and observation count. It is derived from core.g6_direct_series.

Column	Type	Description
series_code	text	Grouping key for one direct economic series
measure_id	smallint	Controlled measure and unit member
measure_code	text	Economic measure: debits, average deposits, or turnover
is_demand_deposit	boolean	Selects demand versus non-demand fact structure
demand_deposit_geography	text	Demand-bank geography or explicit not_applicable
non_demand_variant_id	smallint	Controlled non-demand definition/customer member
non_demand_variant_code	text	Machine-readable non-demand definition/customer scope
seasonally_adjusted	boolean	True for SA observations; false for NSA
first_observation_date	date	Earliest available month in the series
last_observation_date	date	Latest available month in the series
observation_count	integer	Available monthly rows in the direct series

View: core.continuous_sa_demand_turnover

Exposes the continuous all-era seasonally adjusted demand-deposit turnover series for each demand geography. Values are direct facts with staging lineage.

Column	Type	Description
demand_deposit_geography	text	Demand-bank geography or explicit not_applicable
observation_date	date	Month measured by the economic value
value_numeric	numeric(14,1)	Turnover rate in times per year
source_g6_observation_cross_checked_id	smallint	Direct final-staging lineage key
manually_adjusted	boolean	Whether the direct source fact was manually corrected

View: core.continuous_nsa_savings_turnover

Constructs the approved harmonized NSA savings-turnover series across three definition segments. The middle segment derives turnover from summed business-plus-other debits and deposits; source-key arrays preserve lineage.

Column	Type	Description
observation_date	date	Month measured by the economic value
value_numeric	numeric	Turnover rate in times per year
source_g6_observation_cross_checked_ids	smallint[]	One direct source key or four derived-input keys
continuity_segment	text	Published-total or business-plus-other construction branch
is_derived	boolean	True only for the business-plus-other ratio segment

View: core.continuous_nsa_narrow_other_checkable_turnover

Joins the Era-2 ATS/NOW segment to the later separately reported narrow other-checkable series. It excludes the expanded 1994 definition and uses revised backdata from August 1981.

Column	Type	Description
observation_date	date	Month measured by the economic value
value_numeric	numeric(14,1)	Turnover rate in times per year
source_g6_observation_cross_checked_id	smallint	Direct final-staging lineage key
continuity_segment	text	ATS/NOW or narrow-other-checkable construction branch
manually_adjusted	boolean	Whether the direct source fact was manually corrected