



SYMBIOSIS INSTITUTE OF TECHNOLOGY (SIT)

Constituent of Symbiosis International (Deemed University), Pune

(Established under Section 3 of the UGC Act of 1956 vide notification number F-9-12/2001-U-3 of the Government of India)
Re-Accredited by NAAC with 'A++' Grade

ASSIGNMENT No: 20

TITLE: Develop a Java application to establish connectivity with a database and perform INSERT, UPDATE, and DELETE operations.

Problem Statement

Develop a Java application to establish connectivity with a database and perform INSERT, UPDATE, and DELETE operations.

Learning Objectives

To perform database modification operations using JDBC.

Theory

JDBC allows Java applications to perform database manipulation using SQL Data Manipulation Language (DML) statements such as INSERT, UPDATE, and DELETE. The INSERT statement adds new records into database tables, UPDATE modifies existing records, and DELETE removes unwanted records. These operations are executed using the Statement or PreparedStatement interface. PreparedStatement is generally preferred because it supports parameterized queries, improves performance, and prevents SQL injection attacks. Proper transaction management ensures that database modifications are performed safely and consistently. These operations form the basis of almost every database-driven application such as banking systems, hospital management systems, and student information systems.

```

import java.sql.*;

public class Main {
    public static void main(String[] args) {
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");

            Connection con = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/college2",
                "root",
                "root"
            );

            Statement stmt = con.createStatement();

            // INSERT
            stmt.executeUpdate(
                "INSERT INTO student VALUES (101, 'Rahul', 'Java', 85)"
            );
            System.out.println("Record inserted successfully.");

            // UPDATE
            stmt.executeUpdate(
                "UPDATE student SET marks = 90 WHERE roll_no = 101"
            );
            System.out.println("Record updated successfully.");

            // DELETE
            stmt.executeUpdate(
                "DELETE FROM student WHERE roll_no = 101"
            );
            System.out.println("Record deleted successfully.");

            con.close();
        } catch (Exception e) {
            System.out.println("Error: " + e.getMessage());
        }
    }
}

```

```

java -cp ".;C:\Users\DHARMIT SHAH\.m2\repository\com\mysql\mysql-connector-j-8.4.0.jar" Exp20.Main
Record inserted successfully.
Record updated successfully.
Record deleted successfully.
PS C:\Users\DHARMIT SHAH\Java-Questions>

```

Exercise

1. Create a Java application to manage employee records using CRUD operations
2. Create a Java application to manage student records using CRUD operations. Perform Create, Read, Update, and Delete operations on student details such as roll number, name, course, and marks using a database.

```
import java.sql.*;

public class Exp1 {
    public static void main(String[] args) {
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");

            Connection con = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/company",
                "root",
                "root");

            Statement stmt = con.createStatement();

            // CREATE - Insert employee
            stmt.executeUpdate(
                "INSERT INTO employee VALUES (101, 'Rahul', 'IT', 50000)"
            );
            System.out.println("Employee inserted successfully.");

            // UPDATE - Update salary
            stmt.executeUpdate(
                "UPDATE employee SET salary = 55000 WHERE emp_id = 101"
            );
            System.out.println("Employee updated successfully.");

            // READ - Display employee
            ResultSet rs = stmt.executeQuery(
                "SELECT * FROM employee"
            );

            System.out.println("\nEmployee Records:");

            while (rs.next()) {
                System.out.println(
                    "ID: " + rs.getInt("emp_id") +
                    ", Name: " + rs.getString("name") +
                    ", Department: " + rs.getString("department") +

```

```

        , Salary: rs.getDouble( salary )
    );
}

// DELETE - Delete employee
stmt.executeUpdate(
    "DELETE FROM employee WHERE emp_id = 101"
);
System.out.println("Employee deleted successfully.");

con.close();
}
catch (Exception e) {
    System.out.println("Error: " + e.getMessage());
}
}
}

```

```

PS C:\Users\DHARMIT SHAH\Java-Questions> java -cp ".;C:\Users\DHARMIT SHAH\.m2\repository\com\mysql
.4.0\mysql-connector-j-8.4.0.jar" Exp20.Exercise.Exp1
Employee inserted successfully.
Employee updated successfully.

Employee Records:
ID: 101, Name: Rahul, Department: IT, Salary: 55000.0
Employee deleted successfully.
PS C:\Users\DHARMIT SHAH\Java-Questions>

```

```
import java.sql.*;

public class Exp2 {
    public static void main(String[] args) {
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");

            Connection con = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/college",
                "root",
                );

            Statement stmt = con.createStatement();

            // CREATE - Insert student
            stmt.executeUpdate(
                "INSERT INTO student VALUES (101, 'Amit', 'Java', 85)"
            );
            System.out.println("Student inserted successfully.");

            // UPDATE - Update marks
            stmt.executeUpdate(
                "UPDATE student SET marks = 90 WHERE roll_no = 101"
            );
            System.out.println("Student updated successfully.");

            // READ - Display students
            ResultSet rs = stmt.executeQuery(
                "SELECT * FROM student"
            );

            System.out.println("\nStudent Records:");

            while (rs.next()) {
                System.out.println(
                    "Roll No: " + rs.getInt("roll_no") +
                    ". Name: " + rs.getString("name") +
                );
            }
        } catch (Exception e) {
            e.printStackTrace();
        }
    }
}
```

```

        ", Course: " + rs.getString("course") +
        ", Marks: " + rs.getInt("marks")
    );
}

// DELETE - Delete student
stmt.executeUpdate(
    "DELETE FROM student WHERE roll_no = 101"
);
System.out.println("Student deleted successfully.");

con.close();
}
catch (Exception e) {
    System.out.println("Error: " + e.getMessage());
}
}
}

```

```

PS C:\Users\DHARMIT SHAH\Java-Questions> javac Exp20/Exercise/Exp2.java
>> java -cp ".;C:\Users\DHARMIT SHAH\.m2\repository\com\mysql\mysql-connector-j\8.4.0\mysql-connector
0.Exercise.Exp2
>>
Student inserted successfully.
Student updated successfully.

Student Records:
Roll No: 101, Name: Amit, Course: Java, Marks: 90
Student deleted successfully.
PS C:\Users\DHARMIT SHAH\Java-Questions>

```

Conclusion

Thus, the experiment successfully demonstrated database connectivity using JDBC and performing INSERT, UPDATE, and DELETE operations on database records. The use of SQL DML statements through JDBC was understood, along with the role of Statement and PreparedStatement in modifying database data. The experiment also provided an understanding of how CRUD operations are used to manage records in real-world database applications.