

arXiv Strategy for the Cut-and-Project Paper

Dirk Kunert

April 26, 2026

Purpose

This note collects practical suggestions for submitting the manuscript

A Period Formula for Rational Cut-and-Project Strip Projections with Multiplicity

to arXiv. It lists suitable subject categories, possible expert readers, and a suggested first-contact email.

Can an independent researcher submit to arXiv?

Yes. An independent researcher may submit to arXiv. The issue is not the lack of a university affiliation, but the endorsement requirement. A new submitter normally needs endorsement for the relevant arXiv category or subject class.

The affiliation may simply be written as

Independent Researcher

in the paper.

Recommended arXiv categories

The paper is not best framed primarily as deep number theory. It uses number-theoretic tools such as congruences, residue classes, and coprimality, but its main object is a gap sequence arising from a geometric and combinatorial construction.

Recommended categories:

- Primary: `math.CO` or `math.DS`.
- Possible cross-listing: `math.NT` or `math.MG`.

A reasonable first choice is

`math.CO`

because the proof is essentially combinatorial and residue-class based. If the paper is presented more strongly as a symbolic-dynamical gap-sequence result, then `math.DS` is also plausible.

How to approach potential endorsers or expert readers

It is better not to send a cold message that immediately asks for endorsement. A more professional strategy is:

1. Send a concise email with the manuscript attached or linked.
2. Explain the result in two or three sentences.
3. Ask whether the result appears suitable as an arXiv preprint and whether the recipient knows prior literature containing the same formula.
4. Only if the response is positive, ask whether the person would be willing to endorse the arXiv submission.

This is less intrusive and more likely to receive a serious response.

Most relevant potential readers

The following people are mathematically close to the topic. They should not be viewed as guaranteed endorsers; they are possible expert readers whose published work is near cut-and-project sets, gap problems, symbolic dynamics, or combinatorics on words.

Closest to cut-and-project sets and gap problems

- **Alan Haynes.** Relevant because of work on gap problems and frequencies of patches in cut-and-project sets.
- **Henna Koivusalo.** Relevant because of work on cut-and-project sets, gap problems, and aperiodic order.
- **Lorenzo Sadun.** Relevant because of work on tilings, aperiodic order, and cut-and-project structures.
- **James Walton.** Relevant because of work on aperiodic order, topology of tilings, and cut-and-project structures.
- **Reem Yassawi.** Relevant because of work connecting symbolic dynamics, Meyer sets, and self-similar structures.
- **Valérie Berthé.** Relevant because of work on symbolic dynamics, combinatorics on words, numeration, and Meyer-set related structures.

Gap problems, lattices, and the three-gap theorem

- **Jens Marklof.** Relevant because of work on the three-gap theorem, spaces of lattices, and geometric approaches to gap problems.
- **Andreas Strömbergsson.** Relevant because of work on lattices, dynamics, and the three-gap theorem.
- **Jayadev Athreya.** Relevant through dynamics, lattices, and related gap-distribution questions, although somewhat less directly tied to this specific rational cut-and-project problem.
- **Barak Weiss.** Relevant through homogeneous dynamics, Delone sets, and aperiodic order, although the present result may be more elementary than his usual focus.

Christoffel words, Sturmian sequences, and combinatorics on words

- **Jean Berstel.** Central figure in combinatorics on words, Sturmian words, and Christoffel words.
- **Christophe Reutenauer.** Relevant because of major work on Christoffel words and combinatorics on words.
- **Aaron Lauve.** Relevant because of work on Christoffel words and related combinatorics.
- **Franco V. Saliola.** Relevant because of work on Christoffel words and combinatorics on words.
- **Sébastien Labbé.** Relevant because of work on Christoffel words, multidimensional symbolic dynamics, and cut-and-project related structures.
- **Michel Rigo.** Relevant because of work on combinatorics on words, numeration systems, and symbolic dynamics.

Shortlist

If only a few people are contacted, a sensible order is:

1. Alan Haynes.
2. Henna Koivusalo.
3. James Walton.
4. Valérie Berthé.
5. Sébastien Labbé.
6. Jens Marklof.

The first three are closest to cut-and-project gap questions. Berthé and Labbé are strong choices if the paper is framed through symbolic dynamics and combinatorics on words. Marklof is relevant through the lattice and gap-problem viewpoint.

Suggested first-contact email

Subject: Short note on rational cut-and-project gap periods

Dear Professor [Name],

I am an independent researcher working on a short note about rational one-dimensional cut-and-project strip projections.

The paper proves an explicit formula for the minimal period of the projected multiset gap sequence. For coprime positive integers α , β and window parameter $\omega \geq 0$, the period is

$$\begin{aligned} \lambda &= N && \text{if } D \text{ does not divide } N, \\ \lambda &= N / D && \text{if } D \text{ divides } N, \end{aligned}$$

where $N = \lfloor \omega \alpha \rfloor + \lfloor \omega \beta \rfloor + 1$ and $D = \alpha^2 + \beta^2$.

The proof is elementary and reduces the problem to the distribution of consecutive residue classes modulo D . The algebraic core has also been formalised in Lean 4.

Since your work is close to cut-and-project sets / gap problems / symbolic dynamics, I would be grateful if you were willing to take a brief look at the manuscript. In particular, I would appreciate knowing whether the result appears to be a reasonable arXiv preprint and whether you are aware of prior literature containing this exact formula.

I fully understand if you do not have time.

Best regards,
Dirk Kunert

Possible follow-up email asking for endorsement

This should only be sent if the person has responded positively or has shown interest in the manuscript.

Subject: arXiv endorsement question

Dear Professor [Name],

thank you very much for taking the time to look at my manuscript.

I would now like to submit the note to arXiv, probably under [math.CO/math.DS]. Since I am an independent researcher and a first-time submitter in this area, arXiv requires an endorsement.

If you consider the manuscript suitable as a refereeable mathematical preprint, would you be willing to endorse me for the corresponding arXiv category?

Of course I fully understand if you prefer not to do so.

Best regards,
Dirk Kunert

Checklist before contacting anyone

Before sending the manuscript to potential readers, check the following:

1. The paper compiles without errors.
2. The title mentions multiplicity or projected multisets.
3. The abstract clearly states that projected values are counted with multiplicity.
4. The setup contains an explicit multiplicity convention.
5. The bi-infinite nondecreasing enumeration of projected values is justified.

6. The proof of $\tilde{p}_s^{(i+N)} = \tilde{p}_s^{(i)} + D$ is explicit.
7. The degenerate case $D \mid N$ clearly explains the role of zero gaps.
8. The Lean formalisation is described precisely and not overstated.
9. AI systems are not listed as co-authors.
10. AI assistance is mentioned only in the acknowledgements.
11. The bibliography is cleaned up, preferably replacing Wikipedia with a mathematical reference for the three-gap theorem.
12. The GitHub repository builds cleanly if the Lean formalisation is advertised.

Practical recommendation

The best first step is to contact one or two people from the closest group, for example Alan Haynes and Henna Koivusalo, with a short email and the manuscript attached. If there is no response, proceed to James Walton, Valérie Berthé, or Sébastien Labbé.

The request should initially be for feedback on whether the result appears suitable for arXiv and whether the formula is known, not immediately for endorsement.