

## Payeer for CMS Modx Revolution 2.4.2-pl (Shopkeeper 3.2.3-pl)

Copy via FTP the assets folder in your site root folder with the replacement files.

Go to the admin panel of the website, go to "Elements" and create a new snippet (right click on section "Snippets").



Specify a name and description for the new snippet (Payeer), copy the code from the text file module payeer\_snippet.txt in the "snippet Code (php)". Then click "Save".



?>

In the control system, edit the page that is opened after placing the order (&redirectTo in FormIt). In the "Content resource" to insert the snippet call: [[!Payeer]]. Click "Save".

Also check that on the checkout page in the FormIt snippet call had been passed using the &redirectTo. This is the ID of the page that will open after you submit the order.

In the form template should be a dropdown list to select the method of payment.

```
<select name="payment" class="form-control">
<option value=""></option>
[[!+shkopt_payments]]
</select>
```

Specify the Payeer module options in the file /assets/components/payment/config/payeer.php

In quotation marks write a blank options:

```
define('PAYEER_MERCHANT_URL', 'https://payeer.com/merchant/'); // URL of the merchant
define('PAYEER_MERCHANT_ID', '01234567'); // The ID of the store
define('PAYEER_SECRET_KEY', '1234567'); // The secret key of the store
define('PAYEER_CURRENCY_CODE', 'USD'); // Currency (i.e. RUB, EUR, USD)
define('PAYEER_IPFILTER', '123.456.78.90,343.*.56.*,*.*.*.*'); // IP filter trusted ip handler, separate
define('PAYEER_EMAILERR', 'info@payeer.com'); // The administrator Email address to send errors payment
define('PAYEER_LOGFILE', '/payeer_orders.log'); // The path of the log file where the record of payment
?>
```

PAYEER\_MERCHANT\_URL — by default, the path to payment https://payeer.com/merchant/

PAYEER\_MERCHANT\_ID — store id in the system payeer.com (can be found in the personal cabinet).

PAYEER\_SECRET\_KEY – the secret key of the store.

PAYEER\_CURRENCY\_CODE — the currency code of the store in capital letters (RUB, USD or EUR).

PAYEER\_IPFILTER – a list of all trusted IP addresses, separated by commas, from which come the requests for verification of payment. You can also specify a mask instead of the IP address. If the field is left blank, the validation is not performed.

## For example:

```
192.168.71.87, 192.165.83.17, 192.178.34.15
Or 192.*.71.87, 192.165.83.*, 192.*.34.15
Or *.*.*.* - all available ip addresses
```

PAYEER\_EMAILERR — an email will be sent notification in case of an error of payment. The letter will state the reason and basic information about the payment.

PAYEER\_LOGFILE — if you specify the path to the file logging, you will be recording information about payments via Payeer.

Then, enter the URL address in the "Dasboard  $\rightarrow$  Merchant  $\rightarrow$  Settings"

Client/Merchant 🔻
ents/payment/payeer_status.php

Success URL:

http://\*\*\*\*/SUCCESS\_URL

Fail URL:

http://\*\*\*\*/FAIL\_URL

Status URL:

http://\*\*\*\* /assets/components/payment/payeer\_status.php

Where \*\*\*\*\* - this is your domain, SUCCESS\_URL – url of the page after successful payment, FAIL\_URL link to the page after a failed payment.

Confirm changes.

Module Payeer for CMS Modx Revolution 2.4.2-pl (Shopkeeper 3.2.3-pl) configured.