

SECTION 12 35 53 - LABORATORY CASEWORK

PART 1 - GENERAL

1.1 SUMMARY

- A. Section includes metal laboratory casework, epoxy resin work surfaces and wall-hung counters.
- B. Fume hoods are specified in Section 11 53 13. Sinks are furnished under Section 22 40 00.

1.2 COORDINATION

- A. Furnish concealed in-wall counter brackets to the framing contractor for installation before gypsum board. Coordinate locations and heights shown on the Drawings.
- B. Size sink cutouts to the sink models scheduled on the plumbing drawings.

1.3 ACTION SUBMITTALS

- A. Product Data: For casework, work surfaces and hardware.
- B. Shop Drawings: Plans and elevations keyed to the Contract Drawings, sections, work surface heights, in-wall supports, cutouts for sinks and fixtures furnished by others, and service fixture locations. Include every elevation shown on the Drawings.
- C. Samples: Work surface colors.

PART 2 - PRODUCTS

2.1 METAL CASEWORK

- A. Steel laboratory casework conforming to SEFA 8-M.

2.2 EPOXY RESIN WORK SURFACES

- A. Epoxy resin, 1 inch thick, conforming to SEFA 3.

2.3 ACCESSIBLE WORKSTATIONS

- A. Provide accessible student stations where indicated on the Drawings, with open knee space.

PART 3 - EXECUTION

3.1 INSTALLATION

- A. Install casework level and plumb. Anchor wall-hung counters to in-wall brackets.

END OF SECTION 12 35 53