

SLATE: System for Local Area Traffic Estimation Flow Chart:

A listing of macros and programs in the order in which they are executed in a complete run of SLATE, along with a one line description:

Author's note: this only includes a listing of programs and macros in the order they are called. Unix commands such as "mv" or "rm" are excluded here for clarity. The interested reader is encouraged to read a complete slate script for all of the microscopic details.

Initial Set Up: Prepare Module Parameters, Create Scenarios

t.scenario - change scenarios
t.switches - set default emme/2 switches



Initialize Turn Penalties

makedef.tl.a - create default d231.in file for idelay
idelay9 - determine initial intersection delay based on approach capacity (*)
nozero.a - more post processing
t.clear231 - batch d231.in data into emme/2



Create Dummy Scenario

t.modparXXX - set appropriate module parameters
t.createdummy - create dummy scenario
t.scenario - change to dummy scenario
t.clear231 - batch d231.in data into emme/2
t.scenario - change back to main scenario



Transpose Matrices, Calculate Access to Transit

t.transpose - transpose matrices
t.listcents - list centroids with XY Coordinate
cent2matrix.a - convert centroid XY coordinates into matrix vectors
t.trandist - compute distance between each centroid and each Metro station, compute min.



Trip Generation Model

t.LATRtrip4pm - run trip generation model (*)



Prep "Gravity", "Levity"

Gravity: convert externs1 file (output from travel/2 work traversal) into d311.in file
Levity: convert externs2 file (output from travel/2 nonwork traversal into d311.in file
(d311.in includes fij, trips originating, destined for external stations)







