# Hill and Griffith Company
# Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. This information should be given to all individuals who may come in contact with this material.

N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED

## 1.0 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME (s): Avon
Description: Dry Parting Agent

SUPPLIER: The Hill & Griffith Co.
1085 Summer Street
Cincinnati, Ohio 45204
(513) 921-1075 Fax:(513) 921-9180

**EMERGENCY TELEPHONE:** (800) 424-9300
Call Chemtrec

## 2.0 HAZARD IDENTIFICATION

**Emergency Overview**

| | |
|---|---|
| Appearance | White powder |
| Color | Clear to pale yellow |
| Odor | slight fatty odor |

**GHS Classification**

| | |
|---|---|
| Human Health | STOT RE 1 |

**GHS Label element**

Hazard Pictograms

| | |
|---|---|
| Signal word: | Danger |
| Hazard Statements | H372 Causes damage to lungs through prolonged or repeated exposure via inhalation. |
| Precautionary statements | **Response:**<br>P260 Do not breathe dust<br>P285 In case of inadequate ventilation wear respiratory protection<br>**Disposal:**<br>P501 Dispose of contents / container to an approved waste disposal plant. |

**Potential Health Effects**

Principle Routes of Exposure: Inhalation, Skin contact, Eye contact, Ingestion

Aggravated Medical Condition: None known.

**Acute Toxicity**

**Eyes:** Not expected to cause prolonged or significant eye irritation.
**Skin:** Contact with the skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic reaction. Not expected to be harmful to internal organs if absorbed through the skin. Wash thoroughly after handling.
**Inhalation:** Long term exposure to crystalline silica can cause lung injury (silicosis). IARC and NTP have determined that crystalline silica inhaled from occupational sources can cause cancer in humans. Risk of injury is dependent on the duration and level of exposure.
**Ingestion:** Not expected to be harmful if swallowed.

## 3.0 COMPOSITION / INFORMATION ON INGREDIENTS

| CHEMICAL NAME | CAS – No | Weight% |
|---|---|---|
| Ground Limestone | 1317-65-3 | 99 - 100 |
| Quartz | 14808-60-7 | < 1 |
| Water | 7732-18-5 | < 1 |

## 4.0 FIRST-AID MEASURES

**INHALATION:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms persist, obtain medical attention..

**SKIN CONTACT/ABSORPTION:** Wash skin thoroughly with soap and water. Remove contaminated clothing. If irritation develops, seek medical attention.

**EYE CONTACT:** Flush with large amounts of clear flowing water for at least 15 minutes. As a precaution remove any contact lenses, if worn. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. If irritation persists, seek medical attention.

**INGESTION:** Do NOT induce vomiting. As a precaution get medical advice. If spontaneous vomiting occurs, place the victim's head below knee level. Never give anything by mouth to an unconscious person.

**PROTECTION OF FIRST_AIDERS:** No action shall be taken involving any personal risk or without suitable training.

**NOTE TO PHYSICIAN:** Treat symptomatically. Contact poison treatment specialists immediately if large quantities have been ingested or inhaled.

## 5.0 FIRE FIGHTING MEASURES

**NFPA 704 Hazard Class**
Health: 1 Flammability: 0 Instability: 0
(0=minimal, 1=slight, 2=moderate, 3= serious, 4=severe)

**FLASHPOINT: (Cleveland Open Cup)** Not combustible

**FLAMMABLE LIMITS** **LEL:** NA **UEL:** NA

**AUTOIGNITION TEMPERATURE:** NE

**EXTINGUISHING MEDIA:** Carbon dioxide, foam, dry chemical, water fog

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Subject to dust generation

**FIRE FIGHTING EQUIPMENT:** Wear self-contained breathing apparatus with a full face-piece operated in the positive pressure demand mode when fighting fires.

## 6.0 ACCIDENTAL RELEASE MEASURES

Use proper respiratory and personal protective equipment. MSHA/NIOSH or OSHA/NIOSH approved respirator recommended. Spilled material may cause slippery conditions when wet. Care should be exercised when walking on spills on floors or concrete pads. Vacuum, pump or scoop spilled material into containers for reclaiming or disposal. Do not discharge into drains, watercourses or onto ground.

## 7.0 HANDLING AND STORAGE

**HANDLING & Storage:** Minimize dust generation and accumulation. If excessive dust is generated, provide adequate ventilation and use proper respiratory and personal protective equipment. Store in a cool and well ventilated place. Store away from acids.

## 8.0 EXPOSURE CONTROLS AND PERSONAL PROTECTION

**INHALATION PROTECTION:** If respirator is required, use of a MSHA/NIOSH or OSHA/NIOSH approved respirator is recommended.

**EYE PROTECTION:** Use safety glasses with side shields or goggles when transferring material to prevent material from splashing into the eye.

**SKIN PROTECTION:** Rubber gloves are recommended for prolonged exposure.

**ENGINEERING CONTROLS:** Local exhaust at point of generation. Local or general exhaust required when using material at elevated temperatures, which accelerates generation of vapors.

**EXPOSURE GUIDELINES:**

| Ingredient | CAS Number | Exposure Limits |
|---|---|---|
| Limestone | 1317-65-3 | 2 mg/M$^3$ (ACGIH TWA)<br>15 mg/M$^3$ (ACGIH PEL) |
| Quartz | 14808-60-7 | 0.1 mg/M$^3$ (ACGIH PEL)<br>0.025 mg/M$^3$ (ACGIH TWA)<br>25 mg/M$^3$ IDHL |

## 9.0 CHEMICAL AND PHYSICAL INFORMATION

Appearance and Odor: White powder with slight odor

Water Solubility: Negligible

Melting Point(°F): NA

Decomposes: ~ 825°C

Specific Gravity (water=1): NE

Vapor Pressure (mmHg): <0.01 @ 100° F pH: NA

Vapor Density (air=1): >1

## 10.0 STABILITY AND REACTIVITY

**STABILITY:** Stable under normal temperature and pressure.

**CONDITIONS TO AVOID:** Dusting

**MATERIALS TO AVOID:** Strong oxidizers, strong acids

**HAZARDOUS DECOMPOSITION:** Thermal decomposition is highly dependent on the combustion conditions. A complex mixture of airborne solid, liquid, particulate, and gases will evolve when this material undergoes pyrolysis or combustion. Oxides of carbon, and other unidentified organic compounds may be formed upon combustion.

**HAZARDOUS POLYMERIZATION:** Will not occur.

## 11.0 TOXICOLOGICAL INFORMATION

**Skin corrosion/irritation:** Not classified.
**Serious eye damage/eye irritation:** Not classified
**Respiratory or skin sensitization**
**Respiratory sensitization** Not classified
**Skin Sensitization** Not classified
**Germ cell mutagenicity** Not classified
**Carcinogenicity**
**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** Not listed
**Reproductive toxicity:** Not classified
**Specific target organ toxicity – Single exposure** Not classified
**- Repeated exposure** Not classified

**Acute Toxicity**

**Eyes:** Not expected to cause prolonged or significant eye irritation.

**Skin:** Contact with the skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic reaction. Not expected to be harmful to internal organs if absorbed through the skin. Wash thoroughly after handling.

**Inhalation:** Long term exposure to crystalline silica can cause lung injury (silicosis). IARC and NTP have determined that crystalline silica inhaled from occupational sources can cause cancer in humans. Risk of injury is dependent on the duration and level of exposure.

**Ingestion:** Not expected to be harmful if swallowed.

**Acute Toxicity Data**

**EYE IRRITATION:**

**SKIN IRRITATION:**

**DERMAL LD50:**

**ORAL LD50:** 6450 mg/kg (rat)

**INHALATION LC50:**

**OTHER TOXICITY DATA:** Not considered to be toxic

## 12.0 ECOLOGICAL INFORMATION

**ECOTOXICITY:**

The toxicity of this material to aquatic organisms has not been evaluated. Consequently, this material should be kept out of sewage and drainage systems and all bodies of water.

**ENVIRONMENTAL FATE:**

This material is not expected to be readily biodegradable. See Section 6 for accidental release measures.

## 13.0 DISPOSAL INFORMATION

Waste generated during application, demolition, breakage, or spillage may be hazardous waste as defined by RCRA (40 CFR Part 261). Place waste and spillage in closed containers. Dispose of in approved landfill in accordance with federal, state, and local regulations. Do not pollute. Conserve resources.

## 14.0 TRANSPORTATION INFORMATION

**HAZARD CLASS:** Not Regulated

**IDENTIFICATION NUMBER:** None

**LABEL(S) REQUIRED:** Compound: Dry Parting

## 15.0 REGULATORY INFORMATION

**CERCLA SECTIONS 102A / 103 HAZARDOUS SUBSTANCES (40 CFR PART 302.4):** Not Regulated

**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR PART 344):** Not Regulated

**SARA TITLE III SECTION 311 / 312 HAZARDOUS CATEGORIZATION (40 CFR 370):** Immediate and delayed hazard

**SARA TITLE III SECTION 311/312 MSDS Distribution – Chemical Inventory – hazard identification:** None

**SARA TITLE III SECTION 313 (40 CFR PART 372):** None

**U.S. INVENTORY (TSCA):** All ingredients listed on inventory or exempted.

**OSHA HAZARD COMMUNICATION STANDARD:** Under normal conditions this material is known to be hazardous.

## 16.0 OTHER INFORMATION

Label Requirements: NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

HMIS RATINGS: Health: 1 Flammability: 0 Reactivity: 0

This Material Safety Data Sheet conforms to the requirements of ANSI Z400.1. As of the date of preparation of this document, the forgoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given.

---

Date Prepared: 06/05/2015 Supersedes: 06/05/1998 Print Date: 06/05/2015
Prepared by: Duane G. Wahl Title: Quality / Lab Services Manager

---

As of the date of preparation of this document, the forgoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given.

PRINTED IN U.S.A.