

Intermediate Test 2 – Solutions

Stellenbosch Camp 2018

1. *The magical country of Vertexia, there are a certain number of cities. Each pair of cities is connected by exactly one magical portal, and it turns out that there are 5050 portals in total. How many cities are there in this wonderful land?*

Let the number of cities in Vertexia be c . Then since each pair of cities is connected by exactly one portal, the number of portals is equal to the number of pairs of cities, which is $\binom{c}{2} = \frac{c(c-1)}{2}$. Thus

$$\frac{c(c-1)}{2} = 5050 \iff c^2 - c = 2 \times 5050 = 10100 \iff 0 = c^2 - c - 10100 = (c-101)(c+100)$$

$$\iff c = 101 \quad \text{since } c > 0.$$

2. *Let M be the midpoint of side AB of equilateral triangle ABC , and let points N , S and K divide side BC into four equal segments. Given that P is the midpoint of CM , prove that $\angle MNB = \angle KPN = 90^\circ$.*

3. *Find all real numbers x such that*

$$(x+3)^4 + (x+5)^4 = 4.$$

Let $y = x + 4$. Then we wish to solve $(y-1)^4 + (y+1)^4 = 4$. Using the binomial expansion, this becomes

$$2y^4 + 12y^2 + 2 = 4$$

which is equivalent to

$$(y^2)^2 + 6y^2 - 1 = 0.$$

Using the binomial formula, we find that

$$y^2 = \frac{-6 \pm \sqrt{6^2 + 4}}{2} = -3 \pm \sqrt{10}.$$

Since y is real, y^2 is a positive real number, and so $y^2 = -3 + \sqrt{10}$, giving us that $x = \sqrt{-3 + \sqrt{10}} - 4$, or $x = -\sqrt{-3 + \sqrt{10}} - 4$.

4. *Find all positive integers m, n such that*

$$1 + 5 \cdot 2^m = n^2.$$

$$5 \cdot 2^m = (n+1)(n-1)$$

Let $m = p + q$. We have two cases to consider.

$$\text{Case 1: } n + 1 = 5 \cdot 2^p \text{ and } n - 1 = 2^q \iff n = 5 \cdot 2^p - 1 = 2^q + 1 \iff 5 \cdot 2^{p-1} - 1 = 2^{q-1}$$

Since $5 \cdot 2^{p-1} - 1$ is odd and 2^{q-1} is even for all $p, q > 1$, the only potential solutions are when $p = 1$ or $q = 1$. Checking these, $p = 1, q = 3$ and thus $(m, n) = (4, 9)$ is a solution. Similarly,

$$\text{Case 2: } n - 1 = 5 \cdot 2^p \text{ and } n + 1 = 2^q \iff 5 \cdot 2^{p-1} = 2^{q-1} - 1,$$

yields no solutions for $p = 1$ or $q = 1$. Thus the only solution is $(m, n) = (4, 9)$.

5. Show that if we are given 50 segments on the real line, then either there are 8 of them which are pairwise disjoint or 8 of them with a common point.

A segment is defined as a closed interval $[a, b] = \{x \in \mathbb{R} : a \leq x \leq b\}$.

--
 (\,-----'() '---o
 (_ --- /~"
 (_) (_)