

GLOSSARY

LLM01:2025 Prompt Injection

A Prompt Injection Vulnerability occurs when user prompts alter the LLM's behavior or output in unintended ways. These inputs can affect the model even if they are imperceptible to humans, therefore prompt injections do not need to be human-visible/readable, as long as the content is parsed by the model.

GLOSSARY

Direct Prompt Injections

Direct prompt injections occur when a user's prompt input directly alters the behavior of the model in unintended or unexpected ways. The input can be either intentional (i.e., a malicious actor deliberately crafting a prompt to exploit the model) or unintentional (i.e., a user inadvertently providing input that triggers unexpected behavior).



GLOSSARY


Indirect Prompt Injections

Indirect prompt injections occur when an LLM accepts input from external sources, such as websites or files. The content may have in the external content data that when interpreted by the model, alters the behavior of the model in unintended or unexpected ways. Like direct injections, indirect injections can be either intentional or unintentional.




GLOSSARY

Context



GLOSSARY

Jailbreak



Prompt Injection and Jailbreaking are inherent to LLMs in a fundamental sense.

Prompt Injection is an emergent property of how models work.

CORE IDEA

Any tool that is exposed to an LLM becomes a tool that can be controlled by someone who can provide an input to that LLM.

These weaknesses expose vulnerabilities that can allow an attacker to compromise the **confidentiality, integrity, and availability** of our systems without ever having to directly penetrate our networks.

The lethal trifecta

