Team 10 Living Project Portal - Service Levels (proposed team plan)

Team 10 | CS 4390/5388 | Sprint 4 | Nov 2, 2026

This plan covers access to the project website, published sprint pages, and downloadable documents. Both targets use a rolling 14-day window. Assignments, support hours, and future actions below are proposed for team adoption; these are targets, not measured results.

1. Our targets

Objective	Definition and target	Measurement owner
Portal availability	At least 99.5% of scheduled one-minute checks succeed. A check succeeds only when the homepage and every published sprint page return HTTP 200.	Zachary Carrejo: review the check log daily.
Document downloads	At least 99% of daily checks of all published document links succeed. Success requires HTTP 200 and a nonempty file matching the advertised format.	Jacob Ordonez: run and record the daily link check.

1.1 Measurement setup

Schedule checks and retain timestamps and results. Count a failed scheduled run as a failure until investigated; log monitoring gaps separately. Do not claim compliance without a complete measurement record. Scheduled checks are not yet running; Jacob Ordonez (proposed) sets them up, and compliance is not claimed until they run.

2. Error budgets and policy

2.1 Availability budget

14 x 24 x 60 = 20,160 minutes. At 0.5% allowed failure, the budget is 100.8 minutes (1 hour, 40 minutes, 48 seconds). With whole one-minute checks, no more than 100 failed checks are allowed to remain at or above 99.5%.

2.2 Download budget

floor(total document checks x 0.01) failed checks. For example, 15 documents checked daily for 14 days produce 210 checks and allow 2 failures. Use the actual check count; this example is not a measured total.

2.3 Budget policy (either budget)

At 50% used, prioritize reliability work and review upcoming changes. At exhaustion, pause feature releases and fix the affected service. Reliability fixes may continue. Resume feature releases only after the fix is verified and the affected target is met again over the rolling 14-day window.

2.4 Link to delivery (DORA) metrics

If either budget is exhausted, the next sprint publishes only through reviewed pull requests that pass the validator, accepting lower deployment frequency and longer lead time for a lower change fail rate. Delivery metrics describe the team and are not used in peer evaluation.

2.5 Decision owner and notification

Zachary, as incident commander, applies the policy using the logs; Jacob supplies download results.

Salvador informs the team and instructor within 4 support hours of budget exhaustion, explains the impact and recovery plan, and sends a daily update until recovery.

3. Escalation plan: Severity, response, and communication

Proposed support hours: Monday-Friday, 8:00 a.m.-6:00 p.m., America/Denver. Timers begin at detection during those hours, or at the next support opening for reports received outside them. Response means acknowledging the incident and starting investigation; it is not a guaranteed resolution time.

Severity	Portal example	Start fixing	Tell the instructor
1 - Critical	Entire portal is unavailable, or all published sprint pages are inaccessible.	Within 1 support hour	Within 2 support hours; updates every 2 support hours.
2 - Major	One published sprint page or a required document download is inaccessible.	Within 4 support hours	Within 4 support hours; update daily while unresolved.
3 - Minor	A typo, spacing issue, or visual defect that does not block access.	Within 1 school day	Include in the next sprint update, no later than the sprint deadline.

3.1 Incident roles

Role	Named teammate	Responsibility
Incident commander	Zachary Carrejo	Classify severity, assign work, authorize rollback, apply budget policy, and confirm closure.
Fixer / operations lead	Jacob Ordonez	Investigate and change the site; verify affected pages and downloads after repair.
Backup fixer / planning	Daniel Lozano	Track the timeline and follow-up tasks; make changes only when assigned by the commander.
Communicator	Salvador Rodarte	Notify the instructor and team, send scheduled updates, and communicate recovery.

3.2 How escalation works

The person who notices the issue records the URL, detection time, symptoms, and supporting evidence, then alerts Zachary in the team chat. Zachary assigns severity and a fixer. If Jacob cannot begin within the response target, Zachary assigns Daniel. If Zachary is unavailable, Daniel acts as backup commander and delegates fixing to Jacob. Only assigned fixers change the site during an incident. The communicator works from the shared incident log so updates agree. Close the incident after the affected checks pass and the commander confirms access is restored. Record any remaining budget restriction separately.

Review trigger: Create or update an incident review for Severity 1 or 2 incidents, an exhausted error budget, or a problem that exposes a gap in checking or publishing.

4. Blameless incident review: Sprint 3 document download links

Evidence-based draft. The repository records the link defect and repair. The actual detection time, live exposure duration, and number of affected users are not recorded in the reviewed evidence. Confirm these details from team records before publishing.

4.1 Summary

Sprint 3 source contained download URLs with percent-encoded Liquid template expressions. Commit 6596c7b, titled "Fix Sprint 3 PDF downloads," replaced these with valid PDF links, added PDF files, and expanded validation. The issue is reviewed as a publishing and validation gap.

4.2 Impact

The malformed links could prevent visitors from downloading Sprint 3 records. The reviewed source confirms defective URLs; it does not establish which deployed versions users encountered or how many download attempts failed. No data loss is established by the reviewed evidence.

4.3 Timeline

Stage	Details
Before repair	Sprint 3 source contained encoded template expressions in document links.
Detection	Exact time and reporting method are not recorded in the reviewed evidence.
Repair	Commit 6596c7b corrected download URLs, added PDF assets, and strengthened checks and tests.
Live recovery	Deployment and recovery timestamps must be confirmed from the deployment history; a source commit alone does not confirm restoration.

4.4 Contributing causes

The publishing process allowed encoded template syntax into link attributes. Existing validation did not reject this pattern before the repair. A final download check was needed to verify that generated links resolved to the intended files. The validator does not block publishing, because the branch-based GitHub Pages build deploys on every push (to verify in Settings > Pages > Source).

4.5 What went well

Version history preserved the defect and repair for review. The fix addressed both the links and the validation gap. Added tests cover empty URLs and unresolved or encoded template expressions, reducing the chance of the same defect recurring.

4.6 Follow-up actions

Action	Owner	Due
Confirm detection, deployment, recovery, and actual impact from team records.	Zachary Carrejo	Nov 6, 2026 (proposed)
Run generated-site validation and open every Sprint 3 PDF on the deployed site; log results.	Jacob Ordonez	Nov 6, 2026 (proposed)
Confirm required checks gate publishing; record the validation procedure.	Daniel Lozano	Nov 6, 2026 (proposed)
Set Pages source to GitHub Actions so check_site.py gates deployment.	Daniel Lozano (proposed)	Nov 6, 2026 (proposed)
Confirm team roles and support hours; add the completed Service Levels section and review to Sprint 4.	Salvador Rodarte	Nov 6, 2026 (proposed)

Sources

- Session 17 - Errors & Postmortems, slides 38 and 42-48.
- Repository evidence: GitHub commit 6596c7b.