

roam2doc parse of
/home/dparker/projects/roam2doc/tests/org_files/examples/all_nodes.o
dparker
April 1, 2025

Contents

1 The File (xref-id:3) 3

2 Heading Level 1 (xref-id:6) 3

2.1 Heading Level 2 (xref-id:9) 3

2.1.1 Heading Level 3 (xref-id:12) 3

3 Section 1 heading (xref-id:15) 3

3.1 Section 1 subsection 1 heading and it has *some* objects (xref-id:18) 3

3.1.1 level 3 section (xref-id:24) 3

3.1.1.1 level 4 section (xref-id:27) 3

3.1.1.1.1 level 5 section (xref-id:30) 3

4 Section 2 heading (xref-id:42) 3

4.1 Subsection 1 Lists (xref-id:69) 4

4.1.1 Ordered List (xref-id:72) 4

4.1.2 Unordered List (xref-id:108) 4

4.1.3 Definition List, this section has a properties drawer and the ID "foo_bar_section" (xref-id:125) 4

4.1.4 List with type changing on nesting (xref-id:137) 4

4.1.5 List with a checkbox, we don't do anything with it (xref-id:195) 5

5 Section 3 heading, more lists (xref-id:205) 5

5.1 Section 3-1 heading (xref-id:208) 5

5.2 Section 3-2 heading (causes end of above list) (xref-id:217) 6

6	Section 4 heading, tables (xref-id:241)	6
6.1	A simple table (xref-id:244)	6
6.2	A simple table with objects in some cells (xref-id:270)	6
7	Section 5 heading, text objects (xref-id:297)	6
8	Section 6 heading, blocks (xref-id:317)	7
9	Section 7 heading, images (xref-id:360)	7
10	Include section (xref-id:370)	8
10.1	This section is from an included file! (xref-id:373)	8
10.1.1	This section is from a second included file! (xref-id:377) .	8
11	End Section (xref-id:381)	8
	Index	11

1 The File (xref-id:3)

2 Heading Level 1 (xref-id:6)

2.1 Heading Level 2 (xref-id:9)

2.1.1 Heading Level 3 (xref-id:12)

3 Section 1 heading (xref-id:15)

3.1 Section 1 subsection 1 heading and it has *some objects* (xref-id:18)

3.1.1 level 3 section (xref-id:24)

3.1.1.1 level 4 section (xref-id:27)

3.1.1.1.1 level 5 section (xref-id:30)

1. level 6 section (xref-id:33)

level 7 section After level 6,

latex will not consider it document structure, just text

4 Section 2 heading (xref-id:42)

This will be a paragraph. This continues the paragraph. This sentence ends contains a *target* (xref-id:50) which is not visible but can be linked. See the **links table** (xref:52) at the end of the document. The next line (blank) will end the paragraph. This will be a second paragraph. The following blank lines will end it. The following next two blank will also be part of the paragraph. They should be part of the section directly.

a link [link to last line of the definition list later in the page \(xref:63\)](#)

This will be a third paragraph and will have no extra blank lines before the next section.

4.1 Subsection 1 Lists (xref-id:69)

4.1.1 Ordered List (xref-id:72)

(xref-id:75)

1. some **bold** text
2. some *italic* text
 - (a) External link <http://example.com>
 - (b) External link same as above, but with display text <http://example.com>
 - (c) Internal link to something with a #+NAME : keyword Link the links table at the end (xref:97)
 - (d) Internal link to a target [link to target "before_links_table"](#) (xref:101)
 - (e) Internal link to a heading by heading text [End Section](#) (xref:105)

4.1.2 Unordered List (xref-id:108)

- first uitem
- second uitem
- third uitem
- third uitem
 - third uitem first subitem (actually a new list contained by third uitem)
 - third uitem second subitem

4.1.3 Definition List, this section has a properties drawer and the ID "foo_bar_section" (xref-id:125)

Joe a fella‘

Joey a good fella

4.1.4 List with type changing on nesting (xref-id:137)

- unordered list starts
 - unordered sub 1
 - * unordered sub 1 subsub 1

1. THIS GETS PLACED IN WRONG PARENT!!!!!!

– unordered sub 2 **bold text**

- unordered second

foobar see a pattern?

beebop arubop (xref-id:164) Some text as a paragraph in an item!!! (this is child of unordered secont) and a link *back to the top!* (xref:168) and an embedded table!!

xx	this item is bold
yy	<i>this item is italian</i>

- unordered third
 1. ordered first, child of unordered third
 2. ???

4.1.5 List with a checkbox, we don't do anything with it (xref-id:195)

1. inside
2. done

5 Section 3 heading, more lists (xref-id:205)

5.1 Section 3-1 heading (xref-id:208)

1. List 1
 - (a) List 1 sub 1 (last item in list)

5.2 Section 3-2 heading (causes end of above list) (xref-id:217)

this first text should be in Section 2-2 before list')

- List 2
 - List 2 sub 1
 1. List 2 sub 1 sub list change type this should be para 1 line 1 inside List 2 sub 1 sub 1 this should be para 1 line 2 inside List 2 sub 1 sub 1 this should be para 1 line 3 inside List 2 sub 1 sub 1

this should be para 2 line 1 inside List 2 sub 1 sub 1 this should be para 2 line 2 inside List 2 sub 1 sub 1 this should be para 2 line 3 inside List 2 sub 1 sub 1 (last in list)

6 Section 4 heading, tables (xref-id:241)

6.1 A simple table (xref-id:244)

row1-1	row1-2	row1-3
row2-1	row2-2	row2-3
row3-1	row3-2	row3-3

6.2 A simple table with objects in some cells (xref-id:270)

a	1 bold item
b	<i>2 italian items</i>
c	3 other items
d	a link inside a cell! -> see: section 2 (xref:293)

7 Section 5 heading, text objects (xref-id:297)

this text is in section 5

bold text

italic text

underlined text

~~line-through text~~

~~bold-italic-strikethrough~~

monospace text

8 Section 6 heading, blocks (xref-id:317)

- These first two are "greater elements", so they can contain stuff

A center block with a table inside

ww	Checking inside center block this item is bold
----	---

- A list

1. Yeah

A quote block with a cite and a table and list inside

(xref-id:341)

ww	Checking inside quote this item is bold
----	--

- A list

1. Yeah

This is an example

```
lines.append(" of what don't know")
```

```
def foo():  
    return goodness
```

I have things to say
and they should be heard!

```
export blocks make little sense after conversion
```

9 Section 7 heading, images (xref-id:360)

(xref-id:363)

1.

2.

10 Include section (xref-id:370)

10.1 This section is from an included file! (xref-id:373)

10.1.1 This section is from a second included file! (xref-id:377)

11 End Section (xref-id:381)

(xref-id:384)

(xref-id:385)

Next cell points to paragraph 1 in list 1 under section 2
Next cell points to list1 under section 2
Next cell points to a heading by text reference
Next cell has an unresolvable link

link to paragraph1 (xref:390)
link to list 1 (xref:396)
link to section 1 with some bold text!
\textit{!!! link target "flabist" not found}




Figure 1: alt_text




Figure 2: alt_text_2

Index

- A simple table, 6
- A simple table with objects in some cells, 6
- Definition List, this section has a properties drawer and the ID foo_bar_section\hyperpage, 4
- End Section, 8
- Heading Level 1, 3
- Heading Level 2, 3
- Heading Level 3, 3
- Include section, 8
- level 3 section, 3
- level 4 section, 3
- level 5 section , 3
- level 6 section , 3
- List with a checkbox, we don't do anything with it, 5
- List with type changing on nesting, 4
- Ordered List, 4
- Section 1 heading, 3
- Section 1 subsection 1 heading and it has some objects, 3
- Section 2 heading, 3
- Section 3 heading, more lists, 5
- Section 3-1 heading, 5
- Section 3-2 heading (causes end of above list), 6
- Section 4 heading, tables, 6
- Section 5 heading, text objects, 6
- Section 6 heading, blocks, 7
- Section 7 heading, images, 7
- Subsection 1 Lists, 4
- The File, 3
- This section is from a second included file, 8
- This section is from an included file, 8
- Unordered List, 4

Index

Referenced Objects

Referenced Object	Referenced by
50	390
75	396
164	63
384	101
385	52,97
381	105
15	168,402
42	293