# R Mark

Lucía Bettin

16/5/2020

### R Markdown


This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##
         speed
                          dist
##
    {\tt Min.}
            : 4.0
                             : 2.00
                     Min.
    1st Qu.:12.0
                     1st Qu.: 26.00
##
    Median:15.0
                     Median : 36.00
##
    Mean
            :15.4
                     Mean
                             : 42.98
    3rd Qu.:19.0
                     3rd Qu.: 56.00
##
    Max.
            :25.0
                     Max.
                             :120.00
```

#### plot(cars)



# **Including Plots**


You can also embed plots, for example:

#### pressure

```
temperature pressure
##
## 1
                 0
                     0.0002
## 2
                20
                     0.0012
## 3
                     0.0060
                40
## 4
                60
                     0.0300
## 5
                80
                     0.0900
## 6
               100
                     0.2700
## 7
               120
                     0.7500
## 8
               140
                     1.8500
## 9
               160
                     4.2000
## 10
               180
                     8.8000
## 11
               200
                    17.3000
## 12
               220
                    32.1000
## 13
               240
                    57.0000
               260
                    96.0000
## 14
## 15
               280 157.0000
## 16
               300 247.0000
## 17
               320 376.0000
## 18
               340 558.0000
```

#### ## 19

#### plot(pressure)



Note that the echo = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.

# Hola

$$\boxed{122221} \tag{1}$$

# print("Hello wourld")

## [1] "Hello wourld"

- -Bullets
- -Hola
- -Que tal
- -dd
- Conocerte
- $\hbox{-} mu\~neca$
- no puede ser