

Propositions on Differential Geometry

IKHAN CHOI

CONTENTS

1. Smooth manifolds	1
2. Tangent bundle	2
3. Geodesics	2

1. SMOOTH MANIFOLDS

Proposition 1.1. *Commuting n linearly independent vector fields are realized as partial derivatives in a chart.*

Proposition 1.2. *An immersed manifold is locally a linear subspace in a chart.*

Proposition 1.3. *Distinct two points on a connected manifold are connected by embedded curve.*

Proof. Let $\gamma : I \rightarrow M$ be a curve connecting the given two points, say p, q .

Step 1: Constructing a piecewise linear curve. For $t \in I$, take a convex chart U_t at $\gamma(t)$. Since I is compact, we can choose a finite $\{t_i\}_i$ such that $\bigcup_i \gamma^{-1}(U_{t_i}) = I$. This implies $\text{im } \gamma \subset \bigcup_i U_{t_i}$. Reorganize indices such that $\gamma(t_1) = p$, $\gamma(t_n) = q$, and $U_{t_i} \cap U_{t_{i+1}} \neq \emptyset$ for all $1 \leq i \leq n-1$. It is possible since the graph with $V = \{i\}_i$ and $E = \{(i, j) : U_{t_i} \cap U_{t_j} \neq \emptyset\}$ is connected. Choose $p_i \in U_{t_i} \cap U_{t_{i+1}}$ such that they are all dis for $1 \leq i \leq n-1$ and let $p_0 = p$, $p_n = q$.

How can we treat intersections?

Therefore, we get a piecewise linear curve which has no self intersection from p to q .

Step 2: Smoothing the curve. \square

Proposition 1.4. *Let M is an embedded manifold with boundary in N . Any kind of sections on M can be extended on N .*

Proposition 1.5. *Every ring homomorphism $C^\infty(M) \rightarrow \mathbb{R}$ is obtained by an evaluation at a point of M .*

Proof. Suppose $\phi : C^\infty(M) \rightarrow \mathbb{R}$ is not an evaluation. Let h be a positive exhaustion function. Take a compact set $K := h^{-1}([0, \phi(h)])$. For every $p \in K$, we can find $f_p \in C^\infty(M)$ such that $\phi(f_p) \neq f_p(p)$ by the assumption. Summing $(f_p - \phi(f_p))^2$ finitely on K and applying the extreme value theorem, we obtain a function $f \in C^\infty(M)$ such that $f \geq 0$, $f|_K > 1$, and $\phi(f) = 0$. Then, the function $h + \phi(h)f - \phi(h)$ is in kernel of ϕ although it is strictly positive and thereby a unit. It is a contradiction. \square

2. TANGENT BUNDLE

Proposition 2.1. *The n -sphere S^n possesses a nonvanishing vector field iff n is odd.*

3. GEODESICS

Proposition 3.1. *The set of points that is geodesically connected to a point is open.*