



FAQ Bill Calculator Help Logout

Last login: Fri, 15 Oct 2021 17:02:00

Oct 2021 13:39:27

Welcome kandasamy,



























status



Service Details

Name Region Circle Section Distribution Number Address

THIRU. P.S.KANTHASAMY 04-Erode 422-Mettur 159-Pallipalayam-town

006-DEVANGAPURAM 868 S/O.SELLAPPA GR,DOOR

NO.10/2,KANNIMARIYAMMAN KOVIL STREET, DEVANGAPURAM, LIVE

Service Status

Consumer No Old Consumer Nos

Phase Load Tariff Meter Number SD available(Rs.) SD Refund/Adj(Rs.) Service Category MCD available (Rs.) MCD Refund (Rs.)

04159006868 No records found.

4.35 KW LM51 4321503 5389

OTHERS 2500 0

| Slab Rate | | | | | | | | | |
|-----------|---------|------------|----------|--|--|--|--|--|--|
| From Unit | To Unit | Rate (Rs.) | Max.Unit | | | | | | |
| 1 | 100 | 5 | 100 | | | | | | |
| 1 | Above | 8.05 | 9999999 | | | | | | |

Additional Security Deposit ASD SD Security Deposit

BPSC Belated payment surcharge CC charges Current Consumption Charges Previous Month Consumption PMC MCD Meter Caution Deposit

Min Chrg:

Fixed cost:

140/KW

Welding chrg:

15 % of CC

0 E.Tax: 5 % of (CC+PF penalty+welding chrg+fixed cost) Belated payment surcharge

| | Meter Change Details | | | | | | | | | | | |
|-------------|----------------------|--|-----------------------|-------------------|------------------|----------------|---------------|------------------|------------------|--------|--|--|
| Meter No | Meter Make | Meter Type | Multiplication Factor | Intial Reading | Final Reading | Intial KVAH | Final KVAH | MeterInt Date | MeterFin Date | Reason | | |
| 4321503 | GENUS | Static Bidirectional Meter | 1 | 1571 | 423 | 2128 | 1480 | 01-04- 2017 | 01-04- 2017 | Normal | | |
| 4321503 | GENUS | Static Electronic Meter With MD recording Facility | 1 | 0 | 4303 | 0 | 0 | 12-08- 2016 | 12-08- 2016 | Normal | | |
| 04321503 | GENUS | Static Bidirectional Meter | 1 | 380 | 370 | 1 | 1500 | 15-03- 2017 | 15-03- 2017 | Normal | | |





* select the graph area to zoom



© 2013 TANGEDCO.

This website is best viewed in IE 8+, Firefox 3+ and Google chrome 3+ @ 1024 x 768 resolution