

# Table of Contents

<a href="#">Introduction</a>	1.1
Cheatsheets	1.2
<a href="#">Git</a>	1.2.1

# Introduction

# Git

---

## Terminology

Term	Description
local	on the harddrive of the computer running your git commands
remote	central scm server (i.e. Github, Gitlab, Bitbucket, etc.)
origin	traditional tag associated with a repo's remote
commit	set of file changes with a message (think of this similar to a checkpoint save)
branch	...
merge	...
rebase	...
push	upload your local commits to a remote
pull	download remote commits to your local
clone	download a remote repo to your local for the first time
staged	local files which have been prepared to be included in the next commit (the targets of <code>git add</code> )
unstaged	local files which have been included in a prior commit with changes not yet ready to be committed
untracked	local files within a repo's directory which have never been included in a commit

---

## Commands

### Set up ssh key for use with ssh git auth

```
ssh-keygen -t rsa -b 4096 -C "yourEmail@domain.com"
# provide optional passphrase
eval "$(ssh-agent -s)"
ssh-add -K ~/.ssh/id_rsa

# copy public key to scm provider
# follow their instructions for where you set in your auth
cat ~/.ssh/id_rsa.pub
```

## Start a new local repo

```
mkdir localRepo
cd ./localRepo
git init
```

## Pull Remote Repo to Local (for the first time)

```
# assuming Github project fakerepo, owned by dlstadther
# with ssh auth
git clone git@github.com:dlstadther/fakerepo.git

# with https basic auth
git clone https://github.com/dlstadther/fakerepo.git

# ssh auth with custom directory name
git clone git@github.com:dlstadther/fakerepo.git foobar
```

## Update local references to remotes

```
git fetch origin
```

## Start new branch

```
# create and checkout a new branch "feature/my-feature" bas
git checkout -b feature/my-feature master
```

## View all locally tracked branches

```
git branch -a
```

## Change branches

```
# assumes already on master, and the existence of develop
git checkout develop

# switch back to previous branch
git checkout -
```

## Update branch with remote master

```
# without updating local master w/o merge commit
git fetch origin
git rebase origin/master

# with local update and merge commit
git checkout master
git pull origin master
git checkout -
git merge master
```

## Rename branch

```
git branch -m oldname newname

# rename current branch
git branch -m newname
```

## Trash all tracked (and uncommitted) changes

```
git reset --hard
```

## Trash uncommitted changes for a single tracked file

```
git checkout HEAD -- path/to/file
```

---

