



OneNote: one place for all of your notes



 [Watch the 2 minute video](#)

1. Take notes anywhere on the page

Write your name here



2. Get organized

You start with "My Notebook" - everything lives in here




Add **sections** for activities like:



Add **pages** inside of each section:






3. For more tips, check out 30 second videos




4. Create your first page

You're in the Quick Notes section - use it for random notes




OneNote Basics





Remember everything

- Add Tags to any notes
- Make checklists and to-do lists
- Create your own custom tags




Collaborate with others

- Keep your notebooks on OneDrive
- Share with friends and family
- Anyone can edit in a browser





Keep everything in sync

- People can edit pages at the same time
- Real-Time Sync on the same page
- Everything stored in the cloud
- Accessible from any device



Clip from the web

- Quickly clip anything on your screen
- Take screenshots of products online
- Save important news articles

 in your taskbar
OR
 + S on your keyboard


Sunday retreat

	Attending?	Overnight?	Vegetarian?
Chris	Yes	Yes	No
Molly	No	No	No
Peter	Yes	No	Yes
Samuel	Yes	Yes	Yes
Stacy	Yes	No	No

A
Z ↓

Organize with tables


- Type, then press TAB to create a table
- Quickly sort and shade tables
- Convert tables to Excel spreadsheets



Write notes on slides



- Send PowerPoint or Word docs to OneNote
- Annotate with a stylus on your tablet
- Highlight and finger-paint

 in your taskbar
OR
 + N on your keyboard




Integrate with Outlook

- Take notes on Outlook or Lync meetings
- Insert meeting details
- Add Outlook tasks from OneNote




Add Excel spreadsheets


- Track finances, budgets, & more
- Preview updates on the page



Brainstorm without clutter

- Hide everything but the essentials
- Extra space to focus on your notes





Take quick notes

- Quickly jot down thoughts and ideas
- They go into your Quick Notes section



in your taskbar

OR



+ N on your keyboard

Excel	Check if the job or script has local version AMH SPM Implementation Plan Apr 2017 Release.xlsx	wmsusr05 wmsusr03 20000003 20000005 20000016 abc123 CMB 20001201 HY bond 20689020 200000 1000000	
G:\PRJ\RM Platform v1\Servers\SPM Server Information.xlsx	AMH SPM Implementation Plan Jun 2017 Release.xlsx	A101691 4 nO KE A052104 6 499-100246-888 A000032 1 A000077 1 A101703 1 no KE A777777 1 A000001 Invalid ID A999999 2 178-303483-888 F000100 3 Spoms018 h344u7dzxlmwl9.hk.hsbc HBAP\gbmits0008 pwd: gbmits	
spmteam01	Tell output file layout C:\workspace-RTC-SPM\SPM_BI_Core_v2.5.9\Documentation \Functional Spec\Appendix for SPM Historical Dashboard SP SPM Output to Input Mapping Specification.xlsx		
Staff GDC profile \\nas174an1.hk.hsbc\BIDDATA\PRJ\EIM\RBIF \STF\STF Support Info (UAT).xlsx	Remarks column Show record start with constant.		
pwd: STF2015	Saimon 71863087302		
stf_hk_inputter stf_hk_approver PWD: stfhk0907			
Account spm08adm abcFeb14!			
SFTP a/c spmftp82 qnzcz2z6	Datastage Prod server hkpa2ls0078		
https://uat-is-gdc- web.hk.hsbc:30200/EDCWeb/EDCServlet spm_hk_inputter spmhk170720 spm_hk_approver	HTSA-BID-SPM		
Admin: oir_admin oir0116			
GDC PROD link https://is-gdc- web.hk.hsbc:30200/EDCWeb/EDCServlet proxy.prod.fr.hsbc:80 intpxy1.hk.hsbc 8080			

Movi bridge dail in tips

TMOUT=99999999999999999999999999999999

- Dialing Instruction

A. Direct Dialing

For all HSBC communication tools (e.g. Movi, IP Phone, Jabber) and Cisco Video Endpoints

1. Dial **6 + Call ID** e.g. 6701234

B. Alternatively if direct dialing is not accessible, then try IVR (*7)

For all HSBC communication tools (e.g. Movi, IP Phone, Jabber) and Cisco Video Endpoints

1. Dial ***7** and wait for the greeting **"Welcome to Cisco Meeting..."**
2. Enter **Call ID** followed by **#** either via in-app keypad or PC keyboard

* For Movi, the keypad can be found in the top right corner of the video window

* For Jabber, the keypad  can be found in the bottom of the video window

922884787

84787

2040066

WI 2040066

Support SPM SFTP time configurable

```
adt param
/hbsc/spm/hk/adt/input/parm/spm_adt.param
rpt param
/hbsc/spm/hk/rpt/script/tools/spm_sys_parm.sh
```

```
/hsbc/spm/hk/adt/input/parm/spm_adt.param
/hsbc/spm/hk/rpt/script/tools/spm_sys_parm.sh
```

Run job Date time parma
/appvol/spm/hk/rpt/param/hk_batch_date.parm

PSPMHK*
DS director can see DS run log

DS job log path
/appvol/spm/hk/adt/log/dstage

667020102

How to find head job
Find previous job until you reach core and t020 as the job's only previous job

Staff feed head job
Sales person and Hierarchy file
/hsbc/spm/hk/rpt/script/ctm/ctrlm_spm_GDC_File_Watcher.sh HK
rpt_data_aces_cntl 0194

```
SFTP hold create this file
/appvol/spm/hk/rpt/param/
/appvol/spm/hk/rpt/param/hold_sftp.txt
```

Setup ESM patrol

AMH Aug Release

SFTP is allowed to do after 11AM

Local Feed Client Entity Config

src HK_GISU_CST_DLWORK.CST_BIS_BATRB
database: HK_GISU01_SPM_DB01
database: HK_GISU01_SPM_DLWORK
folder: /hsbc/spm/hk

HK_GISU01_SPM_DLWORK.W01SPM_STG_LF_CUST_ETY_CFG
HK_GISU01_SPM_DLWORK.W01SPM_LF_CUST_ETY_CFG

/appvol/spm/hk/adt/script/bteq

Johnson Jun release
/hsbc/spm/hk1/

/appvol/spm/hk/adt/script/bteq/lcl
djpSpmAdt_SPM_STG_LF_CUST_ETY_CFG
/appvol/spm/hk/adt/script/bteq/
djpSpmAdt_SPM_STG_LF_CUST_ETY_CFG

/appvol/spm/hk/rpt/script/bteq/
djpSPM366_SPM_LF_CUST_ETY_CFG

log location
/hsbc/spm/hk1/td_tools/log/

CTM log
/hsbc/spm/hk/adt/log/script

Check member of
<https://ars.hk.hsbc/hbapadmin/SearchResult.aspx?SearchID=33&TaskID=DomainsCollection>

G:\PRJ\RM Platform v2.0\012 Deployment\AMH\SPM\05 Development\2017 Nov Release
\Wealth AMH RMP Nov 2017 Release Run Down-SPM Comment.xlsx

Teradata server GUI
<https://hkdwhev-systems-ssl.hk.hsbc/>

Teradata TD team prod

#TeradataASP <teradataasp@noexternalmail.hsbc.com>

GDC team.
BI Generic Data Capture GLT <bi.generic.data.capture.glt@noexternalmail.hsbc.com>, Damon
H X CHEN <damon.h.x.chen@noexternalmail.hsbc.com>

20170626
SPM
1.Install software
2. Learn work flow and data flow
3. getting testing env.

djpSpmAdt_SPM_STG_LF_CUST_ETY_CFG

from CST_BIS_BATRB
to W01SPM_STG_LF_CUST_ETY_CFG
datetime to date
djpSpmAdt_SPM_STG_LF_CUST_ETY_CFG

table
CST_BIS_BATRB
FCC_RISK_RATING
LST_CDD_TS

W01SPM_STG_LF_CUST_ETY_CFG
W01SPM_LF_CUST_ETY_CFG
CLIENT_CENTER_3_TEXT
CLIENT_CENTER_2_DT

CST config table for running control-M

teamRepository=https://jtsrv.uk.hibm.hsbc:9094/jazz/
userId=44012027
userName=Guopeng Deng
projectAreaName=HTSA SPM

- 1. HK_GISU_CST_DLWORK.CST_EXCHG_RATE_DAILY
- 2. HK_GISU_CST_DLWORK.CST_BATCH_CTRL
- 3. HK_GISU_CST_DLWORK.CST_LOAD_STATUS
- 4. HK_GISU_CST_DLWORK.CST_SURR_KEY_RDY

GSR-14170352
Remove software

From <https://groupservicerequest.global.hsbc/prweb/PRServletContainerAuth/79a1fp500C3gsCnlcyfPE4gihzT2pYy9*/I/STANDARD?pyActivity=HSBC-GSR-Request.MyChildReqs&pzPrimaryPageName=pyWorkPage&inskey=HSBC-GSR-PROVISION%20SW-1576173&index=1&SelOption=Open%20Provision>

11-21

Monday, November 20, 2017 5:59 PM

1. Create logger2.sh
2. Change \hsbc\spm\ctry\rpt\script\ctm\ctrlm_spm_sftp_rmp_auto.sh
n=`date +%Y%m%d%H%M`
if [\$n -ge SFTP_end_time -a allFilesReady -eq 0]
then
 echo "RMP\${CTRY_CDE}E\${CTMNUM}Z :current time is \${n}, job cannot send all files to RMP
before \${SFTP_end_time}. Send notification email to RMP."
 \${TOOLS DIR}/logger2.sh "RMP\${CTRY_CDE}E\${CTMNUM}Z :current time is \${n}, job cannot send
all files to RMP before \${SFTP_end_time}. Send notification email to RMP."
 \${TOOLS DIR}/logger2.sh "SPM\${CTRY_CDE}E\${CTMNUM}Z :current time is \${n}, job cannot send
all files to RMP before \${SFTP_end_time}. Send notification email to RMP."
 exit 0
fi
3. Test email sent to RMP

Document Index

1. SPM Source Interface Specification file:///G:\PRJ\RM%20Platform%20v2.0\007%20Development\Wealth_S11\Documentation\SPM%20Source%20Interface%20Specification.xlsx
2. Work_Flow_Design file:///G:\PRJ\RM%20Platform%20v2.0\007%20Development\Wealth_S11\Documentation\Work_Flow_Design.xlsx
3. SPM Table Design file:///G:\PRJ\RM%20Platform%20v2.0\007%20Development\Wealth_S11\Documentation\SPM%20Table%20Design.xlsx
4. Param file change doc
parameter file for Adaptor.xlsx
5. BTEQ spec
SPM_BTEQ_Jobs_Input_Output_specifications.xlsx
6. the GSR to grant the right. Here is the guide.
G:\PRJ\SPM\9.Support Task\SPM Support Doc- Profile and Release Guide.xlsx

Check if the job or script has local version
\SPM_BI v2.5.10 AMH\Local Documentation\Technical Spec\Control-M\AMH Control M Local Change.xlsx

AMH SPM Implementation Plan Apr 2017 Release.xlsx

AMH SPM Implementation Plan Jun 2017 Release.xlsx

Tell output file layout
C:\workspace-RTC-SPM\SPM_BI_Core_v2.5.9\Documentation\Functional Spec\Appendix for SPM Historical Dashboard SP
SPM Output to Input Mapping Specification.xlsx

Remarks column
Show record start with constant.

7 data feed document
a. RMP - Data Feed Format Description
under RTC: \Documentation\Functional Spec\
is the agreed specification for RMP->SPM and SPM->RMP data files. It seems that this doc is still not yet updated for new data points for "Client - Entity Config Fields". Please kindly work with RMP team to update this doc and send back to us for documentation.

b. RMP DataFeed Transformation Design
under RTC: \Documentation\Functional Spec\ which is owned by SPM to record down the layout and extracting tables for SPMtoRMP data feed file.

9. server profile from below spreadsheet
<file:///\\nas174an1.hk.hsb\BIDDATA\PRJ\RM%20Platform%20v1\Servers\SPM%20Server%20Information.xlsx>
pwd: spmteam01
Server information
http://teams.hk.hsb/it/mts/Data_Support/Shared_Documents/Shared_Business_Intelligence_Infrastructure/Shared_Server_Environment/Server_information/Server_Information.xlsx

10. mark the team environment is owned by which projects.
G:\PRJ\RM Platform v1\Deployment\A4\SPM Development Environment.xlsx

Xmatter Patrol request form
G:\PRJ\RM Platform v2.0\012 Deployment\Hera\EnvSetup\Patrol Request
Patrol Request Form HTSA - SPM DS (20170416).xls

11. Migration plan
G:\PRJ\DataStage and BCU Migration\Inventory - Status tracker\DS & BCU Migration Weekly Status Update -23 Oct.pptx

Please find below SPM project and release roadmap for your reference.

<file:///G:\PRJ\RM%20Platform%20v2.0\007%20Development\Plan\Core%20Task%20and%20Schedule.xlsx>

datastage - sFTP get from WPC spmftu03 vrtat7329

GDC document
Source\GDC\
GDC_exceltemplate_list.xlsx

Control-M Batch Scheduling: Training Materials

https://team.global.hsb\sites\Sched-Services\APAC Regional Scheduled Services\Forms\AllItems.aspx?RootFolder=%2Fsites%2FSched%2DServices%2FAPAC Regional Scheduled Services%2FControl%2DM Batch Scheduling%2FTTraining_Materials&View={FE11309D%2D7777%2D4A94%2D800A%2D0FCD47292C10}

How To

<https://team.global.hsb\sites\Sched-Services\APAC%20Regional%20Scheduled%20Services\Forms\AllItems.aspx?RootFolder=%2Fsites%2FSched-Services%2FAPAC%20Regional%20Scheduled%20Services%2FControl-M%20Batch%20Scheduling%2FTTraining%20Materials%2FHow%20To&FolderCTID=0x012000A6F6CB3F20FDBE499EBF30F16C79344B&View=%7BFE11309D-7777-4A94-800A-0FCD47292C10%7D>

Control-M Batch Failure Alerting Guide

<https://team.global.hsb\sites\Sched-Services\Archive\Global%20BM%20-%20Doc%20Archive\Control%20M\Standards\Control%20M%20Batch%20Failure%20Alerting%20Guide%20V4.doc?web=1>

Table field sequence number

file:///G:\PRJ\RM%20Platform%20v2.0\007%20Development\Wealth_S14\Documentation\SPM%20Source%20Interface%20Specification.xlsx

Oct 22th

HK AMH SPM.Release SPM_ACCT_PROD_SM alter primary index. EIM 3.5 for A9

Oct 22

CR1698287

Task 1 GSR-15277978

Task 2

DT122652

2320-2335 2335-2355

DT122652

Peding GSR create, sample 15225637

change order summary

HK AMH SPM client centre enhancement.Change Primary index for SPM_ACCT_PROD_SM. EIM 3.5 for A9

AE,AU,HK,IN,MY,PH,SG,TW,VN

A9(AOC,AUH,INM,MYH,SGH,AMH,MNL,VNM,TWM)

GSR-15277978

From <https://groupservicerequest.global.hsbc/prweb/TSRFrontEnd/nUBIObQyea6ucvWfBdrYSIthrC1Kk3fE*/!STANDARD?pyActivity=FinishAssignment&pzPrimaryPageName=pyWorkPage&pzTransactionId=bb7ef5a00d6ec1df6e4b3a9dfd496b3c&pzFromFrame=pyWorkPage>

Read – DT122652

DT

Last update 2017-10-16 11:29 GMT+8
Approval **AUTO**
Status **SUBMITTED**

Change

CR Number CR1698287
CR Summary HK AMH RM Coverage Model.
Release DDL change for
performance tuning.
GSD Owning HTSA-BID-SPM
Group

Requester

Staff ID 44012027
Name Guopeng Deng
Department IT TRANSFORMATION RBWM
Contact stephen.g.p.deng@noexternalmail.hs
Email
Line Angela C Y LAI
Manager

Task Metrics	Items Metrics			
Task sequence: 2	Resource: HTSA-DCS-DCO-Server			
Start time GMT+8 2017-10-22 23:20, Sun	Item	Quantity	Unit time (min)	Score
End time GMT+8 2017-10-22 23:35, Sun	Release of a password in PAR (1 - 5 servers)	1	15	0
Overridden? no	Total		15	0
Opr Assignee: Monitoring				
Task sequence: 3	Resource: HTSA-DCS-DCO-Server			
Start time GMT+8 2017-10-22 23:35, Sun	Item	Quantity	Unit time (min)	Score
End time GMT+8 2017-10-22 23:55, Sun	Server Command Execution (2-5 commands) per server	1	20	50
Overridden? no	Total		20	50
Opr Assignee: 1				

Action tracking

Control-m

Check job:
enterprise manager
Open viewpoint ->Odate
Dynamic filter:
Job name
PSPMHK*

Doc
Control_M setup of SPM_v2.0_AMH.xls

Change env Control M, UAT or PRD
C:\software\CTM_ENV_SWITCH.hta

UAT
emhkgd1.hk.hsbc

PRD
emhkgp1.hk.hsbc

Guideline:
C:\project\resources\control-m
file:///C:/project/resources/control-m/How_to_order_Control-M_jobs_manually.doc

For generating SQL from UAT GDC please refer to session 4 in below guide.
<file:///G:/PRJ/SPM/9.%20Support%20Task/Sharing/Support%20Guideline-GDC%20Release.docx>

SPMGenerator

Generate control-m xml from excel Control_M setup of SPM_v2.0_AMH.xls
C:\workspace-RTC-SPM\SPM_BI_Core_v2.5.10\Source\Deployment Tools
Step:
In tab Control-M generator, input parameter

Quality Gate

C:\software\Control-M-QualityGate\HTSA Control-M Quality Gate
Usage:
a.Download UAT or PROD control M xml.
Step. In xml extraction, search PSPMHK
b. upload xml to PROD for release

Data stage
UAT env
HKDA2LS0078:9080
spm08adm
abcFeb14!
UAT-IIS87-DS01.HK.HSBC/dpr_spm_hk

AMH CTM local changes
SPM_BI v2.5.10 AMH\Local Documentation\Technical
Spec\Control-M\AMH Control M Local Change.xlsx

new java CTM generator
SPM_BI v2.5.10 AMH\Source\Deployment Tools
\SPMGenerator.jar

Output file
SPM Output to Input Mapping Specification.xlsx

djpSPM042_EXT_Cust_Hist_Inf

Indicate Staff Subject job for SPM is complete job

W01STF_STAF_HIST

Firstly, I found a summary of all SPM documentation file:///G:/PRJ/ARM%20Platform%20v2.0/007%20Development/Wealth_S11/Documentation/SPM%20Key%20Documnet%20Index.xlsx, which is helpful for you to understand how many SPM documentation should be inputted.

1. In the documentation table design, file:///G:/PRJ/ARM%20Platform%20v2.0/007%20Development/Wealth_S11/Documentation/SPM%20Table%20Design.xlsx,

838	52 v2.5.9	W01SPM_LF_CC_LINKING	Temp table. For GDC ARM map input							
839		SUP_EMPLY_NUM	Supporter/ARM/PRO Emp Number	Y		N	CHAR	8		
840		EMPLY_NUM	Emp Number	Y		N	CHAR	8		
841		START_DATE	Support pair start date	Y		N	DATE			
842		END_DATE	Support pair end date				DATE			

Since we add the new column "Remarks" in the GDC cclinking csv file before, the corresponding loading table should also have the column "Remarks"

2. In the documentation table design, file:///G:/PRJ/ARM%20Platform%20v2.0/007%20Development/Wealth_S11/Documentation/SPM%20Input%20and%20Output%20Checklist.xlsx

a. I think the DDL of tables

W01SPM_CS_TABLE_BATCH_DT and W01SPM_ADT_TBL_WTCH_CFG don't need to be changed, but the content of these two tables W01SPM_CS_TABLE_BATCH_DT and W01SPM_ADT_TBL_WTCH_CFG are updated for waiting (table watcher) for IBIS table.

2941	v2.5.9 Sprint10	Wealth Sprint 10	add Data Points in local feed customer entity config	WI 1977256	Adaptor	W01SPM_SRC_LF_CUST_EC	DLWORK Table	Modify
2942	v2.5.9 Sprint10	Wealth Sprint 10	add Data Points in local feed customer entity config	WI 1977256	Adaptor	W01SPM_STG_LF_CUST_ETY_CFG	DLWORK Table	Modify
2943	v2.5.9 Sprint10	Wealth Sprint 10	add Data Points in local feed customer entity config	WI 1977256	Reporting	W01SPM_LF_CUST_ETY_CFG	DLWORK Table	Modify
2944	v2.5.9 Sprint10	Wealth Sprint 10	add Data Points in local feed customer entity config	WI 1977256	Reporting	W01SPM_LF_CUST_ETY_CFG_LST	DLWORK Table	Modify
2945	v2.5.9 Sprint10	Wealth Sprint 10	add Data Points in local feed customer entity config	WI 1977256	Adaptor	spm_adt.param	param	Modify
2946	v2.5.9 Sprint10	Wealth Sprint 10	add Data Points in local feed customer entity config	WI 1977256	Adaptor	djpSpmAdt_SPM_STG_LF_CUST_ETY_CFG_bteq	Bteq	Modify
2947	v2.5.9 Sprint10	Wealth Sprint 10	add Data Points in local feed customer entity config	WI 1977256	Adaptor	djpSPM366_SPM_LF_CUST_ETY_CFG_bteq	Bteq	Modify
2948	v2.5.9 Sprint10	Wealth Sprint 10	add Data Points in local feed customer entity config	WI 1977256	Reporting	djpSPM360_RMP_Data_Feed_Cust_Entty_Config	datastage	Modify
2949	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Adaptor	W01SPM_LF_CC_LINKING	DLWORK Table	Newly Add
2950	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Adaptor	W01SPM_SUPPORT_PRM_MAP	DLWORK Table	Newly Add
2951	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Adaptor	W01SPM_SUPPORT_PRM_MAP_LST	DLWORK Table	Newly Add
2952	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Adaptor	W01SPM_CS_TABLE_BATCH_DT	DLWORK Table	Modify
2953	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Adaptor	W01SPM_ADT_TBL_WTCH_CFG	DLWORK Table	Modify
2954	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Adaptor	spm_adt.param	param	Modify
2955	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Adaptor	djpSpmAdt_SUPPORT_PRM_MAP_bteq	Bteq	Newly Add
2956	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Reporting	djpSPM628_RMP_Data_Feed_SUPPORT_PRM_MAP.sh	script	Newly Add
2957	v2.5.9 Sprint10	Wealth Sprint 10	Extract the source system (v2.5.9 sprint 10)	WI 1977256	Reporting	djpSPM628_RMP_Data_Feed_SUPPORT_PRM_MAP	datastage	Newly Add
2958	v2.5.9 (retrofit from v2.5.8)	Wealth Sprint 10	Add parameter for Resend customer records	WI 1983685	Reporting	djpSPM244_RMP_Data_Feed_Cust_List	datastage	Modify
2959	v2.5.9 (retrofit from v2.5.8)	Wealth Sprint 10	Add parameter for Resend customer records	WI 1983685	Reporting	djpSPM244_RMP_Data_Feed_Cust_List	script	Modify
2960	v2.5.9 Sprint11	Wealth Sprint 11	RMP CR#69 RM/ARM & RMPRO Pairing	WI 1992484	Adaptor	ctrim_spm_ADT_File_or_Table_Watcher.sh	script	Newly Add
2961	v2.5.9 Sprint11	Wealth Sprint 11	RMP CR#69 RM/ARM & RMPRO Pairing	WI 1992484	Adaptor	djpSpmAdt_SUPPORT_PRM_MAP_bteq	Bteq	Modify
2962	v2.5.9 Sprint11	Wealth Sprint 11	RMP CR#69 RM/ARM & RMPRO Pairing	WI 1992484	Adaptor	spm_adt.param	param	Modify
2963	v2.5.9 Sprint11	Wealth Sprint 11	RMP CR#69 RM/ARM & RMPRO Pairing	WI 1992484	Adaptor	File_Watcher_List.csv	param	Modify
2964	v2.5.9 Sprint11	Wealth Sprint 11	RMP CR#69 RM/ARM & RMPRO Pairing	WI 1992484	Reporting	spm_sys_parm.sh	param	Modify

If there is any content changes for

W01SPM_CS_TABLE_BATCH_DT and

W01SPM_ADT_TBL_WTCH_CFG, it

should update RTC\Source\DDL

\Core_initial_load.ddl file

Core_initial_load.ddl

```

select OPER_UNIT_ID,cast('9' as char(5)) as CUST_TRNVR_CDE,cast('DNP' as char(15)) as CUST_TRNVR_TYPE_CDE from <CTRY_CI
select OPER_UNIT_ID,cast('9' as char(5)) as CUST_TRNVR_CDE,cast('XFI' as char(15)) as CUST_TRNVR_TYPE_CDE from <CTRY_CI
select OPER_UNIT_ID,cast('99' as char(5)) as CUST_TRNVR_CDE,cast('99' as char(15)) as CUST_TRNVR_TYPE_CDE from <CTRY_CI

--*W01SPM DASHBD DIR FED CNTL
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_DASHBD_DIR_FED_CNTL VALUES ('CUST_VIEW','N');
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_DASHBD_DIR_FED_CNTL VALUES ('LATE_MON_TO_RMP','N');
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_DASHBD_DIR_FED_CNTL VALUES ('FINA_VIEW','N');
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_DASHBD_DIR_FED_CNTL VALUES ('SALE_VIEW','N');

--*W01SPM_ADT_TBL_WTCH_CFG
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_ADT_TBL_WTCH_CFG VALUES ('<CTRY_CDE>','1001','54000','300','Y','Y','Y');
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_ADT_TBL_WTCH_CFG VALUES ('<CTRY_CDE>','1003','54000','300','Y','Y','Y');
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_ADT_TBL_WTCH_CFG VALUES ('<CTRY_CDE>','1006','54000','300','Y','Y','Y');
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_ADT_TBL_WTCH_CFG VALUES ('<CTRY_CDE>','1011','54000','300','Y','Y','Y');
INSERT INTO <CTRY_CDE>.GISL_SPM_DLWORK.W01SPM_ADT_TBL_WTCH_CFG VALUES ('<CTRY_CDE>','1013','54000','300','Y','Y','Y');

```

- b. Since there should be Control-M change for RMP CR#69 RM/ARM & RM/PRO Pairing, please kindly input "Control_M setup of SPM_v2.0.xls" and which control-m xml file under RTC:\Source\Control-M\Control-M XML\ is updated.
- c. Since we add the new column "Remarks" in the GDC cclinking csv file before, please kindly input under RTC:\Source\GDC\Site\Category\Staff\

SPM_BI_v2.5.8 ▶ Source ▶ GDC ▶ Site ▶ Category ▶ Staff			
New folder			
Name	Date modified	Type	Size
TPLimr_ctry_cde_staff_actv_trgt	5/31/2017 9:13 AM	SQL File	23 KB
TPLimr_ctry_cde_staff_client_centre_link	5/31/2017 9:13 AM	SQL File	10 KB

- The documentation “RMP - Data Feed Format Description” under RTC: \Documentation\Functional Spec\ is the agreed specification for RMP->SPM and SPM->RMP data files. It seems that this doc is still not yet updated for new data points for “Client - Entity Config Fields”. Please kindly work with RMP team to update this doc and send back to us for documentation.
- Meanwhile, there is another documentation “RMP DataFeed Transformation Design” under RTC: \Documentation\Functional Spec\ which is owned by SPM to record down the layout and extracting tables for SPMtoRMP data feed file.

PSPMHK*

4.2 Severity

A job's severity will be determined by [Severity] in message text. It is in the following convention:
1 – Information
2 – Warn
3 – Immediate
4 – Major
5 – Critical

It is the expectation that the majority of alerts will be configured with the (default) severity of 3 (immediate). This setting allows a 15 minute period for support to acknowledge their xMatters notification, before Operations are presented with the alert to escalate the issue manually. A higher priority would present the alert to Operations simultaneously to the xMatters notification commencing and a lower one would result in no Primary Screen presentation/escalation at all.

4.3 Type

Alerts type will be determined by [Type] in message text. It is in the following convention:

Code	Type	'Translated' and appended by enrichment to an alert's detail as
F	NOTOK	*.... has failed"
S	Late Sub	*.... has not started"
T	Late Time	*.... is not complete"
O	Over Run	*.... is over running"
U	Under Run	*.... has under run"
B	BIM	*.... is predicted to miss its SLA"
L	SLA	*.... has breached its SLA"
K	OK	exceptional free format (INFO – not ECS) shout text, which can be used to drive specific functionality (e.g. Blackouts).
C	Custom	*... detected <BID>".

Pending Item.

- 1. Pending for PROD version
- /hsbc/spm/hk/adt/input/parm/spm_adt.param
- /hsbc/spm/hk/rpt/script/tools/spm_sys_parm.sh
- /hsbc/spm/hk/adt/input/parm/File_Watcher_List.csv
- /hsbc/spm/hk/adt/script/bteq/lcl/djpSpmAdt_SPM_STG_LF_CUST_ETY_CFG.bteq
- /hsbc/spm/hk/rpt/script/bteq/djpSPM366_SPM_LF_CUST_ETY_CFG.bteq
- /hsbc/spm/hk/rpt/script/ctm/ctrlm_stf_Staff_Table_Watcher.sh
- /hsbc/spm/hk/rpt/param/ctm_warn_list_sunday.txt

Put to folder G:\PRJ\RM Platform v2.0\012 Deployment\AMH\SPM\05 Development\2017 Aug Release\Development\Prod-BeforeReleaseVersion

Use Diff command to compare
diff a.txt b.txt

Rundown meeting
1. Monday 11AM.
Anson, James, Isla and Sunny
Sunny(FF fighter)

Batch start time	Batch release item reference	ISST (CIM)
	1. Check batch job is done at 5 PM	CRMS
Start SAM		HUB
Source ready IBIS 10AM	Release person	IBIS
	Anson/Isla/Evie	
Batch finish Completed SPM		
Generated RMP fork		
DLWork ->DB01 (job 0450)	5pm- 8,9PM	
Aug 25		
	Jun	
	AMH 2.5.7	
	FR 2.5.2 Raymend and Martin plan v2.5.8 release at	

For the CO release guideline
G:\PRJ\SPM\9. Support Task\SPM Support Doc- Profile and Release Guide.xlsx

/hsbc/spm/hk/adt/input/parm/
spm_adt.param
/hsbc/spm/hk/rpt/script/tools/spm_sys_parm.sh

DDL will be done at Aug 21th
Create table

Alter table at Aug 25th

Aug Release Source
G:\PRJ\RM Platform v2.0\012 Deployment\AMH\SPM\05 Development\2017 Aug Release\

G:\PRJ\RM Platform v2.0\012 Deployment\AMH\SPM\05 Development\2017 Aug Release\Development
\release

CO	Status
DDL(CR1633309)	approved
CTM (CR1634332)	approved
DS/Script release (CR1634397)	Approved
GDC(CR1636754)	Approved

Book other team support timeslot
<http://crr.gss3.hk.hsb30050/otcrr/pref.htm>

Release Document. Implementation plan
For AMH implementation plan (including release tasks and 1st batch run and health check), please kindly update the spreadsheet <file:///G:\PRJ\RM%20Platform%20v2.0\012%20Deployment\AMH\SPM\08%20Release\AMH%20SPM%20Implementation%20Plan%20Aug%202017%20Release.xlsx>

Meanwhile, I found that the spreadsheet <file:///G:\PRJ\SPM\9.%20Support%20Task\SPM%20OGS%20Item%20List.xlsx> is updating.

Rundown with other party
C:\project\SPM\Release\RM Coverage Model Release Run Down.xlsx

Check list
Data conversion script
Doc and DDL

SPM

Cannot upload CN control xml to UAT for testing
No access right

- Release Step
- 1. Book DT time
 - 2. Create CO at that time,
 - 3. Raise GSR

HK_GISU01_SPM_DLWORK
HK_GISU01_SPM_DB01

CO Status	CO Number.GSR	CO Desc	Release Date & Remark
Pending	CR1661916. GSR-15225637 Old : GSR-14949769 (Old :GSR-14800425), DT119408	CO for ARM DDL backup table	2017-Sep-24
Pending	CR1662025	CO for Ctrl-M G020 xml for HK and CN..Jobname PSPMHK1343 and PSPMCN1343	2017-Sep-12 Refer to CN CR1649313

HTSA-DCS-DCO-Server

From
<http://gsdprodsrv.us.hsbc/GSDChgPlan/isp/view_implementation_plan.faces?CR_REF_NUM=CR1661916&USR_UUID=C28BCFE17F8C01F6BCE090E2BA1290F3&IMPL_PLAN_ID=1289467&TIMEZONE=Asia/Shanghai>

Attachments

From <<https://alm-jira.systems.uk.hsbc/jira/browse/GR-3324>>

Release Step

1. Book DT time
2. Create CO at that time,
3. Raise GSR

20170822
Verify Cust entity config

CO close operation

- After CO done,
- a. Implementaion plan mark completed.
 - b. Activities->pending verification

Raise ticket to hold activities job close CO
<http://mysolutioncentre.global.hsbc/EN/Support/Pages/MySupport.aspx>

Search job

Software and Services.Business System.HSBC.Global Command Centre (GCC) Batch.Control-M.RBWM

Pending item

1. Re-arrange release DDL for 03_DLWORK_DB01_VIEW

```
SPM_SUPPORT_PRM_MAP
SPM_SUPPORT_PRM_MAP_FINAL
SQL:
REPLACE VIEW HK_GISL_SPM_DLWORK.SPM_SUPPORT_PRM_MAP
AS (SELECT * FROM HK_GISL_SPM_DB01.SPM_SUPPORT_PRM_MAP );
REPLACE VIEW HK_GISL_SPM_DLWORK.SPM_SUPPORT_PRM_MAP_FINAL
AS (SELECT * FROM HK_GISL_SPM_DB01.SPM_SUPPORT_PRM_MAP_FINAL );
```

2. Due to point 1. change djpSpmAdt_SUPPORT_PRM_MAP.bteq

NO backup for
SPM_SUPPORT_PRM_MAP
SPM_SUPPORT_PRM_MAP_FINAL

IBIS table job ready

Entity Config PSPMHK1474

RM Pairing PSPMHK1296 > 1297 > 1298 > 0687 > 0688
0688 is sftp

Hold ARM sftp job

Control-M Required Information

Incident Prefix (HTSA_P1C_0000/ HK)

Action (*)

(HOLD)

Control-M Server Name -HTSA_P1C_0000

Table Name -PSPMHKT014

Group Name -PSPMHKG024

Job Name (*) -PSPMHK0688

Order Date (yyymmdd) (*) -170825

Order ID (*) -1xxm2

Condition Name -

Properties to be updated -

Free ARM Job

Fill in the below if Action is ORDER

ORDER or FORCE

Control-M Required Information

Is the table a SMART TABLE (Yes or No)? -

Value of "Order/Force Into Table" if it's SMART TABLE (New / Recent / Selected / Standalone)

Supplemental Information(*) -

Control-M Server Name -HTSA_P1C_0000

Table Name -PSPMHKT014

Group Name -PSPMHKG024

Incident Prefix (HTSA_P1C_0000/ HK)

Action (*) Date (yyymmdd) (*) -170825

(FREE or FORCE)

Control-M Server Name -HTSA_P1C_0000

Table Name -PSPMHKT014

Group Name -PSPMHKG021

Job Name (*) -PSPMHK0688

Order Date (yyymmdd) (*) -170825

Order ID (*) -1xxm2

Condition Name -

Properties to be updated -

Fill in the below if Action is ORDER

ORDER or FORCE -

Is the table a SMART TABLE (Yes or No)? -

Value of "Order/Force Into Table" if it's SMART TABLE (New / Recent / Selected / Standalone)

Supplemental Information(*) -

Email List

Cognos PRD account

https://prod-cognos2-online.hk.hsbc/cognosn2/cgi-bin/cognos.cgi?b_action=xts.run&m=portal/cc.xts&m_folder=i9B9FFC74F13542D799C6B88DF7D5DD45

HBAP-HKGLUESPM002/56Hc5Qj

Set schedule time




20675581

Chris M Y LING <chrismyling@hsbc.com.hk>

Role

SPM casual consumer

My preference



Zip file

CR1716636.zip

CR1716636_backup_20171101

From <<https://uat-cognos2.hk.hsbc/cognosuat2/cgi-bin/cognos.cgi>>

Relationship email cognos location:

Public Folders > SPM - Sales & Portfolio Management > SPM AMH > Data Extracts for Activity KPIs > QS - Sales & Portfolio Management Reports

UAT cognos unix server

hkdb2ls0236o.hk.hsbc

zgiskpia

NovGoal1706

Dev cognos unix server

hkdb2ls0233o.hk.hsbc

Cognos web **DEV**

https://dev-cognos2.hk.hsbc/cognosdev2/cgi-bin/cognos.cgi?b_action=xts.run&m=portal/cc.xts

Cognos web **UAT**

https://uat-cognos2.hk.hsbc/cognosuat2/cgi-bin/cognos.cgi?b_action=xts.run&m=portal/cc.xts&m_tab=i1AA72F73AC044D66AAE0E2BE7F85398B&m_folder2=p-i123ECB1C71474FBD84A237973A4B7976

20683338/gNft453

Uat admin profile (20683338/gNft453

Cognos web **PRD**

<https://prod-cognos2-online.hk.hsbc/cognosn2/cgi-bin/cognos.cgi>

CO reference CR1595462

CR1716636
DT124159

grant the SPM_Administrators to my AD 43408856

New GSR-15506160

Old one GSR-15489312

BI Cognos (for Admin role only) - Enable & Revoke User Admin Right

AD Logon ID: 43408856

CO/Ticket Number: CR1716636

Reason for enable admin profile: for Cognos release permission set up

Project Code (Pre-defined Cognos Project Name): SPM

Environment Type: RH_Online_PROD 10.2.1 (<https://prod-cognos2-online.hk.hsbc/cognosn2/cgi-bin/cognos.cgi>)

Project Admin Role Name (eg. <project>_Administrators): SPM_Administrators

Profile Enable Date and Time (eg yyyy-mm-dd 00:00) 11/9/2017 10:00 AM

Profile Revoked Date and Time (eg yyyy-mm-dd 00:00) 11/13/2017 06:00 PM

From

<https://groupservicerequest.global.hsbc/prweb/ApprovalLink/79a1fpSOOC3gsCnlyfPE4gihzT2pYv9*/ISTANDARD?pyActivity=HSBC-GSR-Request_MyChildReqs&pzPrimaryPageName=pyWorkPage&Inskey=HSBC-GSR-PROVISION%20BSR-5573250&Index=1&SelOption=Open%20Provision>

GSR-15490784

Reset UAT cognos server account zgisspma at

hkdb2ls0233o.hk.hsbc

Cognos Release for SPM AMH project version upgrade to 10.2.1-20171108.

Release item

- 1) Change the subject name "ARM/PRO RM Pairing" into "Relationship"
 1. Rename Cognos email job name
 2. Change Cognos sql
HK_GISU01_SPM_BASEVIEW
to 'HK_GISL_SPM_BASEVIEW'
 3. Cognos package Export from
zgisspma
pDVw7s9

 **SPM AMH**

File location

hkdb2ls0233o.hk.hsbc

pDVw7s9 Content Management Server (DEV)
/nas/cognos/deployment/c1021
Reset password on 2015-02-24

Prod Upload server
hkpb2ls0239 (IP: 130.36.177.31, hostname: hkpb2ls0239o.hk.hsbc)
FF profile: zgisspmf

Upload package file
[\\nas174an1.hk.hsbc\BIDDATA\PR\RM Platform v1\On-going Support\Knowledge Base\Guideline\Package & Image Upload Guide.docx](#)

Target Folder: Public Folders > SPM - Sales & Portfolio Management

STEP 2.1: Archive Name [SPM China_V2.5_bk20170620]

STEP 2.2: Import Job Name [SPM China_V2.5_bk20170620]

STEP 2.3: Disable New Release Package; CHECK the checkbox of the "of "Disable this

The items for SPM estimation disk CD. Package the release for SPM China_V2.5
(GR-1685)
in Nov release?

Requirement	Remarks	GR #
UT sub-asset class	Have dependency on SPM and WPC resource availability SPM resource constraint: Resource available on Late Sep only WPC resource constraint: Needs to release together with WPC release (one is on 30 Jul)	GR-143
The UT holding period to support the original options 12 - 18 Months 18 - 24 Months 24 - 30 Months > 30 Months	The data available since Jan 2016.	GR-2725

Currency holding should be in base currency instead of local currency equivalent

provide AMH user the PRO/ARM & staff mapping with historical master data via excel.

Implementation Task List

[Expand All](#)

	Task #	Task Title	Group Assigned	Task Start Date	Task End Date	Task Status	Attachment
+	1	Release of password in PAR[DT124159]	HTSA-DCS-DCO-Server	2017-11-08 07:00:00	2017-11-08 07:15:00	Pending	
+	2	Import SPM Cognos package[DT124159]	HTSA-DCS-DCO-Server	2017-11-08 07:15:00	2017-11-08 07:45:00	Pending	
+	3	Application team updates system configurations	HTSA-BID-SPM	2017-11-09 10:00:00	2017-11-11 18:30:00	Pending	
+	4	Cognos admin right to release configuration and health check	HTSA-BID-SPM	2017-11-09 14:00:00	2017-11-13 11:59:00	Pending	

[Expand All](#)

SPM_BASEVIEW. PRM_MAP_FINAL_UV

Please find below url to access the testing Cognos report server
https://uat-cognos2.hk.hsbc/cognosuat2/cgi-bin/cognos.cgi?b_action=xts.run&m=portal/cc.xts&m_tab=i1AA72F73AC044D66AAE0E2BE7F85398B&m_folder2=p-i123FCB1C71474FBD4A237973A487976
account: 43353012
pwd: 1q2w3e4r5T
I am updating the content of JIRA story GR-2707 for development the Cognos report with importing excel format and enable email sending for PRO/ARM pairing data.

Secondly, there is another story GR-2701 for release preparation for AMH SPM / client center enhancement in Aug. We will have a followup meeting next week with Anson and Isla to clarify how to start the release preparation work.

Document
C:\workspace-RTC-SPM\SPM_BI_Core_v2.5.9\Source\Cognos\Report Locking\Data Extracts for Activity KPIs
ARM_PRO & RM pairing.xlsx

C:\workspace-RTC-SPM\SPM_BI_AMH_v2.5.9\Local Documentation\Functional Spec\Appendix for SPM Historical Dashboard SP
SPM Dashboard Mockup.xlsm

Metrics

Task sequence: 1

Start time GMT+8
2017-11-08 21:00,
Wed

End time GMT+8
2017-11-08 21:15,
Wed

Overridden? no

Opr Assignee: 1

Task sequence: 2

Start time GMT+8
2017-11-08 21:15,
Wed

End time GMT+8
2017-11-08 21:45,
Wed

Overridden? no

Opr Assignee: 1

From <<http://crr.gss3.hk.hsbc:30050/otcrr/view/read.htm?crrid=124159>>

Items Metrics

Resource: HTSA-DCS-DCO-Server

Item	Quantity	Unit time (min)	Score
Release of a password in PAR (1 - 5 servers)	1	15	50
Total		15	50

Resource: HTSA-DCS-DCO-Server

Item	Quantity	Unit time (min)	Score
Cognos single package import or backup process	1	30	

UT unit trust
Group funds together,
Infos is from GDC

Changes:
Plan to get data from WPC system

Data include:
Product info

Customer email
SPM_CST_TBL_BIS_BBCCDM=CST_BIS_BBCCDM

select top 100 INET_ADDR from HK_GISU_CST_DLWORK.CST_BIS_BBCCDM;

GR-3331 Automation to handle RMP data feed sending if T+2 batch delay
Patrol setup
GSR-15346690

xMatter
HTSA-WMD-WEALTH2RMP-FIREFIGHT-EMAIL
GSD group: HTSA-WMD-SPA

- 1.Local currency
- 2.Email
- 3.

for common staging WPC

In G:\PRJ\RM Platform v2.0\012 Deployment\AMH\SPM\05 Development\CST

Tune Monthly job
/hsbc/spm/hk/rpt/script/ctm/djpSPM383_AVG_Acct_Prod_Fact.sh HK M 0727

Sprint planning

Story delay to next sprint
1. Task need to break smaller
2. Env not ready, cannot start task
3. New requirement
4. Sometimes is a story is too big to complete in one sprint

Control-M document update

a documentation
\Documentation\Technical Spec\Control-M\SPM_Control-M_Development_Guide.xlsx
SPM_Control-M_Development_Guide.xlsx

Since we have finished the AMH Aug release, please submit the clarity with another project "10725/OB116332/14006" from 28 Aug? Thanks!

RTP_Wealth_Wealth - RMP Alternatives_HK 10725/OB116332/14006

Check query CPU

```
SELECT
QueryID,
CollectTimeStamp,
AppID,
UserName,
StartTime,
ElapsedTime,
QueryText,
AMPCPUTime,
ParserCPUTime,
TotalIOCount,
SpoolUsage,
MaxAmpCPUTime,
MinAmpCPUTime,
MaxAmpIO,
MinAmpIO
FROM
dbc.QryLog
WHERE UserName = 'HK_GISU_BATCH_SPM00001'
and CollectTimeStamp between '2017-07-14 14:00:00.00' and '2017-07-14 17:00:00.00' ;
```



```
-- check table s primary index
--Where P - Accounts for NPPI -- Q for PPI tables;
-- IndexType:
-- P (Nonpartitioned Primary)
-- Q (Partitioned Primary)
-- S (Secondary)
-- J (join index)
-- N (hash index)
-- K (primary key)
-- U (unique constraint)
-- V (value ordered secondary)
-- H (hash ordered ALL covering secondary)
-- O (valued ordered ALL covering secondary)
-- I (ordering column of a composite secondary index)
-- M (Multi-column statistics)
-- D (Derived column partition statistics)
-- 1 (field1 column of a join or hash index)
-- 2 (field2 column of a join or hash index)
```

```
SEL top 10 * FROM DBC.Indices WHERE IndexType IN ('P', 'Q','S')
and databaseName='HK_GISU01_SPM_DLWORK'
and tableName='SPM_ACCT_PROD_SM_0911_2' ;
```

Friday, October 13, 2017 9:53 AM

RPT_DB01_TBL_SPM_ACCT_PROD_FACT
=SPM_ACCT_PROD_SM

WPC release

Thursday, October 19, 2017 9:39 AM

ALL,Teradata Production CST profile
revoke ,CR1173584,12/11/2015,Evie,Done,,RL_GISL_CST_SUPPORT_USER ,,

"AOC, IMO, INM, MYH, SGH, TWM, UAE",Release Control-M for CST late alert in HTSA_P1B_0000 HTSA_P1C_0000 [PHD21],CR1340588,8/10/2016,Jack,Done,, "PBIR2CN353 18:30

CN,SPM/CST Datastage/Script/Param Release,CR1594060,20170818,James,Done,,
\\nas174an1.hk.hsbc\BIDDATA\PRJ\RM Platform v2.0\012 Deployment\AoC Upgrade 2017
\Aoc upgrade package\SPM_RELEASE\release.txt,,

CN SPM/CST Datastage/Script/Param Release CR1594060

CN Control -M release (SPM) (release on 18 Aug, effective date is 19 Aug) CR1595518

CR1702361
GSR-15380969
GSR-15378922 new GSR include cognos ARM
GSR-15349638

DT123062 2300-2335
DDL
HK AMH RM Coverage Model. Release WPC to CST DDL
change.

Control M Nov-15
CR1702349

Release Control-M for WPC to CST in HTSA_P1B_0000
[PHD21]

CR1702349

From <<http://gsdprodapp-b.us.hsbc/CAisd/pdmweb4.exe>>

DS/Script
CR1703323
prd.bidatastage.ds03.hk.hsbc
HK AMH SPM client centre enhancement.Release WPC
CST Datastage/Script/Param

Anthony CST release CR1700012
2)Teradata Host name(s) involved:
Teradata Production Sever: hsbchkprod1_1-7 (hkdwprd-systems.hk.hsbc)
CA release server: hkpa2ls0078 (Linux)
AIX: HKP03LP2441(130.36.150.12)/HKP03LP2541(130.36.171.16)

Reference

CO	Status
DDL(CR1633309)	approved
CTM (CR1634332)	approved
DS/Script release (CR1634397)	Approved
GDC(CR1636754)	Approved

SPM generation

Monday, November 06, 2017 3:23 PM

Pending changes

PSPM<CTRY_CDE>A002 OS PSPM<CTRY_CDE>G011 PSPM<CTRY_CDE>1217

```
<INCOND AND_OR="AND" NAME="N-PSPMCNC1222-TO-PSPMCNC1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="OR" NAME="N-PSPMCNC1216-TO-PSPMCNC1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="OR" NAME="N-PSPMCNC1376-TO-PSPMCNC1217" ODATE="ODAT"/>
<INCOND AND_OR="AND" NAME="N-PSPMCNC_RUN" ODATE="ODAT"/>
```

Pogram
Line 401 show (
Line 451 show)

```
<INCOND AND_OR="AND" NAME="N-PSPMMY1222-TO-PSPMMY1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="AND" NAME="N-PSPMMY1216-TO-PSPMMY1217" ODATE="ODAT"/>
<INCOND AND_OR="OR" NAME="N-PSPMMY_RUN" ODATE="ODAT" OP="("/>
<INCOND AND_OR="AND" NAME="N-PSPMMY1376-TO-PSPMMY1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="AND" NAME="N-PSPMMY_RUN" ODATE="ODAT" OP="("/>
```

Ori
(PSPMCNC1222 PSPMCNC1216),PSPMCNC1376
(PSPMCNC1222 PSPMCNC1216 OK) (PSPMCNC1376 OK)

Represent as
(PSPMCNC1222 PSPMCNC1216 OK),(PSPMCNC1376 OK)
Change _RUN to _OK

```
if (prmDataCenter.equals("HTSA_D1B_0000")
    {
        || prmDataCenter.equals("HTSA_P1C_0000") {
            xmlOut.println("    <INCOND AND_OR=\"AND\" NAME=\"N-PSPM\"
                + prmCtryCde + \"_RUN\" ODATE=\"ODAT\"/>");
        }
    }
```

Test input

C:\project\SPM\tasks\SPM-Xml-generator\Control_M setup of SPM Master (Adaptor) PSPM00001_SDENG-test.xls

G:\PRJ\RM Platform v2.0\012 Deployment\RBB\MYH KPI\100 Release Package\MYH EIM 3.5 release Implementation Plan.xlsx

C:\project\SPM\tasks\SPM-Xml-generator\Control_M setup of SPM Master (Adaptor) PSPM00001_SDENG-test.xls

AND_OR
Use

C:\project\SPM\tasks\SPM-Xml-generator\new-fixBracket\

```
<INCOND AND_OR="AND" NAME="N-PSPMCNC1222-TO-PSPMCNC1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="OR" NAME="N-PSPMCNC1216-TO-PSPMCNC1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="OR" NAME="N-PSPMCNC1376-TO-PSPMCNC1217" ODATE="ODAT"/>
<INCOND AND_OR="AND" NAME="N-PSPMCNC_RUN" ODATE="ODAT"/>
```




PRD version

```
<INCOND AND_OR="AND" NAME="N-PSPMMY1222-TO-PSPMMY1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="AND" NAME="N-PSPMMY1216-TO-PSPMMY1217" ODATE="ODAT"/>
<INCOND AND_OR="OR" NAME="N-PSPMMY_RUN" ODATE="ODAT" OP="("/>
<INCOND AND_OR="AND" NAME="N-PSPMMY1376-TO-PSPMMY1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="AND" NAME="N-PSPMMY_RUN" ODATE="ODAT" OP="("/>
```



```
<INCOND AND_OR="OR" NAME="N-PSPMMY1420-TO-PSPMMY1422" ODATE="ODAT" OP="("/>
<QUANTITATIVE NAME="PSPMY00A" QUANT="1"/>
<OUTCOND NAME="N-PSPMMY1420-TO-PSPMMY1422" ODATE="ODAT" SIGN="DEL"/>
<INCOND AND_OR="AND" NAME="N-PSPMMY1433-TO-PSPMMY1422" ODATE="ODAT" OP="("/>
<OUTCOND NAME="N-PSPMMY1433-TO-PSPMMY1422" ODATE="ODAT" SIGN="DEL"/>
<INCOND AND_OR="AND" NAME="N-PSPMMY_RUN" ODATE="ODAT"/>
```

Represent as
(PSPMCNC1222 PSPMCNC1216 OK),(PSPMCNC1376 OK)
Change _RUN to _OK



```
Generated
<INCOND AND_OR="AND" NAME="N-PSPMCNC1222-TO-PSPMCNC1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="AND" NAME="N-PSPMCNC1216-TO-PSPMCNC1217" ODATE="ODAT"/>
<INCOND AND_OR="OR" NAME="N-PSPMCNC_OK" ODATE="ODAT" OP="("/>
<INCOND AND_OR="AND" NAME="N-PSPMCNC1376-TO-PSPMCNC1217" ODATE="ODAT" OP="("/>
<INCOND AND_OR="OR" NAME="N-PSPMCNC_OK" ODATE="ODAT" OP="("/>
<OUTCOND NAME="N-PSPMCNC1217-TO-PSPMCNC1090" ODATE="ODAT" SIGN="ADD"/>
<OUTCOND NAME="N-PSPMCNC1222-TO-PSPMCNC1217" ODATE="ODAT" SIGN="DEL"/>
<QUANTITATIVE NAME="PSPMCNC00A" QUANT="1"/>
<OUTCOND NAME="N-PSPMCNC1216-TO-PSPMCNC1217" ODATE="ODAT" SIGN="DEL"/>
<OUT PPSM1217 (Distributed Job), DataCenter Version:<700>
```



SG Original and



Missing condition for SG Or case



1.Action.

/appvol/spm/hk/rpt/param/spm_rmp_sftp_file.parm

Remove those already sent file in File list

HK_lf_spm_client_centre_link_20171117.txt.gz

_HK_RMP_Data_Feed_Branch_20171117.txt.gz

_HK_RMP_Data_Feed_Admin_Staff_20171117.txt.gz

_HK_RMP_Data_Feed_Sales_Person_20171117.txt.gz

_HK_RMP_Data_Feed_RM_ReIn_20171117.txt.gz

_HK_RMP_Data_Feed_Hierarchy_20171117.txt.gz

PSPMHK5006 did not end ok at 0700

test -f \$CHECKTEMPFILE










Need to restore it afterwards.

/appvol/spm/hk/rpt/param/spm_rmp_sftp_file.parm.spm_rmp_

sftp_file.parm.bk1117

/appvol/spm/hk/rpt/script/ctm/ctrlm_spm_normal_alert.sh

-

03	onhold			9/29/2013 10:00:29 PM	rw-rw-r--x
2:2		_HK_lf_spm_client_centre_link_20171117.txt.gz	39 KB	11/17/2017 8:52:29 AM	rw-rw-r--
00		_HK_RMP_Data_Feed_Branch_20171117.txt.gz	5 KB	11/17/2017 7:43:56 AM	rw-rw-r--
03		_HK_RMP_Data_Feed_Admin_Staff_20171117.txt.gz	1 KB	11/17/2017 7:43:14 AM	rw-rw-r--
33		_HK_RMP_Data_Feed_Sales_Person_20171117.txt.gz	145 KB	11/17/2017 7:43:00 AM	rw-rw-r--
07		_HK_RMP_Data_Feed_RM_ReIn_20171117.txt.gz	86 KB	11/17/2017 7:39:52 AM	rw-rw-r--
01		_HK_RMP_Data_Feed_Hierarchy_20171117.txt.gz	17 KB	11/17/2017 7:39:47 AM	rw-rw-r--
L:C		_HK_RMP_Data_Feed_Client_Holding_CHD_20171116.txt.gz	39,169 KB	11/16/2017 11:27:27 AM	rw-rw-r--
		_HK_RMP_Data_Feed_Client_Holding_CHC_20171116.txt.gz	32,151 KB	11/16/2017 11:27:27 AM	rw-rw-r--
		_HK_RMP_Data_Feed_Client_Holding_CHG_20171116.txt.gz	22,829 KB	11/16/2017 11:27:26 AM	rw-rw-r--

Gradle

Friday, November 17, 2017 5:05 PM

gradle usage

C:\sandbox\devtools\gradle-3.2\bin\gradle build

C:\sandbox\devtools\gradle-3.2\bin\gradle wrapper --gradle-version 3.2

How do I get gradle to include jars in my Eclipse Referenced Libraries

run cmd

C:\sandbox\devtools\gradle-3.2\bin\gradle cleanEclipse eclipse

SG Original and

Test case 1
Add condition
N-PSPMCN1222-TO-PSPMCN1217
N-PSPMCN1216-TO-PSPMCN1217
N-PSPMCN_run

Result:
Job run

Test case 2
Add condition
N-PSPMSG1376-TO-PSPMSG1217
N-PSPMCN_run

Result:
Job run

SG change and

Test case 1
Add condition
N-PSPMCN1222-TO-PSPMCN1217
N-PSPMCN1216-TO-PSPMCN1217
N-PSPMCN_run

Result:
Job run

Test case 2
Add condition
N-PSPMSG1376-TO-PSPMSG1217
N-PSPMCN_run

Result:
Job run