



Good API Testing

Adam Kliment
a@goodapi.co



Adam Kliment

[Follow @ntmlk](#)

ORACLE® +  apiary



Bloomberg

viacom



DigitalGlobe

GoPro
Be a HERO

NBC UNIVERSAL

301,122
HEROES

ARE WORKING ON

401,023
APIS

BEING CONSUMED BY

3M+
DEVELOPERS

github.com/apiaryio/dredd



DREDD

No more outdated API Documentation





Independent API Consulting



Adam Kliment

[Follow @ntmik](#)



Erik Wilde

[Follow @dret](#)



Zdenek "Z" Nemec

[Follow @zadne](#)



angelcam

Deutsche Post DHL
Group



LEGAL
LEGAL
ENTITY
IDENTIFIER
REGISTRATION



KONICA MINOLTA



mystay



WINDING
TREE

ytica

Motivation

Prevent defects!

Are you delivering the right thing?

**Will the thing work in the
surrounding environment?**

**Is the thing still doing the
expected?**

—

**I have no idea what's the
thing even supposed to do.**

Massive automation!

Actors

- Server Implementation
- Client Implementation
- API Design Specification
- API Style Guide

Environments

Local > CI/CD >
Staging >
Production

Environments

- Local development
- Continuous Integration and Delivery
- Runtime Staging, Production, On-Prem

Strategies and tools

Traffic debugging and logging

Servers

- curl -vvv
- [Postman](#)
- [Insomnia](#)
- [Fiddler](#)
- [Paw](#)

Clients

- [RequestBin](#)
- [Runscope buckets](#)
- Apigee Console

Man In The Middle interception

- [VCR](#)
- [Intercept.rest](#)
- [Charles Proxy](#)
- Logging API Gateways

Traffic (request) generation and replay

- [Dredd](#)
- [Newman](#) - The postman CLI
- [VCR](#)
- [Ready API](#)

API Design validation of traffic

- [Dredd API Testing framework](#)
- [Gavel HTTP Example Validation tool](#)
- [Element HAR validator](#)

API Design component testing

- Breaking changes testing
 - [Swagger-diff](#)
 - [Open-diff](#)
- API Design Style validation
 - [Apiary Style guide engine](#)
 - [Stoplight Spectral](#)
- API Style Guide Testing Framework
 - [Apiary Constitutions](#)

Workflow validation, integration testing

- Gherkin, Cucumber
- [Cucumber Apickli](#)
- [Stacker](#), [Enqueueur](#)

Mocking

- [Apiary Validating Mock](#)
- [Stoplight Prism](#)
- Language Level ([ruby](#) webmock)
- [ApiSprout](#)
-

Sandboxing, Disposable Environments

- Docker
- Infrastructure-as-code provisioning
 - Puppet
 - Cheef
 - Ansible
 - Terraform
- Vagrant
- Dotenv (.env)

Service & Environment Virtualization

- [Docker Compose](#)
- [Foreman](#), Puppet Master
- [ServiceV](#)
- [Wiremock](#)
- DIY

Contract testing

- [Dredd & Apiary Validation Mock CLI](#)
- [Pact](#)
- [Cucumber](#)
- [GetGauge](#)

Runtime (active) monitoring

- [Runscope](#)
- [API Fortress](#)
- [API Science](#)
- [Postman Cloud Monitoring](#)

Passive monitoring

- [Elastic.co Beats http packetbeat](#)
- [Wireshark](#)
- log collection aggregation and auditing

Load and Performance Testing

- [Loader.io](#)
- [Flood.io](#)
- [Apache JMeter](#)

Legal and security compliance testing

- [Snyk](#)
- [Metasploit Framework](#)

Architectural smoke tests, chaos testing

- [Twilio API Client best practices](#)
- Dret's Future-proofing of API Clients [blogpost](#)
- Netflix Chaos engineering

The logo consists of the word "GOOD" in a bold, black, sans-serif font, positioned above the word "API" in a thinner, black, sans-serif font. The text is centered within a square frame defined by a thin black border.

GOOD
API

Independent API Consulting