Class19

Daniel Xu

Q1)

```r
cdc<-data.frame(
                            Year = c(1922L,
                                    1923L,1924L,1925L,1926L,1927L,1928L,
                                    1929L,1930L,1931L,1932L,1933L,1934L,1935L,
                                    1936L,1937L,1938L,1939L,1940L,1941L,
                                    1942L,1943L,1944L,1945L,1946L,1947L,1948L,
                                    1949L,1950L,1951L,1952L,1953L,1954L,
                                    1955L,1956L,1957L,1958L,1959L,1960L,
                                    1961L,1962L,1963L,1964L,1965L,1966L,1967L,
                                    1968L,1969L,1970L,1971L,1972L,1973L,
                                    1974L,1975L,1976L,1977L,1978L,1979L,1980L,
                                    1981L,1982L,1983L,1984L,1985L,1986L,
                                    1987L,1988L,1989L,1990L,1991L,1992L,1993L,
                                    1994L,1995L,1996L,1997L,1998L,1999L,
                                    2000L,2001L,2002L,2003L,2004L,2005L,
                                    2006L,2007L,2008L,2009L,2010L,2011L,2012L,
                                    2013L,2014L,2015L,2016L,2017L,2018L,
                                    2019L),
            No..Reported.Pertussis.Cases = c(107473,
                                    164191,165418,152003,202210,181411,
                                    161799,197371,166914,172559,215343,179135,
                                    265269,180518,147237,214652,227319,103188,
                                    183866,222202,191383,191890,109873,
                                    133792,109860,156517,74715,69479,120718,
                                    68687,45030,37129,60886,62786,31732,28295,
                                    32148,40005,14809,11468,17749,17135,
                                    13005,6799,7717,9718,4810,3285,4249,
                                    3036,3287,1759,2402,1738,1010,2177,2063,
                                    1623,1730,1248,1895,2463,2276,3589,
```

1

```
                                              4195,2823,3450,4157,4570,2719,4083,6586,
                                              4617,5137,7796,6564,7405,7298,7867,
                                              7580,9771,11647,25827,25616,15632,10454,
                                              13278,16858,27550,18719,48277,28639,
                                              32971,20762,17972,18975,15609,18617)
)

library(ggplot2)
ggplot(cdc,aes(Year,No..Reported.Pertussis.Cases))+geom_point()+geom_line()+labs(title="Nu
```


Number of Reported Pertussis Cases over Time

```
oplot<-ggplot(cdc,aes(Year,No..Reported.Pertussis.Cases))+geom_point()+geom_line()+labs(ti

oplot+geom_vline(xintercept=1946,color="red",linetype=4)+geom_vline(xintercept=1996,color=
```

Number of Reported Pertussis Cases over Time

Q3) Pertussis has increased in frequency in comparison to before the aP vaccine. This could be explained by aP being less effective than wP.

```
library(jsonlite)
```

```
Warning: package 'jsonlite' was built under R version 4.2.2
```

```
subject <- read_json("https://www.cmi-pb.org/api/subject", simplifyVector = TRUE)
```

```
head(subject, 3)
```

```
  subject_id infancy_vac biological_sex             ethnicity  race
1          1          wP         Female Not Hispanic or Latino White
2          2          wP         Female Not Hispanic or Latino White
3          3          wP         Female               Unknown White
  year_of_birth date_of_boost      dataset
1    1986-01-01    2016-09-12 2020_dataset
2    1968-01-01    2019-01-28 2020_dataset
3    1983-01-01    2016-10-10 2020_dataset
```

Q4)96 Q5) 66 Female, 30 Male

```
table(subject$biological_sex)
```

```
Female    Male
   66      30
```

```
table(subject$biological_sex,subject$race)
```

```
        American Indian/Alaska Native Asian Black or African American
Female                             0    18                          2
Male                               1     9                          0

        More Than One Race Native Hawaiian or Other Pacific Islander
Female                   8                                         1
Male                     2                                         1

        Unknown or Not Reported White
Female                       10    27
Male                          4    13
```

Native,Asian,Black,Multiple,other,not reported,white Female: 0,18,2,8,1,10,27 Male:1,9,0,2,1,4,13

```
library(lubridate)
```

Warning: package 'lubridate' was built under R version 4.2.2

Loading required package: timechange

Warning: package 'timechange' was built under R version 4.2.2

Attaching package: 'lubridate'

The following objects are masked from 'package:base':

    date, intersect, setdiff, union

```
subject$age <- today() - ymd(subject$year_of_birth)
library(dplyr)
```

Attaching package: 'dplyr'

The following objects are masked from 'package:stats':

    filter, lag

The following objects are masked from 'package:base':

    intersect, setdiff, setequal, union

```
ap <- subject %>% filter(infancy_vac == "aP")

round( summary( time_length( ap$age, "years" ) ) )
```

```
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
    23      25      26      25      26      27
```

```
# wP
wp <- subject %>% filter(infancy_vac == "wP")
round( summary( time_length( wp$age, "years" ) ) )
```

```
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
    28      32      35      36      40      55
```

Q7) i) 36,ii)25,iii) yes they are significantly different Q8)

```
int <- ymd(subject$date_of_boost) - ymd(subject$year_of_birth)
age_at_boost <- time_length(int, "year")
head(age_at_boost)
```

```
[1] 30.69678 51.07461 33.77413 28.65982 25.65914 28.77481
```

```r
ggplot(subject) +
  aes(time_length(age, "year"),
      fill=as.factor(infancy_vac)) +
  geom_histogram(show.legend=FALSE) +
  facet_wrap(vars(infancy_vac), nrow=2)
```

`stat_bin()` using `bins = 30`. Pick better value with `binwidth`.

Q9) yes they are significantly different

```r
specimen <- read_json("https://www.cmi-pb.org/api/specimen", simplifyVector = TRUE)
titer <- read_json("https://www.cmi-pb.org/api/ab_titer", simplifyVector = TRUE)
```

Q10)

```r
meta <- inner_join(specimen, subject)
```

Joining, by = "subject_id"

```r
dim(meta)
```

```
[1] 729  14
```

```r
head(meta)
```

```
  specimen_id subject_id actual_day_relative_to_boost
1           1          1                           -3
2           2          1                          736
3           3          1                            1
4           4          1                            3
5           5          1                            7
6           6          1                           11
  planned_day_relative_to_boost specimen_type visit infancy_vac biological_sex
1                             0         Blood     1          wP         Female
2                           736         Blood    10          wP         Female
3                             1         Blood     2          wP         Female
4                             3         Blood     3          wP         Female
5                             7         Blood     4          wP         Female
6                            14         Blood     5          wP         Female
            ethnicity  race year_of_birth date_of_boost      dataset
1 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
2 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
3 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
4 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
5 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
6 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
        age
1 13481 days
2 13481 days
3 13481 days
4 13481 days
5 13481 days
6 13481 days
```

```r
abdata <- inner_join(titer, meta)
```

```
Joining, by = "specimen_id"
```

```r
dim(abdata)
```

```
[1] 32675    21
```

Q11)

IgE IgG IgG1 IgG2 IgG3 IgG4 6698 1413 6141 6141 6141 6141

```r
table(abdata$isotype)
```

```
 IgE  IgG IgG1 IgG2 IgG3 IgG4
6698 1413 6141 6141 6141 6141
```

```r
table(abdata$visit)
```

```
   1    2    3    4    5    6    7    8
5795 4640 4640 4640 4640 4320 3920   80
```

There is significantly less people

```r
ig1 <- abdata %>% filter(isotype == "IgG1", visit!=8)
head(ig1)
```

```
  specimen_id isotype is_antigen_specific antigen        MFI MFI_normalised
1           1    IgG1                TRUE     ACT 274.355068      0.6928058
2           1    IgG1                TRUE     LOS  10.974026      2.1645083
3           1    IgG1                TRUE   FELD1   1.448796      0.8080941
4           1    IgG1                TRUE   BETV1   0.100000      1.0000000
5           1    IgG1                TRUE   LOLP1   0.100000      1.0000000
6           1    IgG1                TRUE Measles  36.277417      1.6638332
   unit lower_limit_of_detection subject_id actual_day_relative_to_boost
1 IU/ML                 3.848750          1                           -3
2 IU/ML                 4.357917          1                           -3
3 IU/ML                 2.699944          1                           -3
4 IU/ML                 1.734784          1                           -3
5 IU/ML                 2.550606          1                           -3
```

```
6 IU/ML                        4.438966              1                              -3
  planned_day_relative_to_boost specimen_type visit infancy_vac biological_sex
1                             0         Blood     1          wP         Female
2                             0         Blood     1          wP         Female
3                             0         Blood     1          wP         Female
4                             0         Blood     1          wP         Female
5                             0         Blood     1          wP         Female
6                             0         Blood     1          wP         Female
            ethnicity  race year_of_birth date_of_boost     dataset
1 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
2 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
3 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
4 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
5 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
6 Not Hispanic or Latino White    1986-01-01    2016-09-12 2020_dataset
        age
1 13481 days
2 13481 days
3 13481 days
4 13481 days
5 13481 days
6 13481 days
```

```
ggplot(ig1) +
  aes(MFI, antigen) +
  geom_boxplot() +
  facet_wrap(vars(visit), nrow=2)
```

Q14) FIM2/3 Antigen seems to be responding. Maybe this antigen is what corresponds to pertussis

```
ggplot(ig1) +
  aes(MFI, antigen, col=infancy_vac ) +
  geom_boxplot(show.legend = FALSE) +
  facet_wrap(vars(visit), nrow=2) +
  theme_bw()
```

Q15)

```r
filter(ig1, antigen=="Measles") %>%
  ggplot() +
  aes(MFI, col=infancy_vac) +
  geom_boxplot(show.legend = FALSE) +
  facet_wrap(vars(visit)) +
  theme_bw()
```

11

```
filter(ig1, antigen=="FIM2/3") %>%
  ggplot() +
  aes(MFI, col=infancy_vac) +
  geom_boxplot(show.legend = FALSE) +
  facet_wrap(vars(visit)) +
  theme_bw()
```

MFI

Q16) over time the antigen levels of the aP are significantly growing over time compared to the wP. In both the antigen level increases over time

Q17) aP has higher antigen level over time comapred to wP

```
url <- "https://www.cmi-pb.org/api/v2/rnaseq?versioned_ensembl_gene_id=eq.ENSG00000211896.

rna <- read_json(url, simplifyVector = TRUE)
ssrna <- inner_join(rna, meta)
```

```
Joining, by = "specimen_id"
```

Q18)

```
ggplot(ssrna) +
  aes(visit, tpm, group=subject_id) +
  geom_point() +
  geom_line(alpha=0.2)
```

13

Q19)

It is at maximum level at visit 4

Q20)

No the ab titer data shows continuous increase instead of the peak there is at visit 4 Maybe maximum expression occurs at visit 4 and the consequences of this peak expression is seen over time by the gradual increase in ab titer.