

BlueCross BlueCrest Health — Durable Medical Equipment Authorization

PRIOR AUTHORIZATION — DURABLE MEDICAL EQUIPMENT (DME)

SYNTHETIC DOCUMENT — FOR DEMONSTRATION ONLY — CONTAINS NO REAL PATIENT DATA

Patient: Jason L. Park	DOB: 09/15/1993	MRN: 5538274
Date: Submitted: November 3, 2024		Provider: Dr. Christina Liu, MD, CDE — Endocrinology, Metro Diabetes Center

DEVICE AND COVERAGE INFORMATION

Device Requested:	Continuous Glucose Monitor (CGM) — Dexcom G7 System	HCPCS Code:	A9278 (transmitter) / K0554 (receiver) / A9276 (sensors, 30-day supply)
Quantity:	1 transmitter, 1 receiver, 3 sensors per 10 days (box of 3)	Duration Requested:	12-month supply with renewal review
Diagnosis (Primary):	Type 1 diabetes mellitus (ICD-10: E10.65 — with hyperglycemia)	Member ID:	BC-114829337 / Group: 48821-GM
NPI:	1831094872 (Liu, Christina MD)		

MEDICAL NECESSITY CRITERIA

Diagnosis:	Type 1 diabetes mellitus — confirmed by C-peptide deficiency (<0.1 ng/mL) and positive islet autoantibodies (GAD-65 positive)	Current HbA1c:	8.9% (October 28, 2024) — above target of <7.5% per ADA standards
Insulin Regimen:	Multiple Daily Injections (MDI): insulin glargine 28 units QHS + Lispro carb-ratio 1:10 with correction factor 1:50	Hypoglycemia Unawareness:	Documented — Gold score 5 (impaired). Two ER visits for severe hypoglycemia in past 12 months requiring glucagon administration
SMBG Frequency:	Currently testing 8-12x/day via fingerstick (strips being utilized)	Patient Education:	Completed DSMES (Diabetes Self-Management Education) — certificate on file

CLINICAL JUSTIFICATION

Mr. Park is a 31-year-old male with Type 1 diabetes since age 7 (24-year history) on an intensive insulin regimen. He has documented hypoglycemia unawareness (Gold score 5) with two severe hypoglycemic episodes in the past year requiring emergency intervention. Current SMBG-based management has been unable to prevent dangerous hypoglycemic events or achieve adequate HbA1c control.

CGM technology is medically necessary for this patient to: (1) provide real-time glucose trend data and low glucose alerts to prevent severe hypoglycemia, (2) enable insulin dosing decisions with improved accuracy over intermittent fingerstick monitoring, and (3) support glycemic management goals per ADA 2024 Standards of Care, which recommend CGM for all T1D patients on intensive insulin therapy.

Dexcom G7 specifically is preferred over alternatives due to 10-day wear duration, 30-minute warmup time, and direct-to-Apple-Watch integration — critical given this patient's occupational schedule (EMT/First Responder) where discrete monitoring is essential during active calls.

SUPPORTING DOCUMENTATION CHECKLIST

Item	Status	Notes
Signed CMN (Certificate of Medical Necessity)	Attached	Form DMEPOS-CMN-014
Physician office notes (most recent 3)	Attached	Uploaded to portal
HbA1c lab results (within 6 months)	Attached	8.9% — October 28, 2024
C-peptide and autoantibody results	Attached	Confirms T1D classification
Hypoglycemia event documentation	Attached	ER records x2, glucagon use confirmed
DSMES completion certificate	Attached	Completed Metro Diabetes Program, June 2024

This document contains entirely synthetic, AI-generated data for demonstration purposes only. No real patient, provider, or institutional information is represented.