A


Within-patient ASM exposure state
High ASM
Low ASM
n = 45 patients
32/45 higher in low ASM
median relative increase = 7.4%
sign test P = 0.007
Wilcoxon P = 0.0004
Patient median synchrony
0.18
0.16
0.14
0.12
0.10
0.08
High ASM
>= 80%
Low ASM
<= 50%

B


Patient-level deltas
median Δ = 0.0082
bootstrap 95% CI [0.0036, 0.0143]
−0.02
0.00
0.02
0.04
0.06
Low-ASM median synchrony minus high-ASM median synchrony

C


Sensitivity checks
Main threshold
exclude +/-12 h
n=45, P = 0.0004
Main threshold
exclude +/-5 h
n=53, P = 5.7e-05
Main threshold
exclude +/-1 h
n=54, P = 2.1e-05
Main threshold
no peri-ictal exclusion
n=54, P = 1.1e-05
Low <=33%, high >=67%
exclude +/-12 h
n=38, P = 0.0001
Low <=25%, high >=75%
exclude +/-12 h
n=33, P = 0.0003
Low <=40%, high >=80%
exclude +/-12 h
n=37, P = 0.0004
Low <=50%, high >=90%
exclude +/-12 h
n=29, P = 0.056
0.000
0.005
0.010
0.015
0.020
0.025
0.030
Median patient-level Δ synchrony (bootstrap 95% CI)