

ALIGNED PRINT & SCAN

OPERATOR HANDBOOK

Release 10 Certified Operations Edition

Remote Online Notary · Mobile Notary
Print & Scan · Loan Signing

BATCH 1 PREVIEW | PARTS I-IV | CHAPTERS 1-14

Contents

This visible Batch 1 contents list links to the true chapter headings. The Word master also preserves the heading hierarchy used for PDF bookmarks and later full-edition assembly.

Part I — Aligned Print & Scan

[Chapter 1 — APS Mission, Services & Operating Model](#)

[Chapter 2 — Roles, Authority & Professional Boundaries](#)

Part II — Customer & Portal Operations

[Chapter 3 — The Customer Journey](#)

[Chapter 4 — Customer Portal Operations](#)

Part III — Admin Operations

[Chapter 5 — Admin Navigation & Daily Triage](#)

[Chapter 6 — The Request Workspace](#)

[Chapter 7 — Understanding Status, Next Action & Gates](#)

Part IV — Customers, Participants, Documents & Records

[Chapter 8 — Customers, Signers, Witnesses & Participants](#)

[Chapter 9 — Document Mental Model, Customer Uploads & Review](#)

[Chapter 10 — Document Classification & Safe Handling](#)

[Chapter 11 — Completed & Proof-Produced Documents](#)

[Chapter 12 — Document Release, Delivery & Audit](#)

[Chapter 13 — Document Replacement, Mistakes & Recovery](#)

[Chapter 14 — Service-Specific Document Lifecycles](#)

Lists and navigation

Figures

- Figure 01 — APS System Map
- Figure 02 — Universal Request Lifecycle
- Figure 03 — Portal / System Relationship
- Figure 04 — State Mental Map
- Figure 05 — Customer vs Signer vs Ordering Party
- Figure 06 — Participant Decision
- Figure 07 — Document Lifecycle
- Figure 08 — Internal vs Customer-Visible
- Figure 09 — Document Release Decision
- Figure 10 — RON / Proof Document Lifecycle
- Figure 11 — Mobile Original vs APS Scan
- Figure 12 — Print & Scan Source-to-Output
- Figure 13 — Loan Package / Scanback / Return
- Figure 14 — Service-Specific Document Lifecycles

Tables

- Service relationship
- Role comparison
- Customer stages
- Portal troubleshooting
- Admin navigation
- Request workspace tabs
- Participant roles
- Document classifications
- Recovery and communication sequence

Procedures

- Procedure 1.1 Orient a new request
- Procedure 2.1 Decide whether you may act
- Procedure 3.1 Identify customer stage
- Procedure 4.1 Investigate portal question
- Procedure 5.1 Daily opening triage

- Procedure 5.2 Daily closeout
- Procedure 6.1 Work a Next Action
- Procedure 7.1 Evaluate a gate
- Procedure 8.1 Add/correct participant
- Procedure 9.1 Review upload
- Procedure 10.1 Handle safely
- Procedure 11.1 Missing Proof output
- Procedure 12.1 Release document
- Procedure 13.1 Wrong release
- Procedure 14.1 Identify document lane

Checklists

- Completed-document review
- Document Review
- Document Release
- Document Mistake Recovery

Front Matter

Document control

Title: Aligned Print & Scan Operator Handbook — Release 10 Certified Operations Edition. Batch: 1, Parts I–IV, Chapters 1–14. Status: owner/editorial review preview. Certified source baseline: Release 10 source continuation `570460680b6262bb1e418cf66a00d61e72ebf2e2`; certified runtime `6788efbfc321a0f3ec6e92b27696ed63b1769641`. Locked handbook architecture approved 2026-08-20 and merged through specification PR #107.

This preview teaches current operation; it does not authorize application, pricing, policy, legal, or provider changes. Production behavior controls if the preview and application differ. Report drift before relying on stale instructions.

Revision history

Edition	Date	Scope	Status
Batch 1 Preview	2026-08-20	Front matter and Parts I–IV, Chapters 1–14	Owner/editorial review
Full Edition	Future controlled assembly	Locked Parts I–XIII	Not produced

How to use this handbook

Learn reads the explanation, visual, and example. **Operate** follows the numbered procedure and gate. **Quick Reference** uses an independently printable checklist after training. Quick References summarize; the chapter procedure controls when detail matters.

Callouts have fixed meanings. **OPERATOR RULE** states a control that always applies. **STOP** identifies a condition that blocks safe advancement. **DECISION** shows a fork and next stage. **CUSTOMER COMMUNICATION** states what an authorized recipient should receive. **QUICK TIP** offers a practical reminder without changing policy.

Evidence and professional boundaries

CONFIRMED IN PRODUCTION is directly verified in certified production. **CONFIRMED IN CODE** is supported by maintained source/tests. **CONFIRMED IN DOCUMENTATION** is an approved operating rule not independently proven by code. **SOURCE VERIFICATION REQUIRED** marks a locked subject whose exact content still needs authoritative confirmation.

Operators explain APS process, identify visible facts, and follow approved procedures. They do not provide legal or financial advice, decide what legal form a person needs, select a notarial act outside their authorized role, promise provider outcomes, or bypass security and money controls.

Reading workflow diagrams

Navy rounded rectangles are APS stages/actions. Gold diamonds are decisions. Grey shapes are customer, provider, or external events. A gate/lock means “do not advance until satisfied.” STOP means hold and escalate. A check means the condition is satisfied. Labels accompany color so diagrams remain understandable without color.

Navigation framework

The Word master uses true Heading 1–3 styles. The visible TOC lists Parts, chapters, and useful major sections. Lists of figures, tables, procedures, checklists, and decision trees are maintained as controlled indexes. Cross-references use heading names rather than guessed final page numbers.

Part I — Aligned Print & Scan

Chapter 1 — APS Mission, Services & Operating Model




Figure 01 — Aps System Map




Figure 03 — Portal System Relationship

Aligned Print & Scan coordinates service work from request through verified closeout. The operator's job is to preserve the right customer, request, facts, money, documents, communications, and history while moving work

only when the next gate is satisfied. A polished customer experience depends on quiet discipline: confirm before changing, use the maintained action, and verify what the customer can actually see.

APS supports four service families. Remote Online Notary uses APS for request, quote, payment, preparation, post-session document review, customer release, and completion while Proof handles provider-native identity, meeting, signing, certificate, and seal activity. Mobile Notary sends an operator to a confirmed physical location. Print & Scan converts an authorized source into checked output. Loan Signing manages an ordering-party assignment, package, signing appointment, scanbacks, return, exceptions, and financial resolution.

Retail work is scoped to a request/reference and verified customer relationship. Business work adds an authenticated organization, membership, role, locations, service eligibility, and assigned billing terms. Neither relationship changes the central rule: the operator acts within the exact request and the person or organization permitted to receive its information.

What APS knows, what the operator verifies, and what comes from providers

APS stores the request, customer/organization relationship, service facts, quote and invoice history, messages, document metadata, fulfillment facts, and Timeline. The operator verifies that these facts match the work in front of them. Stripe supplies authoritative card/ACH results; Proof supplies provider-native RON states and completed assets; routing supplies distance evidence when available; Resend supplies email acceptance/failure evidence. A provider response is evidence, not permission to skip APS review.

OPERATOR RULE — Use the right source.** Read APS for APS facts, inspect the actual document for document facts, and use the provider record for provider outcomes. If sources disagree, hold the action, preserve both facts, and escalate. Do not choose the most convenient value.

Procedure 1.1 — Orient a new request

1. Open the request from Requests, Review Queue, search, Calendar, or the applicable service module.
2. Match the APS reference, service, customer/organization, and current status.
3. Read Next Action and inspect the tab that contains its supporting evidence.
4. Check for Review Queue blockers, pending customer actions, and unresolved money/document requirements.
5. Identify which facts APS controls and which require customer, ordering-party, or provider confirmation.
6. Take only the action supported by current evidence.
7. Verify the resulting screen, customer visibility when applicable, and Timeline/message record.

STOP — If the request, recipient, document, amount, or provider result is ambiguous, do not advance. Correct or escalate the ambiguity first.

Service relationship table

Service	APS coordinates	External/customer responsibility	Completion focus
RON	Intake, money, preparation, Proof handoff, returned-document review/release	Signer readiness; Proof-native identity/session actions	Correct completed asset reviewed/released plus gates
Mobile	Address/travel, appointment, acts, optional scan, final charges	Signer, ID, documents, witnesses, safe location	Performed facts, certificate/document check, delivery, money
Print & Scan	Source review, page/specs, production/QC, delivery	Correct source/specification approval	Output QC and authorized delivery
Loan Signing	Assignment, package/version, appointment, signing, scanback/return, exception/money	Ordering-party instructions and signer participation	Ten applicable fulfillment gates

Figures: **APS System Map** and **Portal/System Relationship Map**. See Part V — Quotes, Invoices & Money for detailed financial operation and Parts VI–IX for service execution.

Chapter 2 — Roles, Authority & Professional Boundaries




Figure 05 — Customer Signer Orderer




Figure 06 — Participant Role Relationship

Roles answer two questions: who is acting, and what are they allowed to do? A familiar person or visible record does not expand permission. APS owner/admin/staff authority remains separate from Business organization roles, retail request access, signer participation, and provider authority.

The APS owner/admin controls APS-wide decisions within maintained permissions. Staff may perform only the functions assigned to their active role. A Business admin manages authorized organization context without becoming an APS admin. A Business member acts only for memberships and capabilities currently granted. A retail customer has scoped access to the applicable request, not a general customer database.

The requester initiates or coordinates work. The signer is the person whose signature/notarial participation is required. The ordering party supplies authoritative Loan Signing scope and instructions. A document witness observes signing when required. A credible witness is an identity method used only when legally available and must never be confused with a document witness.

Operator judgment and boundaries

Operators may explain APS steps, identify document titles and visible signing areas within approved role boundaries, request missing operational facts, and stop unsafe or unauthorized work. Operators must not interpret legal effect, advise whether to sign, choose legal forms, change document wording, promise a refund, bypass identity requirements, or describe a payment/provider action as complete before evidence exists.

Procedure 2.1 — Decide whether you may act

1. Identify your active APS role and the action you intend to take.
2. Identify the request, organization, participant, document, and recipient affected.
3. Confirm the action appears in the maintained interface for your role and current context.
4. Verify the facts required by the action; visibility alone is not proof the facts are ready.
5. If the question requests legal/financial interpretation, pause and refer it to the appropriate authorized professional.
6. If identity, willingness, awareness, safety, legality, or authorization is uncertain, hold or refuse the affected action.
7. Record neutral facts and the referral/escalation; avoid conclusions you are not qualified to make.

Role comparison

Role	May do	Must not do	Record that remains
APS operator	Perform assigned APS actions and verify results	Exceed role, improvise policy, expose internal data	Timeline, message, fulfillment, or audit evidence
Customer/requester	Supply facts, approve quote, pay, request action	Access internal or unrelated-request data	Customer action/request history
Signer	Participate and make personal	Be inferred solely from	Participant/readiness and

Role	May do	Must not do	Record that remains
	signing decisions	document text	service facts
Ordering party	Supply authoritative assignment facts/instructions	Convert instructions into legal advice by APS	Assignment and communication history
Witness	Perform the applicable witness role	Be treated as signer/credible witness without authority	Participant role/readiness
Provider	Return provider-native result	Decide APS release/completion	Provider-to-APS evidence

STOP — Refuse or escalate:** identity cannot be established; willingness or awareness is absent; coercion, illegality, or safety concern exists; the document is incomplete for the requested operation; required authority/instructions are missing; or the requested action exceeds the operator’s role. Record facts, not accusations.

Figures: **Customer vs Signer vs Ordering Party** and **Customer/Participant Role Relationship**.

Part II — Customer & Portal Operations

Chapter 3 — The Customer Journey




Figure 02 — Universal Request Lifecycle

The customer journey is a series of controlled promises. A submitted request means APS received information; it does not mean the appointment is confirmed or service is guaranteed. An estimate is an early calculation; a reviewed quote is the current APS offer. Approval authorizes the quoted scope; payment resolves an invoice only when authoritative evidence says so. Scheduling, fulfillment, document release, and completion remain separate.

The journey in operator language

Discover and submit. The customer selects a service, supplies contact and service facts, acknowledges boundaries, and submits. APS creates the request/reference and attempts the maintained acknowledgment. The operator checks the actual saved record rather than relying on an email alone.

Review and quote. APS verifies scope, participants, documents, page/distance/package facts, and pricing inputs. Missing facts create an information step. The quote is built, reviewed, and intentionally sent. Customer or ordering-party approval is recorded before the applicable invoice/payment stage.

Schedule and fulfill. Requested dates are preferences until APS confirms current appointment facts. Each service has its own readiness and performance requirements. A completed appointment or provider session is not necessarily APS completion; documents, delivery, return, exceptions, and money may remain.

Close and support. APS verifies applicable gates, sends the maintained customer-safe outcome, and preserves history. Cancellation and reschedule submissions are review requests, not automatic decisions. Support must remain scoped to the right request and customer.

Procedure 3.1 — Identify the customer's current stage

1. Open the correct request and match the reference/customer or organization.
2. Read the request status and Next Action.
3. Check the Quote, Payments, Fulfillment, Documents, Messages, and Timeline tabs for supporting facts.
4. Identify the last stage with complete evidence—not merely the most advanced-looking label.
5. Identify the current blocker and who can resolve it: APS, customer, ordering party, or provider.
6. Use the maintained message/action for that stage if communication is needed.
7. Verify what the customer portal now shows and what record was added.

Customer stage	Operator verifies	Customer should see/receive	Do not imply
Request received	Saved request/reference	Acknowledgment and secure request path	Appointment or acceptance confirmed
Quote ready	Reviewed current quote/version	Quote and response action	Payment already due without invoice path
Approved/payment	Approval plus invoice-specific state	Accurate amount/status/payment action	Pending/partial is paid in full
Appointment	Confirmed date/time/method/location	Current confirmed facts	Requested time is confirmed
Fulfillment	Service-specific evidence	Safe progress/next action	Service label alone proves completion
Documents	Correct eligible released file	Scoped view/download	Upload or provider source is released output
Completed	All applicable gates clear	Settled summary and eligible final actions	Completion while blockers remain

CUSTOMER COMMUNICATION — Say what has happened, what happens next, and what the customer needs to do. Do not promise a decision that is still under review.

Figure: **Universal Request Lifecycle.**

Chapter 4 — Customer Portal Operations






Figure 03 — Portal System Relationship



APS governed synthetic screenshot — ss 100 portal overview



APS governed synthetic screenshot — ss 101 portal documents

The Customer Portal is a customer-safe view of one verified request. It is not the Admin workspace and it does not expose internal notes, policy calculations, provider errors, raw identifiers, audit files, or unreleased documents. Operators should compare portal behavior with APS facts whenever a customer reports a mismatch.

The maintained sections are **Overview**, **Documents**, **Quote & Payment**, **Appointment/Fulfillment**, **Messages**, and **Activity**. Overview summarizes current status and Next Action. Documents separates source and released customer files. Quote & Payment shows current customer-safe quote/invoice/payment/refund facts. Appointment/Fulfillment shows confirmed, service-appropriate information. Messages shows customer-facing communications. Activity is a filtered history, not the complete Admin Timeline.

What customers can and cannot do

Customers can review current safe facts, approve/request quote changes where eligible, pay an eligible invoice, upload additional files through the maintained verification path, request cancellation/rescheduling, contact support, and access intentionally released files. They cannot view or edit internal APS records, authorize their own refund, mark service complete, release documents, see other requests, or turn a request into a confirmed appointment.

Procedure 4.1 — Investigate a portal question

1. Obtain and verify the APS reference and customer relationship using the maintained support process.
2. Open the exact Admin request; never search by name alone and assume the result.
3. Identify the portal section involved.
4. Compare the portal-safe value with the authoritative Admin tab and Timeline.
5. For documents, verify classification, current version, review, release, and intended recipient.
6. For money, verify the exact invoice and authoritative payment/refund state.
7. For appointment/fulfillment, distinguish requested from confirmed and performed from completed.
8. Correct only through the maintained workflow. Do not send internal screenshots or raw protected links.
9. Confirm the customer-visible result and record the support outcome.

Documents language

The heading is **DOCUMENTS FROM ALIGNED PRINT & SCAN**. The explanatory text is: “Files provided to you by Aligned Print & Scan will appear here.” The empty state is: “No documents have been provided yet.” This customer language does not weaken the internal rule that only an eligible, intentionally released file crosses into customer visibility.

Portal troubleshooting

Symptom	Check	Safe response	Escalate when
Customer cannot access request	Reference/email verification and correct URL	Re-establish only the maintained scoped path	Identity or authorization remains uncertain
Customer cannot open file	Release state, signed access, file integrity	Regenerate only authorized access; verify file	Wrong file, corruption, or access boundary suspected
Status seems wrong	Admin evidence and Timeline	Explain current verified stage; use maintained correction	Conflicting facts or impossible state

Symptom	Check	Safe response	Escalate when
Payment not reflected	Invoice/provider result	Wait/reconcile through maintained path	Provider mismatch or duplicate-risk state
Missing message	Message Log and delivery evidence	Retry only when safe and idempotent	Recipient/delivery ambiguity

STOP — Never ask the customer to provide a password, payment credential, full ID image, KBA answer, or protected token through ordinary support communication.

Screenshots: Portal Overview, Documents, Quote & Payment, Appointment/Fulfillment, Messages, and Activity.
Figure: **Portal/System Relationship Map.**

Part III — Admin Operations

Chapter 5 — Admin Navigation & Daily Triage

ALIGNED PRINT & SCAN

OPERATIONS

Requests

Review Queue

Calendar

RON Sessions

FINANCIAL

Invoices

Payments

COMMUNICATIONS

Messages

Templates

APS MANUAL TEST · SYNTHETIC DOCUMENTATION FIXTURE

Requests

Synthetic service mix · current production navigation

REQUEST FILTERS

Search: APS MANUAL TEST All services ▾ All statuses ▾

Appointment Confirmed

APS-MANUAL-RON

APS MANUAL TEST Remote Online Notary

Remote Online Notary

Payment Received

APS-MANUAL-MOBILE

APS MANUAL TEST Mobile Notary

Mobile Notary


Completed

APS-MANUAL-PRINT

APS MANUAL TEST Print & Scan

Print & Scan

APS governed synthetic screenshot — ss 001 requests



APS governed synthetic screenshot — ss 010 review queue

Admin is the operator’s working environment. Start with the module that answers the operational question, then open the exact request for consequential work. The Dashboard summarizes; Requests is the working queue; Review Queue identifies actionable blockers; Calendar organizes requested/confirmed dates. Service, finance, customer, organization, communication, resource, settings, and access modules provide focused views without replacing the request record.

Where to go

Need	Start here	Verify before acting
Find/process request	Requests or global search	Reference, service, customer/organization
Resolve blocker	Review Queue	Reason, waiting age, supporting tab/evidence
Review schedule	Calendar	Requested versus confirmed date/time
RON work	RON Sessions then request Fulfillment/Documents	APS stage, Proof facts, returned asset
Loan Signing	Loan Signings then request Fulfillment	Assignment/package/gates
Money question	Invoices/Payments then exact request	Invoice identity and ledger
Customer/Business	Customers, Organizations, Applications	Correct relationship/membership
Communication	Messages/Templates plus request Messages	Recipient, trigger, delivery history
Guidance	Scripts or Resource Center	Reference only; no workflow change
Access	Staff & Access	Active role/permission and self-lockout safety

Procedure 5.1 — Daily opening triage

1. Sign in through the maintained Admin login and verify your active authorized role.
2. Review Dashboard counts for new, waiting, scheduled, and financially unresolved work.
3. Open Review Queue; start with safety, authorization, document, money, and time-sensitive blockers.
4. Review Calendar for today and the next operating window. Confirm whether each time is requested or confirmed.
5. Review RON Sessions and Loan Signings that require provider/package action.
6. Review failed or pending communications and payments without blind retries.
7. Use global search and filters to locate exact references; clear stale filters when counts appear inconsistent.
8. Open the request before any consequential action and verify its evidence.

Loading, empty, and error

Loading means APS has not finished retrieving the view. Empty means the completed view contains no matching items. Error means APS could not complete the load. Do not treat prolonged loading as empty, and do not treat an

error as proof there is no work. Refresh once safely, confirm session/network context, try the authoritative module, and escalate repeated errors with the time, module, visible message, and non-sensitive context.


OPERATOR RULE — A summary card is a pointer, not the record. Open the exact request/invoice/document before changing anything.

Procedure 5.2 — Daily closeout

1. Revisit Review Queue and today's Calendar items.
2. Confirm completed actions have Timeline/message/financial/document evidence.
3. Identify work intentionally left on hold and the named blocker/owner.
4. Verify failed messages or provider operations have a safe next step rather than duplicate retries.
5. Secure documents, close private screens, and follow clear-desk/device controls.

Quick Reference: **Where Do I Go in Admin?** Screenshots: Dashboard, Requests, Review Queue, Calendar, global search/filters, and loading/empty/error.

Chapter 6 — The Request Workspace



APS governed synthetic screenshot — ss 020 request overview

The request workspace holds the evidence needed to operate one request. Verify the request before reading individual fields: reference, service, customer/organization, and current status. Similar names, repeated customers, replacement documents, and related visits create wrong-record risk.

The eight maintained tabs are Overview, Customer, Documents, Quote, Payments, Messages, Fulfillment, and Timeline. Overview explains current state and Next Action. Customer identifies the relationship and contact context. Documents controls files and release. Quote controls current prepared scope. Payments preserves

invoices/payments/refunds. Messages records customer-facing communication. Fulfillment holds service facts and gates. Timeline preserves event history.

Procedure 6.1 — Work an Admin next action

1. Match the APS reference, service, customer/organization, and status in the selected-request header.
2. Read Next Action as guidance, then open the supporting tab.
3. Verify prerequisites and blockers in the underlying record.
4. Review related documents, money, participant, appointment, and provider facts as applicable.
5. Perform the smallest maintained action that advances the verified condition.
6. Re-open or refresh the affected tab and confirm the visible result.
7. Check Timeline and Messages if the action should create history or communication.
8. Check the Customer Portal view when the customer should see a change.

Tab operating guide

Tab	Primary question	Common risk
Overview	Where is this request and what is next?	Treating summary/status as proof
Customer	Who is connected and how may APS contact them?	Wrong identity/recipient
Documents	What file is this, and who may see it?	Wrong version/customer/release
Quote	What reviewed scope is currently offered?	Sending stale/unreviewed quote
Payments	Which invoice/payment/refund is authoritative?	Combining invoices or treating pending as paid
Messages	What was prepared/sent/accepted/failed?	Blind duplicate send
Fulfillment	What service facts and gates remain?	Completing from status alone
Timeline	What occurred and when?	Editing history instead of correcting forward

Archive removes a request from active work without deleting history. Restore returns it to active operation. Before either action, verify it is the correct request and that the action will not conceal unresolved work.

STOP — Do not act if the header and supporting tab describe different customers, organizations, services, versions, or financial relationships. Preserve evidence and escalate the mismatch.

Figure: **Request Workspace Evidence Flow**. Screenshot plan: one annotated workspace overview plus focused crops for each tab and Next Action.

Chapter 7 — Understanding Status, Next Action & Gates




Figure 04 — State Mental Map

APS work moves across parallel dimensions. Request/service status summarizes the overall stage. Appointment facts distinguish requested, confirmed, rescheduled, and performed. Financial facts belong to individual invoices/payments/refunds. Documents have source, review, completion, eligibility, and release states. Participants have role/readiness. Providers have their own progress. Fulfillment records what was actually done. Loan Signing and exceptions add further controlled dimensions.

OPERATOR RULE — STATUS IS NOT PROOF.** Payment status does not prove service completion. Appointment status does not prove fulfillment. A Review Queue blocker is not the request status. A file upload does not prove review or release. A provider meeting ending does not prove APS completion.

Next Action is the recommended operational step derived from current facts. It helps the operator navigate, but the underlying tab remains the evidence. A gate is a required condition before advancement. A blocker explains what is missing. An authorized override exists only when the maintained workflow provides it; a manually convenient status change is not an override.

Procedure 7.1 — Evaluate an advancement gate

1. Name the intended next stage.
2. List the required conditions for that stage.
3. Open the APS tabs that hold each condition; do not rely on one summary.

4. Classify every condition as satisfied, not applicable, missing, conflicting, or requiring authorized review.
5. If any applicable condition is missing/conflicting, hold advancement and create/use the maintained next action or communication.
6. If an override is permitted, verify the authorized person, reason, and record before using it.
7. Advance only through the maintained action.
8. Verify resulting status, blocker clearance, customer visibility, and Timeline evidence.

Decision guide

- **YES — evidence satisfies every applicable condition:** continue through the maintained action.
- **NO — required evidence is absent:** hold and obtain the missing fact.
- **CONFLICT:** stop and reconcile; never choose one value silently.
- **REVIEW/AUTHORIZED OVERRIDE:** route to the authorized reviewer; preserve the reason and outcome.
- **TERMINAL WORK:** do not resurrect a completed/cancelled/archived item merely to clear a cosmetic blocker.

The **State Mental Map** shows these dimensions as parallel lanes converging only at applicable advancement and completion gates. The **Review Queue Decision Guide** explains whether to act, wait, communicate, or escalate.

Part IV — Customers, Participants, Documents & Records

Chapter 8 — Customers, Signers, Witnesses & Participants




Figure 05 — Customer Signer Orderer




Figure 06 — Participant Role Relationship

A customer or requester may coordinate service without being the signer. A Business member may submit for an organization without participating in the notarial act. A Loan Signing ordering party directs the assignment while

the signer decides whether to sign. Keep these roles explicit because identity, communication, readiness, and document access depend on them.

Witness roles are not interchangeable. A document witness observes a signature when applicable. A credible witness is a legally controlled identity method and is used only where applicable requirements are satisfied. Never relabel one as the other for convenience.

Procedure 8.1 — Add or correct a participant

1. Open the correct request and Customer/participant area.
2. Determine who supplied the participant information: customer, signer, or authorized ordering party.
3. Confirm the person's role and whether participation is required; do not infer this from document text.
4. Search/review existing participants to prevent a duplicate.
5. Use **Add Participant** or **Edit Participant** with customer/orderer-confirmed facts only.
6. Record readiness facts separately from identity facts.
7. If a name appears but participation is unclear, use **Flag Additional Participant Review**.
8. Use **Additional Participant Information Needed** only through the maintained communication workflow when confirmation is needed.
9. Verify the participant list, readiness blocker, and Timeline/history.

Decision tree — another person appears

If the person is already confirmed, review the existing record and role. If not, ask whether the customer or authorized ordering party confirmed participation. When confirmed, add the person and update readiness. When unclear, do not infer: flag review, request information, and hold the affected advancement. Separately identify signer, document witness, credible witness, ordering party, or non-signing named person.

Role	Confirm from	Readiness focus	Do not infer
Requester/customer	Intake and verified relationship	Contact and requested service facts	That requester is signer
Signer	Customer/orderer confirmation and service record	Identity, willingness, appointment/document readiness	From a printed name alone
Ordering party	Assignment/business authority	Instructions, package, authorized contacts	That ordering party may sign
Document witness	Customer/orderer requirement	Availability and role	Credible-witness authority
Credible witness	Applicable lawful identity procedure	Eligibility, identity, declaration	From ordinary witness status

STOP — Conflicting names, roles, or recipient instructions require review before documents, communication, appointment, or service advances.

Figures: **Customer vs Signer vs Ordering Party** and **Customer/Participant Role Relationship**. Quick Reference: **Participant Decision Guide**.

Chapter 9 — Document Mental Model, Customer Uploads & Review





Figure 07 — Document Lifecycle



APS governed synthetic screenshot — ss 030 document lifecycle

Every document is controlled by five questions: **Who provided it? What is it for? Who may see it? Is it ready to be released? What happens next?** Answer them before opening, attaching, producing, sending, or releasing a file.

OPERATOR RULE — UPLOAD ≠ REVIEW ≠ COMPLETION ≠ RELEASE.** A present file may be corrupt, incomplete, the wrong version, internal, or associated with the wrong request. Presence does not make service complete or the file customer-visible.

Operational review asks whether APS can safely perform the requested workflow: correct request/file association, file opens, obvious corruption, page count where applicable, current version, operational completeness, participant/service information, and next step. Legal review asks whether a document is legally valid, sufficient,

effective, or appropriate. APS operators do not perform legal review or recommend document wording/forms outside authorized professional scope.

Procedure 9.1 — Review a customer upload

1. Open the exact request and Documents tab.
2. Match the filename, uploader/provenance, request, service, and intended purpose.
3. Open through the maintained protected access path.
4. Confirm the file opens and is not obviously corrupt.
5. Verify authoritative page count where the service uses page authority; a parser failure is not zero pages.
6. Confirm the version/source and identify missing/replacement pages.
7. Compare participant information with confirmed request participants without interpreting legal effect.
8. Check service-specific operational readiness.
9. Classify the file using the maintained control or hold for clarification.
10. Request exact missing information/replacement when required.
11. Verify document state and Timeline evidence.

Document received decision

The decision tree checks, in order: file opens; correct request; correct/current version; page count available when required; participant information sufficient; service information sufficient. A failure routes to Request Information, Hold, or Escalate. Only a fully satisfied operational review routes to Ready for Operational Use.

WHAT NOT TO DO: Do not decide legal sufficiency, select a notarial act for the customer, change legal language, treat a blank/failed page count as authoritative, or advance because a deadline is close.

Quick References: **Five Questions for Every Document** and **Document Review Checklist**.

Chapter 10 — Document Classification & Safe Handling





Figure 08 — Document Security Boundary



APS governed synthetic screenshot — ss 031 private output review

Classification states the document’s operational role and visibility boundary. Use the current production control when available. Handbook-friendly labels explain the concept; where an exact UI label differs, the UI label controls and the source register records the mapping.

Teaching class	Purpose	Customer visibility	Key control
Customer Upload	Customer-provided source	Own source where maintained	Verify request/provenance/readiness
Internal APS Document	Notes, audit, administration	No	INTERNAL MEANS INTERNAL

Teaching class	Purpose	Customer visibility	Key control
Working Document	Production/QC/intermediate file	No	Never release merely because attached
Completed/Notarized	Service output requiring review	Not automatically	Verify correct completed version
Completed/Customer-Eligible	Reviewed candidate for delivery	Only after release	Explicit release authorization
Customer-Released	Intentionally released file	Yes, scoped	Verify recipient and audit
Proof Completed	Provider-returned RON output	Only after APS review/release	Never substitute source/raw URL
Loan Package	Current/superseded assignment package	Usually controlled/internal	Version and custody
Borrower Copy	Required signer copy	Physical/authorized path	Copy count and QC
Scanback	Post-signing electronic return	Ordering-party workflow	QC/approval hold
Return Proof	Tracking/drop-off/custody evidence	As authorized	Preserve, do not fabricate
Invoice/Receipt	Financial artifact	Maintained financial path	Exact invoice/payment authority

OPERATOR RULE — INTERNAL MEANS INTERNAL.** Storing or attaching a file on a request does not make it appropriate for the Customer or Business Portal. Release authorization is the controlled crossing from the Admin/internal side to the customer-visible side.

Procedure 10.1 — Handle a file safely

1. Confirm the exact request/organization before opening or downloading.
2. Use protected APS links; understand that access may expire.
3. Keep downloads off shared/personal devices unless the authorized workflow requires local handling and security controls are satisfied.
4. Do not attach documents to email unless the maintained template/action permits the exact eligible file.
5. Recheck the recipient and request before any external delivery.
6. Remove temporary local exposure according to maintained security practice without deleting APS history.
7. Record and escalate suspected wrong-customer access or distribution.

Figure: **Internal vs Customer-Visible Document Security Boundary.** Quick Reference: **Document Classification.**

Chapter 11 — Completed & Proof-Produced Documents




Figure 10 — Ron Proof Document

A source document enters the service. A working document may support preparation. A completed document reflects performed work. A completed/notarized electronic document returned by Proof is a provider output that still requires APS review. A customer-released file is the exact eligible completed version intentionally crossed into customer visibility.

The RON document path is: Customer Source → APS Review → Proof/RON Session → Completed Notarized Electronic Document → Post-Session Review → Correct Completed Version → Release Readiness → Customer Release. Each arrow is a control point, not an automatic promise.

STOP — DO NOT release the pre-notarization source document as though it were the completed notarized document.** The source may share a filename or appearance with the final output. Verify provenance, provider-completed state, correct version, and file content before release.

Checklist 11.1 — Completed-document review

- Correct request and intended recipient/organization.
- Correct signer and service.
- Expected completed document is present.
- File opens and is not obviously corrupt.
- Correct completed/notarized version is selected.
- Classification is appropriate; no internal-only file is selected.

- Applicable fulfillment and financial release gates are satisfied.
- Filename/provenance distinguish it from the source and superseded versions.
- Release readiness is explicit.

Procedure 11.1 — Missing Proof completed output

1. Keep document release and APS completion on hold.
2. Review the APS RON stage and provider transaction/asset evidence available to the operator.
3. Confirm the session/result belongs to the exact request and environment.
4. Use only the maintained sync/retry path when its preconditions are met.
5. Do not upload or release the source as a substitute.
6. Record the missing-output condition and retry/result.
7. Escalate persistent, ambiguous, wrong-version, or integrity failure.
8. Use customer-safe communication only when needed; do not expose raw provider errors or promise timing.

SOURCE VERIFICATION REQUIRED: Final wording for every operator-visible Proof failure/retry label must be reconciled during the Part VI drafting pass. The Batch 1 control—hold, do not substitute, use maintained retry, preserve evidence—remains valid.

Figure: **RON/Proof Document Lifecycle**. Quick Reference: **Completed Document Review Checklist**.

Chapter 12 — Document Release, Delivery & Audit





Figure 09 — Document Release Decision



APS governed synthetic screenshot — ss 032 release to customer

Release is deliberate authorization, not a side effect of upload, review, provider completion, or message preparation. The operator must prove the file is the correct current customer-eligible output, the intended recipient is correct, and applicable service/financial/fulfillment conditions allow release.

Procedure 12.1 — Release a document to the customer

1. Open the correct request and verify reference, customer/organization, and service.
2. Open **Documents**.
3. Identify the intended completed/customer-eligible file.

4. Verify the correct request, customer, and organization again.
5. Verify provenance, classification, and current version; open the file.
6. Confirm operational review is complete.
7. Confirm applicable service, financial, fulfillment, and release gates.
8. Confirm the file is eligible for the intended customer—not internal, working, audit, source-only, or superseded.
9. Perform the maintained **Release to Customer** action and confirmation.
10. Verify the release state and correct portal group/view/download.
11. Verify Timeline/audit evidence.
12. Send or verify associated communication only when the maintained workflow requires it; do not resend blindly.

Decision tree — release or hold

If the document is not intended for external visibility, keep it internal. If it is external, ask whether it is the correct completed/current version. If no, hold and resolve. If yes, ask whether review and service-specific gates are complete. If no, hold. If yes, verify the intended recipient. A recipient mismatch is STOP. Only the fully satisfied path releases, then verifies visibility and audit/communication evidence.

Internal versus customer document

Question	Internal APS/working file	Customer-released file
Exists on request	May	Yes
Admin access	Authorized staff	Authorized staff
Automatic customer visibility	No	No—requires maintained release
May contain working/QC content	Yes	No
Suitable final output	Not assumed	Verified
Portal visibility	Prohibited	Scoped after release

The portal heading is **DOCUMENTS FROM ALIGNED PRINT & SCAN**. It says: “Files provided to you by Aligned Print & Scan will appear here.” The empty state says: “No documents have been provided yet.” Internal terminology remains more precise because it controls classification, review, and authorization.

After release, the operator must be able to answer: which file; which version; when; which request/account; what customer communication occurred; and what Timeline/audit evidence remains.

Figure: **Document Release Decision Tree**. Quick References: **Document Release Checklist** and **Internal vs Customer Document Comparison**.

Chapter 13 — Document Replacement, Mistakes & Recovery

Recovery protects the customer and the historical record. Correct forward; do not delete or overwrite history to make a mistake disappear. Each troubleshooting entry uses the same pattern: symptom, checks, likely cause, action, prohibited action, communication, escalation, and record.

Recovery table

Symptom	Check/action	Do not do	Record/escalation
Wrong upload/request	Provenance, request, access; quarantine from use	Move/release casually	Preserve event; escalate privacy risk
Wrong/superseded version	Version source, replacement, page count	Silently overwrite history	Mark current/superseded through maintained path
Corrupt/incomplete file	Open, page count, missing pages	Treat failure as ready	Request replacement; record blocker
Missing Proof output	Provider/APS asset state	Substitute source	Hold, maintained retry, escalate
Internal file misclassified	Purpose/visibility/release	Release to “fix” classification	Correct safely and verify portal
Wrong file selected for release	Release state, recipient, access	Delete evidence or send more	STOP distribution; incident review
Customer cannot open	Release/access/file integrity	Email an internal copy	Restore authorized access or escalate
Incomplete scanback/return proof	Package/QC/approval/custody	Complete assignment cosmetically	Hold service gate; follow Part IX later

Procedure 13.1 — Respond to a wrong-document release

1. Stop additional distribution and do not send replacement material impulsively.
2. Verify exactly what file/version was released, to which request/account, when, and through what access path.
3. Preserve Timeline, message, release, and access evidence; do not delete history to hide the mistake.
4. Protect unrelated customer/tenant data and restrict further access through the maintained authorized path when available.
5. Escalate immediately to the owner/authorized incident reviewer.

6. Use only authorized customer communication; do not invent legal breach-notification language.
7. Perform the approved corrective action and verify it.
8. Record facts, decisions, communication, and final state.

ESCALATE — OWNER / AUTHORIZED INCIDENT REVIEW: Formal incident or legal-response requirements are not defined by this handbook. The operator preserves evidence and follows the authorized decision.

Document status/action/communication sequence

Stage	Operator action	Communication	Hold until	Record
Received/review needed	Open, verify, review	Optional receipt only when maintained	Operational facts known	Document state/Timeline
Information/replacement needed	Identify exact deficiency	Maintained information request	Replacement/answer verified	Message plus blocker
Completed artifact ready	Review current output	Do not announce release yet	Eligibility/gates satisfied	Review evidence
Released	Verify portal/access	Maintained delivery message when required	Visibility/audit verified	Release, Message, Timeline
Post-release problem	Stop, investigate, escalate	Authorized response only	Incident/correction authorized	Complete incident facts
Loan package/scanback/return	Preserve version/QC/custody	Ordering-party path	Applicable Part IX gate	Package/fulfillment history

Quick Reference: **Document Mistake Recovery.**

Chapter 14 — Service-Specific Document Lifecycles




Figure 11 — Mobile Original Scan




Figure 12 — Print Source Output




Figure 13 — Loan Package Return




Figure 14 — Service Document Comparison

The document controls taught in Chapters 9–13 apply differently by service. This chapter gives the high-level lanes operators need before detailed service training. It does not draft later service procedures.

RON

Source → APS operational review → Proof/RON session → completed notarized electronic document → post-session review → correct-version release → customer access. APS release remains separate from provider completion. Apply Chapter 12; see Part VI for detailed RON operation.

Mobile

Physical/source document → in-person notarization → physical original remains in the authorized physical flow → optional APS scan when requested/authorized → scan QC/review → digital release where applicable. An optional scan does not replace returning/accounting for the physical original. See Part VII.

Print & Scan

Source file → file/page/specification review → production → first-copy/final QC → scan/output integrity → pickup/courier/portal delivery. Production start and delivery are meaningful controlled facts. See Part VIII.

Loan Signing — high level only

Loan package → current version → print/borrower copies → signing → post-signing table QC → scanback when required → approval when required → physical return → tracking/proof. Do not return during an applicable approval hold and do not overwrite superseded package history. Detailed procedures belong in Part IX.

Business

Organization-linked request → tenant-scoped document → role/capability check → classification/review → release/access → historical visibility. A Business role never grants cross-organization access or APS admin authority. Detailed Business operation belongs in Part X.

Procedure 14.1 — Identify the applicable document lane

1. Verify the request's service and customer/organization context.
2. Identify the current document type and provenance.
3. Locate the current point in the applicable service lane.
4. Apply the universal classification, review, security, and release controls from Chapters 9–13.
5. Apply only the service-specific gate already established by current source; use the later Part for detailed operation.
6. If service and document lane conflict, hold and escalate rather than improvising a hybrid path.

Figure: **Service-Specific Document Lifecycle Comparison**, supported by **Mobile Physical Original vs APS Scan**, **Print & Scan Source-to-Output**, and **Loan Package/Scanback/Return** high-level visuals.

Batch 1 Quick References

Each item is designed for independent printing in the final edition. Chapter procedures control if a summary and detailed instruction differ.

QR-01 — Where Do I Go in Admin?

Request work → Requests. Blocker → Review Queue. Schedule → Calendar. Exact customer/order/invoice → Search, then open request. RON/Loan Signing overview → service module, then request. Money → Invoices/Payments, then exact ledger. Communication → Messages plus request Messages. Guidance → Scripts/Resources. Access → Staff & Access.

STOP — IF: reference/customer/organization does not match.

QR-02 — Request Workspace Tabs

Overview: stage/Next Action. Customer: relationship/contact. Documents: file/review/release. Quote: current offer. Payments: invoices/payments/refunds. Messages: communication evidence. Fulfillment: service facts/gates. Timeline: history.

QR-03 — State Mental Map

Check request, appointment, money, document, participant, provider, fulfillment, Loan Signing stage, and exception state separately. **STATUS IS NOT PROOF**. Advance only when the specific gate's evidence is satisfied.

QR-04 — Customer vs Signer vs Ordering Party

Customer/requester coordinates. Signer participates and decides whether to sign. Ordering party supplies authoritative Loan Signing scope/instructions. Never infer one role from another or from document text.

QR-05 — Participant Decision Guide

Existing confirmed participant? Review role/readiness. New but confirmed by customer/authorized orderer? Add through maintained workflow. Unclear? Flag Additional Participant Review, request information, and HOLD. Separate signer, witness, credible witness, ordering party, and non-signing named person.

QR-06 — Five Questions for Every Document

1. Who provided it? 2. What is it for? 3. Who may see it? 4. Is it ready for release? 5. What happens next?

UPLOAD ≠ REVIEW ≠ COMPLETION ≠ RELEASE.

QR-07 — Document Review Checklist

Correct request/file; provenance; file opens; no obvious corruption; page count when applicable; current version; operational completeness; participant/service facts; classification; next action; Timeline evidence.

QR-08 — Completed Document Review

Correct request/recipient/service; expected completed output; file opens; correct completed/notarized version; no internal/source/superseded file; applicable gates; release readiness.

STOP — Never release the pre-notarization RON source as the completed notarized document.

QR-09 — Document Release Checklist

Correct request/customer/org → correct completed current file → file opens → review complete → service/money/fulfillment gates clear → eligible classification → Release to Customer → verify portal/access → verify Timeline/message.

QR-10 — Document Release Decision Guide

External visibility intended? NO: internal. YES: current completed version? NO: hold. Review/gates complete? NO: hold. Correct recipient? NO: STOP. YES: release, verify visibility and audit.

QR-11 — Document Mistake Recovery

Stop distribution; verify exact file/version/recipient/time; preserve evidence; protect unrelated data; escalate; communicate only as authorized; correct forward; verify and record. Never delete history to hide an error.

QR-12 — Internal vs Customer Document

Internal/working means Admin-only unless a maintained release workflow authorizes external visibility. Existence on a request never creates portal visibility. Customer-released means the exact eligible file crossed the controlled release boundary and was verified.

Batch 1 Source Register

Subject	Authority	Batch 1 use
Certified baseline	`docs/audits/ RELEASE_10_PRODUCTION_CERTIFICA TION.md`	production status, maintained modules, counts, safety boundaries
Admin/workspace	`admin-dashboard.html`, `assets/js/admin.js`, `assets/js/admin- v3.js`, Admin tests	modules, tabs, Next Action, search/filter, review behavior
Customer journey/portal	`customer-status.html`, `assets/js/script.js`, customer-view/action functions/tests	six sections, actions, customer-safe visibility
People/participants	participant UI/domain/migrations/tests; maintained template/script catalogs	roles, Add/Edit/Review, no inference
Documents	upload/release/customer-view/storage functions/tests; `docs/manual-source/WORKFLOW_CATA LOGS.md`	classification, review, release, access, recovery
RON completed assets	Proof document/completed-asset lifecycle modules/tests	source/completed distinction, retry/hold/release boundaries
State/gates	completion helpers, fulfillment tests, workflow catalogs	parallel dimensions and gate behavior
Money cross-references	invoice/payment/refund code/tests; `docs/BUSINESS_RULES.md`	high-level distinctions only; detailed operation deferred to Part V
Brand/layout	`assets/css/styles.css`, `docs/BRAND_AND_UI_GUIDELINES.md` , locked specification	palette, typography, logo, callouts, tables
Existing screenshots	`docs/manual-source/ SCREENSHOT_MANIFEST.md`, `docs/assets/manual/`	governed synthetic visual evidence

Source verification required

- Exact operator-visible Proof failure/retry labels will be reconciled in Part VI; Batch 1 teaches hold/do-not-substitute/maintained-retry/escalation.
- Exact production classification labels will be mapped to the handbook-friendly teaching classes during final editorial reconciliation; current controls remain authoritative.
- Formal incident/legal response for wrong-document release is not defined here; operators escalate to owner/authorized incident review and do not invent notification policy.
- Future-Part procedures and final page-number cross-references remain intentionally unpopulated.