

ALIGNED PRINT & SCAN

OPERATOR HANDBOOK

Release 10 Certified Operations Edition

BATCH 4 | PARTS X-XI | CHAPTERS 41-47

Contents

Part, Chapter, and numbered subsection entries link to the controlled publication headings.

PART X — BUSINESS ACCOUNTS & BUSINESS PORTAL

Chapter 41 — Business Account Lifecycle & Roles

- 41.1 Lifecycle Mental Model
- 41.2 Application, Review, and Approval
- 41.3 Organization and Invitation
- 41.4 Activation, Authentication, and Recovery
- 41.5 Roles and Membership
- 41.6 Organization Switching
- 41.7 Locations and Service Eligibility
- 41.8 Business Account Lifecycle Map

Chapter 42 — Business Portal Operations, Requests & Documents

- 42.1 Portal Orientation
- 42.2 Creating and Reviewing Requests
- 42.3 Requests and Organization Ownership
- 42.4 Documents
- 42.5 Messages and Communication History
- 42.6 Locations
- 42.7 Member Administration
- 42.8 Recovery and Escalation

Chapter 43 — Business Account Status, Admin Action & Applicant Communication Sequence

- 43.1 Application Received, Review, Information Needed, Approved
- 43.2 Organization, Invitation, and Activation
- 43.3 Service Eligibility and Business Requests
- 43.4 Billing, Reminders, and Payment
- 43.5 Credit Hold
- 43.6 Recovery, Suspension, and Closure
- 43.7 Business Lifecycle Decision Guide

Chapter 44 — Business Billing & Completion

- 44.1 Billing Models
- 44.2 Due on Receipt, Net 15, and Net 30
- 44.3 Invoice Issue and Partial Payment
- 44.4 Due Soon, Due Today, Past Due, and Failed Payment
- 44.5 Credit Hold Procedure
- 44.6 Completion and Closure

PART XI — COMMUNICATIONS, TEMPLATES & SCRIPTS

Chapter 45 — Communication Control & Delivery Truth

- 45.1 Templates, Scripts, and Operator Messages

[45.2 AUTO, OPERATOR, and IF NEEDED](#)

[45.3 Before Sending](#)

[45.4 Send Message Versus Send & Update Status](#)

[45.5 Attachments and Released Deliverables](#)

[45.6 Delivery Evidence and Retry](#)

[45.7 Customer-Safe Language](#)

[45.8 Communication Decision Tree](#)

[Chapter 46 — Maintained Template Master Directory — All 54](#)

[46.1 Production Count and Reconciliation](#)

[46.2 Indexes](#)

[46.3 Preview Alias Reconciliation](#)

[46.4 Template Entry Standard](#)

[Chapter 47 — Maintained Scripts & Reference Cards — All 48](#)

[47.1 Reference-Only Safety Rule](#)

[47.2 Eight Maintained Categories](#)

[47.3 Use and Do-Not-Use Guidance](#)

[47.4 Classification](#)

PART X — BUSINESS ACCOUNTS & BUSINESS PORTAL

Chapter 41 — Business Account Lifecycle & Roles

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



Business Account Lifecycle Map

41.1 Lifecycle Mental Model

A Business Account moves through application, review, approval, organization setup, invitation, activation, authenticated use, billing eligibility, ongoing service, and controlled closure. Keep application, organization, membership, request, and billing states separate. A change in one does not silently change the others.

41.2 Application, Review, and Approval

Confirm legal/display name, authorized contact, requested services, billing preference, and submitted evidence. Review missing or conflicting facts before approval. Approval authorizes organization setup; it does not create a service request, charge, or payment.

41.3 Organization and Invitation

Create or confirm the organization only from the approved application. Invite the authorized member to the correct organization and role. An invitation is pending until accepted; never describe an invited person as active before activation succeeds.

41.4 Activation, Authentication, and Recovery

Activation establishes the member's authenticated access. Password recovery uses the maintained recovery path and verified destination. Operators do not learn, set, or retain customer passwords. Failed recovery, wrong organization, or unverified identity is a hold condition.

41.5 Roles and Membership

Use the least authority required. Organization administrators manage authorized organization-level activity; members work only within their assigned organization and role. Suspension removes current access without erasing historical ownership or audit records.

41.6 Organization Switching

Before switching organizations, confirm the selected organization in the Business Portal header/context. Requests, documents, messages, locations, and billing must remain scoped to the selected organization. Stop if the displayed organization does not match the intended work.

41.7 Locations and Service Eligibility

Maintain approved business locations separately from one-time service addresses. Location availability does not itself authorize a service, price, credit term, or assignment. Each request still passes its service-specific gates.

41.8 Business Account Lifecycle Map

Application → review → approval → organization → invitation → activation → authenticated membership → eligible requests and billing → hold/suspension if required → controlled closure with history preserved.

Chapter 42 — Business Portal Operations, Requests & Documents

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

42.1 Portal Orientation

The Business Portal presents organization-scoped requests, locations, members where authorized, documents, messages, invoices, payments, and account status. Verify the organization context before acting.

42.2 Creating and Reviewing Requests

An authenticated member submits a request for an eligible service. APS reviews service facts, participants, documents, timing, location, pricing, and billing readiness. Submission does not guarantee acceptance or bypass quote, payment, appointment, or fulfillment controls.

42.3 Requests and Organization Ownership

Keep the requesting member, customer/contact, signer/participant, ordering organization, and service recipient distinct. Historical requests remain linked to the organization even if a member later leaves.

42.4 Documents

Apply the Chapter 8–14 document lifecycle. Organization access is not document-release authority. Customer-visible files must still be classified, reviewed, intentionally released, and scoped to the correct request and organization.

42.5 Messages and Communication History

Send only to an authorized eligible recipient. Successful delivery evidence belongs in the Communication Log and Timeline. A read-only script never sends a message. Inspect prior attempts before retrying.

42.6 Locations

Select or enter the actual service location without overwriting a maintained organization address. Validate access, travel, safety, and service-area requirements for the individual request.

42.7 Member Administration

Invite, change, suspend, or remove a member only with organization authority. Confirm the target identity, organization, and role. Preserve completed activity and do not transfer historical actions to another person.

42.8 Recovery and Escalation


For access failure, first identify whether the issue is invitation, activation, authentication, role, organization selection, or account status. Use recovery only for authentication problems; do not bypass a hold or suspension by creating a duplicate member.

Chapter 43 — Business Account Status, Admin Action & Applicant Communication Sequence

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



Business Account Decision Guide

43.1 Application Received, Review, Information Needed, Approved

Stage	APS status / condition	Admin action	Applicant communication	Template / channel	Gate / do not advance until	Timeline / audit record
Received	application submitted	inspect organization/contact facts	acknowledge receipt when maintained	approved application channel	application exists	receipt and source
Review	under review	validate facts and terms	only factual review update	operator channel if needed	conflicts resolved	reviewer and outcome
Information needed	blocker identified	request exact missing item	applicant-safe request	approved operator message	item received and reviewed	request and response
Approved	approval authorized	create/confirm organization	approval and activation next step	maintained channel	decision recorded	approver and timestamp

43.2 Organization, Invitation, and Activation

Create the organization from approved facts, send the invitation to the authorized address, and verify acceptance before describing access as active. Record invitation, delivery result, activation, role, and organization membership.

43.3 Service Eligibility and Business Requests

Eligibility permits request submission under the organization; it does not auto-approve service. Apply the relevant quote, payment, appointment, document, and fulfillment gates to each request.

43.4 Billing, Reminders, and Payment

Issue the authorized invoice under the organization's terms. Communicate due date, current balance, and payment state without turning a scheduled reminder into a collection threat. Record successful delivery and payment evidence.

43.5 Credit Hold

A credit hold blocks new credit-dependent advancement according to maintained terms. It does not erase open work, rewrite invoices, or remove portal history. Communicate the exact condition and authorized resolution path.

43.6 Recovery, Suspension, and Closure

Use password recovery for authentication only. Suspension/removal changes access; closure ends future organization activity after open operational and financial matters are resolved. Preserve all lawful historical records.

43.7 Business Lifecycle Decision Guide

Is the organization approved? If NO, remain in application review. If YES, is the member invited and activated? If NO, resolve invitation/activation. If YES, is the role and selected organization correct? If NO, stop and correct access. If YES, is the account eligible and free of an applicable hold? If NO, follow the authorized hold path. If YES, proceed to request-specific gates.

Chapter 44 — Business Billing & Completion

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

44.1 Billing Models

Prepaid work requires the applicable payment gate before service. Postpaid work uses only approved organization terms. A Business Account relationship does not by itself authorize credit.

44.2 Due on Receipt, Net 15, and Net 30

Apply the organization's recorded term to the invoice date and due date. Do not switch terms to accelerate or delay collection. A due date is a recorded contractual/authorized fact, not an operator estimate.

44.3 Invoice Issue and Partial Payment

Issue an invoice only from authorized service and price facts. Partial payment reduces the legitimate balance but does not mark the invoice paid. Preserve Invoice #1 and add authorized supplemental invoices instead of rewriting history.

44.4 Due Soon, Due Today, Past Due, and Failed Payment

Use the maintained business billing template matching the actual state. Do not send multiple contradictory notices or call a failed attempt a completed payment. Inspect delivery and payment records before retrying.

44.5 Credit Hold Procedure

1. Confirm the organization, invoice, due date, current balance, payment attempts, and terms.
2. Confirm an authorized hold decision and scope.
3. Record the hold without altering invoice history.
4. Send the maintained hold notice to an eligible recipient.
5. Verify delivery and Timeline evidence.
6. Release the hold only after the authorized condition is satisfied and recorded.

44.6 Completion and Closure

Request completion and organization closure are different. Complete each service only when its operational, document, communication, and financial gates pass. Close an organization only after open requests, invoices, documents, memberships, and retention obligations are reconciled.


PART XI — COMMUNICATIONS, TEMPLATES & SCRIPTS

Chapter 45 — Communication Control & Delivery Truth

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



Communication Control Decision Tree

45.1 Templates, Scripts, and Operator Messages

A template is maintained communication content that may be rendered, sent, logged, and sometimes associated with a status. A script/card is read-only operator guidance. An operator-composed message is allowed only within the current authorized communication path.

45.2 AUTO, OPERATOR, and IF NEEDED

AUTO means the current system initiates delivery from a verified event. OPERATOR means an authorized operator selects and sends it. IF NEEDED means use only when the stated condition exists. Template existence is never proof of automation.

45.3 Before Sending

Confirm request/organization, recipient eligibility, current stage, exact condition, template, variables, attachments, release authority, and prior attempts. Stop for wrong recipient, wrong request, stale status, unresolved attachment, or inconsistent financial facts.

45.4 Send Message Versus Send & Update Status

Send Message records communication without changing authoritative workflow status. Send & Update Status is appropriate only for a maintained transition and only after successful delivery. Never use messaging to manufacture readiness.

45.5 Attachments and Released Deliverables

Attach only the exact eligible quote, invoice, or intentionally released customer deliverable. Internal, audit, source, wrong-request, wrong-customer, superseded, and unreleased files are prohibited.

45.6 Delivery Evidence and Retry

Successful delivery, failure, provider evidence, rendered content, recipient, template key, channel, and time belong in Communication Log/Timeline. Before retrying, inspect existing attempts and use the maintained idempotency boundary.

45.7 Customer-Safe Language

State what happened, what is needed, what the customer should do, and what happens next. Do not expose internal queue names, provider internals, technical error text, or unapproved legal/financial conclusions.

45.8 Communication Decision Tree

Is communication required now? If NO, do not send. If YES, is there an exact maintained template for the actual condition? If YES, verify prerequisites and recipient. If NO, is an authorized operator-composed message allowed? If NO, escalate. If YES, compose narrowly. In every path, verify delivery and record the result.

Chapter 46 — Maintained Template Master Directory — All 54

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

46.1 Production Count and Reconciliation

The locked production inventory contains 54 active system-maintained keys. The 44-key preview catalog supplies rich metadata for most common workflows. Ten production keys require metadata completed from maintained migrations/functions or a source note; no missing metadata is guessed.

46.2 Indexes

The generated directory is ordered by production category and key. The master table supplies service, trigger/stage, audience, and category fields, supporting service, trigger, audience, category, and alphabetical lookup.

46.3 Preview Alias Reconciliation

`aps\_unable\_to\_fulfill` maps to production `aps\_cancellation\_service\_unavailable`; `late\_retained\_amount\_explanation` maps to `late\_cancellation\_explanation`; `refund\_due` maps to `cancellation\_confirmed\_refund\_due`. Preview aliases are not claimed as separate active templates.

46.4 Template Entry Standard

Every generated entry includes the locked operational fields. A `SOURCE-NOTED` trigger/classification means the key is verified but automatic initiation was not established from code; use remains operator-controlled until verified.

46.5 Compact Master Index

Key	Name	Category	Service
appointment_confirmed	Appointment Confirmed	Appointment, intake, quote, payment, completion, and general	All applicable services

Key	Name	Category	Service
appointment_reminder	Appointment Reminder	Appointment, intake, quote, payment, completion, and general	All applicable services
appointment_rescheduled	Appointment Rescheduled	Appointment, intake, quote, payment, completion, and general	All applicable services
awaiting_payment_reminder	Awaiting Payment Reminder	Appointment, intake, quote, payment, completion, and general	All applicable services
final_invoice	Invoice / Final Invoice (invoice attachment)	Appointment, intake, quote, payment, completion, and general	All applicable services
general_customer_message	General Customer Message	Appointment, intake, quote, payment, completion, and general	All applicable services
mobile_appointment_confirmation	Mobile Appointment Confirmation	Appointment, intake, quote, payment, completion, and general	Mobile Notary
order_completed	Order Completed	Appointment, intake, quote, payment, completion, and general	All applicable services
payment_received	Payment Received	Appointment, intake, quote, payment, completion, and general	All applicable services
quote_ready	Quote Ready (quote attachment)	Appointment, intake, quote, payment, completion, and general	All applicable services
request_received	Request Received	Appointment, intake, quote, payment, completion, and general	All applicable services
review_request	Customer Experience Review	Appointment, intake, quote, payment, completion, and general	All applicable services
ron_session_ready	RON Session Ready	Appointment, intake, quote, payment, completion, and general	Remote Online Notary
service_changed_appointment_conversion	Service Changed / Appointment Conversion	Appointment, intake, quote, payment, completion, and general	All applicable services
completed_scan_delivery	Completed Scan Delivery (released deliverable only)	Documents and participant information	Print & Scan
document_delivery	Document Delivery (released deliverable only)	Documents and participant information	All applicable services

Key	Name	Category	Service
document_needed_for_quote	Document Needed to Complete Quote	Documents and participant information	All applicable services
document_received_under_review	Document Received / Under Review	Documents and participant information	All applicable services
participant_information_needed	Additional Participant Information Needed	Documents and participant information	All applicable services
aps_cancellation_service_unavailable	APS Cancellation / Service Unable to Fulfill	Cancellation and refund	All applicable services
cancellation	Cancellation	Cancellation and refund	All applicable services
cancellation_confirmed_no_payment	Cancellation Confirmed — No Payment	Cancellation and refund	All applicable services
cancellation_confirmed_refund_due	Cancellation Confirmed — Refund Due	Cancellation and refund	All applicable services
cancellation_request_received	Cancellation Request Received	Cancellation and refund	All applicable services
late_cancellation_explanation	Late Cancellation / Retained Earned Amount Explanation	Cancellation and refund	All applicable services
refund_processed	Refund Processed	Cancellation and refund	All applicable services
business_credit_hold_notice	Business Credit Hold Notice	Business, security, and resources	Business Accounts
business_invoice_issued	Business Invoice Issued	Business, security, and resources	Business Accounts
business_partial_payment	Business Partial Payment Received	Business, security, and resources	Business Accounts
business_password_reset	Business Account Password Reset	Business, security, and resources	Business Accounts
business_payment_due_receipt	Business Payment Due — Due on Receipt	Business, security, and resources	Business Accounts
business_payment_due_soon	Business Payment Due Soon	Business, security, and resources	Business Accounts
business_payment_due_today	Business Payment Due Today	Business, security, and resources	Business Accounts
business_payment_failed	Business Payment Failed	Business, security, and resources	Business Accounts
business_payment_past_due	Business Payment Past Due	Business, security, and resources	Business Accounts
business_payment_received	Business Payment Received	Business, security, and resources	Business Accounts
resource_center_response	Resource Center Response	Business, security, and resources	Resource Center
lsa_request_received	Loan Signing Request Received	Loan Signing	Loan Signing
lsa_information_needed	Loan Signing Assignment Information Needed	Loan Signing	Loan Signing
lsa_assignment_confirmed	Loan Signing Assignment Confirmed	Loan Signing	Loan Signing

Key	Name	Category	Service
lsa_signer_confirmation	Loan Signing Signer Confirmation	Loan Signing	Loan Signing
lsa_cancellation_under_review	Loan Signing Cancellation Under Review	Loan Signing	Loan Signing
lsa_signing_not_completed	Loan Signing Could Not Be Completed	Loan Signing	Loan Signing
lsa_additional_appointment_needed	Loan Signing Additional Appointment Needed	Loan Signing	Loan Signing
lsa_exception_resolved	Loan Signing Exception Resolved	Loan Signing	Loan Signing
lsa_package_documents_needed	Loan Signing Package or Documents Needed	Loan Signing	Loan Signing
lsa_replacement_package_received	Loan Signing Replacement Package Received	Loan Signing	Loan Signing
lsa_signing_follow_up	Loan Signing Requires Follow-Up	Loan Signing	Loan Signing
lsa_cancellation_requested	Loan Signing Cancellation Requested	Loan Signing	Loan Signing
lsa_cancellation_resolution	Loan Signing Cancellation Resolution	Loan Signing	Loan Signing
lsa_additional_charge_review	Loan Signing Additional Charge Authorization Needed	Loan Signing	Loan Signing
lsa_additional_charge_issued	Loan Signing Additional Charge Issued	Loan Signing	Loan Signing
lsa_scanback_return_follow_up	Loan Signing Scanback or Return Follow-Up	Loan Signing	Loan Signing
lsa_completed	Loan Signing Completed	Loan Signing	Loan Signing

46.6 Appointment Confirmed

Template field	Controlled operator guidance
Template name / key	Appointment Confirmed / appointment_confirmed
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified appointment confirmed condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports appointment confirmed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe appointment confirmed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives appointment confirmed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.7 Appointment Reminder

Template field	Controlled operator guidance
Template name / key	Appointment Reminder / appointment_reminder
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified appointment reminder condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports appointment reminder.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe appointment reminder message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives appointment reminder.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.8 Appointment Rescheduled

Template field	Controlled operator guidance
Template name / key	Appointment Rescheduled / appointment_rescheduled
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified appointment rescheduled condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports appointment rescheduled.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe appointment rescheduled message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives appointment rescheduled.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.9 Awaiting Payment Reminder

Template field	Controlled operator guidance
Template name / key	Awaiting Payment Reminder / awaiting_payment_reminder
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified awaiting payment reminder condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports awaiting payment reminder.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe awaiting payment reminder message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives awaiting payment reminder.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.10 Invoice / Final Invoice (invoice attachment)

Template field	Controlled operator guidance
Template name / key	Invoice / Final Invoice (invoice attachment) / final_invoice
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified invoice / final invoice (invoice attachment) condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports invoice / final invoice (invoice attachment).
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe invoice / final invoice (invoice attachment) message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives invoice / final invoice (invoice attachment).
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.11 General Customer Message

Template field	Controlled operator guidance
Template name / key	General Customer Message / general_customer_message
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified general customer message condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports general customer message.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	OPERATOR
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe general customer message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives general customer message.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.12 Mobile Appointment Confirmation

Template field	Controlled operator guidance
Template name / key	Mobile Appointment Confirmation / mobile_appointment_confirmation
Category / service	Appointment, intake, quote, payment, completion, and general / Mobile Notary
Purpose	Communicate the verified mobile appointment confirmation condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports mobile appointment confirmation.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe mobile appointment confirmation message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives mobile appointment confirmation.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.13 Order Completed

Template field	Controlled operator guidance
Template name / key	Order Completed / order_completed
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified order completed condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports order completed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe order completed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives order completed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.14 Payment Received

Template field	Controlled operator guidance
Template name / key	Payment Received / payment_received
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified payment received condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports payment received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe payment received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives payment received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.15 Quote Ready (quote attachment)

Template field	Controlled operator guidance
Template name / key	Quote Ready (quote attachment) / quote_ready
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified quote ready (quote attachment) condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports quote ready (quote attachment).
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe quote ready (quote attachment) message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives quote ready (quote attachment).
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.16 Request Received

Template field	Controlled operator guidance
Template name / key	Request Received / request_received
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified request received condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports request received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe request received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives request received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.17 Customer Experience Review

Template field	Controlled operator guidance
Template name / key	Customer Experience Review / review_request
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified customer experience review condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports customer experience review.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe customer experience review message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives customer experience review.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.18 RON Session Ready

Template field	Controlled operator guidance
Template name / key	RON Session Ready / ron_session_ready
Category / service	Appointment, intake, quote, payment, completion, and general / Remote Online Notary
Purpose	Communicate the verified ron session ready condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports ron session ready.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe ron session ready message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives ron session ready.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.19 Service Changed / Appointment Conversion

Template field	Controlled operator guidance
Template name / key	Service Changed / Appointment Conversion / service_changed_appointment_conversion
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified service changed / appointment conversion condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports service changed / appointment conversion.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe service changed / appointment conversion message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives service changed / appointment conversion.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.20 Completed Scan Delivery (released deliverable only)

Template field	Controlled operator guidance
Template name / key	Completed Scan Delivery (released deliverable only) / completed_scan_delivery
Category / service	Documents and participant information / Print & Scan
Purpose	Communicate the verified completed scan delivery (released deliverable only) condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports completed scan delivery (released deliverable only).
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe completed scan delivery (released deliverable only) message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives completed scan delivery (released deliverable only).
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.21 Document Delivery (released deliverable only)

Template field	Controlled operator guidance
Template name / key	Document Delivery (released deliverable only) / document_delivery
Category / service	Documents and participant information / All applicable services
Purpose	Communicate the verified document delivery (released deliverable only) condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports document delivery (released deliverable only).
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe document delivery (released deliverable only) message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives document delivery (released deliverable only).
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.22 Document Needed to Complete Quote

Template field	Controlled operator guidance
Template name / key	Document Needed to Complete Quote / document_needed_for_quote
Category / service	Documents and participant information / All applicable services
Purpose	Communicate the verified document needed to complete quote condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports document needed to complete quote.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe document needed to complete quote message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives document needed to complete quote.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.23 Document Received / Under Review

Template field	Controlled operator guidance
Template name / key	Document Received / Under Review / document_received_under_review
Category / service	Documents and participant information / All applicable services
Purpose	Communicate the verified document received / under review condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports document received / under review.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe document received / under review message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives document received / under review.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.24 Additional Participant Information Needed

Template field	Controlled operator guidance
Template name / key	Additional Participant Information Needed / participant_information_needed
Category / service	Documents and participant information / All applicable services
Purpose	Communicate the verified additional participant information needed condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports additional participant information needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe additional participant information needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives additional participant information needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.25 APS Cancellation / Service Unable to Fulfill

Template field	Controlled operator guidance
Template name / key	APS Cancellation / Service Unable to Fulfill / aps_cancellation_service_unavailable
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified aps cancellation / service unable to fulfill condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports aps cancellation / service unable to fulfill.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe aps cancellation / service unable to fulfill message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives aps cancellation / service unable to fulfill.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	preview alias: aps_unable_to_fulfill

46.26 Cancellation

Template field	Controlled operator guidance
Template name / key	Cancellation / cancellation
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified cancellation condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports cancellation.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe cancellation message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives cancellation.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.27 Cancellation Confirmed — No Payment

Template field	Controlled operator guidance
Template name / key	Cancellation Confirmed — No Payment / cancellation_confirmed_no_payment
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified cancellation confirmed — no payment condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports cancellation confirmed — no payment.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe cancellation confirmed — no payment message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives cancellation confirmed — no payment.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.28 Cancellation Confirmed — Refund Due

Template field	Controlled operator guidance
Template name / key	Cancellation Confirmed — Refund Due / cancellation_confirmed_refund_due
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified cancellation confirmed — refund due condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports cancellation confirmed — refund due.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe cancellation confirmed — refund due message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives cancellation confirmed — refund due.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	preview alias: refund_due

46.29 Cancellation Request Received

Template field	Controlled operator guidance
Template name / key	Cancellation Request Received / cancellation_request_received
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified cancellation request received condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports cancellation request received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe cancellation request received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives cancellation request received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.30 Late Cancellation / Retained Earned Amount Explanation

Template field	Controlled operator guidance
Template name / key	Late Cancellation / Retained Earned Amount Explanation / late_cancellation_explanation
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified late cancellation / retained earned amount explanation condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports late cancellation / retained earned amount explanation.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe late cancellation / retained earned amount explanation message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives late cancellation / retained earned amount explanation.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	preview alias: late_retained_amount_explanation

46.31 Refund Processed

Template field	Controlled operator guidance
Template name / key	Refund Processed / refund_processed
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified refund processed condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports refund processed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe refund processed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives refund processed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.32 Business Credit Hold Notice

Template field	Controlled operator guidance
Template name / key	Business Credit Hold Notice / business_credit_hold_notice
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business credit hold notice condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business credit hold notice.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business credit hold notice message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business credit hold notice.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.33 Business Invoice Issued

Template field	Controlled operator guidance
Template name / key	Business Invoice Issued / business_invoice_issued
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business invoice issued condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business invoice issued.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business invoice issued message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business invoice issued.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.34 Business Partial Payment Received

Template field	Controlled operator guidance
Template name / key	Business Partial Payment Received / business_partial_payment
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business partial payment received condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business partial payment received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business partial payment received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business partial payment received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.35 Business Account Password Reset

Template field	Controlled operator guidance
Template name / key	Business Account Password Reset / business_password_reset
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business account password reset condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business account password reset.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business account password reset message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business account password reset.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.36 Business Payment Due — Due on Receipt

Template field	Controlled operator guidance
Template name / key	Business Payment Due — Due on Receipt / business_payment_due_receipt
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment due — due on receipt condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment due — due on receipt.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment due — due on receipt message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment due — due on receipt.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.37 Business Payment Due Soon

Template field	Controlled operator guidance
Template name / key	Business Payment Due Soon / business_payment_due_soon
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment due soon condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment due soon.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment due soon message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment due soon.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.38 Business Payment Due Today

Template field	Controlled operator guidance
Template name / key	Business Payment Due Today / business_payment_due_today
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment due today condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment due today.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment due today message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment due today.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.39 Business Payment Failed

Template field	Controlled operator guidance
Template name / key	Business Payment Failed / business_payment_failed
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment failed condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment failed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment failed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment failed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.40 Business Payment Past Due

Template field	Controlled operator guidance
Template name / key	Business Payment Past Due / business_payment_past_due
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment past due condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment past due.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment past due message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment past due.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.41 Business Payment Received

Template field	Controlled operator guidance
Template name / key	Business Payment Received / business_payment_received
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment received condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.42 Resource Center Response

Template field	Controlled operator guidance
Template name / key	Resource Center Response / resource_center_response
Category / service	Business, security, and resources / Resource Center
Purpose	Communicate the verified resource center response condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports resource center response.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe resource center response message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives resource center response.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.43 Loan Signing Request Received

Template field	Controlled operator guidance
Template name / key	Loan Signing Request Received / lsa_request_received
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing request received condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing request received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing request received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing request received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.44 Loan Signing Assignment Information Needed

Template field	Controlled operator guidance
Template name / key	Loan Signing Assignment Information Needed / lsa_information_needed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing assignment information needed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing assignment information needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing assignment information needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing assignment information needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.45 Loan Signing Assignment Confirmed

Template field	Controlled operator guidance
Template name / key	Loan Signing Assignment Confirmed / lsa_assignment_confirmed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing assignment confirmed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing assignment confirmed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing assignment confirmed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing assignment confirmed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.46 Loan Signing Signer Confirmation

Template field	Controlled operator guidance
Template name / key	Loan Signing Signer Confirmation / lsa_signer_confirmation
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing signer confirmation condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing signer confirmation.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing signer confirmation message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing signer confirmation.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.47 Loan Signing Cancellation Under Review

Template field	Controlled operator guidance
Template name / key	Loan Signing Cancellation Under Review / lsa_cancellation_under_review
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing cancellation under review condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing cancellation under review.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing cancellation under review message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing cancellation under review.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.48 Loan Signing Could Not Be Completed

Template field	Controlled operator guidance
Template name / key	Loan Signing Could Not Be Completed / lsa_signing_not_completed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing could not be completed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing could not be completed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing could not be completed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing could not be completed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.49 Loan Signing Additional Appointment Needed

Template field	Controlled operator guidance
Template name / key	Loan Signing Additional Appointment Needed / lsa_additional_appointment_needed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing additional appointment needed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing additional appointment needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing additional appointment needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing additional appointment needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.50 Loan Signing Exception Resolved

Template field	Controlled operator guidance
Template name / key	Loan Signing Exception Resolved / lsa_exception_resolved
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing exception resolved condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing exception resolved.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing exception resolved message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing exception resolved.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.51 Loan Signing Package or Documents Needed

Template field	Controlled operator guidance
Template name / key	Loan Signing Package or Documents Needed / lsa_package_documents_needed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing package or documents needed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing package or documents needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing package or documents needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing package or documents needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.52 Loan Signing Replacement Package Received

Template field	Controlled operator guidance
Template name / key	Loan Signing Replacement Package Received / lsa_replacement_package_received
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing replacement package received condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing replacement package received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing replacement package received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing replacement package received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.53 Loan Signing Requires Follow-Up

Template field	Controlled operator guidance
Template name / key	Loan Signing Requires Follow-Up / lsa_signing_follow_up
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing requires follow-up condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing requires follow-up.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing requires follow-up message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing requires follow-up.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.54 Loan Signing Cancellation Requested

Template field	Controlled operator guidance
Template name / key	Loan Signing Cancellation Requested / lsa_cancellation_requested
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing cancellation requested condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing cancellation requested.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing cancellation requested message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing cancellation requested.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.55 Loan Signing Cancellation Resolution

Template field	Controlled operator guidance
Template name / key	Loan Signing Cancellation Resolution / lsa_cancellation_resolution
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing cancellation resolution condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing cancellation resolution.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing cancellation resolution message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing cancellation resolution.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.56 Loan Signing Additional Charge Authorization Needed

Template field	Controlled operator guidance
Template name / key	Loan Signing Additional Charge Authorization Needed / lsa_additional_charge_review
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing additional charge authorization needed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing additional charge authorization needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing additional charge authorization needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing additional charge authorization needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.57 Loan Signing Additional Charge Issued

Template field	Controlled operator guidance
Template name / key	Loan Signing Additional Charge Issued / lsa_additional_charge_issued
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing additional charge issued condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing additional charge issued.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing additional charge issued message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing additional charge issued.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.58 Loan Signing Scanback or Return Follow-Up

Template field	Controlled operator guidance
Template name / key	Loan Signing Scanback or Return Follow-Up / lsa_scanback_return_follow_up
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing scanback or return follow-up condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing scanback or return follow-up.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing scanback or return follow-up message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing scanback or return follow-up.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.59 Loan Signing Completed

Template field	Controlled operator guidance
Template name / key	Loan Signing Completed / lsa_completed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing completed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing completed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing completed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing completed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

Chapter 47 — Maintained Scripts & Reference Cards — All 48

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

47.1 Reference-Only Safety Rule

SCRIPTS GUIDE THE OPERATOR. THEY DO NOT CHANGE THE REQUEST. Reading or using a script does not send communication, change status, move money, modify customer data, release a document, or create Proof activity.

47.2 Eight Maintained Categories

The generated catalog imports all 48 frozen entries from ``assets/js/operator-reference-catalog.mjs`` across RON Session, Notarial Acts, Mobile Notary, Print & Scan, Loan Signing, Problem / Stop / Refusal, Quick-Flip, and Checklists.

47.3 Use and Do-Not-Use Guidance

Use the maintained situation and boundaries. Do not use any card outside its service/stage, to bypass a stop, or as a substitute for the full procedure. Related-template mapping is stated only where supported.

47.4 Classification

Full Script contains maintained spoken wording; Quick-Flip/Quick Reference condenses a controlled workflow; Checklist verifies required facts; Decision/Stop Card protects a boundary. Classification never grants operational authority.

47.5 Compact Script Index

Key	Name	Category	Type
ron-opening	RON Opening and Location Confirmation	RON Session	FULL SCRIPT
ron-closing	RON Closing and APS Return	RON Session	FULL SCRIPT

Key	Name	Category	Type
acknowledgment	Acknowledgment	Notarial Acts	FULL SCRIPT
jurat	Jurat / Verification on Oath or Affirmation	Notarial Acts	FULL SCRIPT
oath-affirmation	Oath or Affirmation	Notarial Acts	FULL SCRIPT
signature-witnessing	Signature Witnessing	Notarial Acts	FULL SCRIPT
certified-copy	Certified Copy Procedure	Notarial Acts	FULL SCRIPT
credible-witness	Credible Witness Identification	Notarial Acts	FULL SCRIPT
representative-capacity	Representative Capacity / POA	Notarial Acts	FULL SCRIPT
multiple-parties	Multiple Signers, Documents, and Acts	Notarial Acts	FULL SCRIPT
mobile-arrival	Mobile Arrival and Introduction	Mobile Notary	FULL SCRIPT
mobile-closing	Mobile Closing and Document Return	Mobile Notary	FULL SCRIPT
print-production	Print & Scan Production Start	Print & Scan	FULL SCRIPT
print-qc	Print and Scan Quality Control	Print & Scan	FULL SCRIPT
lsa-assignment-review	Loan Signing Assignment Acceptance / Review	Loan Signing	FULL SCRIPT
lsa-signer-confirmation	Loan Signing Signer Confirmation	Loan Signing	FULL SCRIPT
lsa-arrival-introduction	Loan Signing Arrival / Introduction	Loan Signing	FULL SCRIPT
lsa-advice-boundary	Loan Signing Legal / Financial Advice Boundary	Loan Signing	FULL SCRIPT
lsa-signer-hesitation	Loan Signing Signer Hesitation / Refusal	Loan Signing	FULL SCRIPT
lsa-id-stop	Loan Signing ID / Notarization Stop	Loan Signing	DECISION / STOP CARD
lsa-no-show	Loan Signing Signer Unavailable / No Show	Loan Signing	FULL SCRIPT
lsa-partial-signing	Loan Signing Partial / Incomplete Signing	Loan Signing	FULL SCRIPT
lsa-scanback-hold	Loan Signing Scanback Approval Hold	Loan Signing	FULL SCRIPT
lsa-return-tracking	Loan Signing Return / Tracking	Loan Signing	FULL SCRIPT
lsa-financial-question	Loan Signing Financial Question	Loan Signing	FULL SCRIPT
lsa-refund-question	Loan Signing Refund Question	Loan Signing	FULL SCRIPT

Key	Name	Category	Type
lsa-cancellation-review	Loan Signing Cancellation Review	Loan Signing	FULL SCRIPT
lsa-no-sign	Loan Signing No-Sign / Incomplete	Loan Signing	FULL SCRIPT
lsa-resign	Loan Signing Resign / Return Visit	Loan Signing	FULL SCRIPT
lsa-wait-review	Loan Signing Excessive Wait Review	Loan Signing	FULL SCRIPT
lsa-exception-checklist	Loan Signing Exception & Financial Checklist	Checklists	CHECKLIST
lsa-card-intake	LSA Assignment Intake Card	Checklists	CHECKLIST
lsa-card-printing	LSA Printing / Package Card	Checklists	CHECKLIST
lsa-card-table-qc	LSA Signing Table QC Card	Checklists	CHECKLIST
lsa-card-return	LSA Scanback / Return Card	Checklists	CHECKLIST
lsa-card-cancellation	LSA Cancellation Decision Card	Checklists	CHECKLIST
lsa-card-no-sign	LSA No-Sign Card	Checklists	CHECKLIST
lsa-card-resign	LSA Resign Card	Checklists	CHECKLIST
lsa-card-wait	LSA Wait-Time Card	Checklists	CHECKLIST
lsa-card-completion	LSA Completion Card	Checklists	CHECKLIST
no-legal-advice	No Legal Advice	Problem / Stop / Refusal	DECISION / STOP CARD
identity-mismatch	Identity or Name Discrepancy	Problem / Stop / Refusal	DECISION / STOP CARD
technology-stop	RON Technology or Proof Failure	Problem / Stop / Refusal	DECISION / STOP CARD
refusal	Stop or Refuse Service	Problem / Stop / Refusal	DECISION / STOP CARD
ron-quick-flip	RON Quick-Flip	Quick-Flip	QUICK-FLIP / QUICK REFERENCE
ron-checklist	RON - Must Do Every Session	Checklists	CHECKLIST
mobile-checklist	Mobile - Must Do Every Appointment	Checklists	CHECKLIST
print-checklist	Print & Scan - Must Do Every Job	Checklists	CHECKLIST

47.6 RON Opening and Location Confirmation

Script/card field	Maintained guidance
Name / key	RON Opening and Location Confirmation / ron-opening
Category / service / classification	RON Session / RON / FULL SCRIPT
Purpose	Open the controlled session, confirm identities and locations, and set neutral expectations.
WHEN TO USE	At the start of every RON session, before the notarial act begins.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if identity, willingness, awareness, location, technology, or document readiness cannot be established.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Welcome to Aligned Print & Scan. Before we begin, please state your full name and the physical location where you are joining today. I am physically located in Texas. I will confirm your identity and willingness before we proceed.
Operator boundary	Do not choose a notarial act for the signer.; Do not coach KBA or credential answers.; Do not proceed outside the approved audio-video session.
Must do	Confirm the signer is the intended participant.; Confirm the signer and Texas online notary locations as required by the approved platform process.; Use the Proof session and recording workflow; keep APS administrative data out of the conversation.
Stop / decision condition	Stop if identity, willingness, awareness, location, technology, or document readiness cannot be established.
Related workflow stage / gate	Complete the applicable act script, then use the RON closing and APS return checklists.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	RON SOP; Proof boundary; Acknowledgment; Jurat
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.7 RON Closing and APS Return

Script/card field	Maintained guidance
Name / key	RON Closing and APS Return / ron-closing
Category / service / classification	RON Session / RON / FULL SCRIPT
Purpose	Close the signer interaction accurately and return control to APS without promising release before review.
WHEN TO USE	After the platform signing/notarial work is complete.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop release if the completed asset, certificate, audit trail, or APS completion gate is incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The session work is complete. APS must receive and review the completed document before any customer release. Please use your secure request portal for the current status.
Operator boundary	Do not mark APS Completed solely because the call ended.; Do not release an unreviewed provider document.
Must do	Confirm the provider session state.; Return to APS and synchronize status.; Review the returned document and audit materials before release.
Stop / decision condition	Stop release if the completed asset, certificate, audit trail, or APS completion gate is incomplete.
Related workflow stage / gate	Sync Proof status, review returned assets, release only an eligible document, then evaluate completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	RON return; Document review; Completion gate
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.8 Acknowledgment

Script/card field	Maintained guidance
Name / key	Acknowledgment / acknowledgment
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Record the signer's acknowledgment that the signature was made for the purposes stated in the document.
WHEN TO USE	Only when the signer has selected or the receiving party has provided an acknowledgment certificate.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for identity doubt, unwillingness, lack of awareness, incomplete document, or an absent/insufficient certificate the signer cannot resolve.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Do you acknowledge that you signed this document for the purposes and consideration expressed in it?
Operator boundary	Do not require the signer to sign in front of you solely because the signature was made earlier.; Do not advise the signer which certificate to use.
Must do	Identify the signer through an authorized method.; Confirm willingness and awareness.; Complete the supplied or legally appropriate certificate without altering the document's legal meaning.
Stop / decision condition	Stop for identity doubt, unwillingness, lack of awareness, incomplete document, or an absent/insufficient certificate the signer cannot resolve.
Related workflow stage / gate	Complete the certificate and service-specific final inspection.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Texas Government Code Chapter 406; RON/Mobile SOP
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.9 Jurat / Verification on Oath or Affirmation

Script/card field	Maintained guidance
Name / key	Jurat / Verification on Oath or Affirmation / jurat
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Administer an oath or affirmation and witness the signature for a sworn statement.
WHEN TO USE	When the selected certificate requires a verification on oath or affirmation.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the signer will not swear or affirm, cannot sign in the required presence, or the document/certificate is incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Do you solemnly swear or affirm that the statements in this document are true and correct? Please sign while I observe.
Operator boundary	Do not treat a jurat as an acknowledgment.; Do not omit the spoken oath or affirmation.
Must do	Administer an audible oath or affirmation.; Require the signer to sign in the notary's presence.; Complete the jurat certificate only after the oath/affirmation and witnessed signature.
Stop / decision condition	Stop if the signer will not swear or affirm, cannot sign in the required presence, or the document/certificate is incomplete.
Related workflow stage / gate	Complete certificate and final inspection.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Oath/Affirmation; RON/Mobile SOP
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.10 Oath or Affirmation

Script/card field	Maintained guidance
Name / key	Oath or Affirmation / oath-affirmation
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Administer a verbal oath or affirmation for a lawful purpose.
WHEN TO USE	When an oath/affirmation is requested independently or as part of a jurat.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the participant does not understand or will not make the declaration.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Do you solemnly swear or affirm that the statement you are about to make is true and correct?
Operator boundary	Do not force religious wording.; Do not accept silence or an ambiguous response.
Must do	Offer oath or affirmation neutrally.; Obtain a clear affirmative response.; Record the act according to the approved journal/platform process.
Stop / decision condition	Stop if the participant does not understand or will not make the declaration.
Related workflow stage / gate	Record the act and continue only with the requested lawful procedure.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Jurat; Texas notary guidance
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.11 Signature Witnessing

Script/card field	Maintained guidance
Name / key	Signature Witnessing / signature-witnessing
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Witness a signature only where the requested act and certificate are legally supported.
WHEN TO USE	When the requester has supplied an appropriate supported certificate and the signer will sign in the notary's presence.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if no legally supported act/certificate is identified.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Please confirm that you are signing willingly, then sign while I observe.
Operator boundary	Do not substitute signature witnessing for an acknowledgment or jurat.; Do not create unsupported certificate wording.
Must do	Verify identity.; Observe the signature.; Use the supplied supported certificate.
Stop / decision condition	Stop if no legally supported act/certificate is identified.
Related workflow stage / gate	Complete the certificate and inspection.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Acknowledgment; Jurat; Stop/Refuse
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.12 Certified Copy Procedure

Script/card field	Maintained guidance
Name / key	Certified Copy Procedure / certified-copy
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Handle copy certification only within Texas notarial authority.
WHEN TO USE	When asked to certify a copy and the record is not a publicly recordable document whose certified copy must come from a public custodian.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when authority is unclear or the record must come from an official custodian.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I can explain the notarial process, but I cannot certify a copy when Texas law requires the official custodian to issue it.
Operator boundary	Do not certify copies of publicly recordable documents that must be obtained from the custodian.; Do not certify a copy without comparing it to the original.
Must do	Inspect the original and copy when the act is permitted.; Confirm the record is within Texas copy-certification authority.; Use the correct certificate.
Stop / decision condition	Stop when authority is unclear or the record must come from an official custodian.
Related workflow stage / gate	Complete the supported certificate or refer the customer to the record custodian.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Texas Secretary of State notary guidance
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.13 Credible Witness Identification

Script/card field	Maintained guidance
Name / key	Credible Witness Identification / credible-witness
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Use a credible witness only under the applicable Texas identity rules and approved record process.
WHEN TO USE	When the signer lacks acceptable identification and a lawful credible-witness method is available.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when the witness is not credible, cannot be identified, has a disqualifying interest, or the required facts cannot be established.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I must identify both the signer and the credible witness under the applicable procedure. The witness must truthfully establish the signer's identity.
Operator boundary	Do not use a document witness as an identity witness without satisfying the credible-witness rule.; Do not coach testimony.
Must do	Distinguish a credible witness from a document witness.; Identify and administer the required declaration to the credible witness.; Record the method and participants.
Stop / decision condition	Stop when the witness is not credible, cannot be identified, has a disqualifying interest, or the required facts cannot be established.
Related workflow stage / gate	Complete the identity record and then the selected notarial act.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Identity; Witness distinction; Journal
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.14 Representative Capacity / POA

Script/card field	Maintained guidance
Name / key	Representative Capacity / POA / representative-capacity
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Notarize the identified signer's act without deciding legal authority or document effect.
WHEN TO USE	When a signer signs in a representative capacity or under a power of attorney.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if identity, willingness, awareness, certificate, or document completeness is insufficient.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I can notarize your signature and stated capacity, but I cannot determine whether the authority or document is legally sufficient.
Operator boundary	Do not give an opinion on POA validity.; Do not rewrite capacity language or select the act.
Must do	Identify the individual signer.; Use the capacity described in the document/certificate.; Confirm willingness and awareness.
Stop / decision condition	Stop if identity, willingness, awareness, certificate, or document completeness is insufficient.
Related workflow stage / gate	Complete the selected act and record the stated capacity.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	No Legal Advice; Acknowledgment/Jurat
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.15 Multiple Signers, Documents, and Acts

Script/card field	Maintained guidance
Name / key	Multiple Signers, Documents, and Acts / multiple-parties
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Keep every signer, document, and certificate separately accountable.
WHEN TO USE	Whenever a service includes more than one participant, document, or act.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when mappings, documents, or certificates are ambiguous.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	We will handle each signer, document, and notarial act separately so the certificates and APS record remain accurate.
Operator boundary	Do not assume one oath, acknowledgment, or certificate covers unrelated acts.; Do not merge participant identities.
Must do	Map each signer to each document and act.; Repeat identity, willingness, and act-specific procedure as required.; Inspect every certificate before closing.
Stop / decision condition	Stop when mappings, documents, or certificates are ambiguous.
Related workflow stage / gate	Reconcile counts and complete the service-specific final check.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Participant mapping; Final inspection
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.16 Mobile Arrival and Introduction

Script/card field	Maintained guidance
Name / key	Mobile Arrival and Introduction / mobile-arrival
Category / service / classification	Mobile Notary / Mobile Notary / FULL SCRIPT
Purpose	Start the appointment professionally and confirm the order before handling documents.
WHEN TO USE	On arrival at every mobile appointment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for safety, identity, coercion, incomplete documents, or unresolved act/certificate issues.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Hello, I am the notary from Aligned Print & Scan. Before we begin, I will confirm the signer, requested service, identification, documents, and any witnesses.
Operator boundary	Do not begin certificate work until identity and document readiness are established.; Do not leave original identification or documents unattended.
Must do	Confirm the safe meeting location and intended signer.; Match APS service facts to the documents present.; Explain that legal advice and act selection are outside the notary's role.
Stop / decision condition	Stop for safety, identity, coercion, incomplete documents, or unresolved act/certificate issues.
Related workflow stage / gate	Perform the selected act, certificate inspection, document return, and APS completion check.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Mobile SOP; Notarial Acts
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.17 Mobile Closing and Document Return

Script/card field	Maintained guidance
Name / key	Mobile Closing and Document Return / mobile-closing
Category / service / classification	Mobile Notary / Mobile Notary / FULL SCRIPT
Purpose	Account for every document and charge before leaving the appointment.
WHEN TO USE	At the end of each mobile appointment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop departure until certificates, documents, additional services, and delivery expectations reconcile.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Before I leave, I am checking each notarial certificate and accounting for every document. I will also confirm any agreed scan or delivery service.
Operator boundary	Do not leave with an incomplete certificate.; Do not promise a portal document before APS review/release.
Must do	Inspect signature, seal, date, venue, and certificate wording.; Account for all customer documents.; Record additional acts/services and agreed delivery.
Stop / decision condition	Stop departure until certificates, documents, additional services, and delivery expectations reconcile.
Related workflow stage / gate	Return to APS, record fulfillment, invoice additions if needed, upload/review deliverables, and evaluate completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Mobile final check; Completion gate
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.18 Print & Scan Production Start

Script/card field	Maintained guidance
Name / key	Print & Scan Production Start / print-production
Category / service / classification	Print & Scan / Print & Scan / FULL SCRIPT
Purpose	Establish the meaningful production-start boundary and run controlled output.
WHEN TO USE	After source verification, specifications, and required payment checks are complete.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for corrupt files, unclear specifications, payment blockers, or source mismatch.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Internal operator checkpoint: source verified, specifications confirmed, payment state checked, and production is now starting.
Operator boundary	Do not mark production started merely to change cancellation treatment.; Do not print an unreviewed or wrong-version source.
Must do	Verify the exact source file and requested specifications.; Record Production Started only when physical/digital production actually begins.; Inspect the first copy before the full run.
Stop / decision condition	Stop for corrupt files, unclear specifications, payment blockers, or source mismatch.
Related workflow stage / gate	Complete print/scan QC, name the final file, upload as the correct classification, review, and release if eligible.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Print & Scan SOP; Cancellation policy
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.19 Print and Scan Quality Control

Script/card field	Maintained guidance
Name / key	Print and Scan Quality Control / print-qc
Category / service / classification	Print & Scan / Print & Scan / FULL SCRIPT
Purpose	Verify output completeness, readability, orientation, and file integrity.
WHEN TO USE	For the first copy, final print set, and every completed scan.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for missing pages, clipping, skew, unreadability, wrong order, or filename/provenance mismatch.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Internal operator checkpoint: page count, order, orientation, legibility, color, margins, and file opening are verified.
Operator boundary	Do not release a file based only on successful upload.; Do not overwrite the source document classification.
Must do	Compare page count to source.; Inspect first and last pages plus problem-prone pages.; Open the final PDF and verify merge/split order and filename.
Stop / decision condition	Stop for missing pages, clipping, skew, unreadability, wrong order, or filename/provenance mismatch.
Related workflow stage / gate	Upload Completed Scan, review, release intentionally, and evaluate completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Document lifecycle; Release protection
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.20 Loan Signing Assignment Acceptance / Review

Script/card field	Maintained guidance
Name / key	Loan Signing Assignment Acceptance / Review / lsa-assignment-review
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Review authoritative assignment facts before acceptance.
WHEN TO USE	When a new Loan Signing enters review.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when scope, package, signer, timing, return, or pricing facts are incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Internal checkpoint: ordering party, company reference, signing type and method, appointment, signers, package, printing, scanbacks, return, stipulations, fee, and payment terms are confirmed.
Operator boundary	Do not infer instructions from package text.; Do not accept an assignment with unresolved readiness blockers.
Must do	Confirm every requirement from an authoritative source.; Keep property, signing, and return locations separate.; Record accepted pricing and payment terms.
Stop / decision condition	Stop when scope, package, signer, timing, return, or pricing facts are incomplete.
Related workflow stage / gate	Accept only after review, then use the maintained confirmation template.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	LSA Assignment Intake Card; Assignment Requirements
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.21 Loan Signing Signer Confirmation

Script/card field	Maintained guidance
Name / key	Loan Signing Signer Confirmation / Isa-signer-confirmation
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Confirm logistics without requesting unnecessary sensitive information.
WHEN TO USE	Before an appointment when signer confirmation is required.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop and route to review if the signer, location, or appointment cannot be confirmed.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Hello, this is Aligned Print & Scan confirming your scheduled signing date, time, and location. Please have acceptable identification and follow any preparation instructions provided by the ordering party.
Operator boundary	Do not discuss loan terms or document effect.; Do not request credential numbers by phone.
Must do	Confirm availability, time, and location.; Use only orderer-approved preparation instructions.; Record the contact result neutrally.
Stop / decision condition	Stop and route to review if the signer, location, or appointment cannot be confirmed.
Related workflow stage / gate	Update signer-confirmation facts and notify the ordering party when needed.
Related template	Signer Confirmation Needed template; Appointment
Related source/procedure	Signer Confirmation Needed template; Appointment
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.22 Loan Signing Arrival / Introduction

Script/card field	Maintained guidance
Name / key	Loan Signing Arrival / Introduction / lsa-arrival-introduction
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Open the signing professionally and state the neutral signing-agent role.
WHEN TO USE	At the signing location before documents are handled.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for identity, willingness, safety, package, or instruction blockers.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Hello, I am the signing agent from Aligned Print & Scan. I will verify identity, present the documents, and witness or notarize signatures as authorized. I cannot explain legal or financial effects or advise whether to sign.
Operator boundary	Do not imply you represent the lender or title company unless accurate.; Do not overstate authority.
Must do	Confirm the intended signers and package.; Confirm willingness and acceptable identification.; Follow the assignment instructions.
Stop / decision condition	Stop for identity, willingness, safety, package, or instruction blockers.
Related workflow stage / gate	Proceed document by document and preserve the orderer contact path.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	LSA Signing Table QC Card; Notarial boundaries
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.23 Loan Signing Legal / Financial Advice Boundary

Script/card field	Maintained guidance
Name / key	Loan Signing Legal / Financial Advice Boundary / lsa-advice-boundary
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Respond consistently when asked what a document means or whether to sign.
WHEN TO USE	Whenever a signer requests interpretation or advice.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop until the authorized representative resolves the question.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I can identify the document and direct you to the places requiring attention, but I cannot explain its legal or financial effect or advise whether to sign. We can contact the appropriate title, lender, or closing representative.
Operator boundary	Do not interpret loan terms.; Do not advise the signer to sign.; Do not choose a notarial certificate for the customer.
Must do	Pause and allow authorized clarification.; Remain neutral.; Record only the operational outcome.
Stop / decision condition	Stop until the authorized representative resolves the question.
Related workflow stage / gate	Resume only with clear authorized direction or record the appropriate exception.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Financial Question; No Legal Advice
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.24 Loan Signing Signer Hesitation / Refusal

Script/card field	Maintained guidance
Name / key	Loan Signing Signer Hesitation / Refusal / lsa-signer-hesitation
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Pause without pressure when a signer hesitates.
WHEN TO USE	When a signer questions or declines a document.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the signer will not proceed or cannot obtain clarification.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	That's okay. I cannot advise you to sign or not sign. We can pause while you contact the appropriate representative for clarification.
Operator boundary	Do not pressure the signer.; Do not characterize uncertainty as misconduct.
Must do	Distinguish hesitation from a clear refusal.; Offer the authorized contact path.; Record facts neutrally.
Stop / decision condition	Stop if the signer will not proceed or cannot obtain clarification.
Related workflow stage / gate	Record no-sign or partial status according to the facts and secure the package.
Related template	Signing Could Not Be Completed template; No-Sign Card
Related source/procedure	Signing Could Not Be Completed template; No-Sign Card
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.25 Loan Signing ID / Notarization Stop

Script/card field	Maintained guidance
Name / key	Loan Signing ID / Notarization Stop / lsa-id-stop
Category / service / classification	Loan Signing / Loan Signing / DECISION / STOP CARD
Purpose	Explain a required notarial stop without accusation.
WHEN TO USE	When identity or a lawful notarial requirement cannot be satisfied.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop the affected notarial act.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The required notarial step cannot be completed under the current circumstances. The assignment will need follow-up before we can proceed.
Operator boundary	Do not label the signer fraudulent.; Do not retain unnecessary credential details.; Do not bypass requirements.
Must do	State the process limitation neutrally.; Protect identity information.; Secure the package and follow return instructions.
Stop / decision condition	Stop the affected notarial act.
Related workflow stage / gate	Record an identity/notarization-stop exception and route it to review.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	ID/Notarization Stop; Exception Review
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.26 Loan Signing Signer Unavailable / No Show

Script/card field	Maintained guidance
Name / key	Loan Signing Signer Unavailable / No Show / lsa-no-show
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Handle an unavailable signer professionally without threatening fees.
WHEN TO USE	When the signer is unavailable at the scheduled appointment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when the authorized wait/contact path is exhausted.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	This is Aligned Print & Scan at the scheduled signing location. I am documenting the appointment status and our team will review the appropriate next step with the ordering party.
Operator boundary	Do not state that a fee is automatic.; Do not disclose business billing terms to an unrelated signer.
Must do	Record arrival and contact attempts.; Follow authorized waiting instructions.; Secure the package.
Stop / decision condition	Stop when the authorized wait/contact path is exhausted.
Related workflow stage / gate	Record a signer-unavailable/no-sign review and preserve return requirements.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	No-Sign Card; Wait-Time Card
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.27 Loan Signing Partial / Incomplete Signing

Script/card field	Maintained guidance
Name / key	Loan Signing Partial / Incomplete Signing / Isa-partial-signing
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Close or pause a partially completed package without falsely completing it.
WHEN TO USE	When some signers or documents complete and others do not.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop normal completion until the partial-signing review is resolved.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The signing was not fully completed. I will secure the package and our team will review the appropriate next steps with the ordering party.
Operator boundary	Do not mark Completed.; Do not automatically classify the entire attempt as No Sign.
Must do	Record what occurred without interpreting documents.; Preserve package and stipulation disposition.; Keep return instructions active.
Stop / decision condition	Stop normal completion until the partial-signing review is resolved.
Related workflow stage / gate	Create the structured partial exception and customer-safe follow-up.
Related template	Signing Requires Follow-Up template; Partial Signing Card
Related source/procedure	Signing Requires Follow-Up template; Partial Signing Card
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.28 Loan Signing Scanback Approval Hold

Script/card field	Maintained guidance
Name / key	Loan Signing Scanback Approval Hold / lsa-scanback-hold
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Prevent return before required scanback approval.
WHEN TO USE	When instructions require scanback approval before return.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop return until approval or authoritative revised instructions are received.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The package is being held for the required scanback review. Return or drop-off will proceed only after authorized approval or updated instructions.
Operator boundary	Do not drop the package before required approval.; Do not treat submission as approval.
Must do	Complete scanback QC.; Submit through the authorized channel.; Record approval or correction facts.
Stop / decision condition	Stop return until approval or authoritative revised instructions are received.
Related workflow stage / gate	Record approval, then continue the existing return workflow.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Scanback / Return Card; Return requirements
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.29 Loan Signing Return / Tracking

Script/card field	Maintained guidance
Name / key	Loan Signing Return / Tracking / lsa-return-tracking
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Account for authorized package return without becoming a general courier service.
WHEN TO USE	After signing or an exception when physical return is required.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if return instructions, label, or destination are unclear.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Internal checkpoint: label, carrier or direct destination, drop-off, tracking, receipt, and proof are recorded against this assignment.
Operator boundary	Do not invent a destination.; Do not broaden APS into unrelated courier work.
Must do	Use the authorized label and destination.; Retain customer-safe tracking proof.; Link return to the correct visit and package.
Stop / decision condition	Stop if return instructions, label, or destination are unclear.
Related workflow stage / gate	Complete authorized return, record proof, and evaluate exception closeout.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Scanback / Return Card; Release 7 return engine
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.30 Loan Signing Financial Question

Script/card field	Maintained guidance
Name / key	Loan Signing Financial Question / lsa-financial-question
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Explain an authorized factual charge without improvising policy.
WHEN TO USE	When an orderer asks why an authorized amount appears.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the persisted decision and invoice do not agree.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The amount reflects the authorized assignment review shown in your account. I can explain the recorded service facts and applicable terms, but I cannot provide legal or financial advice or change the decision outside the review process.
Operator boundary	Do not expose internal rationale or policy ceilings.; Do not negotiate an unapproved amount.
Must do	Use the authorized customer-safe explanation.; Refer to the maintained terms and invoice.; Escalate disputed facts.
Stop / decision condition	Stop if the persisted decision and invoice do not agree.
Related workflow stage / gate	Route corrections through Exception & Financial Review.
Related template	Additional Charge template; Loan Signing Terms
Related source/procedure	Additional Charge template; Loan Signing Terms
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.31 Loan Signing Refund Question

Script/card field	Maintained guidance
Name / key	Loan Signing Refund Question / Isa-refund-question
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Describe the authoritative refund state without promising provider timing.
WHEN TO USE	When an authorized contact asks about a refund.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the refund amount or state is inconsistent.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The approved refund amount and current processing state are shown in your account. Posting time depends on the original payment method and provider, so I will not describe it as completed until the authoritative record confirms completion.
Operator boundary	Do not promise settlement timing.; Do not call an approved refund completed before evidence.
Must do	Confirm the authorized recipient.; Use the persisted refund status.; Preserve the original payment history.
Stop / decision condition	Stop if the refund amount or state is inconsistent.
Related workflow stage / gate	Escalate through the existing APS refund workflow.
Related template	Refund Processed template; Refund SOP
Related source/procedure	Refund Processed template; Refund SOP
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.32 Loan Signing Cancellation Review

Script/card field	Maintained guidance
Name / key	Loan Signing Cancellation Review / lsa-cancellation-review
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Separate cancellation facts, policy guidance, financial authorization, and communication.
WHEN TO USE	Whenever cancellation is requested before the assignment is closed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop financial execution until an authorized resolution is recorded.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	We received the cancellation request. APS will review the work actually performed and the applicable assignment terms before confirming any financial result.
Operator boundary	Do not promise a refund.; Do not charge the suggested ceiling automatically.
Must do	Record who requested cancellation and the authoritative stage facts.; Snapshot the applicable policy or organization terms.; Require an administrator decision before any charge or refund.
Stop / decision condition	Stop financial execution until an authorized resolution is recorded.
Related workflow stage / gate	Use the existing supplemental-invoice or refund workflow only after authorization.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing Exception & Financial Review
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.33 Loan Signing No-Sign / Incomplete

Script/card field	Maintained guidance
Name / key	Loan Signing No-Sign / Incomplete / lsa-no-sign
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Record a neutral outcome without assigning blame or falsely completing the assignment.
WHEN TO USE	When no documents or only part of a package can be completed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if lawful notarial requirements, identity, willingness, or safety are not satisfied.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The signing could not be completed as planned. APS will review the assignment and provide the appropriate next step.
Operator boundary	Do not mark Completed.; Do not call a partial signing a no-sign.; Do not record unnecessary identity details.
Must do	Record arrival/start facts and the neutral reason.; Preserve package, scanback, and return instructions.; Route financial consequences to Admin review.
Stop / decision condition	Stop if lawful notarial requirements, identity, willingness, or safety are not satisfied.
Related workflow stage / gate	Record the structured exception and notify the orderer only with customer-safe wording.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing; Compliance Stop
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.34 Loan Signing Resign / Return Visit

Script/card field	Maintained guidance
Name / key	Loan Signing Resign / Return Visit / lsa-resign
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Create a linked visit under the same assignment and keep cause review separate from pricing.
WHEN TO USE	When an authorized correction or additional appointment is needed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop until the corrected package and appointment instructions are authoritative.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	An additional signing appointment is needed. APS will confirm scheduling and any authorized financial update separately.
Operator boundary	Do not create an unrelated duplicate request.; Do not infer blame.
Must do	Record the authorized source and cause category.; Create Visit 2 or the next visit number under the same assignment.; Waive APS/notary-caused correction fees by default unless legitimately reviewed.
Stop / decision condition	Stop until the corrected package and appointment instructions are authoritative.
Related workflow stage / gate	Schedule the linked visit and separately review any fee.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing Visits; Package Versioning
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.35 Loan Signing Excessive Wait Review

Script/card field	Maintained guidance
Name / key	Loan Signing Excessive Wait Review / lsa-wait-review
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Calculate a policy suggestion from authoritative timestamps without automatically billing it.
WHEN TO USE	When waiting exceeds the included 30 minutes.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if timestamps or cause are incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	APS is reviewing the recorded appointment timing. Any authorized billing update will be communicated separately.
Operator boundary	Do not use the current clock as a substitute for facts.; Do not show suggested fees as customer debt.
Must do	Use arrival and signing-start/departure timestamps.; Exclude APS-caused delay from the suggestion.; Require Admin authorization before invoicing.
Stop / decision condition	Stop if timestamps or cause are incomplete.
Related workflow stage / gate	Waive, accept the suggestion, or enter a reasoned custom amount.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing Policy v1; Supplemental Invoice
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.36 Loan Signing Exception & Financial Checklist

Script/card field	Maintained guidance
Name / key	Loan Signing Exception & Financial Checklist / lsa-exception-checklist
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Provide the required sequence for every LSA exception.
WHEN TO USE	For cancellation, no-sign, incomplete signing, resign, return visit, wait, or added-charge review.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop closure while service, financial, or communication review remains unresolved.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Checklist: facts recorded; policy snapshot identified; organization terms reviewed; Admin financial decision recorded; invoice/refund action completed through the existing ledger; customer-safe communication sent; review closed.
Operator boundary	Do not rewrite Invoice #1.; Do not mark refunds processed before provider/offline evidence.
Must do	Keep business, service, financial, and exception states separate.; Preserve original pricing and payment history.; Record Timeline and resolve the Review Queue item.
Stop / decision condition	Stop closure while service, financial, or communication review remains unresolved.
Related workflow stage / gate	Close only after all applicable records agree.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing Release 8; Refund SOP; Completion gate
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.37 LSA Assignment Intake Card

Script/card field	Maintained guidance
Name / key	LSA Assignment Intake Card / lsa-card-intake
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Concise intake reference.
WHEN TO USE	Before accepting an assignment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for any unresolved scope or readiness fact.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: orderer, reference, type, method, appointment, signers, package, printing, scanbacks, return, stipulations, fee, and terms.
Operator boundary	Do not infer missing requirements.
Must do	Use authoritative sources.; Keep locations distinct.
Stop / decision condition	STOP for any unresolved scope or readiness fact.
Related workflow stage / gate	NEXT: accept and confirm only after review.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Assignment Review script
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.38 LSA Printing / Package Card

Script/card field	Maintained guidance
Name / key	LSA Printing / Package Card / lsa-card-printing
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Protect package version and print accuracy.
WHEN TO USE	Before and after every package print.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for version, count, or quality mismatch.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: active version, page count, paper, sidedness, scaling, sets, borrower copies, and QC.
Operator boundary	Do not overwrite the original package.
Must do	Use the authoritative counted source.; Preserve superseded versions.
Stop / decision condition	STOP for version, count, or quality mismatch.
Related workflow stage / gate	NEXT: record QC and readiness.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Package Versioning
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.39 LSA Signing Table QC Card

Script/card field	Maintained guidance
Name / key	LSA Signing Table QC Card / lsa-card-table-qc
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Concise signing-table quality check.
WHEN TO USE	During and immediately after signing.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for identity, willingness, document, or certificate blockers.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	DO: remain neutral. VERIFY: signer, signatures, initials, dates, certificates, and package order.
Operator boundary	Do not interpret terms or pressure signing.
Must do	Check every required execution point.; Protect signer choice.
Stop / decision condition	STOP for identity, willingness, document, or certificate blockers.
Related workflow stage / gate	NEXT: record outcome and post-signing QC.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Arrival; Advice Boundary
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.40 LSA Scanback / Return Card

Script/card field	Maintained guidance
Name / key	LSA Scanback / Return Card / lsa-card-return
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Control scanbacks and authorized return.
WHEN TO USE	After signing or exception.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for unclear destination or missing authorization.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: scanback scope and QC, approval-before-return, label, destination, tracking, receipt, and proof.
Operator boundary	Do not drop before required approval.
Must do	Hold when approval is required.; Record authoritative return facts.
Stop / decision condition	STOP for unclear destination or missing authorization.
Related workflow stage / gate	NEXT: complete return and close blockers.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Scanback Hold; Return / Tracking
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.41 LSA Cancellation Decision Card

Script/card field	Maintained guidance
Name / key	LSA Cancellation Decision Card / lsa-card-cancellation
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Keep facts, policy, decision, and communication separate.
WHEN TO USE	When cancellation is requested.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP before financial action without authority.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	REVIEW: preparation, printing, travel, arrival, signing, terms, payment, and cause. Admin authorizes the result.
Operator boundary	Do not auto-charge the policy ceiling.
Must do	Snapshot policy and financial facts.; Use the existing invoice/refund ledger.
Stop / decision condition	STOP before financial action without authority.
Related workflow stage / gate	NEXT: communicate and close only after all actions resolve.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Cancellation Review
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.42 LSA No-Sign Card

Script/card field	Maintained guidance
Name / key	LSA No-Sign Card / lsa-card-no-sign
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Concise neutral no-sign response.
WHEN TO USE	When signing cannot proceed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP normal completion.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	DO: record facts, secure the package, follow return instructions, and open review.
Operator boundary	Do not pressure or promise a charge/refund.
Must do	Preserve arrival and outcome facts.; Keep financial review separate.
Stop / decision condition	STOP normal completion.
Related workflow stage / gate	NEXT: Admin review and customer-safe communication.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	No-Sign script
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.43 LSA Resign Card

Script/card field	Maintained guidance
Name / key	LSA Resign Card / lsa-card-resign
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Preserve the original attempt and link the next visit.
WHEN TO USE	When another appointment is required.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP until corrected facts are authoritative.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: cause, new documents/version, appointment, signers, location, instructions, and fee review.
Operator boundary	Do not overwrite Visit 1.
Must do	Create the next visit on the same assignment.; Default APS-caused correction suggestion to zero.
Stop / decision condition	STOP until corrected facts are authoritative.
Related workflow stage / gate	NEXT: schedule linked visit and separately authorize any fee.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Resign script
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.44 LSA Wait-Time Card

Script/card field	Maintained guidance
Name / key	LSA Wait-Time Card / lsa-card-wait
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Apply the maintained wait rule as a suggestion only.
WHEN TO USE	When authoritative wait exceeds the included period.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP if timing or cause is incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: first 30 minutes included; then \$25 per additional 30 minutes or portion. Admin authorizes.
Operator boundary	Do not collect automatically onsite.
Must do	Use arrival and signing-start/departure facts.; Exclude APS-caused delay by default.
Stop / decision condition	STOP if timing or cause is incomplete.
Related workflow stage / gate	NEXT: waive, accept, or authorize a reasoned custom result.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Wait Review script
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.45 LSA Completion Card

Script/card field	Maintained guidance
Name / key	LSA Completion Card / lsa-card-completion
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Protect normal and exception closeout paths.
WHEN TO USE	Before closing a Loan Signing.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for any unresolved operational, financial, return, or communication item.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: outcome, package/stipulation disposition, scanbacks, return/tracking, financial resolution, communication, Timeline, and Review Queue.
Operator boundary	Do not mark a cancelled or no-sign assignment normally Completed.
Must do	Use the Release 7 completion gate for normal completion.; Preserve exception history.
Stop / decision condition	STOP for any unresolved operational, financial, return, or communication item.
Related workflow stage / gate	NEXT: close with the accurate final outcome.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Completion Gate; Exception Checklist
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.46 No Legal Advice

Script/card field	Maintained guidance
Name / key	No Legal Advice / no-legal-advice
Category / service / classification	Problem / Stop / Refusal / All applicable notarial/services / DECISION / STOP CARD
Purpose	Maintain the notary's neutral role when a customer asks what to sign or which act to select.
WHEN TO USE	Whenever the signer asks for legal interpretation, document drafting, or act selection.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop until the customer or receiving party supplies a lawful direction/certificate.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I can explain the notarial process, but I cannot advise you which notarial act to choose or what the document means. You may contact the document recipient or a qualified attorney.
Operator boundary	Do not recommend acknowledgment versus jurat.; Do not interpret legal effect or draft certificate language for the customer.
Must do	Explain process neutrally.; Allow the signer/recipient to resolve the choice.; Document a stopped or rescheduled service accurately if unresolved.
Stop / decision condition	Stop until the customer or receiving party supplies a lawful direction/certificate.
Related workflow stage / gate	Resume only after the issue is resolved; otherwise record the accurate outcome.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	All notarial acts; Refusal
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.47 Identity or Name Discrepancy

Script/card field	Maintained guidance
Name / key	Identity or Name Discrepancy / identity-mismatch
Category / service / classification	Problem / Stop / Refusal / All applicable notarial/services / DECISION / STOP CARD
Purpose	Handle mismatched names or identity evidence without guessing.
WHEN TO USE	When the document, APS participant record, credential, or signer presentation does not reconcile.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if identity cannot be satisfactorily established.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I cannot change or guess identity information. We need acceptable evidence and a document/certificate that accurately identifies the signer before proceeding.
Operator boundary	Do not alter names to force a match.; Do not enter or retain KBA answers in APS.
Must do	Compare the presented evidence to the person and document.; Use only authorized identification methods.; Record the unresolved blocker without sensitive credential data.
Stop / decision condition	Stop if identity cannot be satisfactorily established.
Related workflow stage / gate	Correct permitted APS administrative data or reschedule; do not falsely complete.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Identity; Proof boundary
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.48 RON Technology or Proof Failure

Script/card field	Maintained guidance
Name / key	RON Technology or Proof Failure / technology-stop
Category / service / classification	Problem / Stop / Refusal / All applicable notarial/services / DECISION / STOP CARD
Purpose	Pause safely when audio, video, identity, credential, or provider processing is unreliable.
WHEN TO USE	During KBA, credential analysis, audio-video, document processing, or provider synchronization failures.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when identity or continuous audio-video cannot be maintained.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	We need a reliable connection and successful identity process to continue. I will pause rather than bypass the required step.
Operator boundary	Do not coach KBA answers.; Do not create a replacement Proof transaction without authorization.; Do not mark a failed step complete.
Must do	Use provider-supported retry/reconnect paths.; Sync APS after provider recovery.; Preserve idempotency; reuse the existing transaction.
Stop / decision condition	Stop when identity or continuous audio-video cannot be maintained.
Related workflow stage / gate	Retry safely, reschedule if necessary, and record the actual provider/APS state.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Proof operations; Idempotency
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.49 Stop or Refuse Service

Script/card field	Maintained guidance
Name / key	Stop or Refuse Service / refusal
Category / service / classification	Problem / Stop / Refusal / All applicable notarial/services / DECISION / STOP CARD
Purpose	Protect the signer, notary, APS record, and public trust when the act cannot lawfully or safely proceed.
WHEN TO USE	For identity doubt, coercion, unwillingness, lack of awareness, incomplete documents, unsupported acts, fraud indicators, or unsafe conditions.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop immediately for suspected coercion, fraud, incapacity, identity failure, or safety risk.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I am unable to complete this notarial service because the required conditions are not satisfied. I can explain the process limitation, but I cannot bypass it.
Operator boundary	Do not fabricate completion.; Do not threaten, diagnose, or make legal conclusions.
Must do	State the process reason neutrally.; Preserve documents and privacy.; Record the actual outcome without accusatory speculation.
Stop / decision condition	Stop immediately for suspected coercion, fraud, incapacity, identity failure, or safety risk.
Related workflow stage / gate	Record stopped/refused status and next safe action; escalate when required.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Troubleshooting; Security
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.50 RON Quick-Flip

Script/card field	Maintained guidance
Name / key	RON Quick-Flip / ron-quick-flip
Category / service / classification	Quick-Flip / All applicable notarial/services / QUICK-FLIP / QUICK REFERENCE
Purpose	Provide a concise live-session prompt without replacing the full SOP.
WHEN TO USE	During a controlled RON session after the full checklist has been reviewed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop on any identity, willingness, awareness, document, certificate, or technology blocker.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	OPEN: name + locations. CHECK: identity, willingness, awareness, document, act. PERFORM: exact act script. CLOSE: provider state, APS sync, review before release.
Operator boundary	Do not use this card to skip identity, recording, certificate, or review requirements.
Must do	Keep the full SOP available.; Use the exact act-specific script.; Return to APS after the provider session.
Stop / decision condition	Stop on any identity, willingness, awareness, document, certificate, or technology blocker.
Related workflow stage / gate	Use RON Closing and APS Return.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	RON Opening; Act scripts; RON Closing
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.51 RON - Must Do Every Session

Script/card field	Maintained guidance
Name / key	RON - Must Do Every Session / ron-checklist
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Provide the mandatory pre-session through return checklist.
WHEN TO USE	Before, during, and immediately after every RON session.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop at the first unmet readiness or legal requirement.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Checklist: paid/readiness checked; appointment confirmed; signers/documents mapped; identity and locations confirmed; act performed; provider state synced; completed asset reviewed before release.
Operator boundary	Do not activate, invite, release, or complete early.
Must do	Confirm payment/readiness and appointment.; Map signers, documents, witnesses, and acts.; Preserve one Proof transaction and sync lifecycle events.; Review completed document and audit material before release.
Stop / decision condition	Stop at the first unmet readiness or legal requirement.
Related workflow stage / gate	Advance only to the next legitimately supported APS stage.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	RON SOP; Proof boundary; Completion gate
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.52 Mobile - Must Do Every Appointment

Script/card field	Maintained guidance
Name / key	Mobile - Must Do Every Appointment / mobile-checklist
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Provide the mandatory travel, appointment, certificate, and APS return checklist.
WHEN TO USE	For every mobile appointment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop departure until the final check is complete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Checklist: order/address confirmed; ID and documents ready; act and witnesses resolved; every certificate inspected; documents accounted for; added services recorded; APS fulfillment and financial state reconciled.
Operator boundary	Do not leave with a known certificate defect or unaccounted document.
Must do	Confirm safe logistics before leaving.; Inspect every certificate before departure.; Account for documents and delivery promises.; Record fulfillment facts and charges accurately.
Stop / decision condition	Stop departure until the final check is complete.
Related workflow stage / gate	Update APS, deliver/release safely, and evaluate completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Mobile SOP; Mobile closing
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.53 Print & Scan - Must Do Every Job

Script/card field	Maintained guidance
Name / key	Print & Scan - Must Do Every Job / print-checklist
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Provide the mandatory source, production, QC, delivery, and completion checklist.
WHEN TO USE	For every Print & Scan job.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for source, quality, payment, classification, or release blockers.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Checklist: source/version/specifications confirmed; payment checked; production start recorded truthfully; first copy and final output inspected; file opened; classification/provenance correct; release intentional; completion gate satisfied.
Operator boundary	Do not release an internal, source, audit, or unreviewed file.
Must do	Protect the source document.; Verify counts, order, orientation, legibility, and filename.; Release only the exact eligible deliverable.
Stop / decision condition	Stop for source, quality, payment, classification, or release blockers.
Related workflow stage / gate	Complete delivery/pickup facts, Timeline, portal verification, and completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Print & Scan SOP; Document release
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.