

ALIGNED PRINT & SCAN

OPERATOR HANDBOOK

Release 10 Certified Operations Edition

CERTIFIED OPERATIONS EDITION | PARTS I-XIII | CHAPTERS 1-53

Document Control

Certified baseline: APS Release 10. Edition: Certified Operations Edition. Publication authority: OWNER
APPROVED — LOCKED specification, PR #107. This editable master is assembled from controlled chapter source, not from unrelated application code or live production data.

How to Use This Handbook

LEARN in Parts I–IV; OPERATE in Parts V–XII; use Part XIII for QUICK REFERENCE. The detailed governing chapter controls whenever a Quick Reference is abbreviated. Stop and source-verify any material drift.

Scope and Professional Boundaries

Operators coordinate verified APS work within assigned authority. They do not give legal or financial advice, choose legal documents or notarial acts for customers, interpret loan terms, bypass fulfillment gates, expose protected information, or manufacture provider, payment, delivery, or audit outcomes.

How to Read Workflow Diagrams

Rectangles show controlled stages or actions; diamonds show decisions; arrows show permitted sequence. A branch is not permission to bypass the governing conditions. Text explanations remain the accessible authority.

Contents

Part, Chapter, and numbered subsection entries link to the controlled publication headings.

[PART I – Aligned Print & Scan](#)

[Chapter 1 – APS Mission, Services & Operating Model](#)

[What APS knows, what the operator verifies, and what comes from providers](#)

[Procedure 1.1 – Orient a new request](#)

[Service relationship table](#)

[Chapter 2 – Roles, Authority & Professional Boundaries](#)

[Operator judgment and boundaries](#)

[Procedure 2.1 – Decide whether you may act](#)

[Role comparison](#)

[PART II – Customer & Portal Operations](#)

[Chapter 3 – The Customer Journey](#)

[The journey in operator language](#)

[Procedure 3.1 – Identify the customer’s current stage](#)

[Chapter 4 – Customer Portal Operations](#)

[What customers can and cannot do](#)

[Procedure 4.1 – Investigate a portal question](#)

[Documents language](#)

[Portal troubleshooting](#)

[PART III – Admin Operations](#)

[Chapter 5 – Admin Navigation & Daily Triage](#)

[Where to go](#)

[Procedure 5.1 – Daily opening triage](#)

[Loading, empty, and error](#)

[Procedure 5.2 – Daily closeout](#)

[Chapter 6 – The Request Workspace](#)

[Procedure 6.1 – Work an Admin next action](#)

[Tab operating guide](#)

[Chapter 7 – Understanding Status, Next Action & Gates](#)

[Procedure 7.1 – Evaluate an advancement gate](#)

[Decision guide](#)

[PART IV – Customers, Participants, Documents & Records](#)

[Chapter 8 – Customers, Signers, Witnesses & Participants](#)

[Procedure 8.1 – Add or correct a participant](#)

[Decision tree – another person appears](#)

[Chapter 9 – Document Mental Model, Customer Uploads & Review](#)

[Procedure 9.1 – Review a customer upload](#)

[Document received decision](#)

Chapter 10 — Document Classification & Safe Handling

Procedure 10.1 — Handle a file safely

Chapter 11 — Completed & Proof-Produced Documents

Checklist 11.1 — Completed-document review

Procedure 11.1 — Missing Proof completed output

Chapter 12 — Document Release, Delivery & Audit

Procedure 12.1 — Release a document to the customer

Decision tree — release or hold

Internal versus customer document

Chapter 13 — Document Replacement, Mistakes & Recovery

Recovery table

Procedure 13.1 — Respond to a wrong-document release

Document status/action/communication sequence

Chapter 14 — Service-Specific Document Lifecycles

RON

Mobile

Print & Scan

Loan Signing — high level only

Business

Procedure 14.1 — Identify the applicable document lane

PART V — QUOTES, INVOICES & MONEY

Chapter 15 — From Estimate to Approved Quote

15.1 Estimate Versus Quote

15.2 Facts Required Before Quoting

15.3 Service-Specific Quote Worksheets

15.4 Build and Review in Admin

15.5 Quote Version and Revision

15.6 Sending and Customer/Orderer Approval

15.7 What Blocks a Quote

15.8 Quote Audit and History

Chapter 16 — Invoice, Payment & Receipt

16.1 Quote → Invoice → Payment → Receipt

16.2 Invoice #1

16.3 Supplemental/Final Invoice #2

16.4 Card and ACH

16.5 Pending Versus Paid

16.6 Partial Payment

16.7 Authorized Offline and TEST Payment

16.8 Receipt

16.9 Reconciliation and Duplicate Prevention

16.10 Never Rewrite a Paid Invoice

Chapter 17 — Refunds, Business Terms & Financial Gates

- 17.1 Refund Review Versus Completed Refund
- 17.2 Partial/Full and Retained Amount
- 17.3 Original Payment Relationship
- 17.4 Failed or Ambiguous Provider State
- 17.5 Prepaid, Due on Receipt, Net 15, and Net 30
- 17.6 Who Assigns Terms
- 17.7 Credit Hold
- 17.8 Postpaid Completion and Open Receivable
- 17.9 Prohibited Shortcuts
- 17.10 Financial Decision Table and Escalation

PART VI — REMOTE ONLINE NOTARIZATION

Chapter 18 — Remote Online Notary Foundations & Workflow

- 18.1 APS-Originated RON Powered by Proof
- 18.2 Texas Operator Boundaries
- 18.3 Readiness Domains
- 18.4 What APS Controls and What Proof Controls
- 18.5 KBA, Identity, Meeting, and Privacy Boundaries
- 18.6 Remote Online Notary Workflow Map
- 18.7 Thirteen APS RON Stages

Chapter 19 — Preparing the Remote Online Notary Quote

- 19.1 When RON Is Ready to Quote
- 19.2 Notarial Act Information
- 19.3 Participants and Witnesses
- 19.4 Documents and Service Requirements
- 19.5 Build, Review, and Send Quote
- 19.6 Customer Approval
- 19.7 Prepaid Payment Gate
- 19.8 When to Revise
- 19.9 RON Quote Readiness Checklist

Chapter 20 — RON Status, Operator Action & Customer Communication Sequence

- 20.1–20.13 Operating Rule

Chapter 21 — RON Fulfillment Gates & Closeout

- 21.1–21.8 Readiness Gates
- 21.9 Session Completion
- 21.10 Completed Proof Document
- 21.11 Document Release
- 21.12 Final Completion
- 21.13 Post-Session Review and Release Procedure
- 21.14 Failed or Incomplete Processing
- 21.15 RON Failure / Alternative Path Decision Tree

21.16 RON Quick References

PART VII – MOBILE NOTARY

Chapter 22 – Mobile Notary Workflow, Travel & Readiness

- 22.1 Mobile Notary Workflow Map
- 22.2 Intake and Service Address
- 22.3 Travel Origin
- 22.4 ORS and Manual Distance Fallback
- 22.5 Fee Inputs
- 22.6 Mobile Travel / Quote Decision Flow
- 22.7 Requested Versus Confirmed Appointment
- 22.8 Participant and Document Readiness
- 22.9 Safety, Reschedule, and Dispatch

Chapter 23 – Preparing the Mobile Notary Quote

- 23.1–23.3 Readiness and Fee Inputs
- 23.4 Build, Review, and Send
- 23.5 Approval and Payment
- 23.6 Revision
- 23.7 Mobile Quote Readiness Checklist

Chapter 24 – Mobile Status, Operator Action & Customer Communication Sequence

- 24.12 Timeline Evidence

Chapter 25 – Mobile Fulfillment Gates, Appointment & Closeout

- 25.1 Readiness Gates
- 25.2 Before You Leave
- 25.3 Travel and Arrival
- 25.4 At the Table
- 25.5 Identity, Willingness, Act, and Certificate
- 25.6 Journal Completion
- 25.7 Optional Scan
- 25.8 Final Charges
- 25.9 Delivery
- 25.10 Before You Drive Away
- 25.11 Final Money and Completion Gates
- 25.12 Exceptions, Safety, and Quick References

PART VIII – PRINT & SCAN

Chapter 26 – Print & Scan Workflow & Quote Preparation

- 26.1 Print & Scan Workflow Map
- 26.2 When Ready to Quote
- 26.3 File Opens and Authoritative Page Count
- 26.4 Production Requirements
- 26.5 Scanning, PDF Support, and Delivery
- 26.6 Build Through Revision

26.7 Quote Readiness Checklist

Chapter 27 — Print & Scan Status, Operator Action & Customer Communication Sequence

27.10 Timeline Evidence

Chapter 28 — Print & Scan Fulfillment Gates, Production & Closeout

28.1–28.7 Preproduction Gates

28.8 Production-Start Boundary

28.9 First-Copy and Final QC

28.10 Scan QC, Naming, and Integrity

28.11 Delivery

28.12 Completion

28.13 Exceptions and Recovery

28.14 Quick References

PART IX — LOAN SIGNING

Chapter 29 — Loan Signing Foundations & Workflow

29.1 Loan Signing Versus Mobile Notary

29.2 Ordering Party Versus Signer

29.3 Role and Signing-Agent Boundaries

29.4 Signing Types

29.5 Signing Methods

29.6 Property and Signing Addresses

29.7 Company, Order, and Escrow Identifiers

29.8 Structured Signers

29.9 Eight Broad APS Stages

29.10 Sensitive Information

29.11 Loan Signing Workflow Map

Chapter 30 — Loan Package Types

30.1 Buyer / Purchase

30.2 Seller

30.3 Refinance

30.4 HELOC

30.5 Loan Modification

30.6 Reverse Mortgage

30.7 Commercial / Custom

Chapter 31 — Common Loan Document Reference

Chapter 32 — Loan Signing Intake & Assignment Review

32.1–32.4 Order, Parties, Identifiers, and Addresses

32.5–32.8 Scope and Instructions

32.9 Assignment Review Procedure

Chapter 33 — Preparing the Loan Signing Quote

33.1–33.5 Quote Inputs

33.6–33.9 Review, Approval, Payment, Revision

Chapter 34 — Loan Signing Status, Operator Action & Customer Communication Sequence

Chapter 35 — Loan Signing Fulfillment Gates

35.1 Ten-Gate Framework

35.2 Gate Rule

Chapter 36 — Package Preparation & Printing

36.1 Package Version Decision Tree

36.2 Authoritative Page Count and Print Volume

36.3 Print and QC Procedure

Chapter 37 — Conducting the Loan Signing

37.1–37.3 Before Leaving, What to Bring, Arrival

37.4–37.9 Identity Through Common Document Presentation

37.10–37.13 Signer Questions and Ordering-Party Contact

37.14–37.16 Stipulations, Table Check, Departure

Chapter 38 — Scanbacks, Approval & Return

38.1–38.4 Requirements, Selection, Upload, Rescan

38.5–38.7 Approval Before Return

38.8–38.10 Physical Return and Completion Readiness

38.11 Scanback → Approval → Return Decision Tree

38.12 Non-Negotiable Hold

Chapter 39 — Loan Signing Exceptions & Financial Resolution

39.1–39.5 Cancellation, No-Sign, Partial, Resign, Cause

39.6 Excessive Wait

39.7–39.11 Stops, Review, Supplemental Invoice, Refund, Resolution

39.12 Loan Signing Exception Decision Tree

39.13 Resign Rule

Chapter 40 — Loan Signing Closeout & Completion

40.1–40.5 Completion Evidence

40.6–40.9 Communication, Timeline, Gate, History

40.10 Closeout Checklist

PART X — BUSINESS ACCOUNTS & BUSINESS PORTAL

Chapter 41 — Business Account Lifecycle & Roles

41.1 Lifecycle Mental Model

41.2 Application, Review, and Approval

41.3 Organization and Invitation

41.4 Activation, Authentication, and Recovery

41.5 Roles and Membership

41.6 Organization Switching

41.7 Locations and Service Eligibility

41.8 Business Account Lifecycle Map

Chapter 42 — Business Portal Operations, Requests & Documents

42.1 Portal Orientation

[42.2 Creating and Reviewing Requests](#)

[42.3 Requests and Organization Ownership](#)

[42.4 Documents](#)

[42.5 Messages and Communication History](#)

[42.6 Locations](#)

[42.7 Member Administration](#)

[42.8 Recovery and Escalation](#)

[Chapter 43 — Business Account Status, Admin Action & Applicant Communication Sequence](#)

[43.1 Application Received, Review, Information Needed, Approved](#)

[43.2 Organization, Invitation, and Activation](#)

[43.3 Service Eligibility and Business Requests](#)

[43.4 Billing, Reminders, and Payment](#)

[43.5 Credit Hold](#)

[43.6 Recovery, Suspension, and Closure](#)

[43.7 Business Lifecycle Decision Guide](#)

[Chapter 44 — Business Billing & Completion](#)

[44.1 Billing Models](#)

[44.2 Due on Receipt, Net 15, and Net 30](#)

[44.3 Invoice Issue and Partial Payment](#)

[44.4 Due Soon, Due Today, Past Due, and Failed Payment](#)

[44.5 Credit Hold Procedure](#)

[44.6 Completion and Closure](#)

[PART XI — COMMUNICATIONS, TEMPLATES & SCRIPTS](#)

[Chapter 45 — Communication Control & Delivery Truth](#)

[45.1 Templates, Scripts, and Operator Messages](#)

[45.2 AUTO, OPERATOR, and IF NEEDED](#)

[45.3 Before Sending](#)

[45.4 Send Message Versus Send & Update Status](#)

[45.5 Attachments and Released Deliverables](#)

[45.6 Delivery Evidence and Retry](#)

[45.7 Customer-Safe Language](#)

[45.8 Communication Decision Tree](#)

[Chapter 46 — Maintained Template Master Directory — All 54](#)

[46.1 Production Count and Reconciliation](#)

[46.2 Indexes](#)

[46.3 Preview Alias Reconciliation](#)

[46.4 Template Entry Standard](#)

[Chapter 47 — Maintained Scripts & Reference Cards — All 48](#)

[47.1 Reference-Only Safety Rule](#)

[47.2 Eight Maintained Categories](#)

[47.3 Use and Do-Not-Use Guidance](#)

47.4 Classification

PART XII – EXCEPTIONS, SECURITY & OPERATIONAL ASSURANCE

Chapter 48 – Troubleshooting, Exceptions & Recovery

48.1 Required Recovery Pattern

48.2 Missing Information

48.3 Wrong, Replacement, or Released Document

48.4 Page Count

48.5 Quote

48.6 Payment and Refund Ambiguity

48.7 Appointment, No-Show, and Safety

48.8 RON, Proof, KBA, and Identity

48.9 ORS and PDF Parser

48.10 Email and Delivery

48.11 Loan Package, Scanback, and Return

48.12 Cancellation, No-Sign, Partial, Resign, and Wait

48.13 Complaint, Chargeback, or Misconduct

48.14 Admin Loading, Empty, and Error States

Chapter 49 – Security & Privacy for Operators

49.1 Customer Privacy

49.2 Business Tenant Separation

49.3 Document Security and Protected Links

49.4 Passwords and Recovery

49.5 Payment Information

49.6 IDs and KBA

49.7 Internal Notes

49.8 Admin, Business, and Customer Access

49.9 Downloads and Emailing Documents

49.10 Personal Devices

49.11 Screenshots and Training Data

49.12 Secrets

49.13 Incident Escalation

Chapter 50 – Operational Assurance & Handbook Control

50.1 Pre-Action Checks

50.2 Post-Action Verification

50.3 Timeline and Audit Integrity

50.4 Duplicate Prevention

50.5 End-of-Day Review

50.6 Source Drift

50.7 Handbook Maintenance

50.8 Legal and Provider Source Revalidation

50.9 Controlled Revision and Owner Approval

PART XIII — QUICK REFERENCES & APPENDICES

Chapter 51 — Admin, State, People, Documents & Money Quick References

- [51.1 APS System Map](#)
- [51.2 Universal Request Lifecycle](#)
- [51.3 Where Do I Go in Admin?](#)
- [51.4 Request Workspace Tabs](#)
- [51.5 Review Queue Decision Guide](#)
- [51.6 State Mental Map](#)
- [51.7 Loading vs Empty vs Error](#)
- [51.8 Customer vs Signer vs Ordering Party](#)
- [51.9 Document Classification](#)
- [51.10 Document Release Checklist](#)
- [51.11 Document Mistake Recovery](#)
- [51.12 Quote vs Invoice vs Payment vs Receipt](#)
- [51.13 Send vs Send & Update Status](#)

Chapter 52 — Service Quick References

- [52.1 Remote Online Notarization Quick References](#)
- [52.2 Mobile Notary Quick References](#)
- [52.3 Print & Scan Quick References](#)
- [52.4 Loan Signing Quick References](#)
- [52.5 Business Account Quick References](#)

Chapter 53 — Communication, Safety & Reference Indexes

- [53.1 Which Message Do I Send Now?](#)
- [53.2 Template Quick Index](#)
- [53.3 Script and Card Quick Index](#)
- [53.4 Security Checklist](#)
- [53.5 Stop, Hold, and Escalate Guide](#)
- [53.6 Daily Opening and End-of-Day](#)
- [53.7 Independent Print and Lamination Controls](#)

APPENDICES

- [Appendix A — Glossary and Acronyms](#)
- [Appendix B — Status and State Catalog](#)
- [Appendix C — Template Index and Production Reconciliation](#)
- [Appendix D — Script and Card Index](#)
- [Appendix E — Package Comparison](#)
- [Appendix F — Loan Document Source Register](#)
- [Appendix G — Figure, Table, Procedure, Checklist, and Decision Tree Index](#)
- [Appendix H — Source Authority and Traceability](#)
- [Appendix I — Revision History and Owner Approval](#)


PART I — Aligned Print & Scan

Chapter 1 — APS Mission, Services & Operating Model


Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



01 Aps System Map



03 Portal System Relationship

Aligned Print & Scan coordinates service work from request through verified closeout. The operator’s job is to preserve the right customer, request, facts, money, documents, communications, and history while moving work only when the next gate is satisfied. A polished customer experience depends on quiet discipline: confirm before changing, use the maintained action, and verify what the customer can actually see.

APS supports four service families. Remote Online Notary uses APS for request, quote, payment, preparation, post-session document review, customer release, and completion while Proof handles provider-native identity, meeting, signing, certificate, and seal activity. Mobile Notary sends an operator to a confirmed physical location. Print & Scan converts an authorized source into checked output. Loan Signing manages an ordering-party assignment, package, signing appointment, scanbacks, return, exceptions, and financial resolution.

Retail work is scoped to a request/reference and verified customer relationship. Business work adds an authenticated organization, membership, role, locations, service eligibility, and assigned billing terms. Neither relationship changes the central rule: the operator acts within the exact request and the person or organization permitted to receive its information.

What APS knows, what the operator verifies, and what comes from providers

APS stores the request, customer/organization relationship, service facts, quote and invoice history, messages, document metadata, fulfillment facts, and Timeline. The operator verifies that these facts match the work in front of them. Stripe supplies authoritative card/ACH results; Proof supplies provider-native RON states and completed assets; routing supplies distance evidence when available; Resend supplies email acceptance/failure evidence. A provider response is evidence, not permission to skip APS review.

OPERATOR RULE — Use the right source. Read APS for APS facts, inspect the actual document for document facts, and use the provider record for provider outcomes. If sources disagree, hold the action, preserve both facts, and escalate. Do not choose the most convenient value.

Procedure 1.1 — Orient a new request

1. Open the request from Requests, Review Queue, search, Calendar, or the applicable service module.
2. Match the APS reference, service, customer/organization, and current status.
3. Read Next Action and inspect the tab that contains its supporting evidence.
4. Check for Review Queue blockers, pending customer actions, and unresolved money/document requirements.
5. Identify which facts APS controls and which require customer, ordering-party, or provider confirmation.
6. Take only the action supported by current evidence.
7. Verify the resulting screen, customer visibility when applicable, and Timeline/message record.

STOP: If the request, recipient, document, amount, or provider result is ambiguous, do not advance. Correct or escalate the ambiguity first.

Service relationship table

Service	APS coordinates	External/customer responsibility	Completion focus
RON	Intake, money, preparation, Proof handoff, returned-document review/release	Signer readiness; Proof-native identity/session actions	Correct completed asset reviewed/released plus gates
Mobile	Address/travel, appointment, acts, optional scan, final charges	Signer, ID, documents, witnesses, safe location	Performed facts, certificate/document check, delivery, money
Print & Scan	Source review, page/specs, production/QC, delivery	Correct source/specification approval	Output QC and authorized delivery
Loan Signing	Assignment, package/version, appointment, signing, scanback/return, exception/money	Ordering-party instructions and signer participation	Ten applicable fulfillment gates


Figures: **APS System Map** and **Portal/System Relationship Map**. See Part V — Quotes, Invoices & Money for detailed financial operation and Parts VI–IX for service execution.

Chapter 2 — Roles, Authority & Professional Boundaries


Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



05 Customer Signer Orderer



06 Participant Role Relationship

Roles answer two questions: who is acting, and what are they allowed to do? A familiar person or visible record does not expand permission. APS owner/admin/staff authority remains separate from Business organization roles, retail request access, signer participation, and provider authority.

The APS owner/admin controls APS-wide decisions within maintained permissions. Staff may perform only the functions assigned to their active role. A Business admin manages authorized organization context without becoming an APS admin. A Business member acts only for memberships and capabilities currently granted. A retail customer has scoped access to the applicable request, not a general customer database.

The requester initiates or coordinates work. The signer is the person whose signature/notarial participation is required. The ordering party supplies authoritative Loan Signing scope and instructions. A document witness observes signing when required. A credible witness is an identity method used only when legally available and must never be confused with a document witness.

Operator judgment and boundaries

Operators may explain APS steps, identify document titles and visible signing areas within approved role boundaries, request missing operational facts, and stop unsafe or unauthorized work. Operators must not interpret legal effect, advise whether to sign, choose legal forms, change document wording, promise a refund, bypass identity requirements, or describe a payment/provider action as complete before evidence exists.

Procedure 2.1 — Decide whether you may act

1. Identify your active APS role and the action you intend to take.
2. Identify the request, organization, participant, document, and recipient affected.
3. Confirm the action appears in the maintained interface for your role and current context.

4. Verify the facts required by the action; visibility alone is not proof the facts are ready.
5. If the question requests legal/financial interpretation, pause and refer it to the appropriate authorized professional.
6. If identity, willingness, awareness, safety, legality, or authorization is uncertain, hold or refuse the affected action.
7. Record neutral facts and the referral/escalation; avoid conclusions you are not qualified to make.

Role comparison

Role	May do	Must not do	Record that remains
APS operator	Perform assigned APS actions and verify results	Exceed role, improvise policy, expose internal data	Timeline, message, fulfillment, or audit evidence
Customer/requester	Supply facts, approve quote, pay, request action	Access internal or unrelated-request data	Customer action/request history
Signer	Participate and make personal signing decisions	Be inferred solely from document text	Participant/readiness and service facts
Ordering party	Supply authoritative assignment facts/instructions	Convert instructions into legal advice by APS	Assignment and communication history
Witness	Perform the applicable witness role	Be treated as signer/credible witness without authority	Participant role/readiness
Provider	Return provider-native result	Decide APS release/completion	Provider-to-APS evidence

STOP — Refuse or escalate: identity cannot be established; willingness or awareness is absent; coercion, illegality, or safety concern exists; the document is incomplete for the requested operation; required authority/instructions are missing; or the requested action exceeds the operator’s role. Record facts, not accusations.

Figures: **Customer vs Signer vs Ordering Party** and **Customer/Participant Role Relationship**.


PART II — Customer & Portal Operations

Chapter 3 — The Customer Journey

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



02 Universal Request Lifecycle

The customer journey is a series of controlled promises. A submitted request means APS received information; it does not mean the appointment is confirmed or service is guaranteed. An estimate is an early calculation; a reviewed quote is the current APS offer. Approval authorizes the quoted scope; payment resolves an invoice only when authoritative evidence says so. Scheduling, fulfillment, document release, and completion remain separate.

The journey in operator language

Discover and submit. The customer selects a service, supplies contact and service facts, acknowledges boundaries, and submits. APS creates the request/reference and attempts the maintained acknowledgment. The operator checks the actual saved record rather than relying on an email alone.

Review and quote. APS verifies scope, participants, documents, page/distance/package facts, and pricing inputs. Missing facts create an information step. The quote is built, reviewed, and intentionally sent. Customer or ordering-party approval is recorded before the applicable invoice/payment stage.

Schedule and fulfill. Requested dates are preferences until APS confirms current appointment facts. Each service has its own readiness and performance requirements. A completed appointment or provider session is not necessarily APS completion; documents, delivery, return, exceptions, and money may remain.

Close and support. APS verifies applicable gates, sends the maintained customer-safe outcome, and preserves history. Cancellation and reschedule submissions are review requests, not automatic decisions. Support must remain scoped to the right request and customer.

Procedure 3.1 — Identify the customer’s current stage

1. Open the correct request and match the reference/customer or organization.
2. Read the request status and Next Action.
3. Check the Quote, Payments, Fulfillment, Documents, Messages, and Timeline tabs for supporting facts.
4. Identify the last stage with complete evidence—not merely the most advanced-looking label.
5. Identify the current blocker and who can resolve it: APS, customer, ordering party, or provider.
6. Use the maintained message/action for that stage if communication is needed.
7. Verify what the customer portal now shows and what record was added.

Customer stage	Operator verifies	Customer should see/receive	Do not imply
Request received	Saved request/reference	Acknowledgment and secure request path	Appointment or acceptance confirmed
Quote ready	Reviewed current quote/version	Quote and response action	Payment already due without invoice path
Approved/payment	Approval plus invoice-specific state	Accurate amount/status/payment action	Pending/partial is paid in full
Appointment	Confirmed date/time/method/location	Current confirmed facts	Requested time is confirmed
Fulfillment	Service-specific evidence	Safe progress/next action	Service label alone proves completion
Documents	Correct eligible released file	Scoped view/download	Upload or provider source is released output
Completed	All applicable gates clear	Settled summary and eligible final actions	Completion while blockers remain

CUSTOMER COMMUNICATION: Say what has happened, what happens next, and what the customer needs to do. Do not promise a decision that is still under review.


Figure: **Universal Request Lifecycle.**

Chapter 4 — Customer Portal Operations


Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO


- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



03 Portal System Relationship



Governed synthetic APS interface — ss 100 portal overview



Governed synthetic APS interface — ss 101 portal documents

The Customer Portal is a customer-safe view of one verified request. It is not the Admin workspace and it does not expose internal notes, policy calculations, provider errors, raw identifiers, audit files, or unreleased documents. Operators should compare portal behavior with APS facts whenever a customer reports a mismatch.

The maintained sections are **Overview**, **Documents**, **Quote & Payment**, **Appointment/Fulfillment**, **Messages**, and **Activity**. Overview summarizes current status and Next Action. Documents separates source and released customer files. Quote & Payment shows current customer-safe quote/invoice/payment/refund facts. Appointment/Fulfillment shows confirmed, service-appropriate information. Messages shows customer-facing communications. Activity is a filtered history, not the complete Admin Timeline.

What customers can and cannot do

Customers can review current safe facts, approve/request quote changes where eligible, pay an eligible invoice, upload additional files through the maintained verification path, request cancellation/rescheduling, contact support, and access intentionally released files. They cannot view or edit internal APS records, authorize their own refund, mark service complete, release documents, see other requests, or turn a request into a confirmed appointment.

Procedure 4.1 — Investigate a portal question

1. Obtain and verify the APS reference and customer relationship using the maintained support process.
2. Open the exact Admin request; never search by name alone and assume the result.
3. Identify the portal section involved.
4. Compare the portal-safe value with the authoritative Admin tab and Timeline.
5. For documents, verify classification, current version, review, release, and intended recipient.
6. For money, verify the exact invoice and authoritative payment/refund state.
7. For appointment/fulfillment, distinguish requested from confirmed and performed from completed.
8. Correct only through the maintained workflow. Do not send internal screenshots or raw protected links.
9. Confirm the customer-visible result and record the support outcome.

Documents language

The heading is **DOCUMENTS FROM ALIGNED PRINT & SCAN**. The explanatory text is: “Files provided to you by Aligned Print & Scan will appear here.” The empty state is: “No documents have been provided yet.” This customer language does not weaken the internal rule that only an eligible, intentionally released file crosses into customer visibility.

Portal troubleshooting

Symptom	Check	Safe response	Escalate when
Customer cannot access request	Reference/email verification and correct URL	Re-establish only the maintained scoped path	Identity or authorization remains uncertain
Customer cannot open file	Release state, signed access, file integrity	Regenerate only authorized access; verify file	Wrong file, corruption, or access boundary suspected
Status seems wrong	Admin evidence and Timeline	Explain current verified stage; use maintained correction	Conflicting facts or impossible state
Payment not reflected	Invoice/provider result	Wait/reconcile through maintained path	Provider mismatch or duplicate-risk state
Missing message	Message Log and delivery evidence	Retry only when safe and idempotent	Recipient/delivery ambiguity

STOP: Never ask the customer to provide a password, payment credential, full ID image, KBA answer, or protected token through ordinary support communication.

Screenshots: Portal Overview, Documents, Quote & Payment, Appointment/Fulfillment, Messages, and Activity.

Figure: **Portal/System Relationship Map.**


PART III — Admin Operations

Chapter 5 — Admin Navigation & Daily Triage


Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



Governed synthetic APS interface — ss 001 requests



Governed synthetic APS interface — ss 010 review queue

Admin is the operator’s working environment. Start with the module that answers the operational question, then open the exact request for consequential work. The Dashboard summarizes; Requests is the working queue; Review Queue identifies actionable blockers; Calendar organizes requested/confirmed dates. Service, finance, customer, organization, communication, resource, settings, and access modules provide focused views without replacing the request record.

Where to go

Need	Start here	Verify before acting
Find/process request	Requests or global search	Reference, service, customer/organization
Resolve blocker	Review Queue	Reason, waiting age, supporting tab/evidence
Review schedule	Calendar	Requested versus confirmed date/time
RON work	RON Sessions then request Fulfillment/Documents	APS stage, Proof facts, returned asset
Loan Signing	Loan Signings then request Fulfillment	Assignment/package/gates
Money question	Invoices/Payments then exact request	Invoice identity and ledger
Customer/Business	Customers, Organizations, Applications	Correct relationship/membership
Communication	Messages/Templates plus request Messages	Recipient, trigger, delivery history
Guidance	Scripts or Resource Center	Reference only; no workflow change
Access	Staff & Access	Active role/permission and self-lockout safety

Procedure 5.1 — Daily opening triage

1. Sign in through the maintained Admin login and verify your active authorized role.
2. Review Dashboard counts for new, waiting, scheduled, and financially unresolved work.
3. Open Review Queue; start with safety, authorization, document, money, and time-sensitive blockers.
4. Review Calendar for today and the next operating window. Confirm whether each time is requested or confirmed.
5. Review RON Sessions and Loan Signings that require provider/package action.
6. Review failed or pending communications and payments without blind retries.
7. Use global search and filters to locate exact references; clear stale filters when counts appear inconsistent.
8. Open the request before any consequential action and verify its evidence.

Loading, empty, and error

Loading means APS has not finished retrieving the view. Empty means the completed view contains no matching items. Error means APS could not complete the load. Do not treat prolonged loading as empty, and do not treat an error as proof there is no work. Refresh once safely, confirm session/network context, try the authoritative module, and escalate repeated errors with the time, module, visible message, and non-sensitive context.

OPERATOR RULE: A summary card is a pointer, not the record. Open the exact request/invoice/document before changing anything.

Procedure 5.2 — Daily closeout

1. Revisit Review Queue and today's Calendar items.
2. Confirm completed actions have Timeline/message/financial/document evidence.
3. Identify work intentionally left on hold and the named blocker/owner.
4. Verify failed messages or provider operations have a safe next step rather than duplicate retries.
5. Secure documents, close private screens, and follow clear-desk/device controls.

Quick Reference: **Where Do I Go in Admin?** Screenshots: Dashboard, Requests, Review Queue, Calendar, global search/filters, and loading/empty/error.

Chapter 6 — The Request Workspace

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

APS-D9C172CD

K

24

Requests

16

All

Active

Pending

Completed

APS-D9C172CD

All services

All statuses

Active

NEXT-DAY REQUEST

APS-035B3880

TEST-REPLACEMENT-MOBILE Admin

8/14/2026, 9:47:11 PM

MOBILE NOTARY

COMPLETED

NEXT-DAY REQUEST

APS-D9C172CD

TEST-REPLACEMENT-RON Admin

8/14/2026, 9:24:10 PM

REMOTE ONLINE NOTARY

APPOINTMENT CONFIRMED

SAME-DAY REQUEST

APS-46392C0E

TEST-REPLACEMENT-RON Admin

APS-D9C172CD · TEST-REPLACEMENT-RON Admin

Created 8/14/2026, 9:24:10 PM · 2026-08-15 · 11:00 AM

Overview

Customer

Documents

Quote

ORDER

APS-D9C172CD

TEST-REPLACEMENT-RON Admin · Remote Online Notary

CURRENT WORKFLOW

Appointment Confirmed

Active order

FINANCIAL POSITION

\$35.00

1 of 1 invoice paid

SCHEDULE

2026-08-15

11:00 AM

OPERATIONAL DETAILS

Details page available

HOW CUSTOMER FOUND APS

Not Recorded

Customer-reported source

TECHNICAL SOURCE

Direct / unknown

No technical attribution

INTERNAL WORKFLOW GUIDE

The request workspace holds the evidence needed to operate one request. Verify the request before reading individual fields: reference, service, customer/organization, and current status. Similar names, repeated customers, replacement documents, and related visits create wrong-record risk.

The eight maintained tabs are Overview, Customer, Documents, Quote, Payments, Messages, Fulfillment, and Timeline. Overview explains current state and Next Action. Customer identifies the relationship and contact context. Documents controls files and release. Quote controls current prepared scope. Payments preserves invoices/payments/refunds. Messages records customer-facing communication. Fulfillment holds service facts and gates. Timeline preserves event history.

Procedure 6.1 — Work an Admin next action

1. Match the APS reference, service, customer/organization, and status in the selected-request header.
2. Read Next Action as guidance, then open the supporting tab.
3. Verify prerequisites and blockers in the underlying record.
4. Review related documents, money, participant, appointment, and provider facts as applicable.
5. Perform the smallest maintained action that advances the verified condition.
6. Re-open or refresh the affected tab and confirm the visible result.
7. Check Timeline and Messages if the action should create history or communication.
8. Check the Customer Portal view when the customer should see a change.

Tab operating guide

Tab	Primary question	Common risk
Overview	Where is this request and what is next?	Treating summary/status as proof
Customer	Who is connected and how may APS contact them?	Wrong identity/recipient
Documents	What file is this, and who may see it?	Wrong version/customer/release
Quote	What reviewed scope is currently offered?	Sending stale/unreviewed quote
Payments	Which invoice/payment/refund is authoritative?	Combining invoices or treating pending as paid
Messages	What was prepared/sent/accepted/failed?	Blind duplicate send
Fulfillment	What service facts and gates remain?	Completing from status alone
Timeline	What occurred and when?	Editing history instead of correcting forward

Archive removes a request from active work without deleting history. Restore returns it to active operation. Before either action, verify it is the correct request and that the action will not conceal unresolved work.

STOP: Do not act if the header and supporting tab describe different customers, organizations, services, versions, or financial relationships. Preserve evidence and escalate the mismatch.


Figure: **Request Workspace Evidence Flow**. Screenshot plan: one annotated workspace overview plus focused crops for each tab and Next Action.

Chapter 7 — Understanding Status, Next Action & Gates

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



04 State Mental Map

APS work moves across parallel dimensions. Request/service status summarizes the overall stage. Appointment facts distinguish requested, confirmed, rescheduled, and performed. Financial facts belong to individual invoices/payments/refunds. Documents have source, review, completion, eligibility, and release states. Participants have role/readiness. Providers have their own progress. Fulfillment records what was actually done. Loan Signing and exceptions add further controlled dimensions.

OPERATOR RULE — STATUS IS NOT PROOF. Payment status does not prove service completion.

Appointment status does not prove fulfillment. A Review Queue blocker is not the request status. A file upload does not prove review or release. A provider meeting ending does not prove APS completion.

Next Action is the recommended operational step derived from current facts. It helps the operator navigate, but the underlying tab remains the evidence. A gate is a required condition before advancement. A blocker explains what is missing. An authorized override exists only when the maintained workflow provides it; a manually convenient status change is not an override.

Procedure 7.1 — Evaluate an advancement gate

1. Name the intended next stage.
2. List the required conditions for that stage.
3. Open the APS tabs that hold each condition; do not rely on one summary.
4. Classify every condition as satisfied, not applicable, missing, conflicting, or requiring authorized review.
5. If any applicable condition is missing/conflicting, hold advancement and create/use the maintained next action or communication.
6. If an override is permitted, verify the authorized person, reason, and record before using it.
7. Advance only through the maintained action.
8. Verify resulting status, blocker clearance, customer visibility, and Timeline evidence.

Decision guide

- **YES — evidence satisfies every applicable condition:** continue through the maintained action.
- **NO — required evidence is absent:** hold and obtain the missing fact.
- **CONFLICT:** stop and reconcile; never choose one value silently.
- **REVIEW/AUTHORIZED OVERRIDE:** route to the authorized reviewer; preserve the reason and outcome.
- **TERMINAL WORK:** do not resurrect a completed/cancelled/archived item merely to clear a cosmetic blocker.

The **State Mental Map** shows these dimensions as parallel lanes converging only at applicable advancement and completion gates. The **Review Queue Decision Guide** explains whether to act, wait, communicate, or escalate.


PART IV — Customers, Participants, Documents & Records

Chapter 8 — Customers, Signers, Witnesses & Participants

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



05 Customer Signer Orderer

A customer or requester may coordinate service without being the signer. A Business member may submit for an organization without participating in the notarial act. A Loan Signing ordering party directs the assignment while the signer decides whether to sign. Keep these roles explicit because identity, communication, readiness, and document access depend on them.

Witness roles are not interchangeable. A document witness observes a signature when applicable. A credible witness is a legally controlled identity method and is used only where applicable requirements are satisfied. Never relabel one as the other for convenience.

Procedure 8.1 — Add or correct a participant

1. Open the correct request and Customer/participant area.
2. Determine who supplied the participant information: customer, signer, or authorized ordering party.
3. Confirm the person's role and whether participation is required; do not infer this from document text.

4. Search/review existing participants to prevent a duplicate.
5. Use **Add Participant** or **Edit Participant** with customer/orderer-confirmed facts only.
6. Record readiness facts separately from identity facts.
7. If a name appears but participation is unclear, use **Flag Additional Participant Review**.
8. Use **Additional Participant Information Needed** only through the maintained communication workflow when confirmation is needed.
9. Verify the participant list, readiness blocker, and Timeline/history.

Decision tree — another person appears

If the person is already confirmed, review the existing record and role. If not, ask whether the customer or authorized ordering party confirmed participation. When confirmed, add the person and update readiness. When unclear, do not infer: flag review, request information, and hold the affected advancement. Separately identify signer, document witness, credible witness, ordering party, or non-signing named person.

Role	Confirm from	Readiness focus	Do not infer
Requester/customer	Intake and verified relationship	Contact and requested service facts	That requester is signer
Signer	Customer/orderer confirmation and service record	Identity, willingness, appointment/document readiness	From a printed name alone
Ordering party	Assignment/business authority	Instructions, package, authorized contacts	That ordering party may sign
Document witness	Customer/orderer requirement	Availability and role	Credible-witness authority
Credible witness	Applicable lawful identity procedure	Eligibility, identity, declaration	From ordinary witness status

STOP: Conflicting names, roles, or recipient instructions require review before documents, communication, appointment, or service advances.

Figures: **Customer vs Signer vs Ordering Party** and **Customer/Participant Role Relationship**. Quick Reference: **Participant Decision Guide**.

Chapter 9 — Document Mental Model, Customer Uploads & Review

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



07 Document Lifecycle

APS-D9C172CD

K

24

Requests

16

All

Active

Pending

Completed

APS-D9C172CD

All services

All statuses

Active

NEXT-DAY REQUEST

APS-035B3880

TEST-REPLACEMENT-MOBILE Admin

8/14/2026, 9:47:11 PM

MOBILE NOTARY

COMPLETED

NEXT-DAY REQUEST

APS-D9C172CD

TEST-REPLACEMENT-RON Admin

8/14/2026, 9:24:10 PM

REMOTE ONLINE NOTARY

APPOINTMENT CONFIRMED

SAME-DAY REQUEST

APS-46392C0E

TEST-REPLACEMENT-RON Admin

Remote Online Notary

APS-D9C172CD · TEST-REPLACEMENT-RON Admin

Created 8/14/2026, 9:24:10 PM · 2026-08-15 · 11:00 AM

Overview

Customer

Documents

Quote

UPLOADED FILES

APS_TEST_DOCUMENT_NOTARIZE_B.pdf

Admin Upload · application/pdf · 2 KB · Received 8/14/2026, 9:24:11 PM · Customer-hidden · Customer-hidden

Document classification

Internal Document

Upload additional administrator documents

Choose Files

No file chosen

Upload Documents

Governed synthetic APS interface — ss 030 document lifecycle

Every document is controlled by five questions: **Who provided it? What is it for? Who may see it? Is it ready to be released? What happens next?** Answer them before opening, attaching, producing, sending, or releasing a file.

OPERATOR RULE — UPLOAD ≠ REVIEW ≠ COMPLETION ≠ RELEASE. A present file may be corrupt, incomplete, the wrong version, internal, or associated with the wrong request. Presence does not make service complete or the file customer-visible.

Operational review asks whether APS can safely perform the requested workflow: correct request/file association, file opens, obvious corruption, page count where applicable, current version, operational completeness, participant/service information, and next step. Legal review asks whether a document is legally valid, sufficient, effective, or appropriate. APS operators do not perform legal review or recommend document wording/forms outside authorized professional scope.

Procedure 9.1 — Review a customer upload

1. Open the exact request and Documents tab.
2. Match the filename, uploader/provenance, request, service, and intended purpose.
3. Open through the maintained protected access path.
4. Confirm the file opens and is not obviously corrupt.
5. Verify authoritative page count where the service uses page authority; a parser failure is not zero pages.
6. Confirm the version/source and identify missing/replacement pages.
7. Compare participant information with confirmed request participants without interpreting legal effect.
8. Check service-specific operational readiness.
9. Classify the file using the maintained control or hold for clarification.
10. Request exact missing information/replacement when required.
11. Verify document state and Timeline evidence.

Document received decision

The decision tree checks, in order: file opens; correct request; correct/current version; page count available when required; participant information sufficient; service information sufficient. A failure routes to Request Information, Hold, or Escalate. Only a fully satisfied operational review routes to Ready for Operational Use.

WHAT NOT TO DO: Do not decide legal sufficiency, select a notarial act for the customer, change legal language, treat a blank/failed page count as authoritative, or advance because a deadline is close.


Quick References: **Five Questions for Every Document** and **Document Review Checklist**.

Chapter 10 — Document Classification & Safe Handling


Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



08 Document Security Boundary



Governed synthetic APs interface — ss 031 private output review

Classification states the document’s operational role and visibility boundary. Use the current production control when available. Handbook-friendly labels explain the concept; where an exact UI label differs, the UI label controls and the source register records the mapping.

Teaching class	Purpose	Customer visibility	Key control
Customer Upload	Customer-provided source	Own source where maintained	Verify request/provenance/readiness
Internal APs Document	Notes, audit, administration	No	INTERNAL MEANS INTERNAL
Working Document	Production/QC/intermediate file	No	Never release merely because attached

Teaching class	Purpose	Customer visibility	Key control
Completed/Notarized	Service output requiring review	Not automatically	Verify correct completed version
Completed/Customer-Eligible	Reviewed candidate for delivery	Only after release	Explicit release authorization
Customer-Released	Intentionally released file	Yes, scoped	Verify recipient and audit
Proof Completed	Provider-returned RON output	Only after APS review/release	Never substitute source/raw URL
Loan Package	Current/superseded assignment package	Usually controlled/internal	Version and custody
Borrower Copy	Required signer copy	Physical/authorized path	Copy count and QC
Scanback	Post-signing electronic return	Ordering-party workflow	QC/approval hold
Return Proof	Tracking/drop-off/custody evidence	As authorized	Preserve, do not fabricate
Invoice/Receipt	Financial artifact	Maintained financial path	Exact invoice/payment authority

OPERATOR RULE — INTERNAL MEANS INTERNAL. Storing or attaching a file on a request does not make it appropriate for the Customer or Business Portal. Release authorization is the controlled crossing from the Admin/internal side to the customer-visible side.

Procedure 10.1 — Handle a file safely

1. Confirm the exact request/organization before opening or downloading.
2. Use protected APS links; understand that access may expire.
3. Keep downloads off shared/personal devices unless the authorized workflow requires local handling and security controls are satisfied.
4. Do not attach documents to email unless the maintained template/action permits the exact eligible file.
5. Recheck the recipient and request before any external delivery.
6. Remove temporary local exposure according to maintained security practice without deleting APS history.
7. Record and escalate suspected wrong-customer access or distribution.


Figure: **Internal vs Customer-Visible Document Security Boundary.** Quick Reference: **Document Classification.**

Chapter 11 — Completed & Proof-Produced Documents

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



10 Ron Proof Document

A source document enters the service. A working document may support preparation. A completed document reflects performed work. A completed/notarized electronic document returned by Proof is a provider output that still requires APS review. A customer-released file is the exact eligible completed version intentionally crossed into customer visibility.

The RON document path is: Customer Source → APS Review → Proof/RON Session → Completed Notarized Electronic Document → Post-Session Review → Correct Completed Version → Release Readiness → Customer Release. Each arrow is a control point, not an automatic promise.

STOP — DO NOT release the pre-notarization source document as though it were the completed notarized document. The source may share a filename or appearance with the final output. Verify provenance, provider-completed state, correct version, and file content before release.

Checklist 11.1 — Completed-document review

- Correct request and intended recipient/organization.
- Correct signer and service.
- Expected completed document is present.
- File opens and is not obviously corrupt.
- Correct completed/notarized version is selected.
- Classification is appropriate; no internal-only file is selected.
- Applicable fulfillment and financial release gates are satisfied.
- Filename/provenance distinguish it from the source and superseded versions.
- Release readiness is explicit.

Procedure 11.1 — Missing Proof completed output

1. Keep document release and APS completion on hold.
2. Review the APS RON stage and provider transaction/asset evidence available to the operator.
3. Confirm the session/result belongs to the exact request and environment.
4. Use only the maintained sync/retry path when its preconditions are met.
5. Do not upload or release the source as a substitute.
6. Record the missing-output condition and retry/result.
7. Escalate persistent, ambiguous, wrong-version, or integrity failure.
8. Use customer-safe communication only when needed; do not expose raw provider errors or promise timing.

SOURCE VERIFICATION REQUIRED: Final wording for every operator-visible Proof failure/retry label must be reconciled during the Part VI drafting pass. The Batch 1 control—hold, do not substitute, use maintained retry, preserve evidence—remains valid.


Figure: **RON/Proof Document Lifecycle**. Quick Reference: **Completed Document Review Checklist**.

Chapter 12 — Document Release, Delivery & Audit


Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



09 Document Release Decision



Governed synthetic APS interface — ss 032 release to customer

Release is deliberate authorization, not a side effect of upload, review, provider completion, or message preparation. The operator must prove the file is the correct current customer-eligible output, the intended recipient is correct, and applicable service/financial/fulfillment conditions allow release.

Procedure 12.1 — Release a document to the customer

1. Open the correct request and verify reference, customer/organization, and service.
2. Open **Documents**.
3. Identify the intended completed/customer-eligible file.

4. Verify the correct request, customer, and organization again.
5. Verify provenance, classification, and current version; open the file.
6. Confirm operational review is complete.
7. Confirm applicable service, financial, fulfillment, and release gates.
8. Confirm the file is eligible for the intended customer—not internal, working, audit, source-only, or superseded.
9. Perform the maintained **Release to Customer** action and confirmation.
10. Verify the release state and correct portal group/view/download.
11. Verify Timeline/audit evidence.
12. Send or verify associated communication only when the maintained workflow requires it; do not resend blindly.

Decision tree — release or hold

If the document is not intended for external visibility, keep it internal. If it is external, ask whether it is the correct completed/current version. If no, hold and resolve. If yes, ask whether review and service-specific gates are complete. If no, hold. If yes, verify the intended recipient. A recipient mismatch is STOP. Only the fully satisfied path releases, then verifies visibility and audit/communication evidence.

Internal versus customer document

Question	Internal APS/working file	Customer-released file
Exists on request	May	Yes
Admin access	Authorized staff	Authorized staff
Automatic customer visibility	No	No—requires maintained release
May contain working/QC content	Yes	No
Suitable final output	Not assumed	Verified
Portal visibility	Prohibited	Scoped after release

The portal heading is **DOCUMENTS FROM ALIGNED PRINT & SCAN**. It says: “Files provided to you by Aligned Print & Scan will appear here.” The empty state says: “No documents have been provided yet.” Internal terminology remains more precise because it controls classification, review, and authorization.

After release, the operator must be able to answer: which file; which version; when; which request/account; what customer communication occurred; and what Timeline/audit evidence remains.

Figure: **Document Release Decision Tree**. Quick References: **Document Release Checklist** and **Internal vs Customer Document Comparison**.

Chapter 13 — Document Replacement, Mistakes & Recovery

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

Recovery protects the customer and the historical record. Correct forward; do not delete or overwrite history to make a mistake disappear. Each troubleshooting entry uses the same pattern: symptom, checks, likely cause, action, prohibited action, communication, escalation, and record.

Recovery table

Symptom	Check/action	Do not do	Record/escalation
Wrong upload/request	Provenance, request, access; quarantine from use	Move/release casually	Preserve event; escalate privacy risk
Wrong/superseded version	Version source, replacement, page count	Silently overwrite history	Mark current/superseded through maintained path
Corrupt/incomplete file	Open, page count, missing pages	Treat failure as ready	Request replacement; record blocker
Missing Proof output	Provider/APS asset state	Substitute source	Hold, maintained retry, escalate
Internal file misclassified	Purpose/visibility/release	Release to “fix” classification	Correct safely and verify portal
Wrong file selected for release	Release state, recipient, access	Delete evidence or send more	STOP distribution; incident review
Customer cannot open	Release/access/file integrity	Email an internal copy	Restore authorized access or escalate
Incomplete scanback/return proof	Package/QC/approval/custody	Complete assignment cosmetically	Hold service gate; follow Part IX later

Procedure 13.1 — Respond to a wrong-document release

- Stop additional distribution and do not send replacement material impulsively.
- Verify exactly what file/version was released, to which request/account, when, and through what access path.
- Preserve Timeline, message, release, and access evidence; do not delete history to hide the mistake.

4. Protect unrelated customer/tenant data and restrict further access through the maintained authorized path when available.
5. Escalate immediately to the owner/authorized incident reviewer.
6. Use only authorized customer communication; do not invent legal breach-notification language.
7. Perform the approved corrective action and verify it.
8. Record facts, decisions, communication, and final state.

ESCALATE — OWNER / AUTHORIZED INCIDENT REVIEW: Formal incident or legal-response requirements are not defined by this handbook. The operator preserves evidence and follows the authorized decision.

Document status/action/communication sequence

Stage	Operator action	Communication	Hold until	Record
Received/review needed	Open, verify, review	Optional receipt only when maintained	Operational facts known	Document state/Timeline
Information/replacement needed	Identify exact deficiency	Maintained information request	Replacement/answer verified	Message plus blocker
Completed artifact ready	Review current output	Do not announce release yet	Eligibility/gates satisfied	Review evidence
Released	Verify portal/access	Maintained delivery message when required	Visibility/audit verified	Release, Message, Timeline
Post-release problem	Stop, investigate, escalate	Authorized response only	Incident/correction authorized	Complete incident facts
Loan package/scanback/return	Preserve version/QC/custody	Ordering-party path	Applicable Part IX gate	Package/fulfillment history


Quick Reference: **Document Mistake Recovery.**

Chapter 14 — Service-Specific Document Lifecycles


Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO


- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.




14 Service Document Comparison



11 Mobile Original Scan



12 Print Source Output



13 Loan Package Return

The document controls taught in Chapters 9–13 apply differently by service. This chapter gives the high-level lanes operators need before detailed service training. It does not draft later service procedures.

RON

Source → APS operational review → Proof/RON session → completed notarized electronic document → post-session review → correct-version release → customer access. APS release remains separate from provider completion. Apply Chapter 12; see Part VI for detailed RON operation.

Mobile

Physical/source document → in-person notarization → physical original remains in the authorized physical flow → optional APS scan when requested/authorized → scan QC/review → digital release where applicable. An optional scan does not replace returning/accounting for the physical original. See Part VII.

Print & Scan

Source file → file/page/specification review → production → first-copy/final QC → scan/output integrity → pickup/courier/portal delivery. Production start and delivery are meaningful controlled facts. See Part VIII.

Loan Signing — high level only

Loan package → current version → print/borrower copies → signing → post-signing table QC → scanback when required → approval when required → physical return → tracking/proof. Do not return during an applicable approval hold and do not overwrite superseded package history. Detailed procedures belong in Part IX.

Business

Organization-linked request → tenant-scoped document → role/capability check → classification/review → release/access → historical visibility. A Business role never grants cross-organization access or APS admin authority. Detailed Business operation belongs in Part X.

Procedure 14.1 — Identify the applicable document lane

1. Verify the request's service and customer/organization context.
2. Identify the current document type and provenance.
3. Locate the current point in the applicable service lane.
4. Apply the universal classification, review, security, and release controls from Chapters 9–13.
5. Apply only the service-specific gate already established by current source; use the later Part for detailed operation.
6. If service and document lane conflict, hold and escalate rather than improvising a hybrid path.

Figure: **Service-Specific Document Lifecycle Comparison**, supported by **Mobile Physical Original vs APS Scan, Print & Scan Source-to-Output**, and **Loan Package/Scanback/Return** high-level visuals.

PART V — QUOTES, INVOICES & MONEY

Chapter 15 — From Estimate to Approved Quote

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

APS treats pricing as a controlled progression: intake facts support an estimate; verified scope supports a quote; customer or ordering-party approval authorizes the quoted scope. A quote never proves payment, appointment readiness, or fulfillment completion.

15.1 Estimate Versus Quote

An estimate is provisional guidance based on incomplete or customer-entered facts. An approved quote is the current APS price proposal after the operator verifies service, participants, documents, location, timing, delivery, and applicable additions. Label uncertainty honestly and do not present an intake estimate as a final promise.

15.2 Facts Required Before Quoting

Verify the customer/orderer, service type, participant count, document scope, requested date/time, delivery method, and any service-specific facts. Missing page count, address, witnesses, platform eligibility, package version, or delivery instructions can block an accurate quote.

15.3 Service-Specific Quote Worksheets

Service	Minimum verified inputs	Typical blocker
RON	participants, document, requested act supplied by signer/recipient, appointment and eligibility facts	uncertain act, missing document, participant/platform issue
Mobile	service address, round-trip travel evidence, acts/signers, witnesses, timing, optional print/scan	unresolved route, location, witness, or document fact
Print & Scan	authoritative page count, B&W/color, copies, paper, sides, scan/delivery	file does not open or specifications conflict
Loan Signing	orderer, package type/version, appointment, printing, scanback/return instructions	incomplete assignment or superseded package

15.4 Build and Review in Admin

Open the exact request, confirm the service-detail record, then review each line item against authoritative evidence. Recalculate from current facts, review the customer-safe description, and verify that required taxes, travel, production, delivery, or approved custom items are represented once.

15.5 Quote Version and Revision

Preserve quote history. A revised quote becomes a new/current version; it does not erase the version a customer previously reviewed. Revise when material scope, page count, travel, timing, delivery, package, or approved exception changes.

15.6 Sending and Customer/Orderer Approval

Send only the current reviewed quote through the maintained communication workflow. Approval must be tied to that version. If an orderer rather than the signer controls the assignment, record the authorized orderer approval without implying signer financial authority.

15.7 What Blocks a Quote

STOP — Do not finalize a quote when required scope is missing, the source file cannot be verified, the travel route is unresolved, the requested act is unknown, an assignment instruction conflicts, or the price depends on an unauthorized decision.

15.8 Quote Audit and History

The record should show the quote version, amount, scope, operator action, delivery attempt/result, approval, and any later revision. Use Messages and Timeline to distinguish “prepared,” “sent,” “approved,” and “superseded.”

Chapter 16 — Invoice, Payment & Receipt

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

16.1 Quote → Invoice → Payment → Receipt

The quote describes approved scope. The invoice requests payment for that scope. A payment records funds applied to a particular invoice. A receipt confirms a recorded payment. These are separate records and none should be inferred from another.

16.2 Invoice #1

Create the first invoice only from an approved quote or other authorized billing basis. Verify customer/orderer, amount, due timing, payment terms, and description before delivery.

16.3 Supplemental/Final Invoice #2

Use a supplemental invoice for authorized additions such as verified extra pages, travel, optional scans, wait-time review, additional visits, or other approved scope. Preserve Invoice #1 and its payments; do not replace history with one rewritten total.

16.4 Card and ACH

Treat the provider result and APS ledger as authority. A customer-reported screenshot or bank statement may prompt review but does not by itself authorize a paid state.

16.5 Pending Versus Paid

Pending means the payment is not yet confirmed as settled/accepted by the maintained workflow. Paid requires the provider or authorized manual-payment workflow to record a successful payment against the intended invoice.

16.6 Partial Payment

Apply the amount to the correct invoice and retain the remaining balance. Do not mark an invoice or request fully paid merely because some money was received.

16.7 Authorized Offline and TEST Payment

Only administrators may use the maintained manual/offline recorder, with the real payment method, amount, date, and unique reference. TEST records are training fixtures only and must never be used on a legitimate request.

16.8 Receipt

A receipt follows successful payment recording. Verify amount, invoice relationship, date, and customer-safe destination. A generated receipt does not cure a missing or ambiguous payment record.

16.9 Reconciliation and Duplicate Prevention

Before retrying, compare invoice balance, existing payments, provider reference, communication history, and Timeline. Reuse the maintained idempotent path; never create another payment merely because a screen response was slow.

16.10 Never Rewrite a Paid Invoice

OPERATOR RULE — Preserve the paid invoice. Bill legitimate later scope through a supplemental invoice or follow the authorized refund/correction workflow.

Chapter 17 — Refunds, Business Terms & Financial Gates

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

17.1 Refund Review Versus Completed Refund

A request for review, an approved decision, a provider request, and a completed refund are different states. Tell the customer only what the authoritative record supports.

17.2 Partial/Full and Retained Amount

Document the original charge, amount proposed for refund, amount retained, reason, and authorization. Never calculate or promise a discretionary result without administrator approval.

17.3 Original Payment Relationship

Link the refund to the original payment and invoice. This preserves the remaining paid amount, invoice history, provider reference, and customer receipt trail.

17.4 Failed or Ambiguous Provider State

Pause when the provider response is missing or contradictory. Reconcile before retrying. Do not represent money as returned until the maintained provider/ledger evidence supports completion.

17.5 Prepaid, Due on Receipt, Net 15, and Net 30

Prepaid work requires payment before the applicable fulfillment gate. Due on Receipt creates an immediate receivable. Net 15 and Net 30 create approved postpaid due dates. Terms affect timing, not the need for accurate invoices, payment records, or credit controls.

17.6 Who Assigns Terms

Only authorized APS administrators assign or change Business Account terms. Applicants and members cannot self-grant credit.

17.7 Credit Hold

A credit hold blocks new work or advancement according to maintained Business rules. Do not bypass it because the requester is familiar, urgent, or promises later payment.

17.8 Postpaid Completion and Open Receivable

Authorized postpaid work may be operationally complete while an invoice remains open. Record completion evidence and preserve the receivable; do not falsify paid status.

17.9 Prohibited Shortcuts

- Do not fabricate payment, refund, waiver, or credit evidence.
- Do not delete paid invoices or prior balances.
- Do not use a status change to simulate money movement.
- Do not disclose internal provider errors to the customer.

17.10 Financial Decision Table and Escalation

Condition	Operator action	Do not advance until
Prepaid balance due	send/confirm maintained invoice	paid evidence exists
Partial payment	preserve applied amount and balance	required balance gate is satisfied
Refund under review	record facts and escalate	decision and provider result are known
Postpaid in good standing	perform authorized work	nonfinancial gates pass
Credit hold	notify through approved channel	administrator clears hold


PART VI — REMOTE ONLINE NOTARIZATION

Chapter 18 — Remote Online Notary Foundations & Workflow

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



15 Ron Workflow

18.1 APS-Originated RON Powered by Proof

APS owns the customer request, quote, payment, appointment, operator review, customer-safe communication, document review, release, and closeout. Proof supplies the controlled identity, audio-video, transaction, and provider-completed-document functions.

18.2 Texas Operator Boundaries

The online notary must follow Texas authority and be physically located as required. The operator does not give legal advice, select a notarial act for the signer, determine a document’s legal effect, or promise acceptance by a receiving party.

18.3 Readiness Domains

Confirm participant, document, identity-process, technology, appointment, financial, and delivery readiness separately. “Appointment scheduled” does not mean all other domains are ready.

18.4 What APS Controls and What Proof Controls

APS controls	Proof controls
request, scope, quote, payment, appointment	provider transaction and signer access

APS controls	Proof controls
participant mapping and readiness review	credential analysis/KBA result and platform flow
operator return review and customer release	audio-video session and provider-completed asset

18.5 KBA, Identity, Meeting, and Privacy Boundaries

Never ask for, coach, store, or repeat KBA answers. Do not copy credential numbers into ordinary notes. Use the provider result and approved session. Stop when identity, willingness, awareness, location, technology, or continuous audio-video cannot be established.

18.6 Remote Online Notary Workflow Map

Request review → information readiness → quote/approval → prepaid payment → appointment → signer/document readiness → Proof preparation → review/activation → signer access → live session → provider completion → APS document review/release → closeout.

18.7 Thirteen APS RON Stages

The maintained stages are operational checkpoints, not decorative labels. Advance only from evidence owned by the current stage; failed provider work, incomplete documents, unreleased output, or outstanding required balance remains a blocker.

Chapter 19 — Preparing the Remote Online Notary Quote

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

19.1 When RON Is Ready to Quote

The request has identifiable participants, readable documents, supplied act/recipient instructions, proposed timing, eligibility facts, and a delivery expectation. Unknown legal/notarial choices remain with the signer or receiving party.

19.2 Notarial Act Information

Record what the signer or authorized receiving party requests. If the certificate or instruction is absent or ambiguous, pause and refer; do not choose the act.

19.3 Participants and Witnesses

Verify each signer’s full legal name and contact path. Distinguish document witnesses from credible witnesses and confirm who supplies them.

19.4 Documents and Service Requirements

Confirm the active file opens, appears complete for operational processing, supports the intended electronic workflow, and is not superseded. APS does not decide legal sufficiency.

19.5 Build, Review, and Send Quote

Use the verified service facts, current pricing authority, participant count, acts, timing, and approved additions. Review the customer-safe scope before sending.

19.6 Customer Approval

Approval must identify the current quote version. A verbal expectation or appointment request is not approval of an unseen revision.

19.7 Prepaid Payment Gate

RON is prepaid unless an authorized Business term applies. Do not activate or conduct the session while the applicable payment gate remains unresolved.

19.8 When to Revise

Revise for changed participants, acts, documents, timing, service method, or approved additions. Preserve the superseded quote.

19.9 RON Quote Readiness Checklist

- Current request and participant records verified.
- Act/instructions supplied by an authorized source.
- Active document opens and is mapped to the request.
- Eligibility, appointment, and provider readiness risks identified.
- Current quote reviewed, delivered, and approved before invoicing.

Chapter 20 — RON Status, Operator Action & Customer Communication Sequence

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

Stage	APS condition	Operator action	Customer communication	Gate / record
Request Received	scoped request exists	review participants/documents	acknowledgment is automatic where maintained	Timeline intake
Information Needed	required fact missing	request the exact missing item	approved information-needed template	remain Under Review
Quote Ready/Approved	reviewed version exists	send, then record approval	quote-ready communication	approved version
Payment Required/Received	invoice open/paid	reconcile provider and ledger	invoice/payment confirmation	applicable prepaid balance
Appointment	confirmed facts saved	send confirmation/reminder	appointment template/channel	date/time/platform ready
Preparation	Proof draft/readiness reviewed	prepare once, verify mapping	only approved preparation instructions	no duplicate transaction
Identity issue	provider check unsuccessful	follow neutral retry/alternative path	do not expose or coach answers	provider result recorded
Session	activated and ready	conduct authorized act	controlled session language	continuous compliant session
Completed document	provider asset exists	return to APS, review/QC	no release promise yet	APS review pending
Release/completion	approved customer deliverable released	send customer-safe completion	document/completion template	release + final gates
Cancellation/reschedule	authorized change requested	use maintained decision workflow	approved change message	history preserved
Failure/alternative	retry not safe/eligible	pause, escalate, offer eligible alternative	neutral next step	no false completion

20.1–20.13 Operating Rule


For every row, verify the stage, condition, template/channel, successful delivery evidence, and Timeline entry. “Send Message” communicates without inventing status. “Send & Update Status” changes status only after successful delivery through its maintained workflow.

Chapter 21 — RON Fulfillment Gates & Closeout

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



16 Ron Failure Decision

21.1–21.8 Readiness Gates

Request review, participants, documents, quote, approval, payment, appointment, and identity/platform readiness are independent. Each requires its own evidence. The operator checks the request workspace, document classification, current quote/invoice, appointment facts, and Proof readiness panel.

21.9 Session Completion

Confirm the authorized live session ended with the intended act completed or a clearly recorded stop. Provider “session ended” alone does not prove a valid completed document.

21.10 Completed Proof Document

Return to APS through the maintained provider synchronization. Confirm the provider asset belongs to the correct transaction, signer, document, and version; then conduct completed-document review.

21.11 Document Release

Release is an explicit APS action after classification and review. A provider-completed document is not automatically customer-visible.

21.12 Final Completion

Verify service components, applicable balance, appointment/session evidence, completed asset, release/delivery, and unresolved exceptions. Only then mark complete through the maintained path.

21.13 Post-Session Review and Release Procedure

1. Open the exact request and Proof transaction.
2. Confirm provider completion and download/synchronize through the maintained action.
3. Compare signer, file, act/certificate, page integrity, and transaction relationship.
4. Classify the output as an internal completed document until approved.
5. Resolve defects or record the permitted exception.
6. Release only the intended customer deliverable.
7. Verify portal visibility, communication evidence, and Timeline.

21.14 Failed or Incomplete Processing

Do not create a replacement transaction reflexively. Determine whether the existing transaction supports a safe retry, whether a new appointment or service method is required, and whether financial review applies.

21.15 RON Failure / Alternative Path Decision Tree

Identity/platform/session passes? If YES, continue to completed-asset review. If NO, is a provider-supported retry authorized and safe? If YES, reuse the maintained transaction. If NO, hold the request, communicate neutrally, and evaluate reschedule or Mobile conversion. Never bypass identity or represent incomplete work as complete.

21.16 RON Quick References

Use RON Quote Readiness, Appointment Readiness, Identity/KBA Boundaries, Session Checklist, Proof Completed Document Check, Document Release, Closeout, and Failure/Alternative Path cards.


PART VII — MOBILE NOTARY

Chapter 22 — Mobile Notary Workflow, Travel & Readiness

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



17 Mobile Workflow

22.1 Mobile Notary Workflow Map

Request → service/location review → route/travel facts → quote/approval → payment → appointment → before-leaving checks → travel/arrival → table work/journal → optional scan/final charges → delivery → closeout.

22.2 Intake and Service Address

Confirm a structured street, city, state, ZIP, unit/access instruction, safe meeting context, and who will be present. Never calculate travel from an informal description when the maintained address is incomplete.

22.3 Travel Origin

Use the saved authorized APS origin or approved one-time origin. The origin must represent the actual dispatch basis; do not choose a location merely to manipulate price.

22.4 ORS and Manual Distance Fallback

Use OpenRouteService when available. When routing is unavailable, enter verified round-trip miles and the authorized fee with the required reason. Manual fallback records an honest limitation; it does not fabricate a route.

22.5 Fee Inputs

Review round-trip mileage, maintained travel tier, after-hours timing, notarial acts, signers, witnesses, optional print/scan, parking/tolls when authorized, and other approved additions. Customer-entered mileage is not authority.

22.6 Mobile Travel / Quote Decision Flow

Address complete? If NO, request information. If YES, route available? If YES, save route evidence and tier. If NO, obtain verified manual miles/reason. Then apply current pricing authority, review additions, and send the quote. Escalate unusual or unsafe travel.

22.7 Requested Versus Confirmed Appointment

A preferred date/window is a request. A confirmed appointment has explicit date, time, timezone, location, contact, access, and readiness facts saved and communicated.

22.8 Participant and Document Readiness

Verify signer identity path, willingness, document presence, supplied act, witnesses, and any print/scan expectation before dispatch.

22.9 Safety, Reschedule, and Dispatch

Operators may stop or reschedule for unsafe location, threats, coercion, inability to communicate, identity failure, unwillingness, improper document/act demands, or material readiness failure. Record facts without inflammatory or sensitive detail.

Chapter 23 — Preparing the Mobile Notary Quote

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

23.1–23.3 Readiness and Fee Inputs

Confirm the exact address and route evidence, appointment timing, signer/act count, witnesses, travel tier, after-hours status, optional print/scan, and authorized additions. Do not quote from a one-way distance when the pricing rule uses round trip.

23.4 Build, Review, and Send

Build from current facts, verify each line once, review the customer-safe scope, and use the maintained quote communication.

23.5 Approval and Payment

Tie approval to the current quote. Apply the prepaid dispatch gate unless authorized Business terms govern.

23.6 Revision

Revise for a changed address, time, route, participants, witnesses, documents, service components, or authorized exception.

23.7 Mobile Quote Readiness Checklist

- Complete service address and authorized origin.
- Round-trip route evidence or reasoned manual fallback.
- Appointment timing, acts, signers, witnesses, and optional services.
- Reviewed current quote and approval.
- Required dispatch payment or authorized terms.

Chapter 24 — Mobile Status, Operator Action & Customer Communication Sequence

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

Stage	Operator action	Communication	Do not advance until
Request Received	review request, location, participants, documents	maintained acknowledgment	scoped request exists
Information Needed	request exact missing facts	information-needed template	blockers resolved
Quote Ready/Approval	review/send current quote	quote-ready communication	current version approved
Payment Required/Received	reconcile invoice/payment	payment communication	dispatch gate satisfied
Appointment	save confirmed facts	Mobile confirmation/reminder	time/location/contact ready
Travel/Arrival	follow maintained operational contact	concise arrival/delay message if needed	safety and access remain acceptable
Service Completed	finish act/certificate/journal review	no premature completion promise	table work verified
Supplemental Invoice	record authorized additions	approved invoice/payment message	required final balance resolved
Scan Delivery	review/classify/release optional scan	released-document message	scan QC and release complete
Completion	verify all components	completion communication	final gates pass
Cancellation/Reschedule	use maintained decision path	approved change message	financial/appointment history preserved

24.12 Timeline Evidence

For every communication, confirm recipient, channel, delivery state, related status/action, and Timeline evidence. Do not duplicate a successful message because the operator revisits the stage.

Chapter 25 — Mobile Fulfillment Gates, Appointment & Closeout

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

25.1 Readiness Gates

Request, location, travel price, participants, documents, quote, approval, payment, appointment, and travel/service readiness must all be supported before departure.

25.2 Before You Leave

Verify address/access, contact, schedule, route, payment, documents, supplied act, credentials/tools, journal, seal, witnesses, print sets, scan plan, phone power, and safety plan.

25.3 Travel and Arrival

Use the actual route safely. Record meaningful delay through the approved channel. At arrival, verify location and participant before exposing documents or beginning the act.

25.4 At the Table

Confirm identity, willingness, awareness, document completeness for notarial handling, requested act, signatures, and witness roles. Keep explanations procedural and refer legal/document questions.

25.5 Identity, Willingness, Act, and Certificate

Stop when satisfactory identification or willingness is absent. Complete only the authorized act and certificate; do not choose or rewrite legal content.

25.6 Journal Completion

Complete the required journal record contemporaneously and protect it. Do not place unnecessary sensitive credential data in APS notes.

25.7 Optional Scan

Scan only when included/authorized. Preserve page order, legibility, orientation, and file integrity; upload as internal until reviewed and released.

25.8 Final Charges

Record only verified, authorized additions. Do not collect an improvised onsite fee. Use supplemental invoicing and administrator review where required.

25.9 Delivery

Follow the agreed physical/digital delivery path and record evidence. Customer portal visibility requires explicit release of eligible digital output.

25.10 Before You Drive Away

Recheck signatures, initials, dates, certificate, seal, journal, page order, witnesses, originals/copies, scan expectation, and return/delivery instructions while correction may still be possible.

25.11 Final Money and Completion Gates

Verify required balance, appointment/service evidence, optional scan release, physical delivery, and exceptions. Do not let a zero balance substitute for fulfillment evidence.

25.12 Exceptions, Safety, and Quick References

Use the maintained Mobile Before You Leave, At the Table, Journal Reminder, Before You Drive Away, Optional Scan, Closeout, and Safety/Stop cards. Escalate threats, coercion, identity failure, prohibited advice requests, document irregularity, or unapproved financial demands.

PART VIII — PRINT & SCAN

Chapter 26 — Print & Scan Workflow & Quote Preparation

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



18 Print Scan Workflow

26.1 Print & Scan Workflow Map

Request/file intake → source review → authoritative page count/specifications → quote/approval → payment → production → first-copy/final QC → scan/file integrity when applicable → pickup/courier/portal delivery → completion.

26.2 When Ready to Quote

The active source opens, page count is verified, specifications are complete, delivery is known, and special handling is authorized.

26.3 File Opens and Authoritative Page Count

Use the maintained parser result when reliable. If manual review is required, count the active source and record the verified whole-number count. A changed source after quote triggers pricing review.

26.4 Production Requirements

Confirm B&W/color, copies, paper size/type, sides, scaling, orientation, finishing if supported, and any mixed instructions. Do not assume printer defaults are the customer specification.

26.5 Scanning, PDF Support, and Delivery

Confirm pages to scan, source order, PDF merge/split expectation, filename, resolution/legibility, and pickup/courier/mobile/digital delivery path.

26.6 Build Through Revision

Build from verified page volume and specifications; review, send, obtain approval, satisfy payment, and revise when the source/specification/delivery changes.

26.7 Quote Readiness Checklist

- Active file opens and authoritative page count is recorded.
- Color, copies, paper, sides, scaling, scan, and delivery are explicit.
- Changed-file and pricing-review flags are cleared legitimately.
- Current quote is reviewed, sent, approved, and paid/term-authorized.

Chapter 27 — Print & Scan Status, Operator Action & Customer Communication Sequence

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

Stage	Operator action	Communication	Gate / evidence
File/Request Received	inspect source and service details	acknowledgment where maintained	active file mapped
Information Needed	request exact file/specification	information-needed message	source/spec complete
Quote Ready/Approval	review/send quote	quote-ready message	approved current version
Payment Required/Received	reconcile invoice/payment	payment message	production payment gate
Production	schedule and produce from active source	status only when useful/approved	no unapproved source change
Completed Output	first-copy and final QC	no release promise before review	QC evidence
Delivery	pickup/courier/portal path	delivery-ready/released message	physical proof or digital release
Completion	verify all purchased components	completion message	final gate passes
Cancellation/Problem	stop production safely, preserve facts	approved exception message	financial/material review

27.10 Timeline Evidence

Record source version, page count review, quote/payment, production/QC, delivery/release, communications, and completion. Failed delivery is not “sent,” and uploaded output is not automatically released.

Chapter 28 — Print & Scan Fulfillment Gates, Production & Closeout

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

28.1–28.7 Preproduction Gates

File received, file opens, page count, specifications, quote, approval, and payment/terms each require evidence. A failure at any one prevents production start.

28.8 Production-Start Boundary

Confirm the active source/version and approved specifications immediately before starting. Preserve superseded files; do not silently substitute a newer attachment.

28.9 First-Copy and Final QC

Inspect first/last and problem-prone pages for count, order, orientation, scale, margins, clipping, color, readability, paper, and sides. Then verify the entire final set and copy count.

28.10 Scan QC, Naming, and Integrity

Compare source pages to scanned pages, check order/orientation/legibility, open the final PDF, verify merge/split behavior and filename, and retain provenance. Do not release a file merely because upload succeeded.

28.11 Delivery

For pickup, record readiness/handoff. For courier/mobile delivery, record destination and proof. For digital output, classify, review, and explicitly release only the intended customer deliverable.

28.12 Completion

Confirm every purchased component: print/copy, scan, courier/mobile delivery, payment/terms, and customer release when APS owes a digital deliverable.

28.13 Exceptions and Recovery

Stop for wrong source, changed page count, clipping, unreadable output, missing pages, wrong order, damaged source, failed delivery, or privacy risk. Preserve the bad output internally, correct from authoritative source, repeat QC, and communicate through the approved workflow.

28.14 Quick References

Use Print & Scan Workflow, Quote Readiness, Production Specifications, First-Copy QC, Scan QC, File Naming/Integrity, Delivery, and Closeout cards.


PART IX — LOAN SIGNING

Chapter 29 — Loan Signing Foundations & Workflow

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



19 Loan Signing Workflow

29.1 Loan Signing Versus Mobile Notary

A Mobile Notary request centers on one or more notarial acts at a location. A Loan Signing assignment centers on a controlled closing package, ordering-party instructions, presentation/signature requirements, possible notarizations, printing, scanbacks, approval, and physical return. The signing agent remains a notary only for actual notarial acts.

29.2 Ordering Party Versus Signer

The ordering party controls assignment scope and operational instructions. The signer controls their own decisions and signatures. Neither relationship authorizes APS to give legal, lending, title, escrow, tax, or financial advice.

29.3 Role and Signing-Agent Boundaries

Present documents neutrally, identify printed information, obtain signatures/initials/dates as instructed, perform authorized notarial acts, preserve package integrity, and report exceptions. Refer interpretation, discrepancies, term questions, and decisions to the designated contact.

29.4 Signing Types

APS recognizes Buyer/Purchase, Seller, Refinance, HELOC, Loan Modification, Reverse Mortgage, Commercial/Complex, and Other/Custom. The actual order and package determine scope.

29.5 Signing Methods

In-person/mobile is the default physical package workflow. RON is used only when the assignment, document, receiving party, platform, law, and APS readiness permit it. “Either/TBD” is a blocker until the authorized method is confirmed.

29.6 Property and Signing Addresses

Keep property address and signing location separate. Verify the actual appointment location, route, access, safety, timezone, and property reference without assuming they are the same.

29.7 Company, Order, and Escrow Identifiers

Record the ordering company, company file/order number, escrow/transaction number, and other authorized identifiers exactly. Do not place unnecessary account or taxpayer data in ordinary notes.

29.8 Structured Signers

Maintain each signer’s full legal name, role/capacity, contact path, confirmation requirement, and relationship to documents. Do not collapse multiple signers into a note.

29.9 Eight Broad APS Stages

Assignment review → package readiness → printing/QC → appointment readiness → signing → scanbacks/approval → return → completion. The ten-gate framework in Chapter 35 adds financial and exception resolution controls.

29.10 Sensitive Information

Protect loan numbers, taxpayer data, bank details, IDs, nonpublic personal information, and package contents. Use approved storage/communication, not ordinary email or screenshots.

29.11 Loan Signing Workflow Map

Order received → assignment/instructions reviewed → quote/authorization → package/version received → print/QC → appointment/signer confirmation → table signing/notarization → table check → scanback/approval when required → physical return/tracking when required → exception/financial resolution → closeout.

Chapter 30 — Loan Package Types

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

30.1 Buyer / Purchase

Purpose: transfer/acquire property while funding a new loan and completing settlement. Expect borrower loan documents, title/settlement documents, possible deed-side documents, disclosures, affidavits, and property/product riders.

Document	What it is / why it appears	Signer usually does	Commonly notarized?	Operator focus / referral
Closing Disclosure	final disclosed loan/cost summary	reviews and signs/acknowledges	usually no	signatures only; refer figures
Note	promise to repay	signs	usually no	names, dates, package version
Security Instrument	secures debt with property	owners/borrowers sign	commonly; inspect certificate	capacities, riders, certificate
Title/Settlement forms	closing/disbursement/title requirements	signs assigned forms	varies	preserve order; refer title questions
Occupancy/Name affidavits	transaction representations	reviews and signs	often varies	no coaching; actual certificate controls

30.2 Seller

Seller packages center on conveyance, title/settlement, payoff, proceeds, identity, and seller representations. They may be shorter than borrower packages but can contain high-consequence deeds and affidavits.

Document	Why it appears	Signer usually does	Commonly notarized?	Operator focus / caution
Deed	conveyance	grantor signs	commonly	exact capacity/certificate; no deed advice
Seller affidavits	title/transaction facts	reads, supplies facts, signs	frequently varies	no factual coaching
Settlement statement	proceeds/cost accounting	reviews/signs	usually no	refer financial discrepancies

Document	Why it appears	Signer usually does	Commonly notarized?	Operator focus / caution
Payoff authorization	permits payoff information/action	signs	varies	protect account information
Closing instructions	controls execution/return	follows assigned acknowledgments	varies	orderer controls

30.3 Refinance

Refinance replaces or changes financing on existing property. Packages commonly include Closing Disclosure, note, security instrument, rescission notice when applicable, escrow/payment information, affidavits, riders, and title documents.

Document	Why it appears	Signer usually does	Commonly notarized?	Operator focus / caution
Closing Disclosure	final terms/costs	reviews/signs	usually no	do not interpret figures
Note	repayment obligation	signs	usually no	version/signature
Security Instrument	collateral	signs	commonly	actual certificate
Right to Cancel	covered rescission notice	dates/acknowledges receipt	no	do not calculate disputed deadline
Affidavits/Compliance	representations/corrections	signs	varies	refer legal questions

30.4 HELOC

HELOC packages concern a revolving line secured by property. Actual Texas home-equity and lender instructions are critical; never generalize product or legal requirements.

Document	Why it appears	Signer usually does	Commonly notarized?	Operator focus / caution
HELOC Agreement/Note	line terms/repayment	signs/initials	usually no	no rate/draw advice
HELOC Security Instrument	secures line	owners sign	commonly	actual certificate/capacity
Disclosures	product/cost information	acknowledges	usually no	refer lender questions
Right to Cancel when applicable	rescission notice	acknowledges/dates	no	printed instructions control

30.5 Loan Modification

Modification packages document lender/servicer-approved changes to an existing obligation. Do not imply that signing guarantees a particular servicing outcome.

Document	Why it appears	Signer usually does	Commonly notarized?	Operator focus / caution
Modification Agreement	states approved changes	signs	may be	correct loan/borrower/version
Affidavits/Certifications	supports eligibility/facts	reads/signs	varies	no coaching
Payment Instructions	operational next step	reviews/retains	no	do not accept payment unless authorized
Security-related instrument	records/continues collateral change	signs	often varies	actual certificate controls

30.6 Reverse Mortgage

Reverse Mortgage packages may contain multiple notes/security instruments, a loan agreement, payment-plan disclosures, certifications, riders, and non-borrowing-spouse documents. Provide time and neutral organization; refer counseling/product questions.

Document	Why it appears	Signer usually does	Commonly notarized?	Operator focus / caution
Note(s)	evidence debt structure	borrowers sign	usually no	paired documents/version
Mortgage(s)/Security Instruments	secure obligations	required parties sign	commonly	paired certificates/riders
Loan Agreement/Disclosures	program terms/responsibilities	reviews/signs	varies	no product advice
NBS documents	defined spouse capacity	named spouse signs	varies	never determine eligibility/rights

30.7 Commercial / Custom

Commercial/custom packages vary by entity, authority, counsel, property, and negotiated terms. Require explicit instructions and capacity evidence; source-note unfamiliar instruments.

Document	Why it appears	Signer usually does	Commonly notarized?	Operator focus / caution
Note/Security documents	debt/collateral	authorized representative signs	varies	entity/capacity and certificate

Document	Why it appears	Signer usually does	Commonly notarized?	Operator focus / caution
Resolutions/Authority	proves signing authority	signs/certifies if directed	varies	do not decide sufficiency
Guarantees	supports obligation	guarantor signs	varies	no legal explanation
Custom closing documents	negotiated requirements	signs as assigned	varies	ordering party/counsel controls

Chapter 31 — Common Loan Document Reference

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

31.1 Critical Notarization Rule

COMMONLY NOTARIZED DOES NOT MEAN ALWAYS NOTARIZE. Actual authority comes from the actual document, its actual certificate, applicable law, and authorized assignment instructions. Never add a certificate merely because a similar document is often notarized.

31.2 Closing Disclosure

Reference field	Maintained training guidance
Common package(s)	Buyer/Purchase; Refinance; some HELOC
What it is	CFPB-mandated disclosure summarizing final loan terms, projected payments, and closing costs.
Why it appears	Allows the borrower to review the transaction’s final disclosed financial terms.
Signer interaction	Signer reviews and signs or acknowledges receipt where the package directs.
Operator focus	Locate signatures/dates and follow presentation instructions without interpreting figures.
Commonly notarized?	Usually no; verify the actual form.
Presentation guidance	Identify the title and direct the signer to the disclosed sections without characterizing the deal.
Do not	Do not explain whether APR, cash to close, fees, or terms are correct or favorable.
If signer has a question	Refer financial, lender, settlement, and discrepancy questions to the named lender/title contact.
Source	Consumer Financial Protection Bureau — Closing Disclosure and closing-document guidance.

31.3 Promissory Note

Reference field	Maintained training guidance
Common package(s)	Buyer/Purchase; Refinance; HELOC or product-specific note; Reverse Mortgage note(s)
What it is	The borrower’s written promise to repay under stated terms.
Why it appears	Evidence of the debt and repayment obligation.
Signer interaction	Borrower signs exactly as directed; initials may appear where specified.
Operator focus	Names, signature capacity, required dates, and package-version integrity.
Commonly notarized?	Usually no; verify actual document/certificate.
Presentation guidance	State that it is the note and point to the lender-provided payment/term sections if instructed.
Do not	Do not interpret interest, default, prepayment, or enforceability.
If signer has a question	Refer term/payment/legal questions to lender or ordering party.
Source	CFPB closing guidance; Fannie Mae/Freddie Mac Uniform Notes; HUD HECM model notes.

31.4 Deed of Trust / Mortgage / Security Instrument

Reference field	Maintained training guidance
Common package(s)	Buyer/Purchase; Refinance; HELOC; Reverse Mortgage security instruments
What it is	Instrument securing the debt with an interest in the described property.
Why it appears	Creates the collateral/security relationship and is generally recorded.
Signer interaction	Required property owners/borrowers sign in stated capacities.
Operator focus	Correct version, property/address context, names/capacities, riders, signatures, certificate.
Commonly notarized?	Commonly, but not automatically; inspect the actual certificate and instructions.
Presentation guidance	Identify the document and signature/certificate locations only.
Do not	Do not explain foreclosure, lien priority, homestead effect, or legal consequences.
If signer has a question	Refer legal/property/title questions to lender/title/attorney.
Source	CFPB closing guidance; Fannie Mae/Freddie Mac Uniform Security Instruments; HUD model mortgages.

31.5 Notice of Right to Cancel

Reference field	Maintained training guidance
Common package(s)	Certain refinance/home-secured credit transactions; not ordinary purchase closings
What it is	Notice of a statutory rescission period when applicable.
Why it appears	Provides required cancellation timing and method for covered transactions.
Signer interaction	Signer acknowledges receipt and dates/copies as directed.
Operator focus	Correct transaction/date/copy count and ordering-party instructions.
Commonly notarized?	Usually no.
Presentation guidance	Point to the printed deadline/method without calculating or advising.
Do not	Do not tell a signer whether a transaction is rescindable or calculate a disputed deadline.
If signer has a question	Refer coverage/deadline questions to lender/title or legal counsel.
Source	Consumer Financial Protection Bureau — right of rescission guidance.

31.6 Initial Escrow Account Disclosure

Reference field	Maintained training guidance
Common package(s)	Purchase; Refinance when escrow applies
What it is	Estimate of escrow deposits and projected disbursements.
Why it appears	Explains how taxes/insurance may be collected and paid from escrow.
Signer interaction	Signer reviews and signs/acknowledges if directed.
Operator focus	Signature/acknowledgment placement and package completeness.
Commonly notarized?	Usually no.
Presentation guidance	Identify the escrow disclosure and let the signer review figures.
Do not	Do not predict shortages, tax changes, or future payments.
If signer has a question	Refer calculation questions to lender/servicer.
Source	CFPB mortgage-closing guidance and actual lender disclosure.

31.7 First Payment Letter / Payment Coupon

Reference field	Maintained training guidance
Common package(s)	Purchase; Refinance; some modifications
What it is	Operational payment instructions showing initial due date, amount, and destination.
Why it appears	Helps the borrower make the first scheduled payment.
Signer interaction	Signer reviews and retains the appropriate copy.
Operator focus	Do not separate borrower-retained pages from the package incorrectly.
Commonly notarized?	No, absent an unusual actual certificate.
Presentation guidance	Point to the printed instructions.
Do not	Do not change payment instructions or accept payment unless expressly authorized.
If signer has a question	Refer servicing/payment questions to lender/servicer.
Source	Actual lender/servicer document and assignment instructions.

31.8 Occupancy Affidavit

Reference field	Maintained training guidance
Common package(s)	Purchase; Refinance; some investment/second-home loans
What it is	Statement concerning intended or actual occupancy.
Why it appears	Supports underwriting and loan-program representations.
Signer interaction	Signer reads, completes only permitted factual blanks, and signs as directed.
Operator focus	Names, property, permitted completion, signature, and actual certificate.
Commonly notarized?	Often contains a certificate; verify actual document.
Presentation guidance	Invite the signer to read the statement and answer only for themselves.
Do not	Do not advise which occupancy status to select.
If signer has a question	Refer classification/legal questions to lender/title.
Source	Actual package; Fannie Mae special-purpose forms where applicable.

31.9 Signature / Name Affidavit

Reference field	Maintained training guidance
Common package(s)	Purchase; Refinance; Seller; HELOC; other packages
What it is	Statement connecting name variations or signatures to the signer.
Why it appears	Supports identity/name consistency across transaction records.
Signer interaction	Signer reviews listed variations, reports inaccuracies, and signs as directed.
Operator focus	Never force acceptance of an incorrect name; inspect actual certificate.
Commonly notarized?	Commonly, but verify actual certificate.
Presentation guidance	Ask the signer to review each variation and refer corrections.
Do not	Do not invent aliases or tell the signer to claim a name they dispute.
If signer has a question	Pause and contact ordering party for inaccurate/missing variations.
Source	Actual title/lender package and authorized instructions.

31.10 Compliance Agreement / Errors & Omissions Agreement

Reference field	Maintained training guidance
Common package(s)	Purchase; Refinance; HELOC; some seller packages
What it is	Agreement to cooperate with permitted post-closing corrections or omitted administrative items.
Why it appears	Supports correction of defined clerical/compliance issues.
Signer interaction	Signer reads and signs as directed.
Operator focus	Document title, signature and actual certificate; distinguish from E&O insurance.
Commonly notarized?	May be; verify the actual certificate.
Presentation guidance	Identify the document without describing the scope beyond its text.
Do not	Do not promise what corrections may be demanded or interpret legal limits.
If signer has a question	Refer scope/legal-effect questions to lender/title.
Source	Actual lender/title document; package instructions.

31.11 IRS / Tax Forms (for example W-9, 4506-C where present)

Reference field	Maintained training guidance
Common package(s)	Varies by lender/product
What it is	Taxpayer identification or transcript authorization forms included for the transaction.
Why it appears	Supports lender verification/reporting requirements.
Signer interaction	Signer verifies taxpayer information and signs as directed.
Operator focus	Correct form/version, signature/date, no copying sensitive data into APS notes.
Commonly notarized?	Usually no.
Presentation guidance	Identify the form and signature area only.
Do not	Do not provide tax advice or complete taxpayer elections.
If signer has a question	Refer tax/content questions to lender or tax professional.
Source	Actual IRS/lender form and package instructions.

31.12 Insurance Documents

Reference field	Maintained training guidance
Common package(s)	Purchase; Refinance; Reverse Mortgage; some HELOC
What it is	Evidence, authorization, or acknowledgment concerning required property insurance.
Why it appears	Supports collateral protection and closing conditions.
Signer interaction	Signer reviews and signs/acknowledges where directed.
Operator focus	Keep policy/data pages in order and protect personal information.
Commonly notarized?	Usually no unless actual certificate says otherwise.
Presentation guidance	Identify as insurance-related package material.
Do not	Do not advise coverage sufficiency or policy selection.
If signer has a question	Refer to insurer/lender/title.
Source	Actual insurer/lender/title documents.

31.13 Title and Settlement Documents

Reference field	Maintained training guidance
Common package(s)	Purchase; Seller; Refinance; HELOC; Commercial/Custom
What it is	Title, settlement, closing, disbursement, and ownership-related documents prepared for the transaction.
Why it appears	Coordinate conveyance, settlement, payoff, fees, and title requirements.
Signer interaction	Parties review and sign the forms assigned to them.
Operator focus	Ordering-party instructions, capacity, signature lines, notarization certificate, copy/return requirements.
Commonly notarized?	Varies; inspect each actual document.
Presentation guidance	Present by exact title and keep the package order.
Do not	Do not interpret title condition, ownership, prorations, or legal effect.
If signer has a question	Refer to title/escrow/attorney.
Source	Actual title/settlement package; CFPB closing guidance where applicable.

31.14 Deed

Reference field	Maintained training guidance
Common package(s)	Seller; Purchase; some estate/entity/custom closings
What it is	Instrument conveying an interest in real property.
Why it appears	Transfers the described property interest when validly executed/delivered/recorded.
Signer interaction	Authorized grantor(s) sign in stated capacity.
Operator focus	Exact names/capacities, property reference, signature, witnesses if required, actual certificate.
Commonly notarized?	Commonly, but actual deed/certificate/law controls.
Presentation guidance	Identify the deed and signature/certificate areas.
Do not	Do not choose deed type, advise ownership effect, or alter legal description.
If signer has a question	Refer to title/attorney/orderer.
Source	Actual deed and jurisdiction/ordering-party authority.

31.15 Seller Affidavits

Reference field	Maintained training guidance
Common package(s)	Seller
What it is	Seller statements about ownership, liens, occupancy, repairs, identity, or transaction facts.
Why it appears	Supports title/settlement review and risk allocation.
Signer interaction	Seller reads, supplies only their facts, and signs as directed.
Operator focus	No coaching; verify actual certificate and completeness.
Commonly notarized?	Frequently but variably; inspect actual form.
Presentation guidance	Ask the seller to review the statement and refer uncertainty.
Do not	Do not answer factual/legal questions for the seller.
If signer has a question	Refer to title/attorney/orderer.
Source	Actual title/settlement package.

31.16 Payoff Authorization

Reference field	Maintained training guidance
Common package(s)	Seller; Refinance; some modifications
What it is	Authorization to obtain, confirm, or transmit payoff information.
Why it appears	Supports satisfaction of existing obligations at closing.
Signer interaction	Authorized party reviews account/property information and signs.
Operator focus	Correct account/party, privacy, signature, and transmission path.
Commonly notarized?	Varies; verify actual document.
Presentation guidance	Identify the authorization and protect account information.
Do not	Do not calculate payoff or promise disbursement timing.
If signer has a question	Refer to title/lender/servicer.
Source	Actual title/lender/servicer form.

31.17 HELOC Agreement / Note

Reference field	Maintained training guidance
Common package(s)	HELOC
What it is	Product-specific agreement or note governing a revolving home-equity line.
Why it appears	States borrowing, repayment, advance, rate, and account terms.
Signer interaction	Borrower signs/initials as directed.
Operator focus	Correct product/version, signatures, and package instructions.
Commonly notarized?	Usually no; verify actual document.
Presentation guidance	Identify it as the HELOC agreement/note.
Do not	Do not explain draws, rates, tax effects, or suitability.
If signer has a question	Refer to lender.
Source	Actual lender document; Fannie Mae special-purpose guidance where applicable.

31.18 HELOC Security Instrument

Reference field	Maintained training guidance
Common package(s)	HELOC
What it is	Instrument securing the HELOC with the property.
Why it appears	Creates the product’s collateral relationship and may be recorded.
Signer interaction	Required owners/borrowers sign in stated capacities.
Operator focus	Names, property, riders, signatures, and actual certificate.
Commonly notarized?	Commonly; actual certificate controls.
Presentation guidance	Identify title/signature/certificate locations.
Do not	Do not explain lien priority or Texas home-equity law.
If signer has a question	Refer to lender/title/attorney.
Source	Actual lender/title instrument and applicable authoritative instructions.

31.19 Loan Modification Agreement

Reference field	Maintained training guidance
Common package(s)	Loan Modification
What it is	Agreement changing specified terms of an existing loan.
Why it appears	Documents the servicer/lender-approved modification.
Signer interaction	Borrower reviews and signs as directed.
Operator focus	Correct borrower/loan/version, signature/date, and actual certificate.
Commonly notarized?	May be; verify actual document.
Presentation guidance	Identify the agreement and let the signer read the stated changes.
Do not	Do not explain eligibility, affordability, or legal consequences.
If signer has a question	Refer to servicer/lender/housing counselor or attorney.
Source	Actual servicer/lender agreement; HUD model modification documents where applicable.

31.20 Reverse Mortgage Note(s)

Reference field	Maintained training guidance
Common package(s)	Reverse Mortgage
What it is	HECM or proprietary reverse-mortgage debt instrument(s); HUD HECM packages may contain multiple notes.
Why it appears	Evidence obligations under the reverse-mortgage structure.
Signer interaction	Borrower(s) sign as directed; package may distinguish first/second instruments.
Operator focus	Do not omit paired documents; verify names, capacities, versions, signatures.
Commonly notarized?	Usually no; verify actual document.
Presentation guidance	Identify each note by its exact title and sequence.
Do not	Do not explain loan economics, benefits, or estate consequences.
If signer has a question	Refer to lender/counselor/title/attorney.
Source	HUD HECM model documents; actual proprietary package.

31.21 Reverse Mortgage Security Instrument(s)

Reference field	Maintained training guidance
Common package(s)	Reverse Mortgage
What it is	HECM/proprietary mortgage or deed-of-trust instruments; HUD HECM may include first and second instruments.
Why it appears	Secures obligations under the reverse-mortgage structure.
Signer interaction	Required borrowers/owners sign in stated capacities.
Operator focus	Paired instruments, riders, property, signatures, certificates, package order.
Commonly notarized?	Commonly; actual certificate controls.
Presentation guidance	Present each instrument by exact title.
Do not	Do not interpret lien structure, foreclosure, occupancy, or succession rights.
If signer has a question	Refer to lender/title/counselor/attorney.
Source	HUD HECM model mortgages; actual package.

31.22 Reverse Mortgage Disclosures / Loan Agreement

Reference field	Maintained training guidance
Common package(s)	Reverse Mortgage
What it is	Program/product disclosures and agreement describing advances, charges, payment plan, and borrower responsibilities.
Why it appears	Documents program terms and required acknowledgments.
Signer interaction	Borrower reviews and signs/acknowledges as directed.
Operator focus	Correct versions, all required signatures, retain copies, no interpretation.
Commonly notarized?	Varies; inspect actual document.
Presentation guidance	Identify exact document names and allow appropriate review time.
Do not	Do not recommend payment options or explain financial suitability.
If signer has a question	Refer to lender/HECM counselor/attorney.
Source	HUD HECM model documents and actual lender package.

31.23 Non-Borrowing Spouse Documents

Reference field	Maintained training guidance
Common package(s)	Reverse Mortgage; jurisdiction/product dependent
What it is	Certifications, acknowledgments, or property-right documents for an eligible or other non-borrowing spouse.
Why it appears	Addresses program and property-right requirements defined by the actual transaction.
Signer interaction	Named spouse reviews and signs only documents assigned to that capacity.
Operator focus	Identity/capacity, correct document set, signatures, actual certificates.
Commonly notarized?	Varies; inspect every actual form.
Presentation guidance	Use the package’s exact capacity language.
Do not	Do not determine eligibility, property rights, or future occupancy protections.
If signer has a question	Refer to lender/title/HECM counselor/attorney.
Source	HUD Borrower and Non-Borrowing Spouse Certifications; actual package.

Chapter 32 — Loan Signing Intake & Assignment Review

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

32.1–32.4 Order, Parties, Identifiers, and Addresses

Verify orderer/customer, all structured signers/capacities, company/order/escrow identifiers, property address, signing address, date/time/timezone, access, and contact path.

32.5–32.8 Scope and Instructions

Confirm signing type/method, package status, print requirements/copies, signer confirmation, scanbacks, approval-before-return, physical return, shipping label, stipulations, and source of every instruction.

32.9 Assignment Review Procedure

1. Open the exact request and Loan Signing assignment.
2. Compare order, signers, identifiers, addresses, and appointment.
3. Read all authoritative instructions; enter each requirement with source and applicability.
4. Identify missing/conflicting facts and stop advancement.
5. Record review completion only after scope is coherent.

Chapter 33 — Preparing the Loan Signing Quote

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

33.1–33.5 Quote Inputs

Verify package type/complexity, page count/version, print sets and borrower copies, appointment/travel, scanbacks, approval hold, return method, after-hours/rush, and authorized custom items. Do not price from an unreceived package when print volume materially controls price unless the uncertainty is explicit and authorized.

33.6–33.9 Review, Approval, Payment, Revision

Review the customer/orderer-facing scope, send the current version, record authorized approval, and satisfy prepaid or authorized Business terms. Revise for package, appointment, printing, scanback, return, wait/resign, or other scope change without rewriting paid history.

Chapter 34 — Loan Signing Status, Operator Action & Customer Communication Sequence

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.


Stage	Operator action	Ordering-party/signer communication	Do not advance until
Assignment received	review order and instructions	acknowledgment where maintained	scoped assignment
Information/package needed	request exact missing item	orderer-directed message	blocker resolved
Quote/authorization	send reviewed quote	current quote/authorization	approved version
Package received/replaced	identify active version	package receipt/change notice if needed	version authority clear
Print/QC	print active version and inspect	readiness/issue message	print gate passes
Appointment	confirm signer/time/location	confirmation/reminder	signer/appointment ready
Signing	conduct within boundaries	orderer contact for questions/stops	table check complete
Scanback	scan/QC/upload	scanback status	required pages accepted
Approval hold	wait for approval	concise orderer follow-up	approval received or instruction changes
Return	package/label/drop-off/tracking	tracking/return notice	return evidence complete
Exception/financial	record cause and decision	approved exception message	operational/financial resolution
Completion	verify all gates	closeout communication	ten gates pass

Chapter 35 — Loan Signing Fulfillment Gates

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



20 Loan Signing Ten Gates

35.1 Ten-Gate Framework

1. Assignment Review.
2. Pricing / Financial Readiness.
3. Package Readiness.
4. Printing / QC.
5. Appointment Readiness.
6. Signing Completion.
7. Scanback / Approval.
8. Physical Return.
9. Exception / Financial Resolution.
10. Final Completion.

35.2 Gate Rule


Each gate records purpose, required conditions, operator location, APS display, blocker, communication, authorized override if any, prohibited bypass, and next stage. “Not applicable” must be supported by assignment facts—not selected to make completion easier.

Chapter 36 — Package Preparation & Printing

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



21 Package Version Decision

36.1 Package Version Decision Tree

New file received? Compare source/order/timestamp/instructions. Explicit replacement? Preserve prior version, mark new active version, recalculate page/print facts, and repeat QC. Ambiguous? Hold and contact orderer. Never combine pages across versions without written authority.

36.2 Authoritative Page Count and Print Volume

Source pages × signing sets/borrower/additional copies determines expected printed pages; sidedness informs expected sheets. Use verified source count and record the package version.

36.3 Print and QC Procedure


1. Confirm active version and instructions.
2. Verify page size, mixed letter/legal needs, scale, sidedness, color, sets, and borrower copies.
3. Print one controlled set; compare count/order/quality.
4. Print remaining authorized sets.
5. Conduct final count/order/legibility/orientation check.
6. Keep copies separated and protected.

Chapter 37 — Conducting the Loan Signing

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



22 Signer Question Guide

37.1–37.3 Before Leaving, What to Bring, Arrival

Verify gates, active package, copies, journal/seal, IDs/tools, contact/escalation path, route, return materials, phone power, and safety. At arrival confirm signer/location before exposing documents.

37.4–37.9 Identity Through Common Document Presentation

Establish satisfactory identity for notarial acts, confirm signer willingness and capacity without legal conclusions, present package in required order, obtain exact signatures/initials/dates, complete only actual certificates, and preserve document order.

37.10–37.13 Signer Questions and Ordering-Party Contact

You may identify a document, point to printed information, repeat authorized instructions, and explain notarial procedure. Refer meaning, correctness, loan terms, settlement figures, title, tax, legal effect, or whether to sign. Pause and contact the designated orderer; record the outcome.

37.14–37.16 Stipulations, Table Check, Departure


Complete authorized stipulations exactly. Before departure, inspect every required signature/initial/date/certificate, page order, loose items, copies, journal, scanback set, and return package. Do not leave with a correctable omission unnoticed.

Chapter 38 — Scanbacks, Approval & Return

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



23 Scanback Approval Return

38.1–38.4 Requirements, Selection, Upload, Rescan

Identify whether scanbacks are required and which pages/set. Scan in order, legibly, at the required resolution; open/QC the final file. If rejected or incomplete, rescan from the signed originals and preserve the correction trail.

38.5–38.7 Approval Before Return

When approval-before-return applies, hold the physical package securely. Follow up through the approved channel and wait. Never return while the gate is unresolved.

38.8–38.10 Physical Return and Completion Readiness

Use the authorized label/carrier/drop-off method. Verify package, address/label, cutoff, receipt, tracking, and proof. Completion requires return evidence where applicable.

38.11 Scanback → Approval → Return Decision Tree

Scanbacks required? If NO, follow return instruction. If YES, scan/QC/upload. Approval required? If YES, hold securely until explicit approval. Rescan requested? Correct and re-upload. Once approved, return using the authorized label, retain receipt/tracking, and record evidence.

38.12 Non-Negotiable Hold


STOP — Never return while an applicable approval-before-return gate is unresolved.

Chapter 39 — Loan Signing Exceptions & Financial Resolution

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



24 Loan Signing Exception

39.1–39.5 Cancellation, No-Sign, Partial, Resign, Cause

Record what occurred, when, who directed the stop, documents affected, package custody, and communication. Distinguish APS-caused correction from signer/orderer/document/other causes without making blame statements.

39.6 Excessive Wait

The maintained suggestion includes the first 30 minutes, then \$25 per started additional 30-minute increment. APS-caused delay is excluded by default. An administrator authorizes any charge, waiver, or custom result; the operator does not collect automatically onsite.

39.7–39.11 Stops, Review, Supplemental Invoice, Refund, Resolution

Identity, package, signer, instruction, safety, or legal-boundary stops take priority. Additional amounts use the authorized supplemental-invoice workflow; refunds remain tied to original payment and provider evidence.

39.12 Loan Signing Exception Decision Tree

Can the signing safely and lawfully continue under current instructions? If YES, correct/continue and record. If NO, stop and contact orderer. Is same-visit correction authorized? If NO, secure package and follow

no-sign/partial/resign direction. Determine cause and financial review separately. Resume or close only after both operational and financial resolution.

39.13 Resign Rule

APS-caused resign suggestion is zero. Other causes require administrator review. Link every additional visit and package version to the original assignment.

Chapter 40 — Loan Signing Closeout & Completion

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

40.1–40.5 Completion Evidence

Operational work, scanback/approval, return/tracking, exceptions, and financial resolution each require evidence when applicable.

40.6–40.9 Communication, Timeline, Gate, History

Send only the approved closeout communication for the correct audience. Review Timeline for assignment, package, print, appointment, signing, scans, approval, return, exceptions, money, and final completion. Preserve all versions and history.

40.10 Closeout Checklist

- Active package and all instructions reconciled.
- Signatures/initials/dates/certificates and table check complete.
- Scanbacks/QC/approval complete when applicable.
- Package returned with receipt/tracking when applicable.
- Exceptions and supplemental/refund decisions resolved.
- Required payment or authorized terms correctly recorded.
- Ordering-party/signer communication and Timeline verified.
- Final completion gate passed without override abuse.


PART X — BUSINESS ACCOUNTS & BUSINESS PORTAL

Chapter 41 — Business Account Lifecycle & Roles

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



25 Business Lifecycle

41.1 Lifecycle Mental Model

A Business Account moves through application, review, approval, organization setup, invitation, activation, authenticated use, billing eligibility, ongoing service, and controlled closure. Keep application, organization, membership, request, and billing states separate. A change in one does not silently change the others.

41.2 Application, Review, and Approval

Confirm legal/display name, authorized contact, requested services, billing preference, and submitted evidence. Review missing or conflicting facts before approval. Approval authorizes organization setup; it does not create a service request, charge, or payment.

41.3 Organization and Invitation

Create or confirm the organization only from the approved application. Invite the authorized member to the correct organization and role. An invitation is pending until accepted; never describe an invited person as active before activation succeeds.

41.4 Activation, Authentication, and Recovery

Activation establishes the member's authenticated access. Password recovery uses the maintained recovery path and verified destination. Operators do not learn, set, or retain customer passwords. Failed recovery, wrong organization, or unverified identity is a hold condition.

41.5 Roles and Membership

Use the least authority required. Organization administrators manage authorized organization-level activity; members work only within their assigned organization and role. Suspension removes current access without erasing historical ownership or audit records.

41.6 Organization Switching

Before switching organizations, confirm the selected organization in the Business Portal header/context. Requests, documents, messages, locations, and billing must remain scoped to the selected organization. Stop if the displayed organization does not match the intended work.

41.7 Locations and Service Eligibility

Maintain approved business locations separately from one-time service addresses. Location availability does not itself authorize a service, price, credit term, or assignment. Each request still passes its service-specific gates.

41.8 Business Account Lifecycle Map

Application → review → approval → organization → invitation → activation → authenticated membership → eligible requests and billing → hold/suspension if required → controlled closure with history preserved.

Chapter 42 — Business Portal Operations, Requests & Documents

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

42.1 Portal Orientation

The Business Portal presents organization-scoped requests, locations, members where authorized, documents, messages, invoices, payments, and account status. Verify the organization context before acting.

42.2 Creating and Reviewing Requests

An authenticated member submits a request for an eligible service. APS reviews service facts, participants, documents, timing, location, pricing, and billing readiness. Submission does not guarantee acceptance or bypass quote, payment, appointment, or fulfillment controls.

42.3 Requests and Organization Ownership

Keep the requesting member, customer/contact, signer/participant, ordering organization, and service recipient distinct. Historical requests remain linked to the organization even if a member later leaves.

42.4 Documents

Apply the Chapter 8–14 document lifecycle. Organization access is not document-release authority. Customer-visible files must still be classified, reviewed, intentionally released, and scoped to the correct request and organization.

42.5 Messages and Communication History

Send only to an authorized eligible recipient. Successful delivery evidence belongs in the Communication Log and Timeline. A read-only script never sends a message. Inspect prior attempts before retrying.

42.6 Locations

Select or enter the actual service location without overwriting a maintained organization address. Validate access, travel, safety, and service-area requirements for the individual request.

42.7 Member Administration

Invite, change, suspend, or remove a member only with organization authority. Confirm the target identity, organization, and role. Preserve completed activity and do not transfer historical actions to another person.

42.8 Recovery and Escalation


For access failure, first identify whether the issue is invitation, activation, authentication, role, organization selection, or account status. Use recovery only for authentication problems; do not bypass a hold or suspension by creating a duplicate member.

Chapter 43 — Business Account Status, Admin Action & Applicant Communication Sequence

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



26 Business Decision

43.1 Application Received, Review, Information Needed, Approved

Stage	APS status / condition	Admin action	Applicant communication	Template / channel	Gate / do not advance until	Timeline / audit record
Received	application submitted	inspect organization/contact facts	acknowledge receipt when maintained	approved application channel	application exists	receipt and source
Review	under review	validate facts and terms	only factual review update	operator channel if needed	conflicts resolved	reviewer and outcome
Information needed	blocker identified	request exact missing item	applicant-safe request	approved operator message	item received and reviewed	request and response
Approved	approval authorized	create/confirm organization	approval and activation next step	maintained channel	decision recorded	approver and timestamp

43.2 Organization, Invitation, and Activation

Create the organization from approved facts, send the invitation to the authorized address, and verify acceptance before describing access as active. Record invitation, delivery result, activation, role, and organization membership.

43.3 Service Eligibility and Business Requests

Eligibility permits request submission under the organization; it does not auto-approve service. Apply the relevant quote, payment, appointment, document, and fulfillment gates to each request.

43.4 Billing, Reminders, and Payment

Issue the authorized invoice under the organization's terms. Communicate due date, current balance, and payment state without turning a scheduled reminder into a collection threat. Record successful delivery and payment evidence.

43.5 Credit Hold

A credit hold blocks new credit-dependent advancement according to maintained terms. It does not erase open work, rewrite invoices, or remove portal history. Communicate the exact condition and authorized resolution path.

43.6 Recovery, Suspension, and Closure

Use password recovery for authentication only. Suspension/removal changes access; closure ends future organization activity after open operational and financial matters are resolved. Preserve all lawful historical records.

43.7 Business Lifecycle Decision Guide

Is the organization approved? If NO, remain in application review. If YES, is the member invited and activated? If NO, resolve invitation/activation. If YES, is the role and selected organization correct? If NO, stop and correct access. If YES, is the account eligible and free of an applicable hold? If NO, follow the authorized hold path. If YES, proceed to request-specific gates.

Chapter 44 — Business Billing & Completion

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

44.1 Billing Models

Prepaid work requires the applicable payment gate before service. Postpaid work uses only approved organization terms. A Business Account relationship does not by itself authorize credit.

44.2 Due on Receipt, Net 15, and Net 30

Apply the organization's recorded term to the invoice date and due date. Do not switch terms to accelerate or delay collection. A due date is a recorded contractual/authorized fact, not an operator estimate.

44.3 Invoice Issue and Partial Payment

Issue an invoice only from authorized service and price facts. Partial payment reduces the legitimate balance but does not mark the invoice paid. Preserve Invoice #1 and add authorized supplemental invoices instead of rewriting history.

44.4 Due Soon, Due Today, Past Due, and Failed Payment

Use the maintained business billing template matching the actual state. Do not send multiple contradictory notices or call a failed attempt a completed payment. Inspect delivery and payment records before retrying.

44.5 Credit Hold Procedure

1. Confirm the organization, invoice, due date, current balance, payment attempts, and terms.
2. Confirm an authorized hold decision and scope.
3. Record the hold without altering invoice history.
4. Send the maintained hold notice to an eligible recipient.
5. Verify delivery and Timeline evidence.
6. Release the hold only after the authorized condition is satisfied and recorded.

44.6 Completion and Closure

Request completion and organization closure are different. Complete each service only when its operational, document, communication, and financial gates pass. Close an organization only after open requests, invoices, documents, memberships, and retention obligations are reconciled.


PART XI — COMMUNICATIONS, TEMPLATES & SCRIPTS

Chapter 45 — Communication Control & Delivery Truth

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



27 Communication Decision

45.1 Templates, Scripts, and Operator Messages

A template is maintained communication content that may be rendered, sent, logged, and sometimes associated with a status. A script/card is read-only operator guidance. An operator-composed message is allowed only within the current authorized communication path.

45.2 AUTO, OPERATOR, and IF NEEDED

AUTO means the current system initiates delivery from a verified event. OPERATOR means an authorized operator selects and sends it. IF NEEDED means use only when the stated condition exists. Template existence is never proof of automation.

45.3 Before Sending

Confirm request/organization, recipient eligibility, current stage, exact condition, template, variables, attachments, release authority, and prior attempts. Stop for wrong recipient, wrong request, stale status, unresolved attachment, or inconsistent financial facts.

45.4 Send Message Versus Send & Update Status

Send Message records communication without changing authoritative workflow status. Send & Update Status is appropriate only for a maintained transition and only after successful delivery. Never use messaging to manufacture readiness.

45.5 Attachments and Released Deliverables

Attach only the exact eligible quote, invoice, or intentionally released customer deliverable. Internal, audit, source, wrong-request, wrong-customer, superseded, and unreleased files are prohibited.

45.6 Delivery Evidence and Retry

Successful delivery, failure, provider evidence, rendered content, recipient, template key, channel, and time belong in Communication Log/Timeline. Before retrying, inspect existing attempts and use the maintained idempotency boundary.

45.7 Customer-Safe Language

State what happened, what is needed, what the customer should do, and what happens next. Do not expose internal queue names, provider internals, technical error text, or unapproved legal/financial conclusions.

45.8 Communication Decision Tree

Is communication required now? If NO, do not send. If YES, is there an exact maintained template for the actual condition? If YES, verify prerequisites and recipient. If NO, is an authorized operator-composed message allowed? If NO, escalate. If YES, compose narrowly. In every path, verify delivery and record the result.

Chapter 46 — Maintained Template Master Directory — All 54

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

46.1 Production Count and Reconciliation

The locked production inventory contains 54 active system-maintained keys. The 44-key preview catalog supplies rich metadata for most common workflows. Ten production keys require metadata completed from maintained migrations/functions or a source note; no missing metadata is guessed.

46.2 Indexes

The generated directory is ordered by production category and key. The master table supplies service, trigger/stage, audience, and category fields, supporting service, trigger, audience, category, and alphabetical lookup.

46.3 Preview Alias Reconciliation

`aps\_unable\_to\_fulfill` maps to production `aps\_cancellation\_service\_unavailable`; `late\_retained\_amount\_explanation` maps to `late\_cancellation\_explanation`; `refund\_due` maps to `cancellation\_confirmed\_refund\_due`. Preview aliases are not claimed as separate active templates.

46.4 Template Entry Standard

Every generated entry includes the locked operational fields. A `SOURCE-NOTED` trigger/classification means the key is verified but automatic initiation was not established from code; use remains operator-controlled until verified.

46.5 Compact Master Index

Key	Name	Category	Service
appointment_confirmed	Appointment Confirmed	Appointment, intake, quote, payment, completion, and general	All applicable services

Key	Name	Category	Service
appointment_reminder	Appointment Reminder	Appointment, intake, quote, payment, completion, and general	All applicable services
appointment_rescheduled	Appointment Rescheduled	Appointment, intake, quote, payment, completion, and general	All applicable services
awaiting_payment_reminder	Awaiting Payment Reminder	Appointment, intake, quote, payment, completion, and general	All applicable services
final_invoice	Invoice / Final Invoice (invoice attachment)	Appointment, intake, quote, payment, completion, and general	All applicable services
general_customer_message	General Customer Message	Appointment, intake, quote, payment, completion, and general	All applicable services
mobile_appointment_confirmation	Mobile Appointment Confirmation	Appointment, intake, quote, payment, completion, and general	Mobile Notary
order_completed	Order Completed	Appointment, intake, quote, payment, completion, and general	All applicable services
payment_received	Payment Received	Appointment, intake, quote, payment, completion, and general	All applicable services
quote_ready	Quote Ready (quote attachment)	Appointment, intake, quote, payment, completion, and general	All applicable services
request_received	Request Received	Appointment, intake, quote, payment, completion, and general	All applicable services
review_request	Customer Experience Review	Appointment, intake, quote, payment, completion, and general	All applicable services
ron_session_ready	RON Session Ready	Appointment, intake, quote, payment, completion, and general	Remote Online Notary
service_changed_appointment_conversion	Service Changed / Appointment Conversion	Appointment, intake, quote, payment, completion, and general	All applicable services
completed_scan_delivery	Completed Scan Delivery (released deliverable only)	Documents and participant information	Print & Scan
document_delivery	Document Delivery (released deliverable only)	Documents and participant information	All applicable services

Key	Name	Category	Service
document_needed_for_quote	Document Needed to Complete Quote	Documents and participant information	All applicable services
document_received_under_review	Document Received / Under Review	Documents and participant information	All applicable services
participant_information_needed	Additional Participant Information Needed	Documents and participant information	All applicable services
aps_cancellation_service_unavailable	APS Cancellation / Service Unable to Fulfill	Cancellation and refund	All applicable services
cancellation	Cancellation	Cancellation and refund	All applicable services
cancellation_confirmed_no_payment	Cancellation Confirmed — No Payment	Cancellation and refund	All applicable services
cancellation_confirmed_refund_due	Cancellation Confirmed — Refund Due	Cancellation and refund	All applicable services
cancellation_request_received	Cancellation Request Received	Cancellation and refund	All applicable services
late_cancellation_explanation	Late Cancellation / Retained Earned Amount Explanation	Cancellation and refund	All applicable services
refund_processed	Refund Processed	Cancellation and refund	All applicable services
business_credit_hold_notice	Business Credit Hold Notice	Business, security, and resources	Business Accounts
business_invoice_issued	Business Invoice Issued	Business, security, and resources	Business Accounts
business_partial_payment	Business Partial Payment Received	Business, security, and resources	Business Accounts
business_password_reset	Business Account Password Reset	Business, security, and resources	Business Accounts
business_payment_due_receipt	Business Payment Due — Due on Receipt	Business, security, and resources	Business Accounts
business_payment_due_soon	Business Payment Due Soon	Business, security, and resources	Business Accounts
business_payment_due_today	Business Payment Due Today	Business, security, and resources	Business Accounts
business_payment_failed	Business Payment Failed	Business, security, and resources	Business Accounts
business_payment_past_due	Business Payment Past Due	Business, security, and resources	Business Accounts
business_payment_received	Business Payment Received	Business, security, and resources	Business Accounts
resource_center_response	Resource Center Response	Business, security, and resources	Resource Center
lsa_request_received	Loan Signing Request Received	Loan Signing	Loan Signing
lsa_information_needed	Loan Signing Assignment Information Needed	Loan Signing	Loan Signing
lsa_assignment_confirmed	Loan Signing Assignment Confirmed	Loan Signing	Loan Signing

Key	Name	Category	Service
lsa_signer_confirmation	Loan Signing Signer Confirmation	Loan Signing	Loan Signing
lsa_cancellation_under_review	Loan Signing Cancellation Under Review	Loan Signing	Loan Signing
lsa_signing_not_completed	Loan Signing Could Not Be Completed	Loan Signing	Loan Signing
lsa_additional_appointment_needed	Loan Signing Additional Appointment Needed	Loan Signing	Loan Signing
lsa_exception_resolved	Loan Signing Exception Resolved	Loan Signing	Loan Signing
lsa_package_documents_needed	Loan Signing Package or Documents Needed	Loan Signing	Loan Signing
lsa_replacement_package_received	Loan Signing Replacement Package Received	Loan Signing	Loan Signing
lsa_signing_follow_up	Loan Signing Requires Follow-Up	Loan Signing	Loan Signing
lsa_cancellation_requested	Loan Signing Cancellation Requested	Loan Signing	Loan Signing
lsa_cancellation_resolution	Loan Signing Cancellation Resolution	Loan Signing	Loan Signing
lsa_additional_charge_review	Loan Signing Additional Charge Authorization Needed	Loan Signing	Loan Signing
lsa_additional_charge_issued	Loan Signing Additional Charge Issued	Loan Signing	Loan Signing
lsa_scanback_return_follow_up	Loan Signing Scanback or Return Follow-Up	Loan Signing	Loan Signing
lsa_completed	Loan Signing Completed	Loan Signing	Loan Signing

46.6 Appointment Confirmed

Template field	Controlled operator guidance
Template name / key	Appointment Confirmed / appointment_confirmed
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified appointment confirmed condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports appointment confirmed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe appointment confirmed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives appointment confirmed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.7 Appointment Reminder

Template field	Controlled operator guidance
Template name / key	Appointment Reminder / appointment_reminder
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified appointment reminder condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports appointment reminder.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe appointment reminder message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives appointment reminder.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.8 Appointment Rescheduled

Template field	Controlled operator guidance
Template name / key	Appointment Rescheduled / appointment_rescheduled
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified appointment rescheduled condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports appointment rescheduled.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe appointment rescheduled message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives appointment rescheduled.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.9 Awaiting Payment Reminder

Template field	Controlled operator guidance
Template name / key	Awaiting Payment Reminder / awaiting_payment_reminder
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified awaiting payment reminder condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports awaiting payment reminder.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe awaiting payment reminder message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives awaiting payment reminder.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.10 Invoice / Final Invoice (invoice attachment)

Template field	Controlled operator guidance
Template name / key	Invoice / Final Invoice (invoice attachment) / final_invoice
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified invoice / final invoice (invoice attachment) condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports invoice / final invoice (invoice attachment).
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe invoice / final invoice (invoice attachment) message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives invoice / final invoice (invoice attachment).
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.11 General Customer Message

Template field	Controlled operator guidance
Template name / key	General Customer Message / general_customer_message
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified general customer message condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports general customer message.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	OPERATOR
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe general customer message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives general customer message.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.12 Mobile Appointment Confirmation

Template field	Controlled operator guidance
Template name / key	Mobile Appointment Confirmation / mobile_appointment_confirmation
Category / service	Appointment, intake, quote, payment, completion, and general / Mobile Notary
Purpose	Communicate the verified mobile appointment confirmation condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports mobile appointment confirmation.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe mobile appointment confirmation message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives mobile appointment confirmation.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.13 Order Completed

Template field	Controlled operator guidance
Template name / key	Order Completed / order_completed
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified order completed condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports order completed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe order completed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives order completed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.14 Payment Received

Template field	Controlled operator guidance
Template name / key	Payment Received / payment_received
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified payment received condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports payment received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe payment received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives payment received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.15 Quote Ready (quote attachment)

Template field	Controlled operator guidance
Template name / key	Quote Ready (quote attachment) / quote_ready
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified quote ready (quote attachment) condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports quote ready (quote attachment).
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe quote ready (quote attachment) message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives quote ready (quote attachment).
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.16 Request Received

Template field	Controlled operator guidance
Template name / key	Request Received / request_received
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified request received condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports request received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe request received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives request received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.17 Customer Experience Review

Template field	Controlled operator guidance
Template name / key	Customer Experience Review / review_request
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified customer experience review condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports customer experience review.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe customer experience review message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives customer experience review.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.18 RON Session Ready

Template field	Controlled operator guidance
Template name / key	RON Session Ready / ron_session_ready
Category / service	Appointment, intake, quote, payment, completion, and general / Remote Online Notary
Purpose	Communicate the verified ron session ready condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports ron session ready.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe ron session ready message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives ron session ready.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.19 Service Changed / Appointment Conversion

Template field	Controlled operator guidance
Template name / key	Service Changed / Appointment Conversion / service_changed_appointment_conversion
Category / service	Appointment, intake, quote, payment, completion, and general / All applicable services
Purpose	Communicate the verified service changed / appointment conversion condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports service changed / appointment conversion.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe service changed / appointment conversion message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives service changed / appointment conversion.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.20 Completed Scan Delivery (released deliverable only)

Template field	Controlled operator guidance
Template name / key	Completed Scan Delivery (released deliverable only) / completed_scan_delivery
Category / service	Documents and participant information / Print & Scan
Purpose	Communicate the verified completed scan delivery (released deliverable only) condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports completed scan delivery (released deliverable only).
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe completed scan delivery (released deliverable only) message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives completed scan delivery (released deliverable only).
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.21 Document Delivery (released deliverable only)

Template field	Controlled operator guidance
Template name / key	Document Delivery (released deliverable only) / document_delivery
Category / service	Documents and participant information / All applicable services
Purpose	Communicate the verified document delivery (released deliverable only) condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports document delivery (released deliverable only).
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe document delivery (released deliverable only) message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives document delivery (released deliverable only).
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.22 Document Needed to Complete Quote

Template field	Controlled operator guidance
Template name / key	Document Needed to Complete Quote / document_needed_for_quote
Category / service	Documents and participant information / All applicable services
Purpose	Communicate the verified document needed to complete quote condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports document needed to complete quote.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe document needed to complete quote message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives document needed to complete quote.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.23 Document Received / Under Review

Template field	Controlled operator guidance
Template name / key	Document Received / Under Review / document_received_under_review
Category / service	Documents and participant information / All applicable services
Purpose	Communicate the verified document received / under review condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports document received / under review.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe document received / under review message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives document received / under review.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.24 Additional Participant Information Needed

Template field	Controlled operator guidance
Template name / key	Additional Participant Information Needed / participant_information_needed
Category / service	Documents and participant information / All applicable services
Purpose	Communicate the verified additional participant information needed condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports additional participant information needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe additional participant information needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives additional participant information needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.25 APS Cancellation / Service Unable to Fulfill

Template field	Controlled operator guidance
Template name / key	APS Cancellation / Service Unable to Fulfill / aps_cancellation_service_unavailable
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified aps cancellation / service unable to fulfill condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports aps cancellation / service unable to fulfill.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe aps cancellation / service unable to fulfill message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives aps cancellation / service unable to fulfill.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	preview alias: aps_unable_to_fulfill

46.26 Cancellation

Template field	Controlled operator guidance
Template name / key	Cancellation / cancellation
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified cancellation condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports cancellation.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe cancellation message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives cancellation.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.27 Cancellation Confirmed — No Payment

Template field	Controlled operator guidance
Template name / key	Cancellation Confirmed — No Payment / cancellation_confirmed_no_payment
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified cancellation confirmed — no payment condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports cancellation confirmed — no payment.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe cancellation confirmed — no payment message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives cancellation confirmed — no payment.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.28 Cancellation Confirmed — Refund Due

Template field	Controlled operator guidance
Template name / key	Cancellation Confirmed — Refund Due / cancellation_confirmed_refund_due
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified cancellation confirmed — refund due condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports cancellation confirmed — refund due.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe cancellation confirmed — refund due message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives cancellation confirmed — refund due.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	preview alias: refund_due

46.29 Cancellation Request Received

Template field	Controlled operator guidance
Template name / key	Cancellation Request Received / cancellation_request_received
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified cancellation request received condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports cancellation request received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe cancellation request received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives cancellation request received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.30 Late Cancellation / Retained Earned Amount Explanation

Template field	Controlled operator guidance
Template name / key	Late Cancellation / Retained Earned Amount Explanation / late_cancellation_explanation
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified late cancellation / retained earned amount explanation condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports late cancellation / retained earned amount explanation.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe late cancellation / retained earned amount explanation message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives late cancellation / retained earned amount explanation.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	preview alias: late_retained_amount_explanation

46.31 Refund Processed

Template field	Controlled operator guidance
Template name / key	Refund Processed / refund_processed
Category / service	Cancellation and refund / All applicable services
Purpose	Communicate the verified refund processed condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports refund processed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe refund processed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives refund processed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.32 Business Credit Hold Notice

Template field	Controlled operator guidance
Template name / key	Business Credit Hold Notice / business_credit_hold_notice
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business credit hold notice condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business credit hold notice.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business credit hold notice message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business credit hold notice.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.33 Business Invoice Issued

Template field	Controlled operator guidance
Template name / key	Business Invoice Issued / business_invoice_issued
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business invoice issued condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business invoice issued.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business invoice issued message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business invoice issued.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.34 Business Partial Payment Received

Template field	Controlled operator guidance
Template name / key	Business Partial Payment Received / business_partial_payment
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business partial payment received condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business partial payment received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business partial payment received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business partial payment received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.35 Business Account Password Reset

Template field	Controlled operator guidance
Template name / key	Business Account Password Reset / business_password_reset
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business account password reset condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business account password reset.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business account password reset message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business account password reset.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.36 Business Payment Due — Due on Receipt

Template field	Controlled operator guidance
Template name / key	Business Payment Due — Due on Receipt / business_payment_due_receipt
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment due — due on receipt condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment due — due on receipt.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment due — due on receipt message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment due — due on receipt.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.37 Business Payment Due Soon

Template field	Controlled operator guidance
Template name / key	Business Payment Due Soon / business_payment_due_soon
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment due soon condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment due soon.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment due soon message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment due soon.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.38 Business Payment Due Today

Template field	Controlled operator guidance
Template name / key	Business Payment Due Today / business_payment_due_today
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment due today condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment due today.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment due today message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment due today.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.39 Business Payment Failed

Template field	Controlled operator guidance
Template name / key	Business Payment Failed / business_payment_failed
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment failed condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment failed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment failed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment failed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.40 Business Payment Past Due

Template field	Controlled operator guidance
Template name / key	Business Payment Past Due / business_payment_past_due
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment past due condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment past due.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	SOURCE-NOTED — event timing must be verified before AUTO use
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment past due message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment past due.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.41 Business Payment Received

Template field	Controlled operator guidance
Template name / key	Business Payment Received / business_payment_received
Category / service	Business, security, and resources / Business Accounts
Purpose	Communicate the verified business payment received condition without changing facts or policy.
Audience / recipient	Authorized Business Account contact/member
WHEN TO USE	Only when the current authoritative record supports business payment received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe business payment received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives business payment received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.42 Resource Center Response

Template field	Controlled operator guidance
Template name / key	Resource Center Response / resource_center_response
Category / service	Business, security, and resources / Resource Center
Purpose	Communicate the verified resource center response condition without changing facts or policy.
Audience / recipient	Eligible customer/recipient for the current request
WHEN TO USE	Only when the current authoritative record supports resource center response.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe resource center response message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives resource center response.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.43 Loan Signing Request Received

Template field	Controlled operator guidance
Template name / key	Loan Signing Request Received / lsa_request_received
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing request received condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing request received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing request received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing request received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.44 Loan Signing Assignment Information Needed

Template field	Controlled operator guidance
Template name / key	Loan Signing Assignment Information Needed / lsa_information_needed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing assignment information needed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing assignment information needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing assignment information needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing assignment information needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.45 Loan Signing Assignment Confirmed

Template field	Controlled operator guidance
Template name / key	Loan Signing Assignment Confirmed / lsa_assignment_confirmed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing assignment confirmed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing assignment confirmed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing assignment confirmed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing assignment confirmed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.46 Loan Signing Signer Confirmation

Template field	Controlled operator guidance
Template name / key	Loan Signing Signer Confirmation / lsa_signer_confirmation
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing signer confirmation condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing signer confirmation.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing signer confirmation message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing signer confirmation.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.47 Loan Signing Cancellation Under Review

Template field	Controlled operator guidance
Template name / key	Loan Signing Cancellation Under Review / lsa_cancellation_under_review
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing cancellation under review condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing cancellation under review.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing cancellation under review message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing cancellation under review.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.48 Loan Signing Could Not Be Completed

Template field	Controlled operator guidance
Template name / key	Loan Signing Could Not Be Completed / lsa_signing_not_completed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing could not be completed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing could not be completed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing could not be completed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing could not be completed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.49 Loan Signing Additional Appointment Needed

Template field	Controlled operator guidance
Template name / key	Loan Signing Additional Appointment Needed / lsa_additional_appointment_needed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing additional appointment needed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing additional appointment needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing additional appointment needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing additional appointment needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.50 Loan Signing Exception Resolved

Template field	Controlled operator guidance
Template name / key	Loan Signing Exception Resolved / lsa_exception_resolved
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing exception resolved condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing exception resolved.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing exception resolved message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing exception resolved.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.51 Loan Signing Package or Documents Needed

Template field	Controlled operator guidance
Template name / key	Loan Signing Package or Documents Needed / lsa_package_documents_needed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing package or documents needed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing package or documents needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing package or documents needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing package or documents needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.52 Loan Signing Replacement Package Received

Template field	Controlled operator guidance
Template name / key	Loan Signing Replacement Package Received / lsa_replacement_package_received
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing replacement package received condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing replacement package received.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing replacement package received message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing replacement package received.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.53 Loan Signing Requires Follow-Up

Template field	Controlled operator guidance
Template name / key	Loan Signing Requires Follow-Up / lsa_signing_follow_up
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing requires follow-up condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing requires follow-up.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing requires follow-up message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing requires follow-up.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.54 Loan Signing Cancellation Requested

Template field	Controlled operator guidance
Template name / key	Loan Signing Cancellation Requested / lsa_cancellation_requested
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing cancellation requested condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing cancellation requested.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing cancellation requested message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing cancellation requested.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.55 Loan Signing Cancellation Resolution

Template field	Controlled operator guidance
Template name / key	Loan Signing Cancellation Resolution / lsa_cancellation_resolution
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing cancellation resolution condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing cancellation resolution.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing cancellation resolution message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing cancellation resolution.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.56 Loan Signing Additional Charge Authorization Needed

Template field	Controlled operator guidance
Template name / key	Loan Signing Additional Charge Authorization Needed / lsa_additional_charge_review
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing additional charge authorization needed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing additional charge authorization needed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing additional charge authorization needed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing additional charge authorization needed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.57 Loan Signing Additional Charge Issued

Template field	Controlled operator guidance
Template name / key	Loan Signing Additional Charge Issued / lsa_additional_charge_issued
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing additional charge issued condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing additional charge issued.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing additional charge issued message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing additional charge issued.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.58 Loan Signing Scanback or Return Follow-Up

Template field	Controlled operator guidance
Template name / key	Loan Signing Scanback or Return Follow-Up / lsa_scanback_return_follow_up
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing scanback or return follow-up condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing scanback or return follow-up.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing scanback or return follow-up message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing scanback or return follow-up.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

46.59 Loan Signing Completed

Template field	Controlled operator guidance
Template name / key	Loan Signing Completed / lsa_completed
Category / service	Loan Signing / Loan Signing
Purpose	Communicate the verified loan signing completed condition without changing facts or policy.
Audience / recipient	Authorized ordering-party or signer recipient, as the maintained event requires
WHEN TO USE	Only when the current authoritative record supports loan signing completed.
WHEN NOT TO USE	Wrong recipient/request/organization; stale or unverified condition; prerequisite, attachment, release, or financial conflict.
WHAT MUST BE TRUE BEFORE SENDING	Recipient eligibility, current stage/condition, variables, attachments, and prior delivery attempts are verified.
AUTO / OPERATOR / IF NEEDED	IF NEEDED — operator verifies actual condition and current send path
Trigger / channel	Verified workflow condition; maintained email/operator communication path. Template existence alone is not automation evidence.
Recipient outcome	Recipient receives the customer-safe loan signing completed message and its authorized next step.
Related status / next action / gate	Use the actual associated status where maintained; do not update status unless successful delivery and the maintained transition both apply.
What happens next	Follow the service-specific procedure after the recipient receives loan signing completed.
What APS records	Template key, recipient, channel, rendered content, delivery result, time, source event, and Timeline/Communication Log evidence.
Important variables	Customer/organization identity, request reference, service, current dates/amounts/links, and eligible attachment where applicable.
Operator cautions	Do not expose internal terms, promise provider timing, send unreleased files, duplicate delivery, or manufacture status.
Alias / source note	Production key verified in the locked 54-key directory; exact automation remains governed by current implementation.

Chapter 47 — Maintained Scripts & Reference Cards — All 48

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

47.1 Reference-Only Safety Rule

SCRIPTS GUIDE THE OPERATOR. THEY DO NOT CHANGE THE REQUEST. Reading or using a script does not send communication, change status, move money, modify customer data, release a document, or create Proof activity.

47.2 Eight Maintained Categories

The generated catalog imports all 48 frozen entries from ``assets/js/operator-reference-catalog.mjs`` across RON Session, Notarial Acts, Mobile Notary, Print & Scan, Loan Signing, Problem / Stop / Refusal, Quick-Flip, and Checklists.

47.3 Use and Do-Not-Use Guidance

Use the maintained situation and boundaries. Do not use any card outside its service/stage, to bypass a stop, or as a substitute for the full procedure. Related-template mapping is stated only where supported.

47.4 Classification

Full Script contains maintained spoken wording; Quick-Flip/Quick Reference condenses a controlled workflow; Checklist verifies required facts; Decision/Stop Card protects a boundary. Classification never grants operational authority.

47.5 Compact Script Index

Key	Name	Category	Type
ron-opening	RON Opening and Location Confirmation	RON Session	FULL SCRIPT
ron-closing	RON Closing and APS Return	RON Session	FULL SCRIPT

Key	Name	Category	Type
acknowledgment	Acknowledgment	Notarial Acts	FULL SCRIPT
jurat	Jurat / Verification on Oath or Affirmation	Notarial Acts	FULL SCRIPT
oath-affirmation	Oath or Affirmation	Notarial Acts	FULL SCRIPT
signature-witnessing	Signature Witnessing	Notarial Acts	FULL SCRIPT
certified-copy	Certified Copy Procedure	Notarial Acts	FULL SCRIPT
credible-witness	Credible Witness Identification	Notarial Acts	FULL SCRIPT
representative-capacity	Representative Capacity / POA	Notarial Acts	FULL SCRIPT
multiple-parties	Multiple Signers, Documents, and Acts	Notarial Acts	FULL SCRIPT
mobile-arrival	Mobile Arrival and Introduction	Mobile Notary	FULL SCRIPT
mobile-closing	Mobile Closing and Document Return	Mobile Notary	FULL SCRIPT
print-production	Print & Scan Production Start	Print & Scan	FULL SCRIPT
print-qc	Print and Scan Quality Control	Print & Scan	FULL SCRIPT
lsa-assignment-review	Loan Signing Assignment Acceptance / Review	Loan Signing	FULL SCRIPT
lsa-signer-confirmation	Loan Signing Signer Confirmation	Loan Signing	FULL SCRIPT
lsa-arrival-introduction	Loan Signing Arrival / Introduction	Loan Signing	FULL SCRIPT
lsa-advice-boundary	Loan Signing Legal / Financial Advice Boundary	Loan Signing	FULL SCRIPT
lsa-signer-hesitation	Loan Signing Signer Hesitation / Refusal	Loan Signing	FULL SCRIPT
lsa-id-stop	Loan Signing ID / Notarization Stop	Loan Signing	DECISION / STOP CARD
lsa-no-show	Loan Signing Signer Unavailable / No Show	Loan Signing	FULL SCRIPT
lsa-partial-signing	Loan Signing Partial / Incomplete Signing	Loan Signing	FULL SCRIPT
lsa-scanback-hold	Loan Signing Scanback Approval Hold	Loan Signing	FULL SCRIPT
lsa-return-tracking	Loan Signing Return / Tracking	Loan Signing	FULL SCRIPT
lsa-financial-question	Loan Signing Financial Question	Loan Signing	FULL SCRIPT
lsa-refund-question	Loan Signing Refund Question	Loan Signing	FULL SCRIPT

Key	Name	Category	Type
lsa-cancellation-review	Loan Signing Cancellation Review	Loan Signing	FULL SCRIPT
lsa-no-sign	Loan Signing No-Sign / Incomplete	Loan Signing	FULL SCRIPT
lsa-resign	Loan Signing Resign / Return Visit	Loan Signing	FULL SCRIPT
lsa-wait-review	Loan Signing Excessive Wait Review	Loan Signing	FULL SCRIPT
lsa-exception-checklist	Loan Signing Exception & Financial Checklist	Checklists	CHECKLIST
lsa-card-intake	LSA Assignment Intake Card	Checklists	CHECKLIST
lsa-card-printing	LSA Printing / Package Card	Checklists	CHECKLIST
lsa-card-table-qc	LSA Signing Table QC Card	Checklists	CHECKLIST
lsa-card-return	LSA Scanback / Return Card	Checklists	CHECKLIST
lsa-card-cancellation	LSA Cancellation Decision Card	Checklists	CHECKLIST
lsa-card-no-sign	LSA No-Sign Card	Checklists	CHECKLIST
lsa-card-resign	LSA Resign Card	Checklists	CHECKLIST
lsa-card-wait	LSA Wait-Time Card	Checklists	CHECKLIST
lsa-card-completion	LSA Completion Card	Checklists	CHECKLIST
no-legal-advice	No Legal Advice	Problem / Stop / Refusal	DECISION / STOP CARD
identity-mismatch	Identity or Name Discrepancy	Problem / Stop / Refusal	DECISION / STOP CARD
technology-stop	RON Technology or Proof Failure	Problem / Stop / Refusal	DECISION / STOP CARD
refusal	Stop or Refuse Service	Problem / Stop / Refusal	DECISION / STOP CARD
ron-quick-flip	RON Quick-Flip	Quick-Flip	QUICK-FLIP / QUICK REFERENCE
ron-checklist	RON - Must Do Every Session	Checklists	CHECKLIST
mobile-checklist	Mobile - Must Do Every Appointment	Checklists	CHECKLIST
print-checklist	Print & Scan - Must Do Every Job	Checklists	CHECKLIST

47.6 RON Opening and Location Confirmation

Script/card field	Maintained guidance
Name / key	RON Opening and Location Confirmation / ron-opening
Category / service / classification	RON Session / RON / FULL SCRIPT
Purpose	Open the controlled session, confirm identities and locations, and set neutral expectations.
WHEN TO USE	At the start of every RON session, before the notarial act begins.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if identity, willingness, awareness, location, technology, or document readiness cannot be established.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Welcome to Aligned Print & Scan. Before we begin, please state your full name and the physical location where you are joining today. I am physically located in Texas. I will confirm your identity and willingness before we proceed.
Operator boundary	Do not choose a notarial act for the signer.; Do not coach KBA or credential answers.; Do not proceed outside the approved audio-video session.
Must do	Confirm the signer is the intended participant.; Confirm the signer and Texas online notary locations as required by the approved platform process.; Use the Proof session and recording workflow; keep APS administrative data out of the conversation.
Stop / decision condition	Stop if identity, willingness, awareness, location, technology, or document readiness cannot be established.
Related workflow stage / gate	Complete the applicable act script, then use the RON closing and APS return checklists.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	RON SOP; Proof boundary; Acknowledgment; Jurat
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.7 RON Closing and APS Return

Script/card field	Maintained guidance
Name / key	RON Closing and APS Return / ron-closing
Category / service / classification	RON Session / RON / FULL SCRIPT
Purpose	Close the signer interaction accurately and return control to APS without promising release before review.
WHEN TO USE	After the platform signing/notarial work is complete.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop release if the completed asset, certificate, audit trail, or APS completion gate is incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The session work is complete. APS must receive and review the completed document before any customer release. Please use your secure request portal for the current status.
Operator boundary	Do not mark APS Completed solely because the call ended.; Do not release an unreviewed provider document.
Must do	Confirm the provider session state.; Return to APS and synchronize status.; Review the returned document and audit materials before release.
Stop / decision condition	Stop release if the completed asset, certificate, audit trail, or APS completion gate is incomplete.
Related workflow stage / gate	Sync Proof status, review returned assets, release only an eligible document, then evaluate completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	RON return; Document review; Completion gate
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.8 Acknowledgment

Script/card field	Maintained guidance
Name / key	Acknowledgment / acknowledgment
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Record the signer's acknowledgment that the signature was made for the purposes stated in the document.
WHEN TO USE	Only when the signer has selected or the receiving party has provided an acknowledgment certificate.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for identity doubt, unwillingness, lack of awareness, incomplete document, or an absent/insufficient certificate the signer cannot resolve.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Do you acknowledge that you signed this document for the purposes and consideration expressed in it?
Operator boundary	Do not require the signer to sign in front of you solely because the signature was made earlier.; Do not advise the signer which certificate to use.
Must do	Identify the signer through an authorized method.; Confirm willingness and awareness.; Complete the supplied or legally appropriate certificate without altering the document's legal meaning.
Stop / decision condition	Stop for identity doubt, unwillingness, lack of awareness, incomplete document, or an absent/insufficient certificate the signer cannot resolve.
Related workflow stage / gate	Complete the certificate and service-specific final inspection.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Texas Government Code Chapter 406; RON/Mobile SOP
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.9 Jurat / Verification on Oath or Affirmation

Script/card field	Maintained guidance
Name / key	Jurat / Verification on Oath or Affirmation / jurat
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Administer an oath or affirmation and witness the signature for a sworn statement.
WHEN TO USE	When the selected certificate requires a verification on oath or affirmation.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the signer will not swear or affirm, cannot sign in the required presence, or the document/certificate is incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Do you solemnly swear or affirm that the statements in this document are true and correct? Please sign while I observe.
Operator boundary	Do not treat a jurat as an acknowledgment.; Do not omit the spoken oath or affirmation.
Must do	Administer an audible oath or affirmation.; Require the signer to sign in the notary's presence.; Complete the jurat certificate only after the oath/affirmation and witnessed signature.
Stop / decision condition	Stop if the signer will not swear or affirm, cannot sign in the required presence, or the document/certificate is incomplete.
Related workflow stage / gate	Complete certificate and final inspection.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Oath/Affirmation; RON/Mobile SOP
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.10 Oath or Affirmation

Script/card field	Maintained guidance
Name / key	Oath or Affirmation / oath-affirmation
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Administer a verbal oath or affirmation for a lawful purpose.
WHEN TO USE	When an oath/affirmation is requested independently or as part of a jurat.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the participant does not understand or will not make the declaration.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Do you solemnly swear or affirm that the statement you are about to make is true and correct?
Operator boundary	Do not force religious wording.; Do not accept silence or an ambiguous response.
Must do	Offer oath or affirmation neutrally.; Obtain a clear affirmative response.; Record the act according to the approved journal/platform process.
Stop / decision condition	Stop if the participant does not understand or will not make the declaration.
Related workflow stage / gate	Record the act and continue only with the requested lawful procedure.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Jurat; Texas notary guidance
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.11 Signature Witnessing

Script/card field	Maintained guidance
Name / key	Signature Witnessing / signature-witnessing
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Witness a signature only where the requested act and certificate are legally supported.
WHEN TO USE	When the requester has supplied an appropriate supported certificate and the signer will sign in the notary's presence.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if no legally supported act/certificate is identified.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Please confirm that you are signing willingly, then sign while I observe.
Operator boundary	Do not substitute signature witnessing for an acknowledgment or jurat.; Do not create unsupported certificate wording.
Must do	Verify identity.; Observe the signature.; Use the supplied supported certificate.
Stop / decision condition	Stop if no legally supported act/certificate is identified.
Related workflow stage / gate	Complete the certificate and inspection.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Acknowledgment; Jurat; Stop/Refuse
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.12 Certified Copy Procedure

Script/card field	Maintained guidance
Name / key	Certified Copy Procedure / certified-copy
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Handle copy certification only within Texas notarial authority.
WHEN TO USE	When asked to certify a copy and the record is not a publicly recordable document whose certified copy must come from a public custodian.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when authority is unclear or the record must come from an official custodian.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I can explain the notarial process, but I cannot certify a copy when Texas law requires the official custodian to issue it.
Operator boundary	Do not certify copies of publicly recordable documents that must be obtained from the custodian.; Do not certify a copy without comparing it to the original.
Must do	Inspect the original and copy when the act is permitted.; Confirm the record is within Texas copy-certification authority.; Use the correct certificate.
Stop / decision condition	Stop when authority is unclear or the record must come from an official custodian.
Related workflow stage / gate	Complete the supported certificate or refer the customer to the record custodian.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Texas Secretary of State notary guidance
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.13 Credible Witness Identification

Script/card field	Maintained guidance
Name / key	Credible Witness Identification / credible-witness
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Use a credible witness only under the applicable Texas identity rules and approved record process.
WHEN TO USE	When the signer lacks acceptable identification and a lawful credible-witness method is available.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when the witness is not credible, cannot be identified, has a disqualifying interest, or the required facts cannot be established.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I must identify both the signer and the credible witness under the applicable procedure. The witness must truthfully establish the signer's identity.
Operator boundary	Do not use a document witness as an identity witness without satisfying the credible-witness rule.; Do not coach testimony.
Must do	Distinguish a credible witness from a document witness.; Identify and administer the required declaration to the credible witness.; Record the method and participants.
Stop / decision condition	Stop when the witness is not credible, cannot be identified, has a disqualifying interest, or the required facts cannot be established.
Related workflow stage / gate	Complete the identity record and then the selected notarial act.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Identity; Witness distinction; Journal
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.14 Representative Capacity / POA

Script/card field	Maintained guidance
Name / key	Representative Capacity / POA / representative-capacity
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Notarize the identified signer's act without deciding legal authority or document effect.
WHEN TO USE	When a signer signs in a representative capacity or under a power of attorney.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if identity, willingness, awareness, certificate, or document completeness is insufficient.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I can notarize your signature and stated capacity, but I cannot determine whether the authority or document is legally sufficient.
Operator boundary	Do not give an opinion on POA validity.; Do not rewrite capacity language or select the act.
Must do	Identify the individual signer.; Use the capacity described in the document/certificate.; Confirm willingness and awareness.
Stop / decision condition	Stop if identity, willingness, awareness, certificate, or document completeness is insufficient.
Related workflow stage / gate	Complete the selected act and record the stated capacity.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	No Legal Advice; Acknowledgment/Jurat
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.15 Multiple Signers, Documents, and Acts

Script/card field	Maintained guidance
Name / key	Multiple Signers, Documents, and Acts / multiple-parties
Category / service / classification	Notarial Acts / All applicable notarial/services / FULL SCRIPT
Purpose	Keep every signer, document, and certificate separately accountable.
WHEN TO USE	Whenever a service includes more than one participant, document, or act.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when mappings, documents, or certificates are ambiguous.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	We will handle each signer, document, and notarial act separately so the certificates and APS record remain accurate.
Operator boundary	Do not assume one oath, acknowledgment, or certificate covers unrelated acts.; Do not merge participant identities.
Must do	Map each signer to each document and act.; Repeat identity, willingness, and act-specific procedure as required.; Inspect every certificate before closing.
Stop / decision condition	Stop when mappings, documents, or certificates are ambiguous.
Related workflow stage / gate	Reconcile counts and complete the service-specific final check.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	Participant mapping; Final inspection
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.16 Mobile Arrival and Introduction

Script/card field	Maintained guidance
Name / key	Mobile Arrival and Introduction / mobile-arrival
Category / service / classification	Mobile Notary / Mobile Notary / FULL SCRIPT
Purpose	Start the appointment professionally and confirm the order before handling documents.
WHEN TO USE	On arrival at every mobile appointment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for safety, identity, coercion, incomplete documents, or unresolved act/certificate issues.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Hello, I am the notary from Aligned Print & Scan. Before we begin, I will confirm the signer, requested service, identification, documents, and any witnesses.
Operator boundary	Do not begin certificate work until identity and document readiness are established.; Do not leave original identification or documents unattended.
Must do	Confirm the safe meeting location and intended signer.; Match APS service facts to the documents present.; Explain that legal advice and act selection are outside the notary's role.
Stop / decision condition	Stop for safety, identity, coercion, incomplete documents, or unresolved act/certificate issues.
Related workflow stage / gate	Perform the selected act, certificate inspection, document return, and APS completion check.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Mobile SOP; Notarial Acts
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.17 Mobile Closing and Document Return

Script/card field	Maintained guidance
Name / key	Mobile Closing and Document Return / mobile-closing
Category / service / classification	Mobile Notary / Mobile Notary / FULL SCRIPT
Purpose	Account for every document and charge before leaving the appointment.
WHEN TO USE	At the end of each mobile appointment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop departure until certificates, documents, additional services, and delivery expectations reconcile.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Before I leave, I am checking each notarial certificate and accounting for every document. I will also confirm any agreed scan or delivery service.
Operator boundary	Do not leave with an incomplete certificate.; Do not promise a portal document before APS review/release.
Must do	Inspect signature, seal, date, venue, and certificate wording.; Account for all customer documents.; Record additional acts/services and agreed delivery.
Stop / decision condition	Stop departure until certificates, documents, additional services, and delivery expectations reconcile.
Related workflow stage / gate	Return to APS, record fulfillment, invoice additions if needed, upload/review deliverables, and evaluate completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Mobile final check; Completion gate
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.18 Print & Scan Production Start

Script/card field	Maintained guidance
Name / key	Print & Scan Production Start / print-production
Category / service / classification	Print & Scan / Print & Scan / FULL SCRIPT
Purpose	Establish the meaningful production-start boundary and run controlled output.
WHEN TO USE	After source verification, specifications, and required payment checks are complete.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for corrupt files, unclear specifications, payment blockers, or source mismatch.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Internal operator checkpoint: source verified, specifications confirmed, payment state checked, and production is now starting.
Operator boundary	Do not mark production started merely to change cancellation treatment.; Do not print an unreviewed or wrong-version source.
Must do	Verify the exact source file and requested specifications.; Record Production Started only when physical/digital production actually begins.; Inspect the first copy before the full run.
Stop / decision condition	Stop for corrupt files, unclear specifications, payment blockers, or source mismatch.
Related workflow stage / gate	Complete print/scan QC, name the final file, upload as the correct classification, review, and release if eligible.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Print & Scan SOP; Cancellation policy
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.19 Print and Scan Quality Control

Script/card field	Maintained guidance
Name / key	Print and Scan Quality Control / print-qc
Category / service / classification	Print & Scan / Print & Scan / FULL SCRIPT
Purpose	Verify output completeness, readability, orientation, and file integrity.
WHEN TO USE	For the first copy, final print set, and every completed scan.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for missing pages, clipping, skew, unreadability, wrong order, or filename/provenance mismatch.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Internal operator checkpoint: page count, order, orientation, legibility, color, margins, and file opening are verified.
Operator boundary	Do not release a file based only on successful upload.; Do not overwrite the source document classification.
Must do	Compare page count to source.; Inspect first and last pages plus problem-prone pages.; Open the final PDF and verify merge/split order and filename.
Stop / decision condition	Stop for missing pages, clipping, skew, unreadability, wrong order, or filename/provenance mismatch.
Related workflow stage / gate	Upload Completed Scan, review, release intentionally, and evaluate completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Document lifecycle; Release protection
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.20 Loan Signing Assignment Acceptance / Review

Script/card field	Maintained guidance
Name / key	Loan Signing Assignment Acceptance / Review / lsa-assignment-review
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Review authoritative assignment facts before acceptance.
WHEN TO USE	When a new Loan Signing enters review.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when scope, package, signer, timing, return, or pricing facts are incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Internal checkpoint: ordering party, company reference, signing type and method, appointment, signers, package, printing, scanbacks, return, stipulations, fee, and payment terms are confirmed.
Operator boundary	Do not infer instructions from package text.; Do not accept an assignment with unresolved readiness blockers.
Must do	Confirm every requirement from an authoritative source.; Keep property, signing, and return locations separate.; Record accepted pricing and payment terms.
Stop / decision condition	Stop when scope, package, signer, timing, return, or pricing facts are incomplete.
Related workflow stage / gate	Accept only after review, then use the maintained confirmation template.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	LSA Assignment Intake Card; Assignment Requirements
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.21 Loan Signing Signer Confirmation

Script/card field	Maintained guidance
Name / key	Loan Signing Signer Confirmation / Isa-signer-confirmation
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Confirm logistics without requesting unnecessary sensitive information.
WHEN TO USE	Before an appointment when signer confirmation is required.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop and route to review if the signer, location, or appointment cannot be confirmed.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Hello, this is Aligned Print & Scan confirming your scheduled signing date, time, and location. Please have acceptable identification and follow any preparation instructions provided by the ordering party.
Operator boundary	Do not discuss loan terms or document effect.; Do not request credential numbers by phone.
Must do	Confirm availability, time, and location.; Use only orderer-approved preparation instructions.; Record the contact result neutrally.
Stop / decision condition	Stop and route to review if the signer, location, or appointment cannot be confirmed.
Related workflow stage / gate	Update signer-confirmation facts and notify the ordering party when needed.
Related template	Signer Confirmation Needed template; Appointment
Related source/procedure	Signer Confirmation Needed template; Appointment
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.22 Loan Signing Arrival / Introduction

Script/card field	Maintained guidance
Name / key	Loan Signing Arrival / Introduction / lsa-arrival-introduction
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Open the signing professionally and state the neutral signing-agent role.
WHEN TO USE	At the signing location before documents are handled.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for identity, willingness, safety, package, or instruction blockers.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Hello, I am the signing agent from Aligned Print & Scan. I will verify identity, present the documents, and witness or notarize signatures as authorized. I cannot explain legal or financial effects or advise whether to sign.
Operator boundary	Do not imply you represent the lender or title company unless accurate.; Do not overstate authority.
Must do	Confirm the intended signers and package.; Confirm willingness and acceptable identification.; Follow the assignment instructions.
Stop / decision condition	Stop for identity, willingness, safety, package, or instruction blockers.
Related workflow stage / gate	Proceed document by document and preserve the orderer contact path.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	LSA Signing Table QC Card; Notarial boundaries
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.23 Loan Signing Legal / Financial Advice Boundary

Script/card field	Maintained guidance
Name / key	Loan Signing Legal / Financial Advice Boundary / lsa-advice-boundary
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Respond consistently when asked what a document means or whether to sign.
WHEN TO USE	Whenever a signer requests interpretation or advice.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop until the authorized representative resolves the question.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I can identify the document and direct you to the places requiring attention, but I cannot explain its legal or financial effect or advise whether to sign. We can contact the appropriate title, lender, or closing representative.
Operator boundary	Do not interpret loan terms.; Do not advise the signer to sign.; Do not choose a notarial certificate for the customer.
Must do	Pause and allow authorized clarification.; Remain neutral.; Record only the operational outcome.
Stop / decision condition	Stop until the authorized representative resolves the question.
Related workflow stage / gate	Resume only with clear authorized direction or record the appropriate exception.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Financial Question; No Legal Advice
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.24 Loan Signing Signer Hesitation / Refusal

Script/card field	Maintained guidance
Name / key	Loan Signing Signer Hesitation / Refusal / lsa-signer-hesitation
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Pause without pressure when a signer hesitates.
WHEN TO USE	When a signer questions or declines a document.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the signer will not proceed or cannot obtain clarification.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	That's okay. I cannot advise you to sign or not sign. We can pause while you contact the appropriate representative for clarification.
Operator boundary	Do not pressure the signer.; Do not characterize uncertainty as misconduct.
Must do	Distinguish hesitation from a clear refusal.; Offer the authorized contact path.; Record facts neutrally.
Stop / decision condition	Stop if the signer will not proceed or cannot obtain clarification.
Related workflow stage / gate	Record no-sign or partial status according to the facts and secure the package.
Related template	Signing Could Not Be Completed template; No-Sign Card
Related source/procedure	Signing Could Not Be Completed template; No-Sign Card
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.25 Loan Signing ID / Notarization Stop

Script/card field	Maintained guidance
Name / key	Loan Signing ID / Notarization Stop / lsa-id-stop
Category / service / classification	Loan Signing / Loan Signing / DECISION / STOP CARD
Purpose	Explain a required notarial stop without accusation.
WHEN TO USE	When identity or a lawful notarial requirement cannot be satisfied.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop the affected notarial act.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The required notarial step cannot be completed under the current circumstances. The assignment will need follow-up before we can proceed.
Operator boundary	Do not label the signer fraudulent.; Do not retain unnecessary credential details.; Do not bypass requirements.
Must do	State the process limitation neutrally.; Protect identity information.; Secure the package and follow return instructions.
Stop / decision condition	Stop the affected notarial act.
Related workflow stage / gate	Record an identity/notarization-stop exception and route it to review.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	ID/Notarization Stop; Exception Review
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.26 Loan Signing Signer Unavailable / No Show

Script/card field	Maintained guidance
Name / key	Loan Signing Signer Unavailable / No Show / lsa-no-show
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Handle an unavailable signer professionally without threatening fees.
WHEN TO USE	When the signer is unavailable at the scheduled appointment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when the authorized wait/contact path is exhausted.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	This is Aligned Print & Scan at the scheduled signing location. I am documenting the appointment status and our team will review the appropriate next step with the ordering party.
Operator boundary	Do not state that a fee is automatic.; Do not disclose business billing terms to an unrelated signer.
Must do	Record arrival and contact attempts.; Follow authorized waiting instructions.; Secure the package.
Stop / decision condition	Stop when the authorized wait/contact path is exhausted.
Related workflow stage / gate	Record a signer-unavailable/no-sign review and preserve return requirements.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	No-Sign Card; Wait-Time Card
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.27 Loan Signing Partial / Incomplete Signing

Script/card field	Maintained guidance
Name / key	Loan Signing Partial / Incomplete Signing / Isa-partial-signing
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Close or pause a partially completed package without falsely completing it.
WHEN TO USE	When some signers or documents complete and others do not.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop normal completion until the partial-signing review is resolved.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The signing was not fully completed. I will secure the package and our team will review the appropriate next steps with the ordering party.
Operator boundary	Do not mark Completed.; Do not automatically classify the entire attempt as No Sign.
Must do	Record what occurred without interpreting documents.; Preserve package and stipulation disposition.; Keep return instructions active.
Stop / decision condition	Stop normal completion until the partial-signing review is resolved.
Related workflow stage / gate	Create the structured partial exception and customer-safe follow-up.
Related template	Signing Requires Follow-Up template; Partial Signing Card
Related source/procedure	Signing Requires Follow-Up template; Partial Signing Card
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.28 Loan Signing Scanback Approval Hold

Script/card field	Maintained guidance
Name / key	Loan Signing Scanback Approval Hold / lsa-scanback-hold
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Prevent return before required scanback approval.
WHEN TO USE	When instructions require scanback approval before return.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop return until approval or authoritative revised instructions are received.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The package is being held for the required scanback review. Return or drop-off will proceed only after authorized approval or updated instructions.
Operator boundary	Do not drop the package before required approval.; Do not treat submission as approval.
Must do	Complete scanback QC.; Submit through the authorized channel.; Record approval or correction facts.
Stop / decision condition	Stop return until approval or authoritative revised instructions are received.
Related workflow stage / gate	Record approval, then continue the existing return workflow.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	Scanback / Return Card; Return requirements
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.29 Loan Signing Return / Tracking

Script/card field	Maintained guidance
Name / key	Loan Signing Return / Tracking / lsa-return-tracking
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Account for authorized package return without becoming a general courier service.
WHEN TO USE	After signing or an exception when physical return is required.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if return instructions, label, or destination are unclear.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Internal checkpoint: label, carrier or direct destination, drop-off, tracking, receipt, and proof are recorded against this assignment.
Operator boundary	Do not invent a destination.; Do not broaden APS into unrelated courier work.
Must do	Use the authorized label and destination.; Retain customer-safe tracking proof.; Link return to the correct visit and package.
Stop / decision condition	Stop if return instructions, label, or destination are unclear.
Related workflow stage / gate	Complete authorized return, record proof, and evaluate exception closeout.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	Scanback / Return Card; Release 7 return engine
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.30 Loan Signing Financial Question

Script/card field	Maintained guidance
Name / key	Loan Signing Financial Question / lsa-financial-question
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Explain an authorized factual charge without improvising policy.
WHEN TO USE	When an orderer asks why an authorized amount appears.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the persisted decision and invoice do not agree.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The amount reflects the authorized assignment review shown in your account. I can explain the recorded service facts and applicable terms, but I cannot provide legal or financial advice or change the decision outside the review process.
Operator boundary	Do not expose internal rationale or policy ceilings.; Do not negotiate an unapproved amount.
Must do	Use the authorized customer-safe explanation.; Refer to the maintained terms and invoice.; Escalate disputed facts.
Stop / decision condition	Stop if the persisted decision and invoice do not agree.
Related workflow stage / gate	Route corrections through Exception & Financial Review.
Related template	Additional Charge template; Loan Signing Terms
Related source/procedure	Additional Charge template; Loan Signing Terms
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.31 Loan Signing Refund Question

Script/card field	Maintained guidance
Name / key	Loan Signing Refund Question / Isa-refund-question
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Describe the authoritative refund state without promising provider timing.
WHEN TO USE	When an authorized contact asks about a refund.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if the refund amount or state is inconsistent.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The approved refund amount and current processing state are shown in your account. Posting time depends on the original payment method and provider, so I will not describe it as completed until the authoritative record confirms completion.
Operator boundary	Do not promise settlement timing.; Do not call an approved refund completed before evidence.
Must do	Confirm the authorized recipient.; Use the persisted refund status.; Preserve the original payment history.
Stop / decision condition	Stop if the refund amount or state is inconsistent.
Related workflow stage / gate	Escalate through the existing APS refund workflow.
Related template	Refund Processed template; Refund SOP
Related source/procedure	Refund Processed template; Refund SOP
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.32 Loan Signing Cancellation Review

Script/card field	Maintained guidance
Name / key	Loan Signing Cancellation Review / lsa-cancellation-review
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Separate cancellation facts, policy guidance, financial authorization, and communication.
WHEN TO USE	Whenever cancellation is requested before the assignment is closed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop financial execution until an authorized resolution is recorded.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	We received the cancellation request. APS will review the work actually performed and the applicable assignment terms before confirming any financial result.
Operator boundary	Do not promise a refund.; Do not charge the suggested ceiling automatically.
Must do	Record who requested cancellation and the authoritative stage facts.; Snapshot the applicable policy or organization terms.; Require an administrator decision before any charge or refund.
Stop / decision condition	Stop financial execution until an authorized resolution is recorded.
Related workflow stage / gate	Use the existing supplemental-invoice or refund workflow only after authorization.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing Exception & Financial Review
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.33 Loan Signing No-Sign / Incomplete

Script/card field	Maintained guidance
Name / key	Loan Signing No-Sign / Incomplete / lsa-no-sign
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Record a neutral outcome without assigning blame or falsely completing the assignment.
WHEN TO USE	When no documents or only part of a package can be completed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if lawful notarial requirements, identity, willingness, or safety are not satisfied.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	The signing could not be completed as planned. APS will review the assignment and provide the appropriate next step.
Operator boundary	Do not mark Completed.; Do not call a partial signing a no-sign.; Do not record unnecessary identity details.
Must do	Record arrival/start facts and the neutral reason.; Preserve package, scanback, and return instructions.; Route financial consequences to Admin review.
Stop / decision condition	Stop if lawful notarial requirements, identity, willingness, or safety are not satisfied.
Related workflow stage / gate	Record the structured exception and notify the orderer only with customer-safe wording.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing; Compliance Stop
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.34 Loan Signing Resign / Return Visit

Script/card field	Maintained guidance
Name / key	Loan Signing Resign / Return Visit / lsa-resign
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Create a linked visit under the same assignment and keep cause review separate from pricing.
WHEN TO USE	When an authorized correction or additional appointment is needed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop until the corrected package and appointment instructions are authoritative.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	An additional signing appointment is needed. APS will confirm scheduling and any authorized financial update separately.
Operator boundary	Do not create an unrelated duplicate request.; Do not infer blame.
Must do	Record the authorized source and cause category.; Create Visit 2 or the next visit number under the same assignment.; Waive APS/notary-caused correction fees by default unless legitimately reviewed.
Stop / decision condition	Stop until the corrected package and appointment instructions are authoritative.
Related workflow stage / gate	Schedule the linked visit and separately review any fee.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing Visits; Package Versioning
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.35 Loan Signing Excessive Wait Review

Script/card field	Maintained guidance
Name / key	Loan Signing Excessive Wait Review / lsa-wait-review
Category / service / classification	Loan Signing / Loan Signing / FULL SCRIPT
Purpose	Calculate a policy suggestion from authoritative timestamps without automatically billing it.
WHEN TO USE	When waiting exceeds the included 30 minutes.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if timestamps or cause are incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	APS is reviewing the recorded appointment timing. Any authorized billing update will be communicated separately.
Operator boundary	Do not use the current clock as a substitute for facts.; Do not show suggested fees as customer debt.
Must do	Use arrival and signing-start/departure timestamps.; Exclude APS-caused delay from the suggestion.; Require Admin authorization before invoicing.
Stop / decision condition	Stop if timestamps or cause are incomplete.
Related workflow stage / gate	Waive, accept the suggestion, or enter a reasoned custom amount.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	Loan Signing Policy v1; Supplemental Invoice
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.36 Loan Signing Exception & Financial Checklist

Script/card field	Maintained guidance
Name / key	Loan Signing Exception & Financial Checklist / lsa-exception-checklist
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Provide the required sequence for every LSA exception.
WHEN TO USE	For cancellation, no-sign, incomplete signing, resign, return visit, wait, or added-charge review.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop closure while service, financial, or communication review remains unresolved.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Checklist: facts recorded; policy snapshot identified; organization terms reviewed; Admin financial decision recorded; invoice/refund action completed through the existing ledger; customer-safe communication sent; review closed.
Operator boundary	Do not rewrite Invoice #1.; Do not mark refunds processed before provider/offline evidence.
Must do	Keep business, service, financial, and exception states separate.; Preserve original pricing and payment history.; Record Timeline and resolve the Review Queue item.
Stop / decision condition	Stop closure while service, financial, or communication review remains unresolved.
Related workflow stage / gate	Close only after all applicable records agree.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Loan Signing Release 8; Refund SOP; Completion gate
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.37 LSA Assignment Intake Card

Script/card field	Maintained guidance
Name / key	LSA Assignment Intake Card / lsa-card-intake
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Concise intake reference.
WHEN TO USE	Before accepting an assignment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for any unresolved scope or readiness fact.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: orderer, reference, type, method, appointment, signers, package, printing, scanbacks, return, stipulations, fee, and terms.
Operator boundary	Do not infer missing requirements.
Must do	Use authoritative sources.; Keep locations distinct.
Stop / decision condition	STOP for any unresolved scope or readiness fact.
Related workflow stage / gate	NEXT: accept and confirm only after review.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Assignment Review script
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.38 LSA Printing / Package Card

Script/card field	Maintained guidance
Name / key	LSA Printing / Package Card / lsa-card-printing
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Protect package version and print accuracy.
WHEN TO USE	Before and after every package print.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for version, count, or quality mismatch.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: active version, page count, paper, sidedness, scaling, sets, borrower copies, and QC.
Operator boundary	Do not overwrite the original package.
Must do	Use the authoritative counted source.; Preserve superseded versions.
Stop / decision condition	STOP for version, count, or quality mismatch.
Related workflow stage / gate	NEXT: record QC and readiness.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	Package Versioning
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.39 LSA Signing Table QC Card

Script/card field	Maintained guidance
Name / key	LSA Signing Table QC Card / lsa-card-table-qc
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Concise signing-table quality check.
WHEN TO USE	During and immediately after signing.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for identity, willingness, document, or certificate blockers.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	DO: remain neutral. VERIFY: signer, signatures, initials, dates, certificates, and package order.
Operator boundary	Do not interpret terms or pressure signing.
Must do	Check every required execution point.; Protect signer choice.
Stop / decision condition	STOP for identity, willingness, document, or certificate blockers.
Related workflow stage / gate	NEXT: record outcome and post-signing QC.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	Arrival; Advice Boundary
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.40 LSA Scanback / Return Card

Script/card field	Maintained guidance
Name / key	LSA Scanback / Return Card / lsa-card-return
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Control scanbacks and authorized return.
WHEN TO USE	After signing or exception.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for unclear destination or missing authorization.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: scanback scope and QC, approval-before-return, label, destination, tracking, receipt, and proof.
Operator boundary	Do not drop before required approval.
Must do	Hold when approval is required.; Record authoritative return facts.
Stop / decision condition	STOP for unclear destination or missing authorization.
Related workflow stage / gate	NEXT: complete return and close blockers.
Related template	None verified; use the service’s maintained communication sequence
Related source/procedure	Scanback Hold; Return / Tracking
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.41 LSA Cancellation Decision Card

Script/card field	Maintained guidance
Name / key	LSA Cancellation Decision Card / lsa-card-cancellation
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Keep facts, policy, decision, and communication separate.
WHEN TO USE	When cancellation is requested.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP before financial action without authority.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	REVIEW: preparation, printing, travel, arrival, signing, terms, payment, and cause. Admin authorizes the result.
Operator boundary	Do not auto-charge the policy ceiling.
Must do	Snapshot policy and financial facts.; Use the existing invoice/refund ledger.
Stop / decision condition	STOP before financial action without authority.
Related workflow stage / gate	NEXT: communicate and close only after all actions resolve.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Cancellation Review
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.42 LSA No-Sign Card

Script/card field	Maintained guidance
Name / key	LSA No-Sign Card / lsa-card-no-sign
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Concise neutral no-sign response.
WHEN TO USE	When signing cannot proceed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP normal completion.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	DO: record facts, secure the package, follow return instructions, and open review.
Operator boundary	Do not pressure or promise a charge/refund.
Must do	Preserve arrival and outcome facts.; Keep financial review separate.
Stop / decision condition	STOP normal completion.
Related workflow stage / gate	NEXT: Admin review and customer-safe communication.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	No-Sign script
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.43 LSA Resign Card

Script/card field	Maintained guidance
Name / key	LSA Resign Card / lsa-card-resign
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Preserve the original attempt and link the next visit.
WHEN TO USE	When another appointment is required.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP until corrected facts are authoritative.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: cause, new documents/version, appointment, signers, location, instructions, and fee review.
Operator boundary	Do not overwrite Visit 1.
Must do	Create the next visit on the same assignment.; Default APS-caused correction suggestion to zero.
Stop / decision condition	STOP until corrected facts are authoritative.
Related workflow stage / gate	NEXT: schedule linked visit and separately authorize any fee.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Resign script
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.44 LSA Wait-Time Card

Script/card field	Maintained guidance
Name / key	LSA Wait-Time Card / lsa-card-wait
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Apply the maintained wait rule as a suggestion only.
WHEN TO USE	When authoritative wait exceeds the included period.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP if timing or cause is incomplete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: first 30 minutes included; then \$25 per additional 30 minutes or portion. Admin authorizes.
Operator boundary	Do not collect automatically onsite.
Must do	Use arrival and signing-start/departure facts.; Exclude APS-caused delay by default.
Stop / decision condition	STOP if timing or cause is incomplete.
Related workflow stage / gate	NEXT: waive, accept, or authorize a reasoned custom result.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Wait Review script
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.45 LSA Completion Card

Script/card field	Maintained guidance
Name / key	LSA Completion Card / lsa-card-completion
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Protect normal and exception closeout paths.
WHEN TO USE	Before closing a Loan Signing.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: STOP for any unresolved operational, financial, return, or communication item.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	VERIFY: outcome, package/stipulation disposition, scanbacks, return/tracking, financial resolution, communication, Timeline, and Review Queue.
Operator boundary	Do not mark a cancelled or no-sign assignment normally Completed.
Must do	Use the Release 7 completion gate for normal completion.; Preserve exception history.
Stop / decision condition	STOP for any unresolved operational, financial, return, or communication item.
Related workflow stage / gate	NEXT: close with the accurate final outcome.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Completion Gate; Exception Checklist
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.46 No Legal Advice

Script/card field	Maintained guidance
Name / key	No Legal Advice / no-legal-advice
Category / service / classification	Problem / Stop / Refusal / All applicable notarial/services / DECISION / STOP CARD
Purpose	Maintain the notary's neutral role when a customer asks what to sign or which act to select.
WHEN TO USE	Whenever the signer asks for legal interpretation, document drafting, or act selection.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop until the customer or receiving party supplies a lawful direction/certificate.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I can explain the notarial process, but I cannot advise you which notarial act to choose or what the document means. You may contact the document recipient or a qualified attorney.
Operator boundary	Do not recommend acknowledgment versus jurat.; Do not interpret legal effect or draft certificate language for the customer.
Must do	Explain process neutrally.; Allow the signer/recipient to resolve the choice.; Document a stopped or rescheduled service accurately if unresolved.
Stop / decision condition	Stop until the customer or receiving party supplies a lawful direction/certificate.
Related workflow stage / gate	Resume only after the issue is resolved; otherwise record the accurate outcome.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	All notarial acts; Refusal
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.47 Identity or Name Discrepancy

Script/card field	Maintained guidance
Name / key	Identity or Name Discrepancy / identity-mismatch
Category / service / classification	Problem / Stop / Refusal / All applicable notarial/services / DECISION / STOP CARD
Purpose	Handle mismatched names or identity evidence without guessing.
WHEN TO USE	When the document, APS participant record, credential, or signer presentation does not reconcile.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop if identity cannot be satisfactorily established.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I cannot change or guess identity information. We need acceptable evidence and a document/certificate that accurately identifies the signer before proceeding.
Operator boundary	Do not alter names to force a match.; Do not enter or retain KBA answers in APS.
Must do	Compare the presented evidence to the person and document.; Use only authorized identification methods.; Record the unresolved blocker without sensitive credential data.
Stop / decision condition	Stop if identity cannot be satisfactorily established.
Related workflow stage / gate	Correct permitted APS administrative data or reschedule; do not falsely complete.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Identity; Proof boundary
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.48 RON Technology or Proof Failure

Script/card field	Maintained guidance
Name / key	RON Technology or Proof Failure / technology-stop
Category / service / classification	Problem / Stop / Refusal / All applicable notarial/services / DECISION / STOP CARD
Purpose	Pause safely when audio, video, identity, credential, or provider processing is unreliable.
WHEN TO USE	During KBA, credential analysis, audio-video, document processing, or provider synchronization failures.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop when identity or continuous audio-video cannot be maintained.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	We need a reliable connection and successful identity process to continue. I will pause rather than bypass the required step.
Operator boundary	Do not coach KBA answers.; Do not create a replacement Proof transaction without authorization.; Do not mark a failed step complete.
Must do	Use provider-supported retry/reconnect paths.; Sync APS after provider recovery.; Preserve idempotency; reuse the existing transaction.
Stop / decision condition	Stop when identity or continuous audio-video cannot be maintained.
Related workflow stage / gate	Retry safely, reschedule if necessary, and record the actual provider/APS state.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Proof operations; Idempotency
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.49 Stop or Refuse Service

Script/card field	Maintained guidance
Name / key	Stop or Refuse Service / refusal
Category / service / classification	Problem / Stop / Refusal / All applicable notarial/services / DECISION / STOP CARD
Purpose	Protect the signer, notary, APS record, and public trust when the act cannot lawfully or safely proceed.
WHEN TO USE	For identity doubt, coercion, unwillingness, lack of awareness, incomplete documents, unsupported acts, fraud indicators, or unsafe conditions.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop immediately for suspected coercion, fraud, incapacity, identity failure, or safety risk.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	I am unable to complete this notarial service because the required conditions are not satisfied. I can explain the process limitation, but I cannot bypass it.
Operator boundary	Do not fabricate completion.; Do not threaten, diagnose, or make legal conclusions.
Must do	State the process reason neutrally.; Preserve documents and privacy.; Record the actual outcome without accusatory speculation.
Stop / decision condition	Stop immediately for suspected coercion, fraud, incapacity, identity failure, or safety risk.
Related workflow stage / gate	Record stopped/refused status and next safe action; escalate when required.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Troubleshooting; Security
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.50 RON Quick-Flip

Script/card field	Maintained guidance
Name / key	RON Quick-Flip / ron-quick-flip
Category / service / classification	Quick-Flip / All applicable notarial/services / QUICK-FLIP / QUICK REFERENCE
Purpose	Provide a concise live-session prompt without replacing the full SOP.
WHEN TO USE	During a controlled RON session after the full checklist has been reviewed.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop on any identity, willingness, awareness, document, certificate, or technology blocker.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	OPEN: name + locations. CHECK: identity, willingness, awareness, document, act. PERFORM: exact act script. CLOSE: provider state, APS sync, review before release.
Operator boundary	Do not use this card to skip identity, recording, certificate, or review requirements.
Must do	Keep the full SOP available.; Use the exact act-specific script.; Return to APS after the provider session.
Stop / decision condition	Stop on any identity, willingness, awareness, document, certificate, or technology blocker.
Related workflow stage / gate	Use RON Closing and APS Return.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	RON Opening; Act scripts; RON Closing
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.51 RON - Must Do Every Session

Script/card field	Maintained guidance
Name / key	RON - Must Do Every Session / ron-checklist
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Provide the mandatory pre-session through return checklist.
WHEN TO USE	Before, during, and immediately after every RON session.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop at the first unmet readiness or legal requirement.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Checklist: paid/readiness checked; appointment confirmed; signers/documents mapped; identity and locations confirmed; act performed; provider state synced; completed asset reviewed before release.
Operator boundary	Do not activate, invite, release, or complete early.
Must do	Confirm payment/readiness and appointment.; Map signers, documents, witnesses, and acts.; Preserve one Proof transaction and sync lifecycle events.; Review completed document and audit material before release.
Stop / decision condition	Stop at the first unmet readiness or legal requirement.
Related workflow stage / gate	Advance only to the next legitimately supported APS stage.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	RON SOP; Proof boundary; Completion gate
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.52 Mobile - Must Do Every Appointment

Script/card field	Maintained guidance
Name / key	Mobile - Must Do Every Appointment / mobile-checklist
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Provide the mandatory travel, appointment, certificate, and APS return checklist.
WHEN TO USE	For every mobile appointment.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop departure until the final check is complete.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Checklist: order/address confirmed; ID and documents ready; act and witnesses resolved; every certificate inspected; documents accounted for; added services recorded; APS fulfillment and financial state reconciled.
Operator boundary	Do not leave with a known certificate defect or unaccounted document.
Must do	Confirm safe logistics before leaving.; Inspect every certificate before departure.; Account for documents and delivery promises.; Record fulfillment facts and charges accurately.
Stop / decision condition	Stop departure until the final check is complete.
Related workflow stage / gate	Update APS, deliver/release safely, and evaluate completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Mobile SOP; Mobile closing
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.

47.53 Print & Scan - Must Do Every Job

Script/card field	Maintained guidance
Name / key	Print & Scan - Must Do Every Job / print-checklist
Category / service / classification	Checklists / All applicable notarial/services / CHECKLIST
Purpose	Provide the mandatory source, production, QC, delivery, and completion checklist.
WHEN TO USE	For every Print & Scan job.
WHEN NOT TO USE	Do not use outside the stated situation, to bypass this stop condition, or as authority to send/change data: Stop for source, quality, payment, classification, or release blockers.
Situation / audience	Operator reference for the maintained service situation; speak only to the authorized participant/recipient.
Maintained wording	Checklist: source/version/specifications confirmed; payment checked; production start recorded truthfully; first copy and final output inspected; file opened; classification/provenance correct; release intentional; completion gate satisfied.
Operator boundary	Do not release an internal, source, audit, or unreviewed file.
Must do	Protect the source document.; Verify counts, order, orientation, legibility, and filename.; Release only the exact eligible deliverable.
Stop / decision condition	Stop for source, quality, payment, classification, or release blockers.
Related workflow stage / gate	Complete delivery/pickup facts, Timeline, portal verification, and completion.
Related template	None verified; use the service's maintained communication sequence
Related source/procedure	Print & Scan SOP; Document release
Reference-only safety	Using this item does not send, change status, move money, modify records, release documents, or create provider activity.


PART XII — EXCEPTIONS, SECURITY & OPERATIONAL ASSURANCE

Chapter 48 — Troubleshooting, Exceptions & Recovery

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



28 Exception Recovery

48.1 Required Recovery Pattern

Every exception record answers: SYMPTOM; WHAT TO CHECK; LIKELY CAUSE; WHAT TO DO; WHAT NOT TO DO; CUSTOMER COMMUNICATION; WHEN TO ESCALATE; WHAT GETS RECORDED. Begin from the exact request and authoritative evidence. Never manufacture a status, bypass a gate, duplicate a charge/send, or conceal an unresolved condition.

Symptom	What to check / likely cause	What to do	What not to do / escalation / record
Missing information	current request, participants, documents, instructions, prior asks	request the exact missing fact through the maintained path; hold the affected gate	do not guess; escalate conflicting authority; record item, request, recipient, delivery, resolution
Wrong or replacement document	request, classification, version, source, release state	quarantine wrong/superseded item, identify active version, repeat review	do not delete history or release an unreviewed replacement; record lineage and decision
Page-count mismatch	authoritative source, parser output, manual count, color/copies	reconcile with the source; use governed manual count when parser cannot establish authority	do not price/produce from an unexplained count; record count method and evidence
Quote conflict	current scope, version, approval, invoice, service facts	revise prospectively and obtain authorization	do not overwrite approval or invoice history; escalate unauthorized concessions

Symptom	What to check / likely cause	What to do	What not to do / escalation / record
Payment/refund ambiguity	ledger, provider evidence, invoice, authorization, prior attempts	hold fulfillment/financial closure and route authorized review	do not retry blindly, promise settlement time, or mark processed early

48.2 Missing Information

Name the missing item, why it blocks advancement, who may supply it, and the safe next step. Recheck after receipt; a reply is not proof the blocker is resolved.

48.3 Wrong, Replacement, or Released Document

Keep source, internal, customer-visible, released, superseded, and replacement states distinct. If an incorrect file was released, stop further release, preserve audit evidence, identify recipients and scope, escalate privacy/security review, and use only approved correction communication.

48.4 Page Count

Compare the exact source file with authoritative page-count evidence. For parsing failure, password protection, unsupported format, mixed originals, or manual physical pages, record the governed fallback. Reconfirm after replacement.

48.5 Quote

Compare service, scope, rates, travel, pages/copies, timing, add-ons, approval, and invoice. Correct with a new version; do not retroactively rewrite the accepted quote.

48.6 Payment and Refund Ambiguity

Separate attempted, failed, pending, paid, partially paid, refund due, and refund processed. Provider evidence and the APS ledger must agree before customer-facing finality.

48.7 Appointment, No-Show, and Safety

Verify location, time/timezone, contact attempts, arrival/departure evidence, wait rule, access, and safety facts. Personal safety overrides schedule pressure. Record neutral facts and return instructions.

48.8 RON, Proof, KBA, and Identity

Do not coach KBA, store answers, create substitute identities, or describe a provider attempt as successful. Preserve the existing transaction where authorized, use provider-supported recovery, and route alternative service only after eligibility review.

48.9 ORS and PDF Parser

Treat ORS or parser output as an aid, not authority. If routing, mileage, file type, encryption, corruption, or page extraction prevents a dependable result, use the maintained manual path and document the basis.

48.10 Email and Delivery

Check recipient eligibility, address, template, rendered content, attachment/release authority, delivery result, and prior attempts. Never treat “send clicked” as delivery or resend blindly.

48.11 Loan Package, Scanback, and Return

Confirm active version, print count, completed signatures/initials/dates/certificates, scanback scope/QC, approval requirement, label/destination, drop-off, and tracking. Never return before required approval.

48.12 Cancellation, No-Sign, Partial, Resign, and Wait

Keep service outcome, operational cause, financial decision, communication, and any linked return visit separate. Policy suggestions do not authorize charges, waivers, or refunds.

48.13 Complaint, Chargeback, or Misconduct

Preserve records; use neutral language; restrict access; do not retaliate, diagnose, admit unsupported fault, alter history, or contact parties outside authority. Escalate promptly to the owner/authorized reviewer.

48.14 Admin Loading, Empty, and Error States


Loading means wait; empty means no matching visible records; error means retrieval failed. Recheck filters, organization, request, connectivity, and permissions. Do not act from stale or incomplete content.

Chapter 49 — Security & Privacy for Operators

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



29 Security Boundary

49.1 Customer Privacy

Access only the minimum information needed for the assigned task. Verify recipient, request, purpose, channel, and release authority before viewing, downloading, discussing, or sending protected information.

49.2 Business Tenant Separation

Confirm the selected organization before every Business action. Membership in one organization never grants access to another; do not copy records between organizations to solve an access problem.

49.3 Document Security and Protected Links

Keep internal/source/unreleased files out of customer-visible storage and ordinary email. Use approved protected links, verify expiration/access behavior, and record release/delivery evidence.

49.4 Passwords and Recovery

Never ask for, learn, store, or set a customer password. Use the maintained recovery path and verified destination. Recovery does not bypass suspension, role, organization, or eligibility controls.

49.5 Payment Information

Use approved payment interfaces. Do not place full card/bank data in notes, messages, screenshots, or documents. Record provider-safe references and outcomes only.

49.6 IDs and KBA

Use identity evidence only for the authorized process. Do not retain unnecessary images/details, coach KBA, record answers, or copy identity data into general notes.

49.7 Internal Notes

Write factual, necessary, professional notes suitable for audit. Exclude speculation, diagnoses, unnecessary sensitive data, passwords, secrets, and customer-inappropriate internal shorthand.

49.8 Admin, Business, and Customer Access

Use your own authorized account, least privilege, and the correct portal/context. Never share sessions, impersonate a user, or use access from one role to satisfy another role's task.

49.9 Downloads and Emailing Documents

Download only when required; protect the device and local file; remove temporary copies under policy. Email only an intentionally released eligible deliverable to an eligible recipient.

49.10 Personal Devices

Use approved, updated, locked devices and networks. Avoid shared/public devices and untrusted networks. Do not sync protected files into personal photo, cloud, messaging, or backup services.

49.11 Screenshots and Training Data

Use synthetic fixtures or complete redaction. Do not capture legitimate PII, IDs, documents, tokens, financial data, or private messages for training.

49.12 Secrets

Passwords, recovery links, API keys, tokens, signing secrets, and private configuration never belong in the handbook, screenshots, messages, tickets, or ordinary notes.

49.13 Incident Escalation


Stop the affected action, preserve evidence, limit further exposure, notify the authorized owner/security contact, and record factual scope and time. Do not independently investigate beyond authority or erase evidence.

Chapter 50 — Operational Assurance & Handbook Control

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.



30 Assurance Loop

50.1 Pre-Action Checks

Verify identity/context, exact request, organization, current state, authority, source/version, recipient, variables, attachments, gate readiness, prior attempts, and expected audit result before consequential action.

50.2 Post-Action Verification

Confirm actual outcome rather than button click: persisted state, delivery/provider evidence, Timeline/Communication Log, document visibility, financial record, Next Action, and absence of duplicate/unintended effects.

50.3 Timeline and Audit Integrity

Preserve truthful sequence, actor, source, time, decision, delivery result, and exception. Never rewrite history to make an outcome appear cleaner.

50.4 Duplicate Prevention

Search for prior request, message, invoice, payment attempt, refund, provider transaction, upload, or assignment. When uncertainty remains, stop and reconcile before creating another.

50.5 End-of-Day Review

Review open holds, failed deliveries, pending payments/refunds, unreleased documents, upcoming appointments, scanback/return obligations, Business credit issues, and exceptions. Assign a truthful Next Action and owner.

50.6 Source Drift

If APS behavior, labels, templates, scripts, provider rules, law, or maintained policy differ from this handbook, stop relying on the affected instruction, mark the discrepancy, and escalate source verification.

50.7 Handbook Maintenance

Change controlled source, not compiled artifacts alone. Preserve chapter, figure, screenshot, photograph, template/script inventory, source-register, build, QA, and revision-history materials.

50.8 Legal and Provider Source Revalidation

Revalidate time-sensitive legal/notarial, lender/title, payment, identity, and provider facts against authoritative current sources before controlled revision. Do not fill gaps with general knowledge.

50.9 Controlled Revision and Owner Approval

Record proposed change, authority, affected sections/assets, reviewer, tests, date, edition, and owner decision. Publish only approved, reproducible artifacts; preserve superseded history.

PART XIII — QUICK REFERENCES & APPENDICES

Chapter 51 — Admin, State, People, Documents & Money Quick References

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

51.1 APS System Map

Public site → request/intake → Admin review/workspace → Customer or Business Portal visibility → provider/payment channels where authorized → Timeline/audit. Confirm system, actor, organization, request, and permitted action before work.

51.2 Universal Request Lifecycle

Received → review → information/quote → approval/payment → appointment/production → fulfillment/QC → eligible release/delivery → completion. STOP at the first unmet gate.

51.3 Where Do I Go in Admin?

Review Queue for new/blocked review; request workspace for service work; Customers/Participants for identity/roles; Documents for classification/release; Communications for delivery truth; financial views for quote/invoice/payment/refund; Business areas for organization/member/billing controls.

51.4 Request Workspace Tabs

Overview: scope/state/Next Action. Participants: roles and contact eligibility. Documents: source/classification/review/release. Communications: rendered message/delivery. Timeline: audit sequence. Service/financial areas: only when the request and role authorize them.

51.5 Review Queue Decision Guide

Correct request and service? Required facts present? Participants/roles clear? Documents safe and classified? Quote/payment/appointment gates known? If NO, request/record the exact blocker. If YES, assign the truthful Next Action.

51.6 State Mental Map

Keep request status, Next Action, document state, communication delivery, financial state, appointment/fulfillment state, and provider state separate. One does not silently prove another.

51.7 Loading vs Empty vs Error

Loading: wait. Empty: verify filters/context. Error: do not infer; retry safely and escalate persistent failure. Never act from partial/stale data.

51.8 Customer vs Signer vs Ordering Party

Customer requests/pays or owns the relationship; signer/participant performs an act; ordering party controls an assignment. Verify who may receive which information and who may authorize change.

51.9 Document Classification

Identify request → source/creator → purpose → class → review state → release eligibility → recipient/scope. Five questions: what is it, whose is it, why retained, may customer see it, what proves release?

51.10 Document Release Checklist

Correct request and recipient; intended final file; classification permits release; review complete; no sensitive/internal/superseded content; exact filename; authorized release action; portal/email visibility checked; Timeline/delivery evidence recorded.

51.11 Document Mistake Recovery

Stop release → preserve evidence → identify file/request/recipients/scope → restrict further access where authorized → notify owner/security → prepare verified correction → record recovery. Never delete history or conceal exposure.

51.12 Quote vs Invoice vs Payment vs Receipt

Quote proposes scope/price. Invoice states amount due. Payment is provider/ledger outcome. Receipt confirms an actual payment. Never use one as proof of another.

51.13 Send vs Send & Update Status

Send records communication only. Send & Update Status is used only for a maintained authorized transition after successful delivery. Verify rendered message, recipient, attachments, delivery, transition, and audit result.

Chapter 52 — Service Quick References

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

52.1 Remote Online Notarization Quick References

Quote readiness: service/document/jurisdiction, signers, timing, platform, copies, price/payment. Appointment: signer/contact, technology, ID/readiness, document, Proof path. Session: identity/willingness/awareness, act/certificate, recording/provider controls. Closeout: completed Proof/notarized asset reviewed, correct request/classification, intentionally released, delivery verified. Failure: preserve transaction, no KBA coaching, retry only supported path, assess lawful alternative.

52.2 Mobile Notary Quick References

Quote readiness: acts/signers/documents, location, round-trip mileage/tier, timing/after-hours, witnesses, scan/delivery. Before leaving: payment/appointment, route/safety, supplies, journal, instructions. At table: identity/willingness/awareness, act/certificate, signatures, journal, counts. Before driving away: every certificate/document/accounting item checked. Optional scan: authority, completeness, legibility, naming, upload/release. Closeout: delivery, final charges, Timeline. Stop for safety, identity, coercion, incomplete documents, or unsupported act.

52.3 Print & Scan Quick References

Quote readiness: authoritative page count, B&W/color, copies, paper, sidedness, finishing, scan/PDF support, timing/delivery. Production: active source/version and payment gate. First-copy QC: count/order/orientation/color/legibility/crop/scale. Scan QC: every page, order, orientation, readability, completeness. Naming/integrity: request-safe name, final format, open/check file. Delivery: exact eligible output and recipient. Closeout: production/delivery evidence and completion gates.

52.4 Loan Signing Quick References

Mental map: assignment/orderer/signer/package/version/appointment/scanback/approval/return/financial closeout. Packages: Buyer, Seller, Refinance, HELOC, Modification, Reverse Mortgage, Commercial/Custom. COMMONLY NOTARIZED DOES NOT MEAN ALWAYS NOTARIZE; actual document, certificate, law, and authorized instructions control. Ten gates: Assignment Review; Pricing/Financial; Package; Print/QC; Appointment; Signing; Scanback/Approval; Return; Exception/Financial; Final Completion. Print/prep and before leaving: active version, sets/copies, page count, instructions, signers, route, label. Table: neutral presentation, signatures/initials/dates, certificates, referral boundaries. Post-table/scanback: complete count/QC. Return only

after required approval with label/destination/tracking. Preserve package and escalate exceptions; close only when all gates agree.

52.5 Business Account Quick References

Lifecycle: application → review → approval → organization → invitation/activation → authenticated role → eligible requests/billing → hold/suspension/closure with history preserved. Verify organization switch before every action. Roles never transfer across tenants. Billing: prepaid or authorized Due on Receipt/Net 15/Net 30. Credit hold blocks credit-dependent work; it does not erase records or silently cancel work. Closure requires open operational/financial matters resolved and history preserved.

Chapter 53 — Communication, Safety & Reference Indexes

Purpose: perform this workflow from verified APS and assignment evidence while preserving legal, notarial, financial, privacy, and ordering-party boundaries.

YOU WILL LEARN TO

- Review the authoritative assignment, act within role, stop at blockers, communicate accurately, and leave a complete audit trail.

53.1 Which Message Do I Send Now?

Service/stage	Condition	Maintained message family	Classification	Do not send if
Any / intake-review	received or exact information missing	Request Received / information-needed template	IF NEEDED	wrong recipient, stale request, missing variables
Any / quote-payment	quote ready, invoice, payment outcome	Quote Ready / Invoice / Payment template	IF NEEDED or verified event	scope/version/payment evidence conflicts
RON/Mobile/Print	readiness, appointment, delivery, completion	service-specific maintained template	IF NEEDED	gate not satisfied or file unreleased
Loan Signing	assignment, package, signer, scanback, return, exception	`lsa_` maintained family	IF NEEDED	orderer/signer audience or authoritative stage unclear
Business	billing, password recovery, credit hold	`business_` maintained family	IF NEEDED or source-noted event	organization/recipient/terms not verified
Any / reminder-review	maintained timed event	reminder/review family	SOURCE-NOTED	current automation/event timing not verified

53.2 Template Quick Index

Use Chapter 46’s 54-key directory by service, category, stage/trigger, audience, and alphabet. Template existence is not proof of automation. Verify actual condition, recipient, variables, attachment/release, channel, prior attempts, delivery evidence, and status effect.

53.3 Script and Card Quick Index

Use Chapter 47’s 48-entry catalog by service, category, stage, and classification. Scripts guide the operator; they do not change the request, send communication, move money, release documents, or create provider activity.

53.4 Security Checklist

Correct account/portal/organization/request; least access; protected device/network; recipient and release authority; no secrets/passwords/KBA answers; approved channel; minimum necessary data; safe local handling; post-action access/delivery verified; incident escalated.

53.5 Stop, Hold, and Escalate Guide

STOP the action for identity, willingness, awareness, safety, suspected fraud/coercion, unlawful/unsupported act, wrong recipient/request, unreleased document, uncertain money movement, duplicate risk, or missing authority. HOLD the affected gate while facts can be resolved. ESCALATE persistent conflict, exposure, misconduct, provider/legal uncertainty, or any action beyond role.

53.6 Daily Opening and End-of-Day

Opening: secure session/device; correct date/time; review appointments, queues, holds, failed deliveries, provider/financial exceptions; confirm supplies and assigned priorities. End-of-day: reconcile open requests, documents, messages, payments/refunds, appointments, scanbacks/returns, Business holds, exceptions, Timeline, Next Action, and responsible owner; secure materials and sign out.

53.7 Independent Print and Lamination Controls

Every Quick Reference carries its title, governing chapter, edition/baseline, scope, stop rule, and reminder that the detailed chapter controls. Reprint after controlled revision; remove superseded copies.

APPENDICES

Appendix A — Glossary and Acronyms

APS: Aligned Print & Scan. Gate: required conditions before advancement. Next Action: truthful controlled work item. Ordering party: assignment authority distinct from signer. Released deliverable: customer-eligible file intentionally authorized for visibility. RON: Remote Online Notarization. KBA: knowledge-based authentication controlled by the provider. Scanback: governed electronic copy submitted for review. SOURCE VERIFICATION REQUIRED: material statement withheld from authority until verified.

Appendix B — Status and State Catalog

Request, Next Action, document, communication, financial, appointment, fulfillment, Business organization/member, and provider states are independent controlled dimensions. Use the current APS label and governing chapter; never infer one state from another.

Appendix C — Template Index and Production Reconciliation

Authoritative inventory: 54 unique maintained production keys documented in Chapter 46. Three preview aliases are reconciled and not double-counted. Timing-sensitive automation claims remain source-noted until current implementation proves the event.

Appendix D — Script and Card Index

Authoritative inventory: 48 maintained entries across eight categories documented in Chapter 47. Each is reference-only and classified as Full Script, Quick-Flip/Quick Reference, Checklist, or Decision/Stop Card.

Appendix E — Package Comparison

Buyer/Purchase, Seller, Refinance, HELOC, Loan Modification, Reverse Mortgage, and Commercial/Custom are compared in Chapter 30. Actual package and instructions control; package label never substitutes for document/version review.

Appendix F — Loan Document Source Register

Chapter 31 and `batch-3/LOAN\_DOCUMENT\_SOURCE\_REGISTER.md` govern the common-document entries and unresolved source notes. Commonly notarized never means always notarize.

Appendix G — Figure, Table, Procedure, Checklist, and Decision Tree Index

The final assembly generates controlled lists from captions and headings. Batch figures retain stable numbers and descriptive captions; procedures, checklists, and decision trees link to their governing chapters.

Appendix H — Source Authority and Traceability

Authority order: certified Release 10 behavior; current repository source/configuration/schema; Release 10 certification; maintained APS documentation/training; authoritative Texas sources; legally available maintained signing-agent training; authoritative provider and lender/title/agency material. A lower source never silently overrides a higher current authority.

Appendix I — Revision History and Owner Approval

Specification: OWNER APPROVED — LOCKED, PR #107. Batch 1: PRs #108–109. Batches 2–5 and final assembly retain branch, commit, PR, merge, QA, source notes, and owner-authorized publication evidence. Release 11 is outside this edition.

List of Figures

- Figure 01 — 01 Aps System Map
- Figure 02 — 02 Universal Request Lifecycle
- Figure 03 — 03 Portal System Relationship
- Figure 04 — 04 State Mental Map
- Figure 05 — 05 Customer Signer Orderer
- Figure 06 — 06 Participant Role Relationship
- Figure 07 — 07 Document Lifecycle
- Figure 08 — 08 Document Security Boundary
- Figure 09 — 09 Document Release Decision
- Figure 10 — 10 Ron Proof Document
- Figure 11 — 11 Mobile Original Scan
- Figure 12 — 12 Print Source Output
- Figure 13 — 13 Loan Package Return
- Figure 14 — 14 Service Document Comparison
- Figure 15 — 15 Ron Workflow
- Figure 16 — 16 Ron Failure Decision
- Figure 17 — 17 Mobile Workflow
- Figure 18 — 18 Print Scan Workflow
- Figure 19 — 19 Loan Signing Workflow
- Figure 20 — 20 Loan Signing Ten Gates
- Figure 21 — 21 Package Version Decision
- Figure 22 — 22 Signer Question Guide
- Figure 23 — 23 Scanback Approval Return
- Figure 24 — 24 Loan Signing Exception
- Figure 25 — 25 Business Lifecycle
- Figure 26 — 26 Business Decision
- Figure 27 — 27 Communication Decision
- Figure 28 — 28 Exception Recovery
- Figure 29 — 29 Security Boundary
- Figure 30 — 30 Assurance Loop

List of Tables

Controlled entries are indexed through the numbered chapter/subsection headings and captions in this edition. Use the expanded Contents and PDF bookmark tree for direct navigation.

List of Procedures

Controlled entries are indexed through the numbered chapter/subsection headings and captions in this edition. Use the expanded Contents and PDF bookmark tree for direct navigation.

List of Checklists

Controlled entries are indexed through the numbered chapter/subsection headings and captions in this edition. Use the expanded Contents and PDF bookmark tree for direct navigation.

List of Decision Trees

Controlled entries are indexed through the numbered chapter/subsection headings and captions in this edition. Use the expanded Contents and PDF bookmark tree for direct navigation.

Source Authority and Traceability

Certified Release 10 behavior and current maintained repository authority control. Batch source registers preserve Texas notary, provider, lender/title/agency, template, script, financial, and loan-document qualification. SOURCE VERIFICATION REQUIRED items are never promoted to established facts.

Revision History and Owner Approval Record

Specification PR #107; Batch 1 PRs #108–109; Batch 2 PR #114; Batch 3 PR #115; Batch 4 PR #116; Batch 5 PR #117. Final assembly is published only after structural, accessibility, visual, navigation, inventory, source, and safety certification.