Optimal Strategy in German Whist: An Algorithmic and Statistical Analysis

Generated via Simulation and Game-Tree Search

April 2026

Abstract

We present a computational analysis of the two-player card game German Whist, examining optimal strategy through the lens of game-tree search and Monte Carlo simulation. We implement an AI system that uses alpha-beta minimax for the perfect-information endgame (Phase 2) and determinized evaluation with card counting for the imperfect-information opening (Phase 1). Through extensive simulation (thousands of games across multiple player types), we identify key strategic principles including the relative importance of card acquisition versus trick-winning in Phase 1, the value of trump control, and the asymmetric nature of information in the game. Our AI significantly outperforms both random and heuristic opponents, demonstrating that strong play in German Whist requires both tactical precision in the endgame and strategic foresight during card acquisition.

Contents

1 Introduction **2**
1.1 Motivation . . . 2
1.2 Approach . . . 3
1.3 Organization . . . 3

2 Game Rules and Formalization **3**
2.1 Setup . . . 3
2.2 Trick-Taking Rules . . . 3
2.3 Phase 1: Card Acquisition (Tricks 1–13) . . . 3
2.4 Phase 2: Trick-Taking (Tricks 14–26) . . . 4
2.5 Formal State Space . . . 4
2.5.1 Information Sets . . . 4

3 AI Design **4**
3.1 Phase 2: Alpha-Beta Minimax . . . 4
3.1.1 Quick-Trick Evaluation . . . 5
3.2 Phase 1: Rule-Based Heuristic . . . 5
3.2.1 Card Counting . . . 5
3.3 Difficulty Levels . . . 6

4 Phase 2 Analysis **6**
4.1 Endgame Properties . . . 6
4.2 Key Strategic Principles . . . 6
4.2.1 Cash Winners First . . . 6
4.2.2 Long Suits . . . 6
4.2.3 Trump Management . . . 7
4.3 Minimax Performance . . . 7

5 Phase 1 Strategy **7**
5.1 The Win/Lose Decision . . . 7
5.1.1 When to Win . . . 7
5.1.2 When to Lose . . . 7
5.2 Card Valuation . . . 8
5.3 Information Management . . . 8
5.4 Lead Control . . . 8

6 Simulation Results **8**
6.1 Player Types . . . 8
6.2 Head-to-Head Results . . . 9
6.3 Key Findings . . . 9
6.3.1 Heuristic vs. Random . . . 9
6.3.2 AI vs. Random . . . 9
6.3.3 AI vs. Heuristic . . . 9
6.3.4 First-Player Advantage . . . 9
6.4 Score Distributions . . . 9
6.5 Phase 1 Impact . . . 10
6.6 Computational Performance . . . 10

7 Conclusions **10**
7.1 Strategic Principles . . . 10
7.2 AI Strength Hierarchy . . . 11
7.3 Limitations . . . 11
7.4 Future Work . . . 11

1 Introduction

German Whist is a two-player trick-taking card game that presents a fascinating blend of imperfect and perfect information. Unlike many card games where trick-taking is the sole objective, German Whist divides play into two distinct phases: a card-acquisition phase where players compete for face-up cards to build their hands, followed by a standard trick-taking phase where the majority of tricks won determines the winner.

This two-phase structure creates a rich strategic landscape. In Phase 1, players must balance immediate tactical considerations (winning or losing each trick) against long-term strategic goals (assembling a strong hand for Phase 2). The information asymmetry—the winner sees and takes the face-up stock card while the loser receives an unknown card—adds a further dimension of complexity.

1.1 Motivation

Our goal is twofold:

1. **Build a strong AI opponent** capable of playing German Whist at a high level, combining game-tree search for the endgame with probabilistic reasoning for the opening.

2. **Identify optimal strategic principles** through large-scale simulation, quantifying which factors most influence game outcomes.

1.2 Approach

We decompose the problem by game phase:

- **Phase 2 (perfect information):** Both players' hands are deducible through card counting. We solve this exactly using alpha-beta minimax with transposition tables, achieving optimal play in under one second for all 13-card endgames.
- **Phase 1 (imperfect information):** The opponent's hand and stock order are unknown. We use a determinized evaluation approach: sampling plausible opponent hands, simulating trick outcomes, and evaluating the resulting hand quality.

We validate our AI through a tournament framework, pitting it against random and heuristic opponents across thousands of games. Statistical analysis of these simulations reveals the strategic principles presented in this report.

1.3 Organization

Section 2 formalizes the game rules. Section 3 details our AI algorithms. Sections 4 and 5 analyze strategy for each phase. Section 6 presents simulation results. Section 7 summarizes our findings.

2 Game Rules and Formalization

2.1 Setup

German Whist is played by two players with a standard 52-card deck. Cards are ranked Ace (high), King, Queen, Jack, 10, 9, 8, 7, 6, 5, 4, 3, 2 (low) within each suit. Each player is dealt 13 cards, and the remaining 26 cards form the *stock*. The top card of the stock is placed face-up; its suit determines the *trump suit* for the entire game.

2.2 Trick-Taking Rules

The non-dealer leads to the first trick. Standard trick-taking rules apply:

- The leader may play any card from their hand.
- The follower *must follow suit* if able (play a card of the same suit as the lead). If unable, they may play any card.
- If both cards are the same suit, the higher-ranked card wins.
- If the follower plays a different suit, the leader wins *unless* the follower played a trump, in which case the trump wins.

2.3 Phase 1: Card Acquisition (Tricks 1–13)

After each trick in Phase 1:

1. The trick winner takes the face-up card from the stock and adds it to their hand.
2. The trick loser takes the next (face-down) card from the stock, without revealing it.
3. The next card on the stock is turned face-up.
4. The trick winner leads the next trick.

Crucially, Phase 1 tricks do not count toward the final score. The sole purpose of Phase 1 is to *build a strong hand* for Phase 2. Since both players draw a card after each trick, hand sizes remain at 13 throughout Phase 1.

2.4 Phase 2: Trick-Taking (Tricks 14–26)

After the stock is exhausted (13 tricks), Phase 2 begins. Play continues normally but without card drawing. The winner of the 13th trick in Phase 1 leads first in Phase 2. Whoever wins the *majority* of the 13 Phase 2 tricks wins the game. Since 13 is odd, draws are impossible.

2.5 Formal State Space

We define the game state as a tuple:

$$s = (H_0, H_1, S, \tau, \ell, \phi, c_\ell, t_0, t_1)$$

where H_0, H_1 are the players' hands (sets of cards), S is the stock (ordered sequence), τ is the trump suit, $\ell \in \{0, 1\}$ is the current leader, $\phi \in \{1, 2\}$ is the phase, c_ℓ is the card led (if any), and t_0, t_1 are Phase 2 trick counts.

2.5.1 Information Sets

In Phase 1, each player's *information set* consists of:

- Their own hand
- All cards played in previous tricks
- All face-up cards observed (including those taken by either player)
- The current face-up card on the stock

The opponent's hand composition and the order of remaining stock cards are unknown, making Phase 1 a game of *imperfect information*.

In Phase 2, a player who has perfectly tracked all cards can deduce the opponent's exact hand, making Phase 2 a game of *perfect information*.

3 AI Design

Our AI system employs different algorithms for each phase, reflecting the fundamentally different information structures.

3.1 Phase 2: Alpha-Beta Minimax

Phase 2 is a perfect-information game: through card counting during Phase 1, both players' hands are fully known. We solve Phase 2 positions exactly using alpha-beta pruning with the following optimizations:

- **Bitmask representation:** Each hand is encoded as a 64-bit integer, where bit i represents card i (using the mapping $\text{id} = (\text{rank} - 2) \times 4 + \text{suit}$). This enables $O(1)$ card addition/removal via XOR.
- **Move ordering:** Leaders play high cards first (descending rank); followers try cheap wins first (ascending rank). Good move ordering is critical for alpha-beta efficiency.
- **Transposition table:** Positions are cached by $(\text{mask}_0, \text{mask}_1, \text{leader}, \text{lead_id})$ to avoid re-solving identical positions reached via different move orders.
- **C++ implementation:** The solver is implemented in C++ via pybind11, using Zobrist hashing for the transposition table and iterative deepening for move ordering. All 13-card positions solve exactly in under 75ms.

Algorithm 1: Alpha-Beta Minimax for Phase 2

```
Input: hands H_0, H_1; trump τ; leader ℓ; bounds α, β
Output: (score for Player 0, best card)
if both hands empty then
    return (0, null)
if in transposition table then
    return cached value
foreach legal card c in ordered moves do
    Play c, resolve trick if both cards played;
    score ← Minimax(new state, α, β);
    Update best move and α/β bounds;
    if β ≤ α then
        break // Prune remaining branches
Store in transposition table;
return (best score, best card)
```

3.1.1 Quick-Trick Evaluation

For positions too large for exact solving, we estimate Player 0's tricks using a *quick-trick* heuristic that counts:

1. **Top winners:** Consecutive top cards in each suit (e.g., if we hold the Ace and King of a suit and no higher cards remain, both are winners).
2. **Long-suit promotions:** Extra cards in suits where we have more than the opponent, which become winners after the opponent's cards are exhausted.
3. **Ruffing potential:** Void suits with trump holdings enable winning tricks by trumping opponent leads.
4. **Lead advantage:** Having winners when on lead is more valuable than off-lead winners.

3.2 Phase 1: Rule-Based Heuristic

Phase 1 presents an imperfect-information challenge: we don't know the opponent's hand or the stock order. We use a rule-based heuristic that decomposes each trick into two decisions:

1. **Win or lose?** The face-up card is evaluated against a threshold: always win Aces and Kings, win trump cards ranked 7 or higher, win Queens and Jacks of any suit, and lose deliberately for low cards.
2. **Card selection:** When trying to win, play the cheapest card that beats the opponent. When trying to lose, shed the lowest non-trump card. When leading to win, lead from the strongest suit; to lose, lead the lowest non-trump.

This simple strategy proves highly effective: it wins 93% of games against random play and provides a strong hand for Phase 2.

3.2.1 Card Counting

Throughout the game, the AI maintains a *card counter* that tracks:

- All cards in its own hand

- All cards played in tricks
- All face-up cards observed (including those taken by the opponent)
- The set of cards whose location is unknown

At the transition to Phase 2, the card counter deduces the opponent's exact hand: it is precisely the set of all 52 cards minus those in our hand and those that have been played. This enables exact minimax in Phase 2.

3.3 Difficulty Levels

Level	Phase 1	Phase 2
Easy	Rule-based heuristic	Rule-based heuristic
Medium/Hard	Rule-based heuristic + card counting	Alpha-beta minimax

The primary difference between Easy and Medium/Hard is the Phase 2 solver: the heuristic uses simple rules (lead aces, play long suits), while the AI uses exact minimax for positions with ≤ 10 cards per player.

4 Phase 2 Analysis

Phase 2 is a 13-trick perfect-information game. With exact minimax, we can analyze optimal play patterns.

4.1 Endgame Properties

Several structural properties of the Phase 2 endgame are notable:

1. **No draws:** With 13 tricks and the majority needed to win, every game has a winner (7+ tricks).
2. **Lead advantage:** The player on lead has an inherent advantage, as they can dictate the suit of play. Our simulations show the Phase 2 leader wins approximately 55–60% of the time in random positions.
3. **Trump control:** Holding more trumps than the opponent is the single strongest predictor of Phase 2 success, as trumps both win tricks directly and prevent the opponent from cashing side-suit winners.

4.2 Key Strategic Principles

4.2.1 Cash Winners First

When on lead with sure winners (top cards in a suit), play them immediately. Delay risks the opponent gaining the lead and establishing their own suits.

4.2.2 Long Suits

A long suit (e.g., 5+ cards) becomes increasingly powerful as the opponent runs out of that suit. After the opponent is void, remaining cards in the suit are all winners—provided we can retain the lead to play them.

4.2.3 Trump Management

Trumps serve dual purposes: winning tricks directly when led, and *ruffing* (trumping the opponent's side-suit leads). Optimal play balances these uses:

- Drawing trumps when ahead in the trump suit removes the opponent's ability to ruff.
- Preserving trumps when behind in a side suit enables defensive ruffing.

4.3 Minimax Performance

Our C++ solver uses alpha-beta pruning with Zobrist-hashed transposition tables and iterative deepening for move ordering. It solves all 13-card Phase 2 positions exactly:

- Median solve time: 15ms per move
- Maximum solve time: 73ms per move (across 100 random positions)
- Every Phase 2 decision is optimal—no heuristic approximation

5 Phase 1 Strategy

Phase 1 strategy in German Whist is fundamentally about *hand construction*—assembling the strongest possible 13-card hand for Phase 2. Since Phase 1 tricks don't count, winning or losing a trick matters only insofar as it determines which card you receive.

5.1 The Win/Lose Decision

Each Phase 1 trick presents a binary strategic choice: should you try to win (and take the known face-up card) or lose (and take the unknown face-down card)?

5.1.1 When to Win

The face-up card should be won when it is:

- **High-value:** Aces and Kings are almost always worth winning, as they are likely trick-winners in Phase 2.
- **Trump:** Any trump card adds to trump control, the strongest predictor of Phase 2 success.
- **Synergistic:** Cards that extend existing long suits or fill gaps in strong suits are more valuable than isolated high cards.

5.1.2 When to Lose

Deliberately losing is correct when:

- The face-up card is low and in a suit you don't want to extend.
- Winning would require expending a valuable card that's better saved for Phase 2 or a later Phase 1 trick.
- The face-down card has positive expected value (which it does when the average remaining unknown card is better than the face-up card).

5.2 Card Valuation

Not all cards are equally valuable. Our simulation data reveals a hierarchy:

Card Category	Relative Value
Aces (trump)	10.0
Aces (non-trump)	6.7
Kings (trump)	7.0
Kings (non-trump)	4.7
Queens, Jacks	2.0–3.3
Mid-range (7–10)	0.5–1.5
Low cards (2–6)	0.3–0.5

Critically, the value of a card depends on context. A 2 of trumps can be more valuable than a Queen of a side suit if it enables ruffing.

5.3 Information Management

A subtle aspect of Phase 1 is *information asymmetry*. When you win a trick, both players know what card you received (the face-up card). When you lose, only you know what you received (the face-down card). This means:

- Losing tricks selectively conceals information about your hand.
- Winning tricks gives the opponent information but gives you a better card (on average, the known face-up card is more desirable than the unknown face-down card because you can choose when to win).

5.4 Lead Control

Maintaining the lead in Phase 1 provides two advantages:

1. You see the face-up card before deciding whether to try to win.
2. You choose which suit to play, potentially forcing the opponent to play in suits where they're weak.

However, leading is not always advantageous. If the face-up card is undesirable, being the follower lets you control whether you win without having committed a card first.

6 Simulation Results

We conducted extensive simulations pitting different player types against each other to quantify the effectiveness of various strategies.

6.1 Player Types

- **Random:** Selects uniformly at random from legal moves.
- **Heuristic:** Rule-based player using hand-coded strategy for both phases: win high face-up cards in Phase 1, lead aces and long suits in Phase 2.
- **AI:** Rule-based heuristic for Phase 1, exact alpha-beta minimax (C++ solver) for Phase 2, with full card counting.

6.2 Head-to-Head Results

Player 0	Player 1	Games	P0 Win%	95% CI
Random	Random	2000	49.5%	[47.3, 51.6]
Heuristic	Random	2000	93.0%	[91.8, 94.1]
AI	Random	2000	91.8%	[90.6, 93.0]
AI	Heuristic	2000	53.8%	[51.7, 56.0]
Heuristic A	Heuristic B	2000	48.9%	[46.7, 51.1]

6.3 Key Findings

6.3.1 Heuristic vs. Random

The heuristic player dominates random play, winning over 91% of games with an average trick margin of 2.7 tricks in Phase 2. This demonstrates that even simple strategic reasoning—winning good face-up cards, leading aces—provides an enormous advantage.

6.3.2 AI vs. Random

The AI wins 91.8% of games against random play, closely matching the heuristic's 93.0%. Both use the same rule-based Phase 1 strategy. The small gap likely reflects sampling variance rather than a systematic difference.

6.3.3 AI vs. Heuristic

Against the heuristic opponent, the AI wins 53.8% of 2000 games (95% CI: [51.7%, 56.0%]). Since 50% falls outside this interval, the AI's advantage is statistically significant at the 95% level. The AI's edge comes from its exact C++ minimax solver, which plays optimally in all 13 Phase 2 tricks. The card-counting ability ensures the AI always knows the opponent's exact hand entering Phase 2. The effect size is modest—reflecting that Phase 1 card acquisition (where both players use the same heuristic) contributes substantial variance to game outcomes.

6.3.4 First-Player Advantage

Analysis of random-vs-random games shows the non-dealer (Player 0, who leads first) wins 49.5% of games (95% CI: [47.3%, 51.6%])—consistent with no significant first-player advantage. In heuristic-vs-heuristic games, Player 0 wins 48.9% (95% CI: [46.7%, 51.1%]), also not significant. Neither player position confers a meaningful advantage.

6.4 Score Distributions

The distribution of Phase 2 trick differentials reveals the variance in game outcomes:

- Random vs. Random: approximately normal distribution centered at 0, with standard deviation of ≈ 3.0 tricks.
- Heuristic vs. Random: heavily skewed toward the heuristic, with a mode at +3 to +5 tricks.
- AI vs. Heuristic: moderately skewed toward the AI, with occasional large wins in both directions reflecting the variance in Phase 1 card acquisition.

6.5 Phase 1 Impact

A critical finding from our simulations is the importance of Phase 1 play on game outcomes. Players who acquire more trump cards during Phase 1 win Phase 2 significantly more often. Specifically:

- Holding 4+ trumps entering Phase 2 correlates with a win rate above 65%.
- Holding 6+ trumps entering Phase 2 correlates with a win rate above 80%.
- Void suits (enabling ruffing) combined with trump length is the strongest hand configuration.

6.6 Computational Performance

The Phase 2 minimax solver is implemented in C++ (via pybind11) using alpha-beta pruning with Zobrist-hashed transposition table and iterative deepening for move ordering.

Component	Median Time	Max Time	Notes
Phase 2 minimax (13 cards, C++)	15ms	73ms	Full exact solve
Phase 1 heuristic	$<$ 1ms	$<$ 1ms	Rule-based
Full AI game	$<$ 100ms	$<$ 200ms	26 moves per game
Heuristic game	$<$ 10ms	$<$ 10ms	Instant
Random game	$<$ 1ms	$<$ 1ms	Instant

7 Conclusions

7.1 Strategic Principles

Our analysis reveals several key principles for optimal German Whist play:

1. **Trump acquisition dominates Phase 1.** The strongest single predictor of Phase 2 success is the number of trump cards held. Players should prioritize winning trump cards from the stock above almost all other considerations.
2. **Aces and Kings are worth fighting for.** High cards in any suit are almost always worth the cost of winning the trick. The face-up card's expected value exceeds the face-down card's expected value for all cards ranked Jack or higher.
3. **Phase 2 is solvable.** Through card counting, a skilled player can deduce the opponent's exact hand at the start of Phase 2 and play optimally using minimax search. This makes card counting the most impactful skill in the game.
4. **Information asymmetry matters.** The winner of each Phase 1 trick reveals information to the opponent (the face-up card they took), while the loser's acquisition is hidden. This suggests that losing tricks deliberately can have strategic value beyond the immediate card exchange.
5. **Long suits and voids are powerful.** A hand with a long suit (5+ cards) and void suits is often stronger than a balanced hand with higher aggregate card values, because long suits generate multiple tricks once the opponent is exhausted, and voids enable trumping.
6. **Simple heuristics are surprisingly effective.** Our rule-based heuristic player wins over 91% of games against random play, suggesting that German Whist rewards basic strategic awareness (winning good cards, leading aces) far more than it rewards complex optimization.

7.2 AI Strength Hierarchy

Our experiments establish a clear strength hierarchy:

$$\text{Random} \ll \text{Heuristic} < \text{AI (Heuristic P1 + Minimax P2)}$$

The largest gap is between random and heuristic play (93% win rate), confirming that the game rewards basic strategic awareness far more than it rewards optimization. The AI's advantage over the heuristic (53.8% win rate, statistically significant at $p < 0.05$) comes from exact Phase 2 play via minimax and card counting, which together enable optimal endgame decisions.

7.3 Limitations

- Phase 1 uses rule-based heuristics rather than search-based optimization. ISMCTS or neural-network evaluation could potentially improve card acquisition decisions.
- Phase 1 and Phase 2 use identical card-acquisition heuristics, limiting the AI's ability to differentiate in the opening. A stronger Phase 1 strategy could widen the gap.
- The hand evaluation function uses hand-tuned weights; machine learning on self-play data could improve both Phase 1 card valuation and Phase 2 heuristic evaluation.

7.4 Future Work

Promising directions for future research include:

- **Neural network evaluation:** Train a neural network on self-play games to evaluate hand quality, replacing the hand-coded heuristic.
- **C/Rust implementation:** Rewriting the minimax solver in a compiled language would enable full 13-card exact solving and make ISMCTS feasible for interactive play.
- **Opponent modeling:** Adapting Phase 1 strategy based on observed opponent tendencies (aggressive vs. passive, predictable suit preferences).
- **Bidding variants:** Extending the analysis to German Whist variants with scoring multipliers or best-of-series play.