
Every 25-Token Sketch

the found: 132 sketches the slow lane kept through program 30,905

A fifteen-symbol pixel language, every program of one to twenty-five tokens, read shortest first. A selector with a stated preference — tonal variety, moderate edges, two dimensions — held each of these longer; its claim faded, and the next took the lane. Through the fifth shelf: 30,905 programs, 8,039 distinct pictures, 22,866 repeats. Each print: the 64 × 64 field as it stood when dethroned, enlarged without smoothing. Edition of 25 sets. PCDTokyo2026.




x

as the library writes it: x

program 1 of the library · 1 token · structure 0.070 · no t · held the lane for 0 programs


Every 25-Token Sketch · the found, 1 of 132 through program 30,905 · PCDTokyo2026



y

as the library writes it: y


program 2 of the library · 1 token · structure 0.070 · no t · held the lane for 4 programs



x + x

as the library writes it: x x +


program 31 of the library · 3 tokens · structure 0.113 · no t · held the lane for 1 programs



x + y

as the library writes it: x y +

program 36 of the library · 3 tokens · structure 0.215 · no t · held the lane for 0 programs




x - y

as the library writes it: x y -

program 37 of the library · 3 tokens · structure 0.215 · no t · held the lane for 0 programs


Every 25-Token Sketch · the found, 5 of 132 through program 30,905 · PCDTokyo2026



x * y

as the library writes it: x y *


program 38 of the library · 3 tokens · structure 0.219 · no t · held the lane for 0 programs



x / y

as the library writes it: x y /

program 39 of the library · 3 tokens · structure 0.595 · no t · held the lane for 6 programs




y / x

as the library writes it: y x /

program 84 of the library · 3 tokens · structure 0.595 · no t · held the lane for 79 programs

Every 25-Token Sketch · the found, 8 of 132 through program 30,905 · PCDTokyo2026




x / sin(y)

as the library writes it: x y sin /

program 334 of the library · 4 tokens · structure 0.556 · no t · held the lane for 5 programs

Every 25-Token Sketch · the found, 9 of 132 through program 30,905 · PCDTokyo2026




x / cos(y)

as the library writes it: x y cos /

program 339 of the library · 4 tokens · structure 0.890 · no t · held the lane for 450 programs

Every 25-Token Sketch · the found, 10 of 132 through program 30,905 · PCDTokyo2026



y / cos(x)

as the library writes it: y x cos /

program 789 of the library · 4 tokens · structure 0.890 · no t · held the lane for 1,495 programs



25 / sin(x)

as the library writes it: 25 x sin /


program 2,284 of the library · 4 tokens · structure 0.444 · no t · held the lane for 37 programs



sin(25 / x)

as the library writes it: 25 x / sin

program 2,321 of the library · 4 tokens · structure 0.450 · no t · held the lane for 50 programs




sin(25 / y)

as the library writes it: 25 y / sin

program 2,371 of the library · 4 tokens · structure 0.450 · no t · held the lane for 313 programs

Every 25-Token Sketch · the found, 14 of 132 through program 30,905 · PCDTokyo2026




sqrt(25) / x

as the library writes it: 25 sqrt x /

program 2,684 of the library · 4 tokens · structure 0.390 · no t · held the lane for 5 programs


Every 25-Token Sketch · the found, 15 of 132 through program 30,905 · PCDTokyo2026



sqrt(25) / y

as the library writes it: 25 sqrt y /


program 2,689 of the library · 4 tokens · structure 0.390 · no t · held the lane for 120 programs



x / (x + y)

as the library writes it: x x y + /

program 2,809 of the library · 5 tokens · structure 0.636 · no t · held the lane for 5 programs




x / (x - y)

as the library writes it: x x y - /

program 2,814 of the library · 5 tokens · structure 0.636 · no t · held the lane for 9 programs


Every 25-Token Sketch · the found, 18 of 132 through program 30,905 · PCDTokyo2026



x * (x / y)

as the library writes it: x x y / *

program 2,823 of the library · 5 tokens · structure 0.730 · no t · held the lane for 341 programs




(x + x) / y

as the library writes it: x x + y /

program 3,164 of the library · 5 tokens · structure 0.837 · no t · held the lane for 280 programs

Every 25-Token Sketch · the found, 20 of 132 through program 30,905 · PCDTokyo2026




x / (y * y)

as the library writes it: x y y * /

program 3,444 of the library · 5 tokens · structure 0.916 · no t · held the lane for 76 programs


Every 25-Token Sketch · the found, 21 of 132 through program 30,905 · PCDTokyo2026



x mod (y * 25)

as the library writes it: x y 25 * mod


program 3,520 of the library · 5 tokens · structure 0.912 · no t · held the lane for 8 programs



x * (y mod 25)

as the library writes it: x y 25 mod *

program 3,528 of the library · 5 tokens · structure 0.964 · no t · held the lane for 547 programs



x mod (t / y)

as the library writes it: x t y / mod

program 4,075 of the library · 5 tokens · structure 0.879 · uses t · held the lane for 338 programs




(x + t) * y

as the library writes it: x t + y *

program 4,413 of the library · 5 tokens · structure 0.681 · uses t · held the lane for 2 programs

Every 25-Token Sketch · the found, 25 of 132 through program 30,905 · PCDTokyo2026




(x + t) mod y

as the library writes it: x t + y mod

program 4,415 of the library · 5 tokens · structure 0.745 · uses t · held the lane for 50 programs

Every 25-Token Sketch · the found, 26 of 132 through program 30,905 · PCDTokyo2026




(x - t) mod y

as the library writes it: x t - y mod

program 4,465 of the library · 5 tokens · structure 0.722 · uses t · held the lane for 148 programs

Every 25-Token Sketch · the found, 27 of 132 through program 30,905 · PCDTokyo2026




x mod t * y

as the library writes it: x t mod y *

program 4,613 of the library · 5 tokens · structure 0.796 · uses t · held the lane for 1 programs

Every 25-Token Sketch · the found, 28 of 132 through program 30,905 · PCDTokyo2026




x mod t / y

as the library writes it: x t mod y /

program 4,614 of the library · 5 tokens · structure 0.915 · uses t · held the lane for 425 programs


Every 25-Token Sketch · the found, 29 of 132 through program 30,905 · PCDTokyo2026



(x + 2) / y

as the library writes it: x 2 + y /

program 5,039 of the library · 5 tokens · structure 0.718 · no t · held the lane for 50 programs




(x - 2) / y

as the library writes it: x 2 - y /

program 5,089 of the library · 5 tokens · structure 0.718 · no t · held the lane for 232 programs


Every 25-Token Sketch · the found, 31 of 132 through program 30,905 · PCDTokyo2026



x + 25 / y

as the library writes it: x 25 y / +

program 5,321 of the library · 5 tokens · structure 0.725 · no t · held the lane for 1 programs




x - 25 / y

as the library writes it: x 25 y / -

program 5,322 of the library · 5 tokens · structure 0.725 · no t · held the lane for 3 programs


Every 25-Token Sketch · the found, 33 of 132 through program 30,905 · PCDTokyo2026



x mod (25 / y)

as the library writes it: x 25 y / mod


program 5,325 of the library · 5 tokens · structure 0.786 · no t · held the lane for 340 programs



(x + 25) mod y

as the library writes it: x 25 + y mod


program 5,665 of the library · 5 tokens · structure 0.774 · no t · held the lane for 50 programs



(x - 25) mod y

as the library writes it: x 25 - y mod

program 5,715 of the library · 5 tokens · structure 0.774 · no t · held the lane for 50 programs




x * 25 mod y

as the library writes it: x 25 * y mod

program 5,765 of the library · 5 tokens · structure 0.914 · no t · held the lane for 98 programs

Every 25-Token Sketch · the found, 37 of 132 through program 30,905 · PCDTokyo2026



x mod 25 * y

as the library writes it: x 25 mod y *

program 5,863 of the library · 5 tokens · structure 0.964 · no t · held the lane for 601 programs




cos(x) / cos(y)

as the library writes it: x cos y cos /

program 6,464 of the library · 5 tokens · structure 0.739 · no t · held the lane for 495 programs

Every 25-Token Sketch · the found, 39 of 132 through program 30,905 · PCDTokyo2026




abs(x) / sin(y)

as the library writes it: x abs y sin /

program 6,959 of the library · 5 tokens · structure 0.551 · no t · held the lane for 5 programs


Every 25-Token Sketch · the found, 40 of 132 through program 30,905 · PCDTokyo2026



abs(x) / cos(y)

as the library writes it: x abs y cos /


program 6,964 of the library · 5 tokens · structure 0.835 · no t · held the lane for 500 programs



sqrt(x) / cos(y)

as the library writes it: x sqrt y cos /

program 7,464 of the library · 5 tokens · structure 0.705 · no t · held the lane for 500 programs




floor(x) / cos(y)

as the library writes it: x floor y cos /

program 7,964 of the library · 5 tokens · structure 0.504 · no t · held the lane for 445 programs


Every 25-Token Sketch · the found, 43 of 132 through program 30,905 · PCDTokyo2026



y / (x + x)

as the library writes it: y x x + /


program 8,409 of the library · 5 tokens · structure 0.406 · no t · held the lane for 10 programs



y / (x * x)

as the library writes it: y x x * /


program 8,419 of the library · 5 tokens · structure 0.916 · no t · held the lane for 51 programs



y mod (x * t)

as the library writes it: y x t * mod


program 8,470 of the library · 5 tokens · structure 0.891 · uses t · held the lane for 50 programs



y mod (x * 25)

as the library writes it: y x 25 * mod


program 8,520 of the library · 5 tokens · structure 0.912 · no t · held the lane for 64 programs



y / sin(cos(x))

as the library writes it: y x cos sin /

program 8,584 of the library · 5 tokens · structure 0.899 · no t · held the lane for 455 programs




y / (y - x)

as the library writes it: y y x - /

program 9,039 of the library · 5 tokens · structure 0.636 · no t · held the lane for 371 programs


Every 25-Token Sketch · the found, 49 of 132 through program 30,905 · PCDTokyo2026



(y + y) mod x

as the library writes it: y y + x mod

program 9,410 of the library · 5 tokens · structure 0.610 · no t · held the lane for 265 programs




y mod (t / x)

as the library writes it: y t x / mod

program 9,675 of the library · 5 tokens · structure 0.902 · uses t · held the lane for 410 programs

Every 25-Token Sketch · the found, 51 of 132 through program 30,905 · PCDTokyo2026




(y - t) mod x

as the library writes it: y t - x mod

program 10,085 of the library · 5 tokens · structure 0.722 · uses t · held the lane for 149 programs


Every 25-Token Sketch · the found, 52 of 132 through program 30,905 · PCDTokyo2026



y mod t / x

as the library writes it: y t mod x /

program 10,234 of the library · 5 tokens · structure 0.929 · uses t · held the lane for 425 programs




(y + 2) / x

as the library writes it: y 2 + x /

program 10,659 of the library · 5 tokens · structure 0.718 · no t · held the lane for 50 programs

Every 25-Token Sketch · the found, 54 of 132 through program 30,905 · PCDTokyo2026




(y - 2) / x

as the library writes it: y 2 - x /

program 10,709 of the library · 5 tokens · structure 0.718 · no t · held the lane for 212 programs

Every 25-Token Sketch · the found, 55 of 132 through program 30,905 · PCDTokyo2026



y + 25 / x

as the library writes it: y 25 x / +


program 10,921 of the library · 5 tokens · structure 0.725 · no t · held the lane for 1 programs



y - 25 / x

as the library writes it: y 25 x / -


program 10,922 of the library · 5 tokens · structure 0.725 · no t · held the lane for 3 programs



y mod (25 / x)

as the library writes it: y 25 x / mod


program 10,925 of the library · 5 tokens · structure 0.786 · no t · held the lane for 360 programs



(y + 25) mod x

as the library writes it: y 25 + x mod


program 11,285 of the library · 5 tokens · structure 0.774 · no t · held the lane for 50 programs



(y - 25) mod x

as the library writes it: y 25 - x mod


program 11,335 of the library · 5 tokens · structure 0.774 · no t · held the lane for 50 programs



y * 25 mod x

as the library writes it: y 25 * x mod


program 11,385 of the library · 5 tokens · structure 0.914 · no t · held the lane for 99 programs



y mod 25 / x

as the library writes it: y 25 mod x /

program 11,484 of the library · 5 tokens · structure 0.959 · no t · held the lane for 555 programs




cos(y) / cos(x)

as the library writes it: y cos x cos /

program 12,039 of the library · 5 tokens · structure 0.739 · no t · held the lane for 495 programs

Every 25-Token Sketch · the found, 63 of 132 through program 30,905 · PCDTokyo2026




abs(y) / sin(x)

as the library writes it: y abs x sin /

program 12,534 of the library · 5 tokens · structure 0.551 · no t · held the lane for 5 programs


Every 25-Token Sketch · the found, 64 of 132 through program 30,905 · PCDTokyo2026



abs(y) / cos(x)

as the library writes it: y abs x cos /

program 12,539 of the library · 5 tokens · structure 0.835 · no t · held the lane for 500 programs




sqrt(y) / cos(x)

as the library writes it: y sqrt x cos /

program 13,039 of the library · 5 tokens · structure 0.705 · no t · held the lane for 500 programs

Every 25-Token Sketch · the found, 66 of 132 through program 30,905 · PCDTokyo2026




floor(y) / cos(x)

as the library writes it: y floor x cos /

program 13,539 of the library · 5 tokens · structure 0.504 · no t · held the lane for 521 programs

Every 25-Token Sketch · the found, 67 of 132 through program 30,905 · PCDTokyo2026




t mod (x + y)

as the library writes it: t x y + mod

program 14,060 of the library · 5 tokens · structure 0.921 · uses t · held the lane for 5 programs

Every 25-Token Sketch · the found, 68 of 132 through program 30,905 · PCDTokyo2026




t mod (x - y)

as the library writes it: t x y - mod

program 14,065 of the library · 5 tokens · structure 0.953 · uses t · held the lane for 400 programs


Every 25-Token Sketch · the found, 69 of 132 through program 30,905 · PCDTokyo2026



(t - x) mod y

as the library writes it: t x - y mod

program 14,465 of the library · 5 tokens · structure 0.763 · uses t · held the lane for 100 programs




t / x mod y

as the library writes it: t x / y mod

program 14,565 of the library · 5 tokens · structure 0.966 · uses t · held the lane for 110 programs


Every 25-Token Sketch · the found, 71 of 132 through program 30,905 · PCDTokyo2026



t mod (y / x)

as the library writes it: t y x / mod


program 14,675 of the library · 5 tokens · structure 0.910 · uses t · held the lane for 410 programs



(t - y) mod x

as the library writes it: t y - x mod

program 15,085 of the library · 5 tokens · structure 0.711 · uses t · held the lane for 100 programs



t / y mod x

as the library writes it: t y / x mod

program 15,185 of the library · 5 tokens · structure 0.971 · uses t · held the lane for 1,361 programs



t + 25 / x

as the library writes it: t 25 x / +

program 16,546 of the library · 5 tokens · structure 0.371 · uses t · held the lane for 1 programs




t - 25 / x

as the library writes it: t 25 x / -

program 16,547 of the library · 5 tokens · structure 0.383 · uses t · held the lane for 25 programs

Every 25-Token Sketch · the found, 76 of 132 through program 30,905 · PCDTokyo2026




t - 25 / y

as the library writes it: t 25 y / -

program 16,572 of the library · 5 tokens · structure 0.382 · uses t · held the lane for 342 programs


Every 25-Token Sketch · the found, 77 of 132 through program 30,905 · PCDTokyo2026



(t + 25) / y

as the library writes it: t 25 + y /

program 16,914 of the library · 5 tokens · structure 0.407 · uses t · held the lane for 750 programs




cos(t) / cos(x)

as the library writes it: t cos x cos /

program 17,664 of the library · 5 tokens · structure 0.228 · uses t · held the lane for 50 programs


Every 25-Token Sketch · the found, 79 of 132 through program 30,905 · PCDTokyo2026



cos(t) / cos(y)

as the library writes it: t cos y cos /


program 17,714 of the library · 5 tokens · structure 0.251 · uses t · held the lane for 350 programs



sqrt(cos(t)) / y

as the library writes it: t cos sqrt y /

program 18,064 of the library · 5 tokens · structure 0.196 · uses t · held the lane for 45 programs




floor(cos(t)) / x

as the library writes it: t cos floor x /

program 18,109 of the library · 5 tokens · structure 0.205 · uses t · held the lane for 5 programs


Every 25-Token Sketch · the found, 82 of 132 through program 30,905 · PCDTokyo2026



floor(cos(t)) / y

as the library writes it: t cos floor y /

program 18,114 of the library · 5 tokens · structure 0.205 · uses t · held the lane for 1,543 programs




2 - (x + x)

as the library writes it: 2 x x + -

program 19,657 of the library · 5 tokens · structure 0.098 · no t · held the lane for 3 programs


Every 25-Token Sketch · the found, 84 of 132 through program 30,905 · PCDTokyo2026



2 mod (x + x)

as the library writes it: 2 x x + mod


program 19,660 of the library · 5 tokens · structure 0.129 · no t · held the lane for 9 programs



2 / (x * x)

as the library writes it: 2 x x * /

program 19,669 of the library · 5 tokens · structure 0.339 · no t · held the lane for 15 programs




2 / (x + y)

as the library writes it: 2 x y + /

program 19,684 of the library · 5 tokens · structure 0.850 · no t · held the lane for 5 programs

Every 25-Token Sketch · the found, 87 of 132 through program 30,905 · PCDTokyo2026




2 / (x - y)

as the library writes it: 2 x y - /

program 19,689 of the library · 5 tokens · structure 0.850 · no t · held the lane for 400 programs


Every 25-Token Sketch · the found, 88 of 132 through program 30,905 · PCDTokyo2026



(2 - x) / y

as the library writes it: 2 x - y /


program 20,089 of the library · 5 tokens · structure 0.718 · no t · held the lane for 98 programs



2 / x - y

as the library writes it: 2 x / y -

program 20,187 of the library · 5 tokens · structure 0.708 · no t · held the lane for 52 programs




2 mod x / y

as the library writes it: 2 x mod y /

program 20,239 of the library · 5 tokens · structure 0.697 · no t · held the lane for 50 programs


Every 25-Token Sketch · the found, 91 of 132 through program 30,905 · PCDTokyo2026



2 / (y - x)

as the library writes it: 2 y x - /


program 20,289 of the library · 5 tokens · structure 0.850 · no t · held the lane for 420 programs



(2 - y) / x

as the library writes it: 2 y - x /

program 20,709 of the library · 5 tokens · structure 0.718 · no t · held the lane for 98 programs




2 / y - x

as the library writes it: 2 y / x -

program 20,807 of the library · 5 tokens · structure 0.708 · no t · held the lane for 52 programs

Every 25-Token Sketch · the found, 94 of 132 through program 30,905 · PCDTokyo2026



2 mod y / x

as the library writes it: 2 y mod x /


program 20,859 of the library · 5 tokens · structure 0.697 · no t · held the lane for 695 programs



2 / (2 mod x)

as the library writes it: 2 2 x mod /

program 21,554 of the library · 5 tokens · structure 0.443 · no t · held the lane for 25 programs



2 / (2 mod y)

as the library writes it: 2 2 y mod /

program 21,579 of the library · 5 tokens · structure 0.443 · no t · held the lane for 592 programs

Every 25-Token Sketch · the found, 97 of 132 through program 30,905 · PCDTokyo2026



2 + 25 / x

as the library writes it: 2 25 x / +

program 22,171 of the library · 5 tokens · structure 0.365 · no t · held the lane for 1 programs



2 - 25 / x

as the library writes it: 2 25 x / -

program 22,172 of the library · 5 tokens · structure 0.365 · no t · held the lane for 7 programs


Every 25-Token Sketch · the found, 99 of 132 through program 30,905 · PCDTokyo2026



2 / (25 mod x)

as the library writes it: 2 25 x mod /

program 22,179 of the library · 5 tokens · structure 0.388 · no t · held the lane for 25 programs



2 / (25 mod y)

as the library writes it: 2 25 y mod /


program 22,204 of the library · 5 tokens · structure 0.388 · no t · held the lane for 330 programs



(2 + 25) / x

as the library writes it: 2 25 + x /


program 22,534 of the library · 5 tokens · structure 0.391 · no t · held the lane for 5 programs



(2 + 25) / y

as the library writes it: 2 25 + y /

program 22,539 of the library · 5 tokens · structure 0.391 · no t · held the lane for 1,095 programs




abs(cos(2)) / x

as the library writes it: 2 cos abs x /

program 23,634 of the library · 5 tokens · structure 0.166 · no t · held the lane for 5 programs


Every 25-Token Sketch · the found, 104 of 132 through program 30,905 · PCDTokyo2026



abs(cos(2)) / y

as the library writes it: 2 cos abs y /


program 23,639 of the library · 5 tokens · structure 0.166 · no t · held the lane for 45 programs



sqrt(cos(2)) / x

as the library writes it: 2 cos sqrt x /

program 23,684 of the library · 5 tokens · structure 0.173 · no t · held the lane for 5 programs




sqrt(cos(2)) / y

as the library writes it: 2 cos sqrt y /

program 23,689 of the library · 5 tokens · structure 0.173 · no t · held the lane for 45 programs


Every 25-Token Sketch · the found, 107 of 132 through program 30,905 · PCDTokyo2026



floor(cos(2)) / x

as the library writes it: 2 cos floor x /

program 23,734 of the library · 5 tokens · structure 0.205 · no t · held the lane for 5 programs




floor(cos(2)) / y

as the library writes it: 2 cos floor y /

program 23,739 of the library · 5 tokens · structure 0.205 · no t · held the lane for 550 programs


Every 25-Token Sketch · the found, 109 of 132 through program 30,905 · PCDTokyo2026



sqrt(2) / cos(x)

as the library writes it: 2 sqrt x cos /

program 24,289 of the library · 5 tokens · structure 0.256 · no t · held the lane for 50 programs



sqrt(2) / cos(y)

as the library writes it: 2 sqrt y cos /

program 24,339 of the library · 5 tokens · structure 0.256 · no t · held the lane for 945 programs


Every 25-Token Sketch · the found, 111 of 132 through program 30,905 · PCDTokyo2026



25 / (x + x)

as the library writes it: 25 x x + /


program 25,284 of the library · 5 tokens · structure 0.361 · no t · held the lane for 26 programs



25 mod (x + y)

as the library writes it: 25 x y + mod

program 25,310 of the library · 5 tokens · structure 0.786 · no t · held the lane for 5 programs




25 mod (x - y)

as the library writes it: 25 x y - mod

program 25,315 of the library · 5 tokens · structure 0.786 · no t · held the lane for 5 programs


Every 25-Token Sketch · the found, 114 of 132 through program 30,905 · PCDTokyo2026



25 mod (x * y)

as the library writes it: 25 x y * mod

program 25,320 of the library · 5 tokens · structure 0.892 · no t · held the lane for 5 programs




25 mod (x / y)

as the library writes it: 25 x y / mod

program 25,325 of the library · 5 tokens · structure 0.909 · no t · held the lane for 390 programs


Every 25-Token Sketch · the found, 116 of 132 through program 30,905 · PCDTokyo2026



(25 - x) mod y

as the library writes it: 25 x - y mod


program 25,715 of the library · 5 tokens · structure 0.774 · no t · held the lane for 97 programs



25 / x - y

as the library writes it: 25 x / y -


program 25,812 of the library · 5 tokens · structure 0.725 · no t · held the lane for 3 programs



25 / x mod y

as the library writes it: 25 x / y mod

program 25,815 of the library · 5 tokens · structure 0.972 · no t · held the lane for 110 programs




25 mod (y / x)

as the library writes it: 25 y x / mod

program 25,925 of the library · 5 tokens · structure 0.909 · no t · held the lane for 410 programs

Every 25-Token Sketch · the found, 120 of 132 through program 30,905 · PCDTokyo2026




(25 - y) mod x

as the library writes it: 25 y - x mod

program 26,335 of the library · 5 tokens · structure 0.774 · no t · held the lane for 97 programs

Every 25-Token Sketch · the found, 121 of 132 through program 30,905 · PCDTokyo2026




25 / y - x

as the library writes it: 25 y / x -

program 26,432 of the library · 5 tokens · structure 0.725 · no t · held the lane for 3 programs

Every 25-Token Sketch · the found, 122 of 132 through program 30,905 · PCDTokyo2026



25 / y mod x

as the library writes it: 25 y / x mod

program 26,435 of the library · 5 tokens · structure 0.972 · no t · held the lane for 1,362 programs


Every 25-Token Sketch · the found, 123 of 132 through program 30,905 · PCDTokyo2026



25 - 25 / x

as the library writes it: 25 25 x / -


program 27,797 of the library · 5 tokens · structure 0.436 · no t · held the lane for 25 programs



25 - 25 / y

as the library writes it: 25 25 y / -


program 27,822 of the library · 5 tokens · structure 0.436 · no t · held the lane for 1,092 programs



cos(25) / cos(x)

as the library writes it: 25 cos x cos /

program 28,914 of the library · 5 tokens · structure 0.200 · no t · held the lane for 50 programs




cos(25) / cos(y)

as the library writes it: 25 cos y cos /

program 28,964 of the library · 5 tokens · structure 0.200 · no t · held the lane for 345 programs


Every 25-Token Sketch · the found, 127 of 132 through program 30,905 · PCDTokyo2026



sqrt(cos(25)) / x

as the library writes it: 25 cos sqrt x /

program 29,309 of the library · 5 tokens · structure 0.199 · no t · held the lane for 5 programs




sqrt(cos(25)) / y

as the library writes it: 25 cos sqrt y /

program 29,314 of the library · 5 tokens · structure 0.199 · no t · held the lane for 595 programs


Every 25-Token Sketch · the found, 129 of 132 through program 30,905 · PCDTokyo2026



sqrt(25) / sin(x)

as the library writes it: 25 sqrt x sin /


program 29,909 of the library · 5 tokens · structure 0.309 · no t · held the lane for 5 programs



sqrt(25) / cos(x)

as the library writes it: 25 sqrt x cos /

program 29,914 of the library · 5 tokens · structure 0.402 · no t · held the lane for 50 programs



sqrt(25) / cos(y)

as the library writes it: 25 sqrt y cos /

program 29,964 of the library · 5 tokens · structure 0.402 · no t · holds the lane