




Distribution of refugia indicators and corresponding Z-Scores

Macrorefugia indicators


Cold-Water Fish Habitat



Perennial Streams




Max. Temperature of Warmest Month (Magnitude Change °C)




Z score



Max. Temperature of Warmest Month (Magnitude Change °C)



Amphibian and Reptile Habitat




Max. Temperature of Warmest Month (Magnitude Change °C)





Z score



Max. Temperature of Warmest Month (Magnitude Change °C)




Ephemeral Catchments



Cold-Water Fish Habitat




Perennial Streams



Mean Temperature of Wettest Quarter (Magnitude Change °C)



0.99 - 2.01
2.02 - 2.32
2.33 - 2.44
2.45 - 2.65
2.66 - 4.36





Z score
Mean Temperature of Wettest Quarter (Magnitude Change °C)

< -4
-4 to -3
-3 to -2
-2 to -1
-1 to 0
0 to +1
+1 to +2
+2 to +3
+3 to +4



Amphibian and Reptile Habitat





Springs





Cold-Water Fish Habitat





Perennial Streams





Amphibian and Reptile Habitat




Ephemeral Catchments





Springs



Perennial Streams




Percent Change in Precipitation of Wettest Month





Z score


Percent Change in Precipitation of Wettest Month




Ephemeral Catchments



Cold-Water Fish Habitat




Percent Change in Precipitation of Warmest Quarter





Z score



Percent Change in Precipitation of Warmest Quarter




Amphibian and Reptile Habitat





Ephemeral Catchments



Cold-Water Fish Habitat




Percent Change in Precipitation of Coldest Quarter




Z score



Percent Change in Precipitation of Coldest Quarter



Perennial Streams




Percent Change in Precipitation of Coldest Quarter





Z score


Percent Change in Precipitation of Coldest Quarter





Amphibian and Reptile Habitat



Springs




Percent Change in Precipitation of Coldest Quarter





Z score



Percent Change in Precipitation of Coldest Quarter





Cold-Water Fish Habitat




Amphibian and Reptile Habitat




Ephemeral Catchments



Cold-Water Fish Habitat




Percent Change in August Stream Temperature



Z score



Percent Change in August Stream Temperature



Cold-Water Fish Habitat




Percent Change in June Streamflow Volume




Z score



Percent Change in June Streamflow Volume



Perennial Streams




Percent Change in June Streamflow Volume




Z score



Percent Change in June Streamflow Volume



Amphibian and Reptile Habitat




Percent Change in June Streamflow Volume





Z score



Percent Change in June Streamflow Volume





Amphibian and Reptile Habitat





Ephemeral Catchments





Cold-Water Fish Habitat





Perennial Streams




Springs





Cold-Water Fish Habitat



Perennial Streams




Mean Change in April 1 Snow Water Equivalent (mm)





Z score



Mean Change in April 1 Snow Water Equivalent (mm)





Amphibian and Reptile Habitat





Springs





Ephemeral Catchments




Perennial Streams




Springs



Cold-Water Fish Habitat




Percent with Carbonate Karst




Z score



Percent with Carbonate Karst




Perennial Streams




Percent with Carbonate Karst





Z score
Percent with Carbonate Karst




Amphibian and Reptile Habitat




Percent with Carbonate Karst





Z score
Percent with Carbonate Karst



Springs




Percent with Carbonate Karst




Z score



Percent with Carbonate Karst



Perennial Streams




Percent with Unconsolidated Aquifers




Z score



Percent with Unconsolidated Aquifers




Cold-Water Fish Habitat




Percent with Volcanic Aquifers





Z score
Percent with Volcanic Aquifers




Perennial Streams





Percent with Volcanic Aquifers




Z score
Percent with Volcanic Aquifers





Springs




Ephemeral Catchments



Percent with Slow-Infiltrating Soils





Z score
Percent with Slow-Infiltrating Soils



Cold-Water Fish Habitat




Mean Soil Bulk Density (g/cm^3)




Z score

Mean Soil Bulk Density (g/cm^3)




Perennial Streams



Mean Soil Bulk Density (g/cm^3)

- 1.40 - 1.47
- 1.48 - 1.49
- 1.50 - 1.50
- 1.51 - 1.52
- 1.53 - 1.58





Z score


Mean Soil Bulk Density (g/cm^3)

- 3 to -2
- 2 to -1
- 1 to 0
- 0 to +1
- +1 to +2
- +2 to +3



Amphibian and Reptile Habitat



Springs




Mean Soil Bulk Density (g/cm³)





Z score


Mean Soil Bulk Density (g/cm³)





Amphibian and Reptile Habitat



Cold-Water Fish Habitat



Mean Shannon Diversity Index, Aspect




Z score

Mean Shannon Diversity Index, Aspect



Amphibian and Reptile Habitat



Mean Shannon Diversity Index, Aspect


0.25 - 0.54

0.55 - 0.60

0.61 - 0.66

0.67 - 0.72

0.73 - 1.26



Z score

Mean Shannon Diversity Index, Aspect

-4 to -3

-3 to -2

-2 to -1

-1 to 0

0 to +1


+1 to +2

+2 to +3

+3 to +4

> 4

Ephemeral Catchments



Mean Shannon Diversity Index, Aspect


0.24 - 0.54

0.55 - 0.61

0.62 - 0.66

0.67 - 0.72

0.73 - 1.33



Z score

Mean Shannon Diversity Index, Aspect

-4 to -3

-3 to -2

-2 to -1

-1 to 0

0 to +1


+1 to +2

+2 to +3



+3 to +4

> 4

Cold-Water Fish Habitat




Mean Shannon Diversity Index, Geomorphology





Z score



Mean Shannon Diversity Index, Geomorphology




Amphibian and Reptile Habitat



Ephemeral Catchments




Springs



Mean Vector
Ruggedness


0.0000 - 0.0001
0.0002 - 0.0006
0.0007 - 0.0015
0.0016 - 0.0032
0.0033 - 0.0206





Z score
Mean Vector
Ruggedness

-1 to 0
0 to +1
+1 to +2
+2 to +3
+3 to +4
> 4


Amphibian and Reptile Habitat




Mean Compound Topographic Index





Z score
Mean Compound Topographic Index



Ephemeral Catchments




Mean Compound Topographic Index




Z score



Mean Compound Topographic Index



Cold-Water Fish Habitat



Mean Elevation (m)





Z score





Mean Elevation (m)




Perennial Streams



Amphibian and Reptile Habitat



Cold-Water Fish Habitat



Mean Heat Load Index

0.73 - 0.78

0.79 - 0.79

0.80 - 0.81

0.82 - 0.83

0.84 - 0.90



Z score

Mean Heat Load Index

-3 to -2

-2 to -1



-1 to 0

0 to +1


+1 to +2

+2 to +3



Amphibian and Reptile Habitat




Ephemeral Catchments





Mean Heat Load Index




Z score
Mean Heat Load Index





Springs



Cold-Water Fish Habitat




Mean Riparian Canopy Height (m)




Z score



Mean Riparian Canopy Height (m)



Amphibian and Reptile Habitat




Mean Riparian Canopy Height (m)




Z score



Mean Riparian Canopy Height (m)



Cold-Water Fish Habitat




Percent with Marsh/Wet Meadow Vegetation





Z score


Percent with Marsh/Wet Meadow Vegetation





Amphibian and Reptile Habitat



Perennial Streams




Percent with Marsh/Wet Meadow Vegetation




Z score



Percent with Marsh/Wet Meadow Vegetation



Cold-Water Fish Habitat




Percent with Riparian Woodland




Z score



Percent with Riparian Woodland



Cold-Water Fish Habitat



Percent of Stream Buffer with Tree Canopy



Z score

Percent of Stream Buffer with Tree Canopy



Amphibian and Reptile Habitat

