Your AI demo passed. 4 of 8 French CVs failed.

Three failure cases from my own code, each now a test before trust: a missing field, a strange input, a wrong answer.

AI RELIABILITY · 1 / 6

CASE 1 · MISSING FIELD

The provider returned nothing.

A null message body with a normal finish reason used to crash the shared client. Now empty is empty.

modules / llm_client.py

```
# Defensive extraction: some providers (notably GLM via
  OR on long
# outputs) can return message.content=None alongside a
  non-empty
# finish_reason. Treat empty as empty rather than
  AttributeError.
if not resp.choices:
    return ""
msg = resp.choices[0].message
content = getattr(msg, "content", None) or ""
```

CASE 2 · STRANGE INPUT

A blank reply. A phone number. A signature.

Each odd input became a named test before the classifier touched live replies.

tests / test_reply_classifier.py

```
def test_empty_body_returns_neutral():
    result = classify("", dry_run=True)
    assert result["class"] == "neutral"
    assert result["confidence"] == 0.0

def test_phone_number_hot_pattern():
    result = classify("Please call me at +33 6 12 34 56
  78 tomorrow.", dry_run=True)
    assert result["class"] == "hot"
```

CASE 3 · WRONG ANSWER

Fluent French. English grammar underneath.

A per-field language check flagged English connective syntax in French CV bullets across 4 of 8 evaluation cases. The model was swapped before a candidate saw it.

cv_optimizer_v2 / worker / src / anthropic.ts

```
Deep-eval on 2026-06-14 then exposed Haiku producing
  English connective syntax in bullets under FR JDs
  (langdetect flagged experience[1].bullets[1] across 4
  of 8 cases).
```

THE RULE

Each case became a test before trust.

Missing fields, strange inputs, wrong answers. None of them appeared in the demo. Each one has a named test now.

Which failure would embarrass you most: a crash, a strange input handled wrongly, or a confident wrong answer?