Campaign Targeting Assistant
From a sentence to a segment you can trust.

The administrator describes the audience in one sentence. The platform returns a segment **with a confidence grade** and the filters it used, inside the existing segmenter. No member record ever leaves the platform.

For the administrator

A list in minutes instead of an hour, and a list that is *true*: every member graded fresh / to verify / stale before the send.

For the client's leadership

Board-grade numbers ("1,200 in finance, 180 in London, 40 % paying") that come with their reliability, and a one-sentence answer for the DPO.

For AlumnForce

A credible first step toward the 2027 "platform that acts on its data", metered per tenant, shippable by 3–4 developers in one quarter, safe for clients who refuse any transfer.

The one-line thesis

The request says **speed**. The field says **trust**. The first increment therefore ships data quality and a graded segment first, and uses the language model only for the one thing it is good at: turning a sentence into filters.

The segmenter is better than its reputation, and blind to freshness

WHAT I SAW (UTILISATEURS → LISTES)	WHAT IT MEANS FOR THE ASSISTANT
~43 criteria in 10 groups (Compte, Cotisation, Formation, Situation professionnelle, Situation géographique, Mentoring…), added one by one through a searchable picker	A fixed vocabulary the model can be constrained to. The brief's "soixante critères" is the ceiling, not the floor.
Combination is flat: values joined by **OU** inside a property, properties stacked with **ET**. No nested groups, no relative dates ("last 30 days").	The assistant must say when a sentence cannot be expressed ("finance *or* consulting *unless* Paris") instead of pretending.
Ville (Lieu de travail) supports **"à proximité de Lyon, dans un rayon de 200 km"**; Expériences (Date) supports "Est après 1 janvier 2024"; Secteur and Code NAF exist on the current job.	"À Londres" maps to a geocoded radius, not to eight spellings. "Depuis trois ans" maps to an experience start date. Both already exist.
No criterion on last login or last profile update. Not shown on the member profile either (only "Date d'ajout manuel").	The data that decides whether a list is true is in the database but unreachable in the tool. Deliverable 1 exposes it.
Live count only as the table footer ("1-25 de 53"). Lists auto-save as "Liste - 12/10/2026"; 31 exist, most unnamed. Actions: Exporter only; newsletters, SMS and cotisation calls pick lists from their own module.	Yessica's abandonment (V7) is visible in the list names. The assistant should name and describe the segment it creates.
A "Campagne de mise à jour" module already exists; a support chat widget exists; no AI in the segmenter.	The "please update your profile" nudge reuses an existing module. Less to build.

Also read: 12 verbatims three times; CSV profiled row by row; Annex B executed in SQLite. Method and verification in Annex A.

Eight of twelve verbatims are not about speed

NEED	WHO SAYS IT	WHAT THEY ACTUALLY WANT
Speed	Sophie V1, Antoine V2, Yessica V7	Say the target once, get the list. Stop falling back to Excel.
Truth	Nathalie V3, Julie V5, Inès V9	A list that does not contain people who left London in 2019. "Nine tickets out of ten are the profile, not the filter."
Proof	Karim V4, Isabelle V10, Catherine V12	Numbers that survive a board meeting; euros justified by time saved and dues collected.
Data	Thomas V8, Philippe V11	"Where does my data go?" answered in one sentence, precisely.
Not for me	Marc V6	400 members, knows everyone. Wants the Excel columns in the right order.

The trap in the request

"Trouve-moi les diplômés travaillant dans la finance à Londres depuis plus de trois ans." A sentence-to-filters chatbot answers Antoine and fails Nathalie, Julie, Inès, Karim, Isabelle, Philippe and Catherine. It makes the *wrong list faster*.

What is really at stake

- **Administrator**: an hour per list today, and after the send, the embarrassment ("c'est n'importe quoi", two unsubscribes).
- **Client leadership**: the network's value is unproven; "à peu près" does not pass a board; the DPO can veto the whole feature.
- **AlumnForce**: the segmenter is shown at onboarding and abandoned by month six (V7); one support ticket in five is about lists (V9); large accounts ask "do you do AI?" (V8); 2027 ambition depends on data the platform can trust.

Reformulation: the admin's problem is not building the list, it is believing it.

The data agrees with Julie: the profile is the problem

FINDING IN PROFILS-EXERCICE-PM.CSV	VALUE
Rows vs the 500 announced	**525** — 25 planted duplicate persons (M0501–M0525: surname in capitals, truncated first name, gmail address, same job and start date)
Ways of spelling "London"	**8** (london, LONDON, London, Londres, Londres (Royaume-Uni), Greater London, London, UK, London - Canary Wharf)
Ways of spelling the UK	**3**, plus 42 rows with no country at all
Declared sector	missing on **182** rows; **73** people at banks declare "Services", "Autre" or nothing
"Master Finance" graduates	50, of which only **21** work in finance — the diploma is not the sector
Profile not updated for 2+ years	**69 %**
No login for 12+ months	**78 %**
Last-login dates in the future	**61** rows (up to Oct 2027) — a data-entry or export defect to raise

The insight that shapes the product

In this file, people update their profile when they start a job (median 112 days after) and then go silent. So **"in post for 3+ years" and "profile untouched for 3+ years" are the same signal.** Every one of the 43 stale matches in Annex B has a profile older than 3.9 years and no login in two years.

A naive assistant answering Nathalie's request returns precisely the people most likely to have moved. That is her 340-person "expatriés Londres" email, reproduced on this file.

Same sentence, three answers

Naive filter (ville = "Londres", secteur = "Finance"): **2** members. Normalised city and sector: **26**. Full logic with dedup and three finance sources: **49**. Fresh enough to email today: **6**. (Annex B)

All figures computed from the file with the reference date 2026-10-12.

Principle: a graded segment, not a chatbot

Three deliberate choices

- **Deterministic first.** Normalisation, deduplication and freshness grading run in MariaDB/PHP with no model call. They create value for every tenant, including Marc's 400-member club and Philippe's university that will refuse any transfer.
- **The model does one thing.** It turns the admin's sentence into a structured filter set, constrained to the segmenter's existing ~60 criteria. It never sees a member.
- **The human keeps the hand.** The filters land pre-filled in the segmenter the admin already knows. They edit, see the graded count, then save or send. Nothing is sent automatically.

Why not the chatbot Antoine asked for

A free chat over profiles needs member data in the prompt (DPO veto), has no evaluable output, and sets a "ChatGPT" expectation we cannot meet with 3 developers in a quarter. A constrained assistant with visible filters is evaluable, explainable and reversible.

What the admin sees (target experience)

Types: *"anciens de la promo 2015 à 2018 qui bossent dans la finance à Londres"*

Gets, in under 5 seconds: the segmenter opened with **Promotion: entre 2015 et 2018 · Secteur (Poste actuel): Finance OU Banque OU Finance/Assurance · Ville (Lieu de travail): à proximité de London, 30 km** and a count: **72 members** — 31 fresh · 14 to verify · 27 stale

One click: send to fresh + to-verify, and launch a "please confirm your profile" nudge to the stale 27 through the existing Campagne de mise à jour. The segment is saved with its sentence, its filters and its grades, so Karim can quote it to his board next month.

Working name for the feature: "Ciblage assisté" — deliberately not "chat".

Four deliverables, in this order

DELIVERABLE	WHAT SHIPS	WHY IT IS IN Q1
1. Data-quality layer deterministic, no model	Reference tables for city, country and sector-from-employer; duplicate detection (same identity rules as Annex B, admin confirms merges); a **freshness grade** per member (A/B/C from profile age and last login); a per-instance "data health" panel.	It is the product. Without it the assistant returns 2 or 49 people for the same sentence. It also answers the "clean the database" need directly and works for tenants with the AI flag off.
2. Sentence → filters the only model call	Admin sentence + criteria schema + reference value lists → strict JSON filter set via the internal AI gateway (EU region). A validator rejects unknown criteria and maps values to the reference tables. Result pre-fills the existing segmenter.	This is the "say it in five seconds" value. Scoped to one call, one schema, no member data, so it is cheap, evaluable and DPO-explainable.
3. Graded segment & actions	Counts by grade on every segment (assistant-built or not); "send to A+B" and "nudge C" (existing Campagne de mise à jour) actions; last-login and last-update exposed as criteria; segment saved with a generated name, the sentence, filters, grades and author.	Turns a list into a trustworthy list (Nathalie, Julie, Inès) and into a number with a reliability attached (Karim, Isabelle).
4. Tenant flag, metering, evals	Feature flag per instance and in bulk; every model call logged with tenant, admin, tokens and cost; golden-set eval run on every prompt or model change; weekly cost and quality report.	The brief's cost constraint and the kill criterion both need this from day one, not as an afterthought.

Team: 1 PM, 3–4 shared developers. Pilot on 10 instances in weeks 9–11, go/no-go in week 12 (slide 13).

Not in Q1, and why

EXCLUDED	REASON	WHEN
Free-text, multi-turn chat over the member base	Requires member data in the prompt; not evaluable; sets a "ChatGPT" expectation (V2) we cannot meet and the DPO (V11) will refuse.	Not planned as such
Retrieval (RAG) or semantic search over profiles in OpenSearch	Only useful once sectors, cities and employers are normalised; otherwise it embeds the noise. Also a transfer of member text to a model.	Q2, deterministic-first
Automatic correction of profiles	The platform proposes ("you seem to have left Lehman Brothers"), the member confirms. Silent edits destroy the trust we are building.	Q2 nudge loop via n8n is in; auto-edit never
Enrichment from external sources (LinkedIn, company registries)	Legal basis unclear for most tenants; cost per profile; not needed to prove the increment.	Decision after pilot, per tenant
"Three questions for the board" analytics assistant (V10)	The most valuable ask, but it needs the data-quality layer first or it produces confident wrong numbers. Grades on segments are its foundation.	Q2 headline
Automatic sending, SMS, cotisation calls triggered by the assistant	Human stays between the list and the send. Existing actions on a saved segment are reused unchanged.	Unchanged behaviour
Fine-tuning, own model hosting, multilingual beyond FR/EN	No evidence it is needed; prompt + schema + evals is enough for the first increment and keeps the provider choice open.	Revisit with eval data

The existing segmenter keeps working identically for every instance where the flag is off.

What goes through the model, and what never does

Human · Deterministic (PHP / MariaDB / OpenSearch / n8n) · Language model, via the internal gateway

1 · ADMIN
Types a sentence in the segmenter. Session carries tenant, role and visible criteria.

→

2 · PRE-FLIGHT
Length cap, strip emails/phone numbers from the sentence, check tenant flag and per-tenant quota, cache lookup (same sentence, same tenant).

→

3 · MODEL CALL
Input: the sentence + the schema of the ~43 criteria and operators *this admin may use* (ET of OU, radius, date bounds) + reference value lists. Output: strict JSON filter set, or "cannot map" with the unmatched part. **NO MEMBER ROW, EVER.**

→

4 · VALIDATOR
Rejects unknown criteria; maps values to reference tables ("Londres" → London); applies the admin's permission scope; logs tenant, admin, tokens, cost.

→

5 · QUERY + GRADING
Existing segmenter engine runs the filters on MariaDB/OpenSearch; each result gets its A/B/C freshness grade.

→

6 · ADMIN DECIDES
Sees filters pre-filled, graded count, the part that could not be mapped. Edits, saves, sends, or nudges the stale ones.

Rights

The assistant runs inside the admin's session: same ACL as the segmenter, criteria they cannot see are not even in the schema sent to the model; results are scoped to their instance by the existing query layer. Nothing new to secure.

Where the human is

Before (writes the sentence), in the middle (sees and edits the filters), after (chooses the action). The model never triggers a send, a merge or a profile edit.

Degraded mode

Gateway down, quota reached, flag off, or model returns "cannot map": the segmenter works exactly as today. The feature is additive.

The model is a translator with a fixed vocabulary, not a search engine over people.

The one-sentence answer for the DPO, and what a use costs

For Thomas (V8) and Philippe (V11), one sentence

"Only the administrator's question and the list of filter names leave the platform, to a model hosted in the EU; never a member's name, e-mail or profile."

Minimised, justified, traceable

- **Minimised**: prompt = sentence + schema + reference lists. Pre-flight strips personal identifiers typed in the sentence ("send to marie.dupont@...").
- **Justified**: the only purpose is translation into filters; documented in the record of processing.
- **Traceable**: every call logged with tenant, admin, timestamp, prompt hash, tokens, model, region; exportable per tenant for a DPO audit.
- **Refusable**: tenants who refuse any transfer keep deliverables 1 and 3 (no model) and lose only the sentence box.

Cost of one use (to be confirmed on the gateway in week 1)

~1,500–2,500 input tokens (schema + lists dominate; cacheable prefix), ~150–300 output tokens. On a mid-tier model that is a fraction of a euro cent per request; at 200 requests a month for a heavy tenant, well under one euro. The real cost is engineering, not inference. The cost meter exists because the brief requires knowing *which client generates what*, and because a runaway loop must be visible the same day.

Business model — my position

Included in the subscription with a fair-use quota per tenant (e.g. 300 requests/month), metered beyond. Catherine (V12) will not pay for "AI"; she will pay for dues collected. Pricing the sentence box would kill adoption before we can measure value. If after the pilot the freshness nudge demonstrably lifts dues, *that* loop can become a priced option.

Provider and region: EU-hosted endpoint through the internal gateway; provider choice stays open and swappable because the contract is "schema in, JSON out".

Quality, adoption, value — and the criterion that stops it

Quality (offline evals, before any tenant sees it)

- Golden set of **60–100 real sentences** collected with CS from tickets and the verbatims, each with the expected filter set, written by two people independently.
- Metrics: filter-level precision and recall; exact-match rate; "cannot map" rate on sentences that *should* fail (e.g. "the ones who look rich").
- Gate: exact match ≥ 85 %, no false criterion on permission-restricted fields, re-run on every prompt, schema or model change. Results versioned next to the prompt.

Quality (online, in use)

- **Edit rate**: share of generated filters the admin changes before saving.
- **Rejection rate**: sentence typed, nothing saved.
- Weekly manual sample of 20 sentences by PM + CS during the pilot.

Adoption

- Share of new segments created via the sentence box, per tenant.
- Weekly active admins using it; return use in week 2 and week 4.
- Excel export share of list-building — should fall (V1, V7).
- List-related support tickets per 100 campaigns (V9's "one in five").

Value

- Time from first click to saved segment (baseline measured before launch).
- "Not me / I moved" replies and unsubscribes per campaign (V3).
- Share of grade-A profiles per instance, month over month; profile updates triggered by nudges.
- Response rate on dues campaigns sent to A+B vs historical.

Stop criterion

After 8 weeks on 10 pilot instances: if fewer than **30 %** of new segments go through the sentence box, **or** the edit rate stays above **50 %**, **or** grade-A share has not moved, I stop the model layer and keep the data-quality layer, which will have paid for itself in tickets alone.

Baselines are measured in weeks 1–4 on the current segmenter, so the pilot compares against a number, not a feeling (V7).

Three risks, and my position on each

1 · The data is too dirty for any assistant to look good

69 % of profiles untouched for two years; sectors missing on a third; eight spellings of one city. An assistant on top of this returns wrong lists with confidence, and the brand damage lands on AlumnForce, not on the model.

Position: data quality *is* the first increment, not a prerequisite someone else owns. Grades make the dirt visible instead of hiding it, and the nudge loop starts cleaning it from day one. I accept shipping the sentence box later than a pure-AI roadmap would.

2 · Personal data and the DPO veto

Philippe (V11) will block any transfer of student data to a US model; several tenants will refuse categorically. One ambiguous answer in a sales call and the feature is dead for that account.

Position: design so the answer is short and true: no member data in any prompt, EU-hosted endpoint, per-call log exportable per tenant, flag per instance. Tenants who still say no get everything except the sentence box. I will not trade this for a richer prompt.

3 · The expectation gap

Antoine (V2) expects ChatGPT. The product is a translator with a fixed vocabulary. If the first demo feels like a dumber chatbot, pilots disengage and Yessica's story repeats (V7).

Position: never call it a chat; always show the filters it produced and the part it could not map; make the first win the graded count, which no chatbot gives them. Onboard the three expert tenants first so the pattern is set by people who know what a filter is.

Watched but not top three: cost runaway (metered and capped per tenant from day one); model-provider lock-in (schema-in/JSON-out contract keeps it swappable); small tenants finding it irrelevant (V6 — the flag stays off for them and they still get the data-health panel).

Each position is a trade I am willing to defend, not a mitigation list.

THE QUARTER

Twelve weeks, 3–4 shared developers

WEEKS	WORK	OUTPUT
1–2	Instrument the current segmenter (time-to-list, Excel exports, ticket tags). Build the golden set with CS. Decide reference tables and freshness thresholds with 3 expert tenants. Confirm gateway region and cost.	Baselines; golden set v1; data-quality spec
3–6	Deliverable 1: normalisation tables, duplicate detection with admin-confirmed merges, freshness grade, data-health panel. Backfill on pilot tenants.	Graded member base on 10 instances
5–9	Deliverable 2 and 4: gateway integration, schema builder from the admin's visible criteria, validator, metering, feature flag, eval harness in CI. Deliverable 3: graded counts and the two actions in the segmenter UI.	Sentence box behind the flag; eval gate ≥ 85 %
9–11	Pilot: 3 expert tenants, 5 mid-size, 2 small (one that refuses transfer, to prove the no-model path). Weekly review of 20 sentences; weekly cost report.	Pilot dashboard
12	Go / no-go against the stop criterion. Decide pricing of the nudge loop. Write the Q2 brief: "three questions for the board".	Decision memo

Developer split (indicative)

Backend 1: reference tables, dedup, grades (PHP/MariaDB). Backend 2: gateway, validator, metering, evals. Front: segmenter UI (Vue). Shared/4th: n8n nudge workflow, data-health panel.

What I need from the CPO in week 1

Access to list-related tickets; the segmenter's criteria model; the gateway's current provider and region; the list of tenants who have already refused AI.

If the quarter slips, deliverable 2 slips; deliverable 1 ships regardless.

TOWARD 2027

Why this increment is the right first step for "a platform that acts on its data"

Q2 — Answers for leadership

"How many alumni placed, where, in which sectors" (V10) as three questions over the *graded* base: every number carries its reliability. Same translator, new output type (aggregate instead of list), on the existing Statistiques module's data, still no member data in the prompt.

Q3 — Automations that keep the base alive

n8n loops: nudge on job-change signals, re-grade after each login, suggest merges. The platform maintains its own freshness instead of the admin.

2027 — Agents on segments

An agent that proposes a dues campaign to the right 180 people, with the list, the grades and the expected response rate, and waits for a human yes. Possible only because the three previous steps made the data trustworthy and the actions auditable.

The thread through all of it

- Deterministic where the answer must be exact (who is in the list, what it costs, who may see what).
- A model where language is the input (a sentence, a question).
- A grade on every output, so the platform can say how much to trust itself.
- A human before every irreversible action.

What this gives AlumnForce commercially

A true "yes" to "do you do AI?" with a one-sentence data answer; a data-health score every CS can show at renewal; a measured basis to price automation later, instead of pricing a text box now.

Each quarter is justified by the previous one's measured value, or stopped.

SUMMARY

What I am asking you to decide

Decision

Fund one quarter for a **graded targeting assistant**: data-quality layer first, one constrained model call, human in the segmenter, metered per tenant, with a stop criterion at week 12.

What you get at week 12

- Ten instances with a graded, deduplicated, normalised member base and a data-health panel.
- A sentence box that pre-fills the segmenter, with an eval gate and a per-tenant cost line.
- A one-sentence data answer that sales and CS can use tomorrow.
- Measured numbers: time to list, edit rate, "not me" replies, grade-A share, dues response.

What I would not do even if asked

- Put member rows in a prompt to make the assistant "smarter".
- Let the model send, merge or edit anything.
- Ship the sentence box before the grades exist.

Questions I bring to the exchange

- Which tenants have already said no to AI, and on what grounds?
- How are criteria and permissions modelled in the segmenter today?
- What does the gateway log per call now, and in which region does it run?
- How are the three "expert" tenants different from the rest?

Annex A (AI usage) and Annex B (selection logic) follow.

CLOSING

The sentence I want you to remember

"The administrator's problem is not building the list.
It is believing it.
So the first thing the assistant returns is not a list, it is a grade."

Debanjan Mazumdar · Senior Product Manager Data & AI · AlumnForce case study · October 2026

Thank you. 30 minutes of questions, then 10 minutes of mine.

ANNEX A · USE OF AI FOR THIS CASE (HALF A PAGE)

How I used AI tools, and what I checked myself

What AI did

- Read the brief and the verbatims with me and proposed a first coding of needs; I re-read all twelve three times and changed the grouping (the "proof" group was my addition).
- Wrote the pandas and SQL scaffolding to profile the CSV and to run the Annex B query.
- Drafted slide wording from my outline; I rewrote every position and every number.
- Drove a browser session on the demo instance to list menus and criteria faster than I would by hand.

What I verified myself

- Every figure in slides 4 and Annex B against the file: row count, spellings, nulls, the 25 duplicates (checked pair by pair), the 49 / 26 / 2 counts, the grade split.
- That no number in the deck comes from a model's memory (token prices are given as an order of magnitude and marked "to confirm on the gateway").
- That the SQL in Annex B actually runs on SQLite as written and returns 49 rows.
- The demo-instance observations, by reading the page text, not a summary.

Where I did not trust it

Anything about AlumnForce's internals (gateway, provider, pricing) — those are stated as open questions. The duplicate-matching rule, which I loosened and tightened by hand until all 25 planted rows matched exactly one original and no real pair matched by accident.

ANNEX B · SELECTION LOGIC (ONE PAGE) · "LES DIPLÔMÉS TRAVAILLANT DANS LA FINANCE À LONDRES DEPUIS PLUS DE TROIS ANS" · FULL SQL AND 49-ROW RESULT ATTACHED (ANNEXB.SQL, ANNEXB_RESULT.CSV)

```
-- Reference date 2026-10-12. Run as written on SQLite, CSV loaded unchanged as `profils`.
-- 0. DEDUPLICATE: file has 525 rows, brief says 500. M0501..M0525 are duplicate persons
--    (capitalised/compound surname, truncated first name, gmail, same job + start date).
CREATE TABLE membres AS
WITH p AS (SELECT *, lower(substr(prenom,1,3)) pn,
            lower(replace(replace(replace(nom,'-',''),' ',''),'.','')) nn FROM profils),
doublons AS (SELECT b.member_id drop_id FROM p a JOIN p b
   ON a.member_id<>b.member_id AND a.pn=b.pn
  AND (instr(a.nn,b.nn)>0 OR instr(b.nn,a.nn)>0)
  AND (a.date_debut_poste=b.date_debut_poste OR a.poste=b.poste)
  AND (a.date_maj_profil>b.date_maj_profil OR (a.date_maj_profil=b.date_maj_profil AND
a.member_id<b.member_id)))
SELECT * FROM p WHERE member_id NOT IN (SELECT drop_id FROM doublons);      -- 499 members
-- 1. NORMALISE (deterministic lookup tables, no model, nothing leaves the platform)
CREATE TABLE membres_norm AS SELECT m.*,
 CASE WHEN lower(ville) LIKE '%london%' OR lower(ville) LIKE '%londres%'
       OR lower(ville) LIKE '%canary wharf%' THEN 'London' ELSE ville END ville_norm, -- 8 forms
 CASE WHEN lower(trim(coalesce(pays,''))) IN ('uk','united kingdom','royaume-uni') THEN 'GB'
      WHEN pays IS NULL AND lower(ville) LIKE '%lond%' THEN 'GB' ELSE pays END pays_norm,
 CASE WHEN secteur_declare IN ('Finance','Banque','Finance / Assurance') THEN 'finance:declare'
      WHEN entreprise IN ('Amundi','AXA IM','Barclays','BNP Paribas','Crédit Agricole CIB',
        'Deutsche Bank','Goldman Sachs','HSBC','J.P. Morgan','Lazard','Morgan Stanley',
        'Natixis','Rothschild & Co','Société Générale','UBS') THEN 'finance:entreprise'
      WHEN lower(poste) REGEXP 'financ|m&a|investment bank|ib analyst|trader|quant|portfolio
        |asset manag|opcvm|private equity|equity research|treasury|credit risk|risk manager
        |contrôleur de gestion|fp&a|banquier|conformité bancaire|auditeur financier
        |chargé d.affaires|gestionnaire de portefeuille|directeur financier' THEN 'finance:poste'
      ELSE 'non' END finance_src,
 CASE WHEN date_maj_profil >= date('2026-10-12','-2 years')
       OR derniere_connexion >= date('2026-10-12','-1 year') THEN 'A'      -- fresh
      WHEN date_maj_profil >= date('2026-10-12','-4 years') THEN 'B'       -- to verify
      ELSE 'C' END fraicheur                                               -- stale
FROM membres m;
-- 2. SELECT
SELECT member_id, poste, entreprise, finance_src, fraicheur FROM membres_norm
WHERE ville_norm='London'                                  -- "à Londres"
  AND finance_src<>'non'                                   -- "dans la finance"
  AND date_debut_poste <= date('2026-10-12','-3 years')    -- "depuis plus de trois ans"
  AND promo <= 2026;                        -- "diplômés": all are (promos 2005-2024)
```

Result

49 members (499 after dedup → 168 in London → 72 in finance → 49 with 3+ years in post). Source: 24 declared sector, 17 employer, 8 job keywords. Freshness: A 1 B 5 C 43 · 14 paying. Naive filter (ville='Londres', secteur='Finance'): **2**. Normalised, no dedup: **26**.

Assumptions

- Reference date 2026-10-12 (latest date in the file: 2026-09-22).
- "Diplômés" = everyone (promos 2005–2024). The "Master Finance" diploma is not a finance signal: only 21 of its 50 holders work in finance.
- "Finance" = declared sector, else employer in a finance reference list, else job-title keywords. Keywords are the weakest source: 2 of 8 are doubtful ("Professeur de finance" at Renault, "Assistant administratif et financier" at Orange) and are shown as "to confirm".
- "3+ years" = current job started on or before 2023-10-12.

What the data cannot verify, and what the product does

- **"In London for 3+ years"**: no date for the location, only for the job. Job tenure is the proxy, labelled "3+ years in current role" in the UI.
- **"Still true"**: 43 of 49 profiles are 4+ years old with no login in 2 years. Graded C; a nudge is offered before any send instead of silent inclusion.
- **Duplicates**: merges proposed to the admin, never applied silently.