Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options...]

Check by [text input ⌄] ☐ css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta author="name" content="The Frontenders">
    <meta name="description" content="A coding themed cocktail reciepe website">
    <meta name="keywords" content="cocktail, cocktails, drinks, party, menu,
menus, cocktail-menus, social, front-end," />
    <title>The Front End</title>

    <link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
      rel="stylesheet"
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

   [From line 4, column 5; to line 4, column 28](#)

   head>⏎   <meta charset="UTF-8" />⏎   <

2. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

   [From line 5, column 5; to line 5, column 76](#)

   8" />⏎   <meta name="viewport" content="width=device-width, initial-scale=1.0" />⏎   <

3. **Error** **Attribute `author` not allowed on element `meta` at this point.**

   [From line 6, column 5; to line 6, column 50](#)

```
0" />⟲        <meta author="name" content="The Frontenders">⟲        <
```

Attributes for element <u>meta</u>:

> <u>Global attributes</u>
>
> <u>name</u> — Metadata name
>
> <u>http-equiv</u> — Pragma directive
>
> <u>content</u> — Value of the element
>
> <u>charset</u> — <u>Character encoding declaration</u>
>
> <u>media</u> — Applicable media

4. **Error** **Element** <u>meta</u> **is missing one or more of the following attributes:** `http-equiv`, `itemprop`, `name`, `property`.

<u>From line 6, column 5; to line 6, column 50</u>

```
0" />⟲        <meta author="name" content="The Frontenders">⟲        <
```

Attributes for element <u>meta</u>:

> <u>Global attributes</u>
>
> <u>name</u> — Metadata name
>
> <u>http-equiv</u> — Pragma directive
>
> <u>content</u> — Value of the element
>
> <u>charset</u> — <u>Character encoding declaration</u>
>
> <u>media</u> — Applicable media

5. **Info** **Trailing slash on void elements** <u>**has no effect**</u> **and** <u>**interacts badly with unquoted attribute values**</u>.

<u>From line 8, column 5; to line 8, column 122</u>

```
ite">⟲        <meta name="keywords" content="cocktail, cocktails, drinks,
party, menu, menus, cocktail-menus, social, front-end," />⟲        <
```

6. **Info** **Trailing slash on void elements** <u>**has no effect**</u> **and** <u>**interacts badly with unquoted attribute values**</u>.

<u>From line 11, column 5; to line 16, column 6</u>

```
⟲        ⟲        <link⟲
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.
css"⟲        rel="stylesheet"⟲        integrity="sha384-
```

7. **Error** **Duplicate ID** `carouselExampleCaptions`.

<u>From line 56, column 15; to line 56, column 71</u>

```
                    <div id="carouselExampleCaptions" class="carousel slide">
```

8. **Warning** **The first occurrence of ID** `carouselExampleCaptions` **was here.**

From line 55, column 13; to line 55, column 69

```
                    <div id="carouselExampleCaptions" class="carousel slide">
```

9. **Error** **Bad value** `assets\images\cocktail.jpg` **for attribute** `src` **on element** `img` **: Backslash ("\") used as path segment delimiter.**

From line 64, column 21; to line 64, column 105

```
            <img src="assets\images\cocktail.jpg" class="d-block w-100"
alt="Cocktails on a bar">
```

10. **Error** **Bad value** `assets\images\milkshake.jpg` **for attribute** `src` **on element** `img` **: Backslash ("\") used as path segment delimiter.**

From line 71, column 21; to line 71, column 138

```
            <img src="assets\images\milkshake.jpg" class="d-block w-100"
alt="2 Milkshakes in front of a PC thats has code on it">
```

11. **Error** **Bad value** `assets\images\social page.jpg` **for attribute** `src` **on element** `img` **: Backslash ("\") used as path segment delimiter.**

From line 79, column 21; to line 79, column 156

```
            <img src="assets\images\social page.jpg" class="d-block w-100"
alt="man with cocktail and laptop with woman in the background in a
bar">
```

12. **Error** **The element** `footer` **must not appear as a descendant of the** `footer` **element.**

From line 123, column 15; to line 123, column 48

```
            <footer class="blockquote-footer">David
```

Document checking completed.

Source

```
1. <!DOCTYPE html>
2. <html lang="en">
3.   <head>
4.     <meta charset="UTF-8" />
```

```
  5.      <meta name="viewport" content="width=device-width, initial-scale=1.0"
     />↵
  6.      <meta author="name" content="The Frontenders">↵
  7.      <meta name="description" content="A coding themed cocktail reciepe
     website">↵
  8.      <meta name="keywords" content="cocktail, cocktails, drinks, party,
     menu, menus, cocktail-menus, social, front-end," />↵
  9.      <title>The Front End</title>↵
 10.      ↵
 11.      <link↵
 12.

     href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.c
     ss"↵
 13.        rel="stylesheet"↵
 14.        integrity="sha384-
     T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"↵
 15.        crossorigin="anonymous"↵
 16.      />↵
 17.      <link rel="stylesheet" href="assets/style.css">↵
 18.      <link rel="icon" href="assets/images/favicon/html5.png" type="image/x-
     icon">↵
 19.      ↵
 20.    </head>↵
 21.    <body>↵
 22.      <header>↵
 23.        <h1 class="techfont">The Front End</h1>↵
 24.        ↵
 25.      </header>↵
 26. ↵
 27.      <nav class="navbar navbar-expand-lg bg-body-tertiary">↵
 28.        <div class="container-fluid">↵
 29.          <a class="navbar-brand" href="index.html">The Front End</a>↵
 30.          <button class="navbar-toggler" type="button" data-bs-
     toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav"
     aria-expanded="false" aria-label="Toggle navigation">↵
 31.            <span class="navbar-toggler-icon"></span>↵
 32.          </button>↵
 33.          <div class="collapse navbar-collapse" id="navbarNav">↵
 34.            <ul class="navbar-nav">↵
 35.              <li class="nav-item">↵
 36.                <a class="nav-link active" aria-current="page"
     href="index.html">About</a>↵
 37.              </li>↵
 38.              <li class="nav-item">↵
 39.                <a class="nav-link" href="menu.html">Menus</a>↵
 40.              </li>↵
 41.              <li class="nav-item">↵
 42.                <a class="nav-link" href="social.html">Social</a>↵
 43.              </li>↵
 44.              <li class="nav-item">↵
 45.                <a class="nav-link" href="signup.html">Sign Up Here</a>↵
 46.              </li>↵
 47.            </ul>↵
 48.          </div>↵
 49.        </div>↵
 50.      </nav>↵
 51.      <section class="pb-5 pt-5">↵
 52.        <div class="container-fluid">↵
 53.          <div class="row">↵
 54.            <div class="col-md-8">↵
 55.              <div id="carouselExampleCaptions" class="carousel slide">↵
 56.                <div id="carouselExampleCaptions" class="carousel slide">↵
```

```
 57.              <div class="carousel-indicators">↵
 58.                <button type="button" data-bs-
     target="#carouselExampleCaptions" data-bs-slide-to="0" class="active" aria-
     current="true" aria-label="Slide 1"></button>↵
 59.                <button type="button" data-bs-
     target="#carouselExampleCaptions" data-bs-slide-to="1" aria-label="Slide
     2"></button>↵
 60.                <button type="button" data-bs-
     target="#carouselExampleCaptions" data-bs-slide-to="2" aria-label="Slide
     3"></button>↵
 61.              </div>↵
 62.              <div class="carousel-inner">↵
 63.                <div class="carousel-item">↵
 64.                  <img src="assets\images\cocktail.jpg" class="d-block w-
     100" alt="Cocktails on a bar">↵
 65.                  <div class="carousel-caption d-none d-md-block">↵
 66.                    <h5>Front End Cocktails</h5>↵
 67.                    <p>Feel the Byte!</p>↵
 68.                  </div>↵
 69.                </div>↵
 70.                <div class="carousel-item active">↵
 71.                  <img src="assets\images\milkshake.jpg" class="d-block
     w-100" alt="2 Milkshakes in front of a PC thats has code on it">↵
 72.                  <div class="carousel-caption d-none d-md-block">↵
 73.                    <h5>User Friendlies</h5>↵
 74.                    <p>Our milkshakes bring all the coders to the bar.
     </p>↵
 75.                  </div>↵
 76.                </div>↵
 77.                ↵
 78.                <div class="carousel-item">↵
 79.                  <img src="assets\images\social page.jpg" class="d-block
     w-100" alt="man with cocktail and laptop with woman in the background in a
     bar">↵
 80.                  <div class="carousel-caption d-none d-md-block">↵
 81.                    <h5>Meet Like Minded People</h5>↵
 82.                    <p>Collaborate with other Frontenders. Enjoy us on
     social media!</p>↵
 83.                  </div>↵
 84.                </div>↵
 85.              </div>↵
 86.              <button class="carousel-control-prev" type="button" data-
     bs-target="#carouselExampleCaptions" data-bs-slide="prev">↵
 87.                <span class="carousel-control-prev-icon" aria-
     hidden="true"></span>↵
 88.                <span class="visually-hidden">Previous</span>↵
 89.              </button>↵
 90.              <button class="carousel-control-next" type="button" data-
     bs-target="#carouselExampleCaptions" data-bs-slide="next">↵
 91.                <span class="carousel-control-next-icon" aria-
     hidden="true"></span>↵
 92.                <span class="visually-hidden">Next</span>↵
 93.              </button>↵
 94.        ↵
 95.          ↵
 96.        </div>↵
 97.      ↵
 98.      </div>↵
 99.    </div>↵
100.    <div class="col-md-4">↵
101.      <div class="info-div">↵
102.        <!-- Information in the second div -->↵
```

```
103.            <h2>The Front End</h2>
104.            <h4>Program your own experience!</h4>
105.            <p>All code and no play makes for a dull programmer.</p>
106.            <h4> Write your own version at Home</h4>
107.            <p>Cant make it here? Try out our daily recipes</p>
108.            <p>Sign up for our Drink of the Day to recieve updates!
     </p>
109.          </div>
110.        </div>
111.      </div>
112.    </div>
113.
114.   </section>
115.    <footer>
116.      <div class="card">
117.        <div class="card-header">
118.          Quote
119.        </div>
120.        <div class="card-body">
121.          <blockquote class="blockquote mb-0">
122.            <p><strong>Best atmosphere I have played, with a laptop or a
     guitar.</strong></p>
123.            <footer class="blockquote-footer">David "Calikes" Doe  <cite
     title="Source Title">Cumansc Gael Appreciation Collective</cite>
     </footer>
124.          </blockquote>
125.        </div>
126.      </div>
127.    </footer>
128.
129.
130.
131.
132.
133.
134.
135.
136.
137.
138.
139.
140.
141.
142.
143.
144.
145.
146.
147.    <script
148.
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.
     min.js"
149.      integrity="sha384-
     C6RzsynM9kWDrMNeT87bh95OGNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
150.      crossorigin="anonymous"
151.    ></script>
152.  </body>
153. </html>
```

Used the HTML parser.

Total execution time 19 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.1.1