Diagrams with pandoc-kroki and awesomebox

Author

2020-01-01

Contents

Kroki Support! 2
BlockDiag . . . 2
BPMN . . . 2
Bytefield . . . 3
SeqDiag . . . 3
ActDiag . . . 4
NwDiag . . . 5
PacketDiag . . . 6
RackDiag . . . 7
C4 with PlantUML . . . 8
Ditaa . . . 10
ERD . . . 10
Excalidraw . . . 11
GraphViz . . . 11
Mermaid . . . 12
Nomnoml . . . 13
PlantUML . . . 14
Svgbob . . . 15
UMlet . . . 15
Vega . . . 15
Vega-Lite . . . 16
WaveDrom . . . 16

Kroki Support!

BlockDiag



Details see BlockDiag

BPMN



Details see BPMN

Bytefield



Details see Bytefield

SeqDiag



Details see SeqDiag

ActDiag



Details see ActDiag

NwDiag



Details see NwDiag

PacketDiag



Details see PacketDiag

RackDiag



Details see RackDiag

C4 with PlantUML

You can use the proper kroki type `c4plantuml`, *or* the alias `c4`:

System Context diagram for Internet Banking System



System Context diagram for Internet Banking System



Details see C4 with PlantUML

Ditaa



Details see Ditaa

ERD



Details see ERD

Excalidraw



Details see Excalidraw

GraphViz

You can use the proper kroki type `graphviz`, or the alias `dot`:





Details see GraphViz

Mermaid



Details see Mermaid

Nomnoml



Details see Nomnoml

PlantUML



Details see PlantUML

Svgbob



Details see Svgbob

UMlet

Not supported

Details see UMlet

Vega



Details see Vega

Vega-Lite



Details see Vega-Lite

WaveDrom



Details see WaveDrom