A Deep Learning Classifier Using Sliding Patches for Detection of Mammographical Findings

Diego Mellado, Marvin Querales, Julio Sotelo, Eduardo Godoy, Fabian Pardo, Scarlett Lever, Stéren Chabert, Rodrigo Salas

Doctorado en Ciencias e Ingeniería para la Salud
Universidad de Valparaíso

November 16th, 2023

Acknowledgements

This work was funded by:

- National Agency for Research and Development (ANID) / Scholarship program / *Becas Doctorado Nacional 2022* - 21221429
- Millenium Science Initiative Program ICN2021_004
- ANID FONDEF IDEA I+D ID20i10332 *"Artificial Intelligence System for Support in Diagnosis and Priorization of Mammographic Exams"*
- ANID FONDECYT Research Grant 1221938

ihealth Millennium Institute for Intelligent Healthcare Engineering

Agencia Nacional de Investigación y Desarrollo
Ministerio de Ciencia, Tecnología, Conocimiento e Innovación
Gobierno de Chile

Universidad de Valparaíso CHILE

Breast Cancer Screening

Pathological Findings Detection

Our Proposal

Our study proposes a Deep Learning Classifier trained on cropped segments of mammograms for multi-label classification of pathological findings.
General Inspection of the complete image using local patches.

Dataset

- **Vindr-mammo** Dataset [1]
- 5000 digital mammogram examinations containing for each view:
  - BIRADs
  - Breast density
  - Bounding box of each finding present on the image
- 10 classes of pathological findings



Figure: Example of a mammogram from the Vindr-mammo dataset.

[1] Hieu Huy Pham, Hieu Nguyen Trung, and Ha Quy Nguyen. *VinDr-Mammo: A Large-Scale Benchmark Dataset for Computer-Aided Detection and Diagnosis in Full-Field Digital Mammography*. Version 1.0.0. PhysioNet. DOI: 10.13026/BR2V-7517. URL: https://physionet.org/content/vindr-mammo/1.0.0/ (visited on 11/08/2022)

Dataset Distribution

Image Processing Pipeline

- Each DICOM Image is normalised to a range of $[0, 1]$
- Apply CLAHE algorithm [2] for histogram equalization at 2 different scales
- Fuse the equalized images with the original, channel-wise
- Image is cropped to the bounding box of the breast using Otsu's thresholding.

[2] S.M. Pizer, R.E. Johnston, J.P. Ericksen, et al. "Contrast-Limited Adaptive Histogram Equalization: Speed and Effectiveness". In: *[1990] Proceedings of the First Conference on Visualization in Biomedical Computing*. [1990] Proceedings of the First Conference on Visualization in Biomedical Computing. May 1990, pp. 337–345. DOI: 10.1109/VBC.1990.109340. URL: https://ieeexplore.ieee.org/document/109340 (visited on 10/03/2023)



Figure: Image processing pipeline

Evaluation of deep learning architectures

We evaluated the following architectures as a backbone:

- ResNet50
- EfficientNetV2
- DenseNet
- Swin Transformer
- MobileNet
- VGG19

Classifier Layer using 2 layer MLP with 512 hidden units and ReLU activation. Output layer with 10 units and sigmoid activation.

Feature Extraction Model

- We use the backbone of the selected architecture as a feature extractor.
- The output of the backbone is flattened and fed to the classifier.
- The classifier is trained using the cropped images.

Image Sampling

- For each finding present on an image, we sampled a random area of the finding.
- Area and aspect ratio randomly sampled from an Uniform distribution.
  - Area: [.05, 5.] of the finding bounding box area.
  - Aspect ratio: [0.331.66] of the finding bounding box aspect ratio.
  - The bounding box center is uniform sampled from 50 pixels around the original center.
- For normal images (*No Finding*), we sample a random area of the breast, with similar sampling parameters.
- Sampled image is resized to 256 $\times$ 256 pixels.
- **image augmentation**: Contrast, brightness, saturation, flip and rotation are randomly modified.

Training parameters

- Focal Loss Function
- Adam Optimizer with a starting learning rate of 10^{-4}
- Reduce on plateau with a patience of 5 epochs and a factor of 0.1
- Weighted sampling of the dataset, in order to reduce imbalance.

Local Information

Our method

Results

Discussion

Future Work