
IDENTITY API LAB

One environment for identity integration testing

Protocols, authentication, permissions, banking workflows and evidence share one canonical identity model.

PRODUCT BROCHURE



Designed & Built by Dinesh

A complete test path from credential to audit

The lab connects technical integration work to a permission-aware business application.

01

Register

Create a client with selected methods, scopes and attributes.

02

Provision

Create and update employees through real protocol endpoints.

03

Authorize

Calculate roles, groups and effective permissions from live state.

04

Operate

Run synthetic payments with separate maker and checker identities.


05

Inspect

Trace authentication, duration, changes and audit evidence.

Eleven adapters, one identity state

Every adapter calls the same domain services and database records.




Implemented profiles

- REST and GraphQL
- SCIM 2.0 and SCIM 1.1
- SOAP 1.1 and SOAP 1.2
- OData 4.0 and JSON-RPC 2.0
- **Native gRPC**
- Signed webhooks
- CSV import/export and SFTP

Client credentials and policy belong together

Each client selects authentication methods, protocols, scopes and readable or writable attributes.



Seven methods

OAuth 2.0
Client Credentials and PKCE

API credentials
API key, Basic and Digest

Signed tokens
JWT bearer

Signed requests
HMAC SHA-256

ACCESS GOVERNANCE

Authorization changes the API and the interface

Roles and groups contribute effective permissions. Attribute policy restricts what each client may read or change.

Permission model

Permissions

Atomic actions such as USER_READ or PAYMENT_APPROVE

Roles

Reusable permission sets for job functions

Groups

Membership grants roles and shared access

Effective access

Direct and group grants calculated on every request

Attribute policy example

Readable

username email displayName


Writable

displayName department jobTitle

A request that includes another field receives a controlled authorization error.

Permissions become visible business behavior

Employees see different modules and actions. Payment approval enforces a separate maker and checker.



Approval record

01

Maker initiates

02


Eligible checker reviews

03

Balances and audit post

Each decision leaves reviewable evidence

Inspect the route, protocol, actor, authentication method, outcome, duration and correlated audit records.



Evidence captured

1. Request and correlation IDs
2. Authentication method and actor
3. Allowed or rejected decision
4. Total execution duration
5. Related identity change
6. Business audit action

Live charts explain traffic, workforce and risk

The Command Center derives every view from retained requests, sessions and current identity state.




Chart views in the product

Line	request and rejection trend
Bump	protocol rank
Calendar	daily activity
Choropleth	workforce geography
Pie and sunburst	identity and organization
Heatmap and bar	protocol and risk

DEPLOYMENT

Small local footprint, clear hosted path

The same repository supports a laptop lab, a private server or an isolated hosted tenant.

Local Docker

One install command

PostgreSQL, MySQL or SQLite

Loopback HTTP and gRPC

Private server

TLS reverse proxy

Managed secrets and backups

Restricted outbound access

Hosted tenant

One environment per customer

Usage limits and retention

Billing and lifecycle control

Docker Compose Railway-ready Dockerfile Health checks Generated secrets Release verifier

IDENTITY API LAB

A practical environment for identity integration work

Explore protocol behavior, test access decisions, demonstrate banking workflows and review the evidence in one place.

github.com/dmenh/identity-api-lab

Contact Dinesh

linkedin.com/in/dineshwarmanukonda

Sponsorship supports protocol compatibility, security testing and documentation.

Designed & Built by Dinesh