

## CSS Code

```
/* general text formatting */  
  
body {  
    font-family: "Roboto", Verdana, Arial, sans-serif;  
    font-size: 100%;  
    background-color: #ECEFF1;  
}  
  
section {  
    background-color: white;  
    margin: 1em 4em 1em 4em;  
    border: solid 1pt black;  
  
}  
  
section h3 {  
    color: white;  
    padding: 0.75rem;  
    background-color: #263238;  
}  
  
.status {  
    border-radius: 0.25rem;  
    padding: 3px;  
    color: white;  
  
}  
  
.status-processing {  
    background-color: #E65100;  
}
```

```
.status-shipped {  
    background-color: #4CAF50;  
}  
  
.status-pending {  
    background-color: #03A9F4;  
}
```

```
/* table formatting -- you will add these */
```

```
table th
```

```
{  
    text-align: left;  
    padding-top: 12px;  
    padding-bottom: 12px;
```

```
}
```

```
table td
```

```
{  
    padding-right: 40px;  
    padding-bottom: 15px;  
    padding-top: 15px;
```

```
}
```

```
table tr
```

```
{  
    padding-bottom: 200px;  
    padding-top: 200px;  
}
```

caption

```
{  
  margin-top: 10px;  
  margin-left: 20px;  
  padding-bottom: 10px;  
  padding-top: 10px;  
  background-color: #607D8B;  
  color: #FFFFFF;  
}
```

legend

```
{  
  padding-bottom: 10px;  
  padding-top: 10px;  
  padding-left: 350px;  
  padding-right: 350px;  
  background-color: #607D8B;  
  color: #FFFFFF;  
  text-align: center;  
}
```

fieldset

```
{  
  margin-top: 10px;  
  margin-bottom: 20px;  
}
```

label

```
{
```

```
font-weight: bold !important;
}
input[type = submit]
{
background-color: #690FAD;
color: #FFFFFF
}
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>Chapter 5</title>
  <link rel="stylesheet" href="reset.css" />

  <link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Roboto:regular,bold,italic,thin,light,bolditalic,black,medium&lang=en">
  <link rel="stylesheet" href="ch05-proj1.css" />
</head>
<body>

  <section>
    <h3>Data</h3>
    <table>

      <caption>Orders</caption>
      <tr>
```

<th>ID</th>

<th>Date</th>

<th>Customer</th>

<th>Country</th>

<th>Progress</th>

<th>Status</th>

</tr>

<tr>

<td>123</td>

<td>Sep 12, 2017</td>

<td>Jean Rousseau</td>

<td>France</td>

<td><progress value="100" max="100">0%</progress></td>

<td><span class="status status-shipped"> Shipped </span> </td>

</tr>

<tr>

<td>144</td>

<td>Sep 20, 2017</td>

<td>Georg Hegel</td>

<td>Germany</td>

<td><progress value="100" max="100">0%</progress></td>

<td><span class="status status-shipped"> Shipped </span> </td>

</tr>

<tr>

<td>149</td>

<td>Oct 3, 2017</td>

```
<td>John Locke</td>
<td>England</td>
<td><progress value="50" max="100">0%</progress></td>
<td><span class="status status-processing"> Processing </span>
</td>
</tr>
```

```
<tr>
<td>162</td>
<td>Oct 8, 2017</td>
<td>Thomas Hobbes</td>
<td>England</td>
<td><progress value="25" max="100">0%</progress></td>
<td><span class="status status-pending"> Pending </span>
</td>
</tr>
```

```
<tr>
<td>177</td>
<td>Oct 10, 2017</td>
<td>Johann Fichte</td>
<td>Germany</td>
<td><progress value="25" max="100">0%</progress></td>
<td><span class="status status-pending"> Pending </span>
</td>
</tr>
</table>
```

```
</section>
```

<section>

    <h3>Revise</h3>

<form method="Post" action="https://www.randyconnolly.com/tests/process.php">

  <fieldset>

    <legend>Filter Orders</legend>

    <label for="client"> Customer <br>

    <input type="text" id="client" name="client" placeholder="Enter Name">

    <br>

    <label for="country">Country</label><br>

    <select id="country" name="country">

      <option>Choose a Country</option>

      <option value="France">France</option>

      <option value="Germany">Germany</option>

      <option value="England">England</option>

    </select>

    <br>

    <label for="type">Status</label><br>

    <input id="type" type="radio" name="type" value="pending"> Pending

    <input id="type" type="radio" name="type" value="processing">Processing

    <input id="type" type="radio" name="type" value="shipped">Shipped <br>

    <label for="date">Order Date</label><br>

<input id= "date" type="date" name="date">

<br>

<input type="submit" value= "Submit">

</fieldset>

</form>

</section>

</body>

</html>

Data

Orders

ID	Date	Customer	Country	Progress	Status
123	Sep 12, 2017	Jean Rousseau	France	<div></div>	Shipped
144	Sep 20, 2017	Georg Hegal	Germany	<div></div>	Shipped
149	Oct 3, 2017	John Locke	England	<div></div>	Processing
162	Oct 8, 2017	Thomas Hobbes	England	<div></div>	Pending
177	Oct 10, 2017	Johann Fichte	Germany	<div></div>	Pending

Revise

Filter Orders

Customer

Enter Name

Country

Choose a Country

Status

☐ Pending ☐ Processing ☐ Shipped

Order Date

mm / dd / yyyy

Submit