

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ CSS

```
<!DOCTYPE html>
<html lang="en"><head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <base href="http://lbaw2174.lbaw-prod.fe.up.pt/">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="eXKU5cRCUeD87NeXPOYoC3zns0xEggy3DbCziTx">

  <title>Profile | bree_espinoza</title>

  <!-- Bootstrap CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Warning

The `type` attribute is unnecessary for JavaScript resources.

[From line 53, column 5 to line 53, column 35](#)

```
ipt>↵↵    <script type="text/javascript">↵
```

2.

Error

An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 122, column 7 to line 122, column 116](#)

```
">↵    ↵
```

3.

Error

Bad value `button` for attribute `type` on element `a`: Subtype missing.

[From line 139, column 27 to line 139, column 156](#)

```
<a type="button" class="nav-link text-white navbar-content-bold rounded-pill" href="http://lbaw2174.lbaw-prod.fe.up.pt/moderator">Modera
```

4.

Error

Element `span` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

[From line 149, column 13 to line 149, column 40](#)

```
<span class="left-vert-bar"></span>
```

Contexts in which element `span` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:
Zero or more [li](#) and [script-supporting](#) elements.

5.

Error

Duplicate ID `floatingInput`.

[From line 265, column 29 to line 265, column 129](#)

```
<input required="" type="text" name="firstname" class="form-control" id="floatingInput" value="Bree">↵
```

6.

Warning

The first occurrence of ID `floatingInput` was here.

[From line 78, column 25 to line 78, column 162](#)

```
<input type="email" name="email" class="form-control" id="floatingInput" placeholder="name@example.com" value="" required="" autofocus="">↵
```

7.

Error

Duplicate ID `floatingInput`.

[From line 270, column 29 to line 270, column 132](#)

```
<input required="" type="text" name="lastname" class="form-control" id="floatingInput" value="Espinoza">↵
```

8.

Warning

The first occurrence of ID `floatingInput` was here.

[From line 78, column 25 to line 78, column 162](#)

```
<input type="email" name="email" class="form-control" id="floatingInput" placeholder="name@example.com" value="" required="" autofocus="">↵
```

9.

Error

Duplicate ID `floatingInput`.

[From line 277, column 29 to line 277, column 137](#)

```
<input required="" type="text" name="username" class="form-control" id="floatingInput" value="bree_espinoza">↵
```

10.

Warning

The first occurrence of ID `floatingInput` was here.

[From line 78, column 25 to line 78, column 162](#)

```
<input type="email" name="email" class="form-control" id="floatingInput" placeholder="name@example.com" value="" required="" autofocus="">↵
```

11.

Error

Duplicate ID `floatingInput`.

[From line 282, column 29 to line 282, column 132](#)

```
<input required="" type="text" name="location" class="form-control" id="floatingInput" value="Muradiye">↵
```

12.

Warning

The first occurrence of ID `floatingInput` was here.

[From line 78, column 25 to line 78, column 162](#)

```
<input type="email" name="email" class="form-control" id="floatingInput" placeholder="name@example.com" value="" required="" autofocus="">↵
```

13.

Error

The `main` element must not appear as a descendant of the `section` element.

[From line 299, column 49 to line 299, column 108](#)

```
<main class="accordion-container border border-2 rounded-3">↵
```

14.

Error

Element `p` not allowed as child of element `h5` in this context. (Suppressing further errors from this subtree.)

[From line 502, column 169 to line 502, column 171](#)

```
ervice</a><px></p>↵
```

Contexts in which element `p` may be used:
Where [flow content](#) is expected.

15.

Error

Element `p` not allowed as child of element `h5` in this context. (Suppressing further errors from this subtree.)

[From line 503, column 180 to line 503, column 182](#)

```
ntacts</a><px></p>↵
```

Contexts in which element `p` may be used:
Where [flow content](#) is expected.

16.

Error

The `align` attribute on the `div` element is obsolete. [Use CSS instead](#).

[From line 517, column 25 to line 517, column 92](#)

```
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-6" align="left">↵
```

17.

Error

The `align` attribute on the `div` element is obsolete. [Use CSS instead](#).

[From line 523, column 25 to line 523, column 92](#)

```
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-6" align="left">↵
```

18.

Error

The `align` attribute on the `div` element is obsolete. [Use CSS instead](#).

[From line 531, column 25 to line 531, column 92](#)

```
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-6" align="left">↵
```

19.

Error

The `align` attribute on the `div` element is obsolete. [Use CSS instead](#).

[From line 537, column 25 to line 537, column 92](#)

```
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-6" align="left">↵
```

20.

Error

The `aria-labelledby` attribute must point to an element in the same document.

[From line 307, column 33 to line 307, column 171](#)

```
<div id="flush-collapseOne" class="accordion-collapse collapse" aria-labelledby="flush-headingOne" data-bs-parent="#accordionFlushExample">↵
```

21.

Error

The `aria-labelledby` attribute must point to an element in the same document.

[From line 318, column 33 to line 318, column 171](#)

```
<div id="flush-collapseTwo" class="accordion-collapse collapse" aria-labelledby="flush-headingTwo" data-bs-parent="#accordionFlushExample">↵
```

22.

Error

The `aria-labelledby` attribute must point to an element in the same document.

[From line 329, column 33 to line 329, column 175](#)

```
<div id="flush-collapseThree" class="accordion-collapse collapse" aria-labelledby="flush-headingThree" data-bs-parent="#accordionFlushExample">↵
```


<https://validator.w3.org/nu/#textare>


```
f.fontawesome.com/releases/v5.15.3/webfonts/free-fa-solid-900.woff) format("woff"),url(https://ka-f.fontawesome.com/releases/v5.15.3/webfonts/free-fa-solid-900.svg#fontawesome) format("svg"));.fa,.far,.fas{font-family:'Font Awesome 5 Free';.fa,.fas{font-weight:900}</style>↵
27. ↵
28. <!-- Styles -->↵
29. ↵
30. <script src="http://lbaw2174.lbaw-prod.fe.up.pt/js/Utils.js"></script>↵
31. <script src="http://lbaw2174.lbaw-prod.fe.up.pt/js/PasswordInput.js"></script>↵
32. ↵
33. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/common.css">↵
34. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/homepage.css">↵
35. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/tpl_navbar.css">↵
36. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/tpl_footer.css">↵
37. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/tpl_search.css">↵
38. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/tpl_auction_card.css">↵
39. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/auction.css">↵
40. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/login-overlay.css">↵
41. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/sign-up.css">↵
42. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/profile.css">↵
43. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/create_auction.css">↵
44. <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/tpl_tos.css">↵
45. ↵
46. <!-- REST API -->↵
47. <script src="http://lbaw2174.lbaw-prod.fe.up.pt/js/RestApi.js"></script>↵
48. <script>↵
49.     const apiUrl = 'http://lbaw2174.lbaw-prod.fe.up.pt/';↵
50.     var api = new RestApi(apiUrl);↵
51. </script>↵
52. ↵
53. <script type="text/javascript">↵
54.     const userId = "2";↵
55. </script>↵
56. ↵
57.     <link rel="stylesheet" href="http://lbaw2174.lbaw-prod.fe.up.pt/css/tpl_mod.css">↵
58. </head>↵
59. ↵
60. <body>↵
61. <header>↵
62.     <!-- Modal -->↵
63. <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModallabel" aria-hidden="true">↵
64. <div class="modal-dialog modal-dialog-centered">↵
65.     <div class="modal-content">↵
66.         <div class="modal-header login-close-cross">↵
67.             <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↵
68.         </div>↵
69.         <div class="modal-header login-header">↵
70.             <h2 class="modal-title mx-auto fw-bold" id="exampleModallabel">Login</h2>↵
71.         </div>↵
72. ↵
73.         <hr class="bg-dark border-4 border-top border-dark">↵
74. ↵
75.         <div class="modal-body mx-4">↵
76.             <form method="post" action="http://lbaw2174.lbaw-prod.fe.up.pt/login">↵
77.                 <input type="hidden" name="token" value="eXKU5cRCUed87NeXPOVoC3zns0xENgY3DbCziTx">↵
78.                 <input type="email" name="email" class="form-control" id="floatingInput" placeholder="name@example.com" value="" required="" autofocus="">↵
79.                 <label for="floatingInput">Email</label>↵
80.             </div>↵
81. ↵
82.             <div class="form-floating">↵
83.                 <input type="password" name="password" class="form-control" id="floatingPassword" placeholder="Password">↵
84.                 <span>↵
85.                     <i class="fa fa-eye" id="font" onclick="PasswordInput.toggle(this, this.parentNode.parentNode.querySelector('[name='password']'));" aria-hidden="true"></i>↵
86.                 </span>↵
87.                 </div>↵
88.                 <label for="floatingPassword">Password</label> ↵
89.                 </div>↵
90.                 <div class="modal-footer justify-content-center login-button px-5 pt-3"> ↵
91.                     <button type="submit" class="btn rounded-pill w-100 fw-bold">↵
92.                         Login↵
93.                     </button>↵
94.                 </div>↵
95.                 </form>↵
96.                 <div class="text-center"> ↵
97.                     <a href="http://lbaw2174.lbaw-prod.fe.up.pt/password/reset/email" class="blue-text ml-1">↵
98.                         Forgot your password?↵
99.                     </a>↵
100.                 </div>↵
101.                 </div>↵
102.                 <hr class="bg-dark border-4 border-top border-dark">↵
103.                 <div class="modal-footer justify-content-center"> ↵
104.                     Don't have an account? ↵
105.                     <a href="http://lbaw2174.lbaw-prod.fe.up.pt/register" class="blue-text ml-1">↵
106.                         Sign up↵
107.                     </a>↵
108.                 </div>↵
109.                 </div>↵
110.                 </div>↵
111.                 </div>↵
112.                 <div class="nav navbar-expand-xxl navbar-dark bg-navbar">↵
113.                 <div class="container-fluid">↵
114.                     <!-- <a href="main.php"></a> -->↵
115.                     <a class="navbar-brand text-white navbar-content-bold nav-link" href="http://lbaw2174.lbaw-prod.fe.up.pt ">↵
116.                         ↵
117.                     <div class="d-none d-sm-inline"> Tokyo Drift Auction House</div>↵
118.                     </a>↵
119.                     <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">↵
120.                         <span class="navbar-toggler-icon"></span>↵
121.                     </button>↵
122.                     <div class="collapse navbar-collapse justify-content-between" id="navbarSupportedContent">↵
123.                         <ul class="navbar-nav ms-auto mb-2 mb-sm-0">↵
124.                             <li class="nav-item">↵
125.                                 <a class="nav-link text-white navbar-content-bold rounded-pill" href="http://lbaw2174.lbaw-prod.fe.up.pt/auctions">Advanced Search</a>↵
126.                             </li>↵
127.                             <li class="nav-item">↵
128.                                 <a class="nav-link text-white navbar-content-bold rounded-pill" href="http://lbaw2174.lbaw-prod.fe.up.pt/auctions/new">Create new auction</a>↵
129.                             </li>↵
130.                             <li class="nav-item">↵
131.                                 <a type="button" class="nav-link text-white navbar-content-bold rounded-pill" href="http://lbaw2174.lbaw-prod.fe.up.pt/moderator">Moderate</a>↵
132.                             </li>↵
133.                         </ul>↵
134.                         <ul class="navbar-nav ms-auto">↵
135.                             <li>↵
136.                                 <a class="nav-link text-white navbar-content-bold rounded-pill" href="http://lbaw2174.lbaw-prod.fe.up.pt/users/2"><i class="fas fa-user-alt me-3" aria-hidden="true"></i>↵
137.                                     bree_espinoza↵
138.                                 </a>↵
139.                             </li>↵
140.                             <span class="left-vert-bar"></span>↵
141.                             <li>↵
142.                                 <a class="nav-link text-white navbar-content-bold rounded-pill" href="/logout">Log out</a>↵
143.                             </li>↵
144.                         </ul>↵
145.                     </div>↵
146.                 </nav>↵
147.                 </header>↵
148.                 <section class="sign-in-container" style="flex: 1;">↵
149.                 <div class="container bg-light rounded" style="height: 100%;">↵
150.                     <div class="display-1 pt-5 ps-3 text-start">Profile page</div>↵
151.                     <nav aria-label="breadcrumb">↵
152.                         <ol class="breadcrumb fs-5 ps-4 pt-1">↵
153.                             <li class="breadcrumb-item"><a href="http://lbaw2174.lbaw-prod.fe.up.pt">Home</a></li>↵
154.                             <li class="breadcrumb-item active" aria-current="page">Profile</li>↵
155.                         </ol>↵
156.                     </nav>↵
157.                     <div class="container">↵
158.                         <div class="row">↵
159.                             <div class="col-12 col-lg-6">↵
160.                                 <div class="container d-flex justify-content-center position-relative">↵
161.                                     <div class="d-flex justify-content-center circular--portrait img-fluid">↵
162.                                         ↵
163.                                     </div>↵
164.                                     <div class="position-absolute" style="margin-bottom:220px; margin-left:220px">↵
165.                                         <div class="col d-flex justify-content-start align-items-center">↵
166.                                             <form id="profile-image-form" method="post" action="/users/2" enctype="multipart/form-data">↵
167.                                                 <input type="hidden" name="token" value="eXKU5cRCUed87NeXPOVoC3zns0xENgY3DbCziTx">↵
168.                                                 <label for="formFile" class="form-label">↵
169.                                                     <i class="fa fa-cog edit-cog" aria-hidden="true" style="cursor: pointer;"></i>↵
170.                                                 </label>↵
171.                                                 <input class="form-control" type="file" id="formFile" name="profileImage" style="display: none;" accept="image/png, image/jpeg">↵
172.                                             </div>↵
173.                                             </form>↵
174.                                             <script>↵
175.                                                 document.getElementById("formFile").onchange = function() {↵
176.                                                     document.getElementById("profile-image-form").submit();↵
177.                                                 };↵
178.                                             </script>↵
179.                                         </div>↵
180.                                     </div>↵
181.                                     <div class="display-5 fw-bold name-text text-center" style="margin-top:250px; margin-bottom: -0.4rem !important;" id="adminTextStatic">Bree Espinoza</div>↵
182.                                     <p class="fs-5 fw-bold name-text text-muted text-center" style="letter-spacing: 3px;">@bree_espinoza</p>↵
183.                                     <p class="fs-6 fw-bold name-text text-center"><i class="fa fa-map-marker" style="margin-left:-0.5rem; margin-right:0.5rem;" aria-hidden="true"></i>Muradiye↵
184.                                     </p>↵
185.                                     <div class="container iconHolder d-flex justify-content-center">↵
186.                                         <a class="permission-icon" href="http://lbaw2174.lbaw-prod.fe.up.pt/moderator" data-mdb-toggle="tooltip" title="Moderator">↵
187.                                             <i class="fas fa-user-cog gold fa-3x pe-3" aria-hidden="true"></i>↵
188.                                         </a>↵
189.                                         <a class="permission-icon" data-mdb-toggle="tooltip" title="Buyer">↵
190.                                             <i class="fas fa-wallet red fa-3x" aria-hidden="true"></i>↵
191.                                         </a>↵
192.                                         <a class="permission-icon" data-mdb-toggle="tooltip" title="Seller">↵
193.                                             <i class="fas fa-store green fa-3x ps-3" aria-hidden="true"></i>↵
194.                                         </a>↵
195.                                         <a class="" data-bs-toggle="collapse" href="#generalCollapse" role="button" aria-expanded="false" aria-controls="generalCollapse">↵
196.                                             <i style="font-size:3.3em !important; margin-top: -0.05em; margin-left: 0.3em;" class="fa fa-cog edit-cog" aria-hidden="true"></i>↵
197.                                         </a>↵
198.                                     </div>↵
199.                                     <div>↵
200.                                         <br>↵
201.                                     </div>↵
202.                                     </div>↵
203.                                     </div>↵
204.                                     </div>↵
205.                                     </div>↵
206.                                     </div>↵
207.                                     </div>↵
208.                                     </div>↵
209.                                     </div>↵
210.                                     </div>↵
211.                                     </div>↵
212.                                     </div>↵
213.                                     </div>↵
214.                                     </div>↵
215.                                     </div>↵
216.                                     </div>↵
217.                                     </div>↵
218.                                     </div>↵
219.                                     </div>↵
220.                                     </div>↵
221.                                     </div>↵
222.                                     </div>↵
223.                                     </div>↵
224.                                     </div>↵
225.                                     </div>↵
226.                                     </div>↵
227.                                     </div>↵
228.                                     </div>↵
229.                                     </div>↵
230.                                     </div>↵
```



```
437.         <p class="card-text time-remaining-text">↵
438.             <i class="fa fa-clock-o clock" aria-hidden="true"></i>↵
439.             <span class="hour">Ends in 9 months from now</span>↵
440.         </p>↵
441.         <p class="card-text current-value">↵
442.             <i class="fa fa-money money" aria-hidden="true"></i>↵
443.             <span class="card-price">Currently at 10000.00€</span>↵
444.         </p>↵
445.         <a href="http://lbaw2174.lbaw-prod.fe.up.pt/auctions/5" class="stretched-link"></a> <!-- Card as a link -->↵
446.     </div>↵
447. </div>↵
448. <!-- End of Card Body -->↵
449. </div>↵
450. </div>↵
451. <!-- End of Card -->↵
452. <div class="col mb-3 card-container">↵
453.     <div class="card">↵
454.         ↵
455.         ↵
456.     ↵
457.     <!-- Card Body -->↵
458.     <div class="card-body">↵
459.         <h4 class="card-title text-center text-nowrap">Mercedes Class C</h4>↵
460.         <div class="card-body-info">↵
461.             <p class="card-text time-remaining-text">↵
462.                 <i class="fa fa-clock-o clock" aria-hidden="true"></i>↵
463.                 <span class="hour">Ends in 9 months from now</span>↵
464.             </p>↵
465.             <p class="card-text current-value">↵
466.                 <i class="fa fa-money money" aria-hidden="true"></i>↵
467.                 <span class="card-price">Currently at 10000.00€</span>↵
468.             </p>↵
469.             <a href="http://lbaw2174.lbaw-prod.fe.up.pt/auctions/6" class="stretched-link"></a> <!-- Card as a link -->↵
470.         </div>↵
471.     </div>↵
472.     <!-- End of Card Body -->↵
473. </div>↵
474. </div>↵
475. <!-- End of Card -->↵
476.         ↵
477.         </div>↵
478.     </div>↵
479. </main>↵
480.     ↵
481. </div>↵
482. </div>↵
483.     ↵
484. </div>↵
485. </section>↵
486.     ↵
487.     <footer class="bg-footer text-white pt-3 pb-2 mt-auto">↵
488. ↵
489.     <div class="container text-center text-md-left">↵
490. ↵
491.         <div class="row text-center text-md-left mx-auto">↵
492. ↵
493.             <div class="text-center col-md-3 col-lg-2 col-xl-3 my-auto mx-auto">↵
494. ↵
495.                 <p class="mt-1">Copyright © 2021 Tokyo Drift Inc.</p>↵
496.                 <p>All Rights Reserved</p>↵
497.             ↵
498.         </div>↵
499.     ↵
500.     <div class="col-md-2 col-lg-2 col-xl-3 mx-auto my-auto">↵
501.     <h5 class="mb-4 mt-4 font-weight-bold text-nowrap"><a href="http://lbaw2174.lbaw-prod.fe.up.pt/tos" class="nav-link text-white tos">Terms of Service</a> <p></p>↵
502.     </h5><h5 class="mb-4 mt-4 font-weight-bold text-nowrap"><a href="http://lbaw2174.lbaw-prod.fe.up.pt/about" class="nav-link text-white tos">About &amp; Contacts</a> <p></p>↵
503.     </h5></div>↵
504. ↵
505.     <div class="col-md-5 col-lg-5 col-xl-4 mx-auto">↵
506. ↵
507.         <div class="row">↵
508.             <div class="col-xl-3 col-lg-3"></div>↵
509.             <div class="col-xl-4 col-lg-4 text-center">↵
510.                 <h5 class="mb-2 font-weight-bold text-white text-center">Find Us</h5>↵
511.             </div>↵
512.             <div class="col-xl-3 col-lg-3"></div>↵
513.         </div>↵
514.     ↵
515.     <div class="row find-us-row mb-1">↵
516.         <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-6 align="left">↵
517.             <a href="#" target="_blank" class="btn-social btn-facebook">↵
518.                 <i class="fa fa-facebook" aria-hidden="true"></i>↵
519.             </a>↵
520.             Facebook↵
521.         </div>↵
522.         <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-6 align="left">↵
523.             <a href="#" target="_blank" class="btn-social btn-youtube">↵
524.                 <i class="fa fa-youtube" aria-hidden="true"></i>↵
525.             </a>↵
526.             Youtube↵
527.         </div>↵
528.     </div>↵
529.     <div class="row find-us-row">↵
530.         <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-6 align="left">↵
531.             <a href="#" target="_blank" class="btn-social btn-twitter">↵
532.                 <i class="fa fa-twitter" aria-hidden="true"></i>↵
533.             </a>↵
534.             Twitter↵
535.         </div>↵
536.         <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-6 align="left">↵
537.             <a href="#" target="_blank" class="btn-social btn-instagram">↵
538.                 <i class="fa fa-instagram" aria-hidden="true"></i>↵
539.             </a>↵
540.             Instagram↵
541.         </div>↵
542.     </div>↵
543. ↵
544.     ↵
545.     </div>↵
546. ↵
547. </div>↵
548. </div>↵
549. </div>↵
550. ↵
551. </footer> ↵
552.     ↵
553. </body></html>
```

Used the HTML parser.
Total execution time 247 milliseconds.