

9ThirtyOne

How-To Guide

Every screen, for every role · Beta 1.3.0

Who this is for

Anyone using 9ThirtyOne after a detachment has set it up — cadets, instructors, cadre, commanders and database administrators. Each role has its own chapter; read yours and skip the rest.

Installing it in the first place is a different document: the *Installation and Setup Guide*.

What this guide covers

One chapter per role, and a closing chapter on what each role deliberately cannot reach. Every screen shown here is a real screenshot of the running app with seeded data, not a mock-up.

1 **Everyone — getting in** — the join link, signing in, and the home screen

2 **Cadet** — finding your feedback, answering it, and what happens to your answer

3 **Instructor** — forms, feedback requests, responses, analysis, cadets, database

4 **Cadre** — the second panel, restricted spaces, and overseeing instructors

5 **Commander** — your own area, and seeing everyone

6 **Database administrator** — the roster, invitations, backups and the activity log

7 **What each role cannot reach** — the refusals, and which ones are real boundaries

A word on roles

Roles are held by an account, and one account can hold several. An instructor who also administers the database holds both roles and sees both doors. Nothing in this guide assumes you hold only one.


Cadet | Instructor | Cadre | Commander | Database admin

1 Everyone — getting in

There is nothing to install and no password to remember. You need the address your detachment uses, and the Google account it has on file for you.

The join link

Most people never type the address at all. A join link carries the detachment's configuration inside it, so tapping one sets your device up and signs you in.



A join link opens straight to this. **Nothing to paste, nothing to configure.**

> **Or a QR code on a projector**
>
> An administrator can put the same link on screen as a QR code and point a room at it — the fastest way to enrol a whole flight at once. Chapter 6 covers producing one.


Signing in

9ThirtyOne issues no passwords of its own. You sign in with Google, and whether you get in is decided by your detachment's *roster* — a list an administrator keeps. An address that is not on it is turned away, however valid the Google account.

> **Use the address your detachment has for you**
>
> If sign-in refuses you, the usual cause is signing in with a different Google account from the one on the roster — a personal address where the detachment listed a school one, or the other way round. Ask your administrator which address they hold.

The home screen

Home shows the doors you can open. It is deliberately spare: on a shared detachment laptop this is the screen someone walks up to.



Doors you cannot open are marked **Sign-in required**, and one you hold no role for is not shown at all.

Settings, and installing it on a phone

Settings holds appearance, accessibility and the database location. Every role has it.


On a phone, use your browser's *Add to Home Screen* to install 9ThirtyOne as an app. It then opens full screen, works offline, and keeps your session between uses.

2 Cadet

Your side of the app is small on purpose: see what is assigned to you, answer it, and know what happened to your answer.

Finding your feedback

The cadet screen lists the feedback requests assigned to you — what is open, when it is due, and what you have already submitted. Nobody else's work appears here, and you cannot see other cadets' answers.




Filter by school year, semester and AS level when a term's worth has built up.

Answering

Open a request and answer it. Two things are worth knowing before you start.

- **You choose a word, not a number.** Ratings are anchored words — *Detrimental* through *Outstanding* — and the arithmetic runs on the number underneath. You never pick a digit.
- **You get one attempt.** A second try at the same request is refused at the form, so nothing is double-counted.



Built for a phone first — the scale is thumb-sized, and an answer written with no signal is held on the device and sent when the connection returns.

What happens to your answer

Your answer goes to a small script running inside your **detachment's own Google account**, which checks who you are and writes the file. You are never asked for access to your own Google Drive, and you never get access to the detachment's folder.

On an anonymous form, two separate files are written: **the response**, which carries no name, and **the receipt**, which records that you took part. Keeping them apart is what lets the detachment chase the people who still owe feedback without attaching anyone's words to their name.

> **Anonymous results are withheld below three responses**
>
> Not "enough", not "several" — three. Below that line, only the count of who has taken part is shown, so a single answer cannot be picked out by elimination.

> **What anonymity cannot do**
>
> Removing names cannot change what you wrote. An answer describing a role only one person holds, or an incident only one person witnessed, identifies its author whatever the system stored. Treat anonymous feedback as feedback, not as statistics.

This is not a reporting channel

Written answers are screened for wording that may need a person's attention, and a match is flagged the next time someone opens the results. But the screen matches **words, never meaning**, and nobody is monitoring submissions in real time. Do not report a crime, an assault, a threat or a safety emergency here. If someone is in danger, contact emergency services; use your detachment's designated channels for everything else.

3 Instructor

The Instructor Panel is where a detachment's ordinary feedback work happens: build a form, issue it, read what comes back, and keep the record.


The panel, and its tabs

Everything lives behind five tabs. The panel opens on what needs attention rather than on a list to work through.

TAB	WHAT IT IS FOR
Feedback requests	What has been issued, to whom, open and due dates, and how many have answered.
Responses & analysis	What came back, analysed — distributions, splits, written answers.
By instructor	Results gathered by who they are about, rather than by which form they came from.
Cadets	Who is on the roster for the classes you work with, and what they still owe.
Database	Backups, exports and the health of the folder.

Creating a form and issuing it

A **form** is a reusable set of questions. A **feedback request** is that form issued to a class, an event, or named cadets, with an open date and a due date. Separating the two is what stops the wording drifting term to term: save a form as a template, and next term starts from the same questions.



Choose the class or event, set the dates, and decide whether responses are anonymous. **Anonymity is decided here, when the request is issued** — not afterwards.

Reading what comes back

Ratings are analysed rather than stacked. The panel reports a distribution, names the questions where the room genuinely split, and flags a lone dissenting view instead of letting an average bury it.



A mean of 6.57 that describes nobody: two clusters, and the panel says so rather than reporting the midpoint.

> **Why the average is not the headline**
>
> An average is the one number that can be true of a group and describe none of its members. Where a set is polarised, the panel names the split and shows both groups.

Written answers, and the safety screen


Written answers are grouped and searchable, and every one is screened against word lists for hazing, harassment, discrimination, violence, self-harm, substance misuse and integrity concerns. A match is flagged the next time someone opens the results.

> **A match is not a finding, and a clear screen is not proof**
>
> The screen matches **words, never meaning**. It cannot tell "we discussed hazing prevention" from "I was hazed", it raises some matches that are nothing, and a clear screen is never proof that nothing was reported. It exists to get a real disclosure in front of a person faster — never to decide whether one happened. A match means *read that answer now*, and follow the detachment's own reporting procedures.

> **Flagged feedback cannot be deleted from this panel**
>
> If a response contains language the safety screen flagged, an instructor cannot remove it. A database administrator can, and the deletion is recorded against their name. If you are the subject of the feedback, refer it rather than handling it yourself.

Chasing people without unmasking them

Because taking part is recorded in a different file from what was said, the panel can tell you that two cadets still owe feedback on an anonymous request without telling you what anyone wrote. Use the Cadets tab to see who is outstanding.



Who is on the roster, and what they still owe.

By instructor — your own results

This tab answers "how am I doing?" by gathering feedback about a person rather than about a form. As an instructor you see **your own** results here.


> **What this view is, stated precisely**
>
> By instructor narrows to the subjects your role oversees. It is **not** a confidentiality boundary between instructors: the detachment's shared feedback remains readable to instructors through Responses & analysis. Treat it as a lens that gathers results by subject, not as a guarantee that colleagues cannot see each other's.

4 Cadre

Cadre hold everything an instructor holds, plus a second panel pointed at folders instructors cannot open at all.

Two panels, one interface

The Cadre Panel *is* the Instructor Panel — same tabs, same filters, same form creator. The only difference is which folder the records come out of. That is deliberate: a cadre member should not have to learn a second interface to do the same job with restricted material.




The same screen you already know, pointed somewhere else.

> **Separate folders, not a badge on a list**
>
> Restricted feedback is not an item in the instructor list wearing a lock icon — it is in a different folder, and the server decides who may read that folder at all. So "locked" means locked, and the ordinary detachment list never contains anything a cadet could not see. It also means you can read a list on a shared screen without checking who is behind you.

Issuing feedback into the cadre space


When you create a request from the Cadre Panel, it is issued into the cadre space and its responses land there. Cadets answer exactly as they always do; they are not told which space the request belongs to.



The space a request belongs to is chosen when it is created.

Overseeing instructors

In By instructor, cadre see **the whole instructor pool**, and their own results as an instructor — but not another cadre member's. An instructor sees only their own. Only a commander sees the cadre.




Instructors you oversee, gathered by subject rather than by form.

5 Commander

A commander holds the cadre view plus two things of their own: a private area, and sight of everyone.

Your own area


The commander space is reached through the Cadre Panel, in the same space picker. Feedback issued there is readable only by the commander — cadre included in the exclusion.



A cadre member never sees this space listed. The picker shows each account only what it actually holds.

Everyone, cadre included

In By instructor a commander sees **every** subject — instructors and cadre alike. This is the view that answers "how is the cadre doing?", which no other role can ask.



The three tiers in one sentence: an instructor sees themselves, cadre see every instructor, and only a commander sees the cadre.


> **The tiers are narrowed on the server**
>
> The submission server applies this rule itself, so the app will not serve an instructor a By-instructor view of somebody else.

6 Database administrator

The administrator keeps the roster, gets people in, and looks after the folder. It is a separate role from instructor — holding it does not open the panels.

The roster is who may sign in

There is no password list. The roster decides who may sign in and as what, keyed on the Google address each person will actually use.




Add people one at a time, or a whole class at once from a CSV.

- **Use the address they will sign in with.** A school address and the Gmail account behind it are two different strings; only the one on the roster works.
- **Changing an email keeps their history.** Receipts are filed under a stable username, so correcting an address does not orphan what they have already submitted.
- **Deactivate rather than delete** when someone leaves. The record of their participation stays intact.
- **Keep at least two administrators.** Losing a single account should not lock the detachment out of its own folder.

Getting everyone in

Produce a join link, or put it on a projector as a QR code and enrol a room in one go.



The link carries the configuration, so nobody has to be walked through setup.

> **The link is configuration, not a secret**
>
> It carries the Client ID, the folder and the server address — all of which are designed to be public. It grants nothing on its own: access is still decided by the roster, so someone who is not on it gets no further than the sign-in screen.

The academic year rollover

Once a year, at the start of it. *Database Administration → Academic year rollover* moves every cadet up one AS level and deactivates the graduating class, after showing you exactly who moves where. Done by hand across a hundred and fifty accounts it is a morning's work that eventually gets skipped — and once the AS levels are stale, every class filter in the app is wrong for a year.

- **There is no undo.** Levels can be edited back by hand, one account at a time, which is the morning's work you were avoiding. Export a backup first.
- **Graduating cadets are deactivated, never deleted.** Their feedback stays part of the record and the account can be reactivated if someone returns.
- **Run it once.** If the year has already been advanced, the card says so — naming who did it and when — and asks a second time before going ahead. That warning exists because the preview cannot tell you it has already run: it recomputes from the roster as it stands, so the morning after a rollover it offers a fresh and entirely plausible set of moves. If you are unsure whether it worked, check the AS levels in the roster rather than running it again.
- **Field Training and cadre accounts are left alone.** They are not on the AS100–AS400 ladder.

Backups, exports and the activity log


- **Export a backup** regularly from the Database tab, and keep a copy off-site.
- **The anonymised export** strips names for a copy you keep outside the folder. What it cannot strip is what somebody wrote — see the limit stated in chapter 2.
- **The activity log** records deletions and roster changes with who did them. Nothing in the app can delete an entry from it.
- **Maintenance runs from the owner's device.** Backup, restore, wipe and reindex act on the whole folder, and the submission server deliberately offers no way to do any of them remotely — an address that could empty a detachment's records on request is not one worth having.

7 What each role cannot reach

Access is decided by the role your account holds. A door you cannot open is refused outright — not hidden, and not merely absent from a menu.

SIGNED IN AS	CADET SCREEN	INSTRUCTOR PANEL	CADRE PANEL	DATABASE ADMIN
Nobody (signed out)	refused	refused	refused	refused
Cadet	yes	refused	refused	refused
Instructor	yes	yes	refused	refused
Cadre	yes	yes	yes	refused
Commander	yes	yes	yes	refused
Database admin	yes	refused	refused	yes

> **Administering the database is not instructing**
>
> The last row surprises people. An account holding *only* the database administrator role manages the roster and the folder, and cannot open the panels. Someone who does both jobs holds both roles, and then sees both doors. That is the point of separating them: managing accounts should not require the ability to read everyone's feedback.



A cadet opening the Instructor Panel by deep link. **The route itself is refused**, so guessing a URL gets nowhere.

Which refusals are real boundaries

Two different things are described in this guide, and they are worth keeping apart.

WHAT	HOW STRONG
Panels and spaces cadre and commander folders	**A real boundary.** The submission server decides what an account may read at all, and it runs where the browser cannot reach it. An instructor cannot read cadre material by any route the app offers.
The By-instructor view own / every instructor / everyone	**A lens, not confidentiality.** It narrows results by subject and the server honours it for that view — but the detachment's shared feedback stays readable to instructors elsewhere in the panel. Do not describe it to anyone as instructors being unable to see each other's feedback.

> **And one that is not access control at all**
>
> Anonymity is not a permission. Anonymous results are withheld from *everyone*, including a commander, until three responses exist — and no role anywhere in the app can reveal who wrote an anonymous answer, because the name was never stored beside it.