

Computational Cask Creator SOP

(10/3/2026)

1. Description


This Standard Operating Procedure (SOP) is for creating casks computationally with Daniel's Computational Cask Creator.


2. Important Info

Designed for usage in [Blender](#) 5.2.2 LTS to generate .FBX files with built in LODs for [Unreal Engine](#) 5.7 on Windows. You can use this generator for other purposes, but this SOP won't be as useful.


3. The SOP




01 - Creating the Cask

#	Steps	Pictures
1	Clone this repo through git if you have not already.	
2	Open the ComputationalCaskCreator.blend file. <i>Found in the "BlenderFiles" folder.</i>	





3	Select the BaseCask_LOD2	
4	Select Modifiers (the blue wrench) and then adjust the ComputationalCaskCreator parameters until you are happy with the results.	



02 - Exporting the Cask

#	Steps	Pictures
1	Duplicate the BaseCask_LOD2 twice, and rename them to BaseCask_LOD1 & BaseCask_LOD0	

2	Set the "LOD" parameter to High Poly in _LOD0 and Mid Poly in _LOD1	
3	Select the whole group and press CTRL F2 to batch rename to whatever you want your cask to be called.	
4	Select the whole group and export as FBX, making sure that "Limit to Selected Objects" and "Custom Properties" are checked. <i>Custom properties are needed for LODs to import correctly to Unreal Engine.</i> <i>Feel free to export to the "FBXs" folder in this repo.</i>	

03 - Importing the Cask

#	Steps	Pictures
1	Open Unreal Engine	
2	Press "Import" in the Content Drawer and then select your exported FBX. <i>Leave Import settings to default.</i>	
3	Hover over the mesh and check that it has 3 LODs.	
4	Open your "Content" folder in Unreal Engine in your file explorer view.	
5	Copy the "Textures" folder in this repo into your "Content" folder through File Explorer. <i>Don't Import through Unreal!</i> Back in Unreal your "Textures" folder should look like this. If it fails, you can always manually import the texture files.	

6	Double click on your cask mesh in the Content Drawer and assign the MM_Cask material in the material slot.	
7	Under "LOD" Settings uncheck "Auto Compute LOD Distances" <i>The default settings usually aren't great.</i>	
8	Under "LOD Picker" select each LOD and then adjust the "Screen Size" parameter to control at which LOD Unreal will show based on the percentage of the screen the object takes up. <i>In the top left of the viewport you can see the current screen size of the object. By moving the viewport camera closer and farther away you can figure out when to swap between LODs.</i> <i>Consult Unreal Engine LOD Documentation for more info!</i>	