The bidi *Package*

Documentation for version 30.2

to my Master, ***Ferdowsi The Great***

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

https://github.com/tex-xet/bidi/issues

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2007–2017 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The bidi *Package*

Bidirectional typesetting in plain TEX and LATEX, using XeTEX engine

Documentation for version 30.2

Vafa Khalighi
persian-tex@tug.org

March 3, 2017

Contents

I LATEX Manual **4**

1 Basics **4**
1.1 Loading The Package 4
1.2 bidi's Symbol 5
1.3 Commands for Version number, and Date of The Package . . . 6
1.4 Turning TeX--XeT features on and off 6
1.5 Options of The Package 6
1.6 Paragraph Switching Commands 7
1.7 Pargraph Switching Environments 8
1.8 Typesetting Short LTR and RTL Texts 8
1.9 Footnotes 9
1.9.1 Footnote Rule 10
1.10 Two Column Typesetting 10
1.11 RTL cases 11
1.12 Typesetting Logos 11
1.13 Separation Mark 11
1.14 `\raggedright`, `\raggedleft` commands, `flushleft` and `flushright` Environments . . . 12
1.15 Primitive-like commands 12
1.16 Something To know about `\hbox` 12
1.17 `\bidillap` and `\bidirlap` Commands 13
1.18 LTRitems and RTLitems Environments 13
1.19 LTRbibitems and RTLbibitems Environments 15
1.20 `\setLTRbibitems`, `\setRTLbibitems`, and `\setdefaultbibitems` commands 15
1.21 Typesetting margin par 16
1.22 Typesetting of Headers and Footers 16
1.23 Tabular Typesetting 16
1.24 Equation Numbers 16

2 Support For Various Packages and Classes **16**
2.1 Color 17
2.2 The dblfnote package 17
2.3 Hyperref 17
2.4 The listings package 18
2.5 flowfram Package 18
2.6 Multicolumn Typesetting 18

3 Extra bidi Packages and Classes **18**
3.1 bidituftе bundle 18
3.2 Typesetting TEX and LATEX Codes 19
3.3 Typesetting Poems 19
3.4 Typesetting Resumé 20

3.5 Print Two Pages On A Single Page . . . 20
3.6 Producing Presentations 20

4 Some Useful Internal Macros and Programming Tips 20
4.1 Equating Conditionals 20
4.2 RTL Conditional 21
4.3 Main RTL Conditional 21
4.4 Latin Conditional 21
4.5 Tags Internal Macro 21
4.6 Definition File Loaded Internal Macro 21
4.7 Tabular Conditional 22
4.8 Footnote Conditional 22
4.9 Direction Ensuring Macros . . 22
4.10 Reset Direction Macro 22

II Plain TEX Manual 22

5 Basics 22
5.1 Loading The Package 23
5.2 Commands for Version number, and Date of The Package . . . 23
5.3 Turning TeX--XeT features on and off 23
5.4 Paragraph Switching Commands 23
5.5 Pargraph Switching Environments 24
5.6 Typesetting Short LTR and RTL Texts 24
5.7 Primitive-like commands 25
5.8 Something To know about \hbox 25
5.9 Typesetting Logos 26

6 Some Useful Internal Macros and Programming Tips 26
6.1 RTL Conditional 26
6.2 Main RTL Conditional 26
6.3 Direction Ensuring Macros . . 26
6.4 Reset Direction Macro 27

7 bidi implementation 27
7.1 amsart-xetex-bidi.def 27
7.2 adjmulticol-xetex-bidi.def . . . 29
7.3 algorithm2e-xetex-bidi.def . . . 30
7.4 amsbook-xetex-bidi.def 31
7.5 amsmath-xetex-bidi.def 34
7.6 amstext-xetex-bidi.def 34
7.7 amsthm-xetex-bidi.def 34
7.8 animate-xetex-bidi.def 34
7.9 array-xetex-bidi.def 39
7.10 article-xetex-bidi.def 40
7.11 artikel1-xetex-bidi.def 44
7.12 artikel2-xetex-bidi.def 49
7.13 artikel3-xetex-bidi.def 54
7.14 arydshln-xetex-bidi.def 59
7.15 bidi.sty 62
7.16 bidi.tex 65
7.17 bidi2in1.sty 67
7.18 bidicode.sty 68
7.19 bidiftnxtra.sty 70
7.20 bidimoderncv.cls 74
7.21 biditools.sty 79
7.22 bidituftefloat.sty 104
7.23 bidituftesidenote.sty 116
7.24 bidituftetoc.sty 126
7.25 bidituftegeneralstructure.sty . . 129
7.26 bidituftehyperref.sty 132
7.27 bidituftetitle.sty 132
7.28 biditufte-handout.cls 135
7.29 biditufte-book.cls 136
7.30 bidipoem.sty 137
7.31 boek3-xetex-bidi.def 145
7.32 boek-xetex-bidi.def 148
7.33 bookest-xetex-bidi.def 152
7.34 book-xetex-bidi.def 152
7.35 breqn-xetex-bidi.def 157
7.36 cals-xetex-bidi.def 158
7.37 caption-xetex-bidi.def 159
7.38 caption3-xetex-bidi.def 159
7.39 colortbl-xetex-bidi.def 159
7.40 color-xetex-bidi.def 160
7.41 combine-xetex-bidi.def 161
7.42 crop-xetex-bidi.def 161
7.43 cutwin-xetex-bidi.def 163
7.44 cuted-xetex-bidi.def 164
7.45 cvthemebidicasual.sty 172
7.46 cvthemebidiclassic.sty 174
7.47 dblfnote-xetex-bidi.def 176
7.48 draftwatermark-xetex-bidi.def . 180
7.49 eso-pic-xetex-bidi.def 180
7.50 empheq-xetex-bidi.def 181
7.51 extarticle-xetex-bidi.def 184
7.52 extbook-xetex-bidi.def 187
7.53 extletter-xetex-bidi.def 191
7.54 extrafootnotefeatures-xetex-bidi.def 192
7.55 extreport-xetex-bidi.def 229

7.56 fancybox-xetex-bidi.def 233
7.57 fancyhdr-xetex-bidi.def 234
7.58 fix2col-xetex-bidi.def 234
7.59 fleqn-xetex-bidi.def 235
7.60 float-xetex-bidi.def 236
7.61 floatrow-xetex-bidi.def 236
7.62 flowfram-xetex-bidi.def 236
7.63 footnote-xetex-bidi.def 239
7.64 framed-xetex-bidi.def 246
7.65 ftnright-xetex-bidi.def 250
7.66 graphicx-xetex-bidi.def 252
7.67 geometry-xetex-bidi.def 254
7.68 hvfloat-xetex-bidi.def 255
7.69 hyperref-xetex-bidi.def 261
7.70 leqno-xetex-bidi.def 273
7.71 letter-xetex-bidi.def 273
7.72 lettrine-xetex-bidi.def 273
7.73 listings-xetex-bidi.def 276
7.74 loadingorder-xetex-bidi.def . . . 278
7.75 longtable-xetex-bidi.def 283
7.76 mdframed-xetex-bidi.def 286
7.77 bidi-media9.sty 288
7.78 memoir-xetex-bidi.def 299
7.79 midfloat-xetex-bidi.def 303
7.80 minitoc-xetex-bidi.def 307
7.81 multicol-xetex-bidi.def 308
7.82 multienum-xetex-bidi.def 311
7.83 natbib-xetex-bidi.def 312
7.84 newfloat-xetex-bidi.def 313
7.85 ntheorem-xetex-bidi.def 314
7.86 ntheorem-hyper-xetex-bidi.def . 314
7.87 overpic-xetex-bidi.def 315
7.88 pdfpages-xetex-bidi.def 315
7.89 pgfcorescopes.code-xetex-bidi.def 316
7.90 picinpar-xetex-bidi.def 318
7.91 plain-xetex-bidi.def 320
7.92 pstricks-xetex-bidi.def 322
7.93 quotchap-xetex-bidi.def 323
7.94 ragged2e-xetex-bidi.def 323
7.95 rapport1-xetex-bidi.def 325
7.96 rapport3-xetex-bidi.def 330
7.97 refrep-xetex-bidi.def 336
7.98 report-xetex-bidi.def 340
7.99 rotating-xetex-bidi.def 344
7.100 scrartcl-xetex-bidi.def 346
7.101 scrbook-xetex-bidi.def 357
7.102 scrlettr-xetex-bidi.def 369
7.103 scrreprt-xetex-bidi.def 371
7.104 sidecap-xetex-bidi.def 383
7.105 soul-xetex-bidi.def 383
7.106 stabular-xetex-bidi.def 384
7.107 subfigure-xetex-bidi.def 385
7.108 tabls-xetex-bidi.def 385
7.109 tabularx-xetex-bidi.def 386
7.110 tabulary-xetex-bidi.def 387
7.111 tc-xetex-bidi.def 388
7.112 titlesec-xetex-bidi.def 388
7.113 titletoc-xetex-bidi.def 389
7.114 tocbibind-xetex-bidi.def 390
7.115 tocloft-xetex-bidi.def 392
7.116 tocbasic-xetex-bidi.def 398
7.117 tocstyle-xetex-bidi.def 411
7.118 todonotes-xetex-bidi.def 416
7.119 wrapfig-xetex-bidi.def 419
7.120 xcolor-xetex-bidi.def 420
7.121 latex-xetex-bidi.def 423
7.122 xltxtra-xetex-bidi.def 439

8 Index 439

9 Change History 583

Introduction

bidi provides a convenient interface for typesetting bidirectional texts in plain TEX and LATEX, using the XeTEX engine.

bidi Info On The Terminal and In The Log File

If you use bidi package to write any input TEX document, and then run `xelatex` on your document, bidi writes some information about itself to the terminal and to the log file. The information is something like:

```
**************************************************
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright (c) 2009--2017 Vafa Khalighi
*
* 2017/03/03, v30.2
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Issue tracker: https://github.com/tex-xet/bidi/issues
*
* Support: persian-tex@tug.org
**************************************************
```

Part I
LATEX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;

```
\usepackage [Options] {bidi}
```

Where options of the package are explained later in subsection 1.5.
When loading the package, it is important to know that:

❶ bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.

❷ In fact, bidi makes sure that some specific packages are loaded before bidi; these are those packages that bidi modifies them for bidirectional typesetting.

If you load bidi before any of these packages, then you will get an error saying that you should load bidi as your last package.

For instance, consider the following minimal example:

```
\documentclass{minimal}
\usepackage{bidi}
\usepackage{graphicx}
\begin{document}
This is just a test.
\end{document}
```

Where graphicx is loaded after bidi. If you run xelatex on this document, you will get an error which looks like this:

```
! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
 then try to run xelatex on your document again.

See the bidi package documentation for explanation.
Type H <return> for immediate help.
 ...

l.4 \begin{document}

?
```

1.2 bidi's Symbol

As you may know lion symbolizes TEX but lion does not symbolizes bidi. **Simorgh**[1] (shown on the first page of this documentation) symbolizes bidi.

[1] **Simorgh** is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see http://en.wikipedia.org/wiki/Simurgh

1.3 Commands for Version number, and Date of The Package

`\bidiversion` `\bididate`

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
\documentclass{article}
\usepackage{bidi}
\begin{document}
This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
\end{document}
```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTEX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TEX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TEX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TEX. Two commands are provided for this purpose:

`\TeXXeTOn` `\TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentialy equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in subsection 5.4), `\RTLdblcol` (explained in subsection 1.10) and `\autofootnoterule` (explained in subsubsection 1.9.1).
It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.
There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:

```
\normalfootnotes
\twocolumnfootnotes  \threecolumnfootnotes  \fourcolumnfootnotes
\fivecolumnfootnotes  \sixcolumnfootnotes  \sevencolumnfootnotes
\eightcolumnfootnotes  \ninecolumnfootnotes  \tencolumnfootnotes
\RTLcolumnfootnotes  \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes  \setRTLparagraphfootnotes
```

☞ `\normalfootnotes` typesets footnotes in Standard LaTeX format.

☞ `\twocolumnfootnotes` to `\tencolumnfootnotes`, typeset footnotes in two-columns to ten-columns, respectively.

☞ `\RTLcolumnfootnotes` typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and `\LTRcolumnfootnotes` typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). `\LTRcolumnfootnotes` is active by default.

☞ `\paragraphfootnotes` typesets footnotes in paragraph format.

☞ `\setLTRparagraphfootnotes` makes footnotes run from left to right. This comand is active by default.

☞ `\setRTLparagraphfootnotes` makes footnotes run from right to left.

Please note that when using `extrafootnotefeatures` option, the footnote rule will be as wide as the text width and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects. Please also note that if you redefine `\baselinestretch` command or change the value of `\baselineskip` primitive before `\paragraphfootnotes` command, then you may get Arithmetic Overflow error. You should change these after using `\paragraphfootnotes` command.

1.6 Paragraph Switching Commands

```
\setLTR  \setLR  \unsetRL  \unsetRTL
\setRTL  \setRL  \unsetLTR
```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \setRTL%
```

```
Anyone who reads Old and Middle English literary texts will be
 familiar with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.

\setLTR% Notice the blank line before \setLTR
Anyone who reads Old and Middle English literary texts will be
 familiar with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\end{document}
```

1.7 Pargraph Switching Environments

\begin{LTR}	⟨*text*⟩	\end{LTR}
\begin{RTL}	⟨*text*⟩	\end{RTL}

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```
\documentclass{article}
\usepackage{bidi}
\begin{document}
\begin{RTL}
Anyone who reads Old and Middle English literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\begin{LTR}
Anyone who reads Old and Middle English literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\end{LTR}
And we are still typesetting RTL.
\end{RTL}
\end{document}
```

1.8 Typesetting Short LTR and RTL Texts

\LRE{⟨*text*⟩}	\LR{⟨*text*⟩}
\RLE{⟨*text*⟩}	\RL{⟨*text*⟩}

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
\begin{document}
\begin{RTL}
Anyone who reads Old and Middle English \LRE{Short LTR text} literary
texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\begin{LTR}
Anyone who reads Old and Middle English \RLE{Short RTL text} literary
texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\end{LTR}
\end{RTL}
\end{document}
```

1.9 Footnotes

`\footnote` `[num]` {⟨*text*⟩} `\LTRfootnote` `[num]` {⟨*text*⟩} `\RTLfootnote` `[num]` {⟨*text*⟩}
`\setfootnoteRL` `\setfootnoteLR` `\unsetfootnoteRL`
`\thanks`{⟨*text*⟩} `\LTRthanks`{⟨*text*⟩} `\RTLthanks`{⟨*text*⟩}

- ☞ `\footnote` in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnote` will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnote` will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a `\setfootnoteRL` command anywhere will make `\footnote` produce an RTL footnote.
- ☞ Specifying either a `\setfootnoteLR` or an `\unsetfootnoteRL` command anywhere will make `\footnote` produce an LTR footnote.
- ☞ `\thanks` (to be used only inside `\author` or `\title` argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRthanks` (to be used only inside `\author` or `\title` argument) will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLthanks` (to be used only inside `\author` or `\title` argument) will always produce an RTL footnote, independent on the current mode.

```
\footnotetext [num] {⟨text⟩}  \LTRfootnotetext [num] {⟨text⟩}
\RTLfootnotetext [num] {⟨text⟩}
```

☞ `\footnotetext` used in conjunction with `\footnotemark`, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.

☞ `\LTRfootnotetext` used in conjunction with `\footnotemark`, will always produce an LTR footnote, independent on the current mode.

☞ `\RTLfootnotetext` used in conjunction with `\footnotemark`, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofootnoterule  \rightfootnoterule  \leftfootnoterule
\LRfootnoterule  \textwidthfootnoterule  \SplitFootnoteRule
\debugfootnotedirection
```

☞ `\autofootnoterule` will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).

☞ `\rightfootnoterule` will put footnote rule on the right-hand side.

☞ `\leftfootnoterule` or `\LRfootnoterule` will put footnote rule on the left-hand side.

☞ `\textwidthfootnoterule` will draw the footnote rule with a width equal to `\textwidth`.

☞ `\SplitFootnoteRule` puts a full-width rule above the split-off part of a split footnote.

☞ `\debugfootnotedirection` writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol  \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, `\RTLdblcol` allows you to have RTL two column typesetting and `\LTRdblcol` allows you to have LTR two column typesetting as the options of the class file.

Also please note that in `twocolumn` documents, the width of the `\footnoterule` will be equal to `\columnwidth` no matter which footnote-rule commands you use; indeed, in `twocolumn` documents only `\textwidthfootnoterule` is active and other footnote-rule commands will not be effective.

1.11 RTL cases

`\RTLcases` command was previously known as `\rcases` command but since there was a clash with mathtools package (mathtools defines rcases environment), we had to rename `\rcases` command to `\RTLcases` command.

```
\RTLcases{\text{⟨brach1⟩}\cr\text{⟨brach2⟩}\cr \text{⟨brach3⟩}...}
\text{⟨main⟩}
```

`\RTLcases` is defined in bidi for typesetting RTL cases. `\text` is defined in amsmath package, so this means that you need to load amsmath package too.

```
\documentclass{article}
\usepackage{amsmath}
\usepackage{bidi}
\begin{document}
\setRTL
\[\RTLcases{\text{men}\cr\text{women}}
\text{Humans Beings}
\]
\end{document}
```

1.12 Typesetting Logos

```
\XeTeX  \XeLaTeX
```

bidi defines XeTEX and XeLATEX logos and in addition, it makes sure that logos, TEX, LATEX, LATEX 2ε are typeset LTR.

1.13 Separation Mark

```
\SepMark{⟨mark⟩}  \@SepMark
```

Generally in Standard LATEX, dot is used for separation between section numbers, equation numbers any anything else which needs to be seperated. You can use `\SepMark` to use any other mark as the seperation mark instead a dot.

```
\documentclass{article}
\usepackage{bidi}
\SepMark{-}
\begin{document}
\section{First}
\subsection{Second}
\subsubsection{Third}
\end{document}
```

If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load amsmath package and use `\numberwithin` macro to do this or do the ordinary way, but instead dot write `\@SepMark`. Using dot instead `\@SepMark` will certainly make trouble.

```
\documentclass{article}
\usepackage{bidi}
\SepMark{-}
\makeatletter
\renewcommand\theequation{\thesection\@SepMark\@arabic\c@equation}
\makeatother
\begin{document}
\section{First}
\begin{equation}
x^2+y^2=z^2
\end{equation}
\end{document}
```

1.14 `\raggedright`, `\raggedleft` commands, `flushleft` and `flushright` Environments

`\raggedright` command and `flushleft` environment put the text on the left hand side and `\raggedleft` command and `flushright` environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

`\hboxR`	`\hboxL`	`\vboxR`	`\vboxL`

- ☞ The syntax of `\hboxR` is exatly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exatly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exatly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exatly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

1.16 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```
\documentclass{article}
\usepackage{bidi}
\setRTL
\begin{document}
\hbox{This is a Test}
\end{document}
```

You see that even you have used \setRTL, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TEX starts, it is in the vertical mode so if you need to have that \hbox appear RTL, then write \leavevmode before \hbox:

```
\documentclass{article}
\usepackage{bidi}
\setRTL
\begin{document}
\leavevmode\hbox{This is a Test}
\end{document}
```

1.17 \bidillap and \bidirlap Commands

In RTL mode, \llap and \rlap do oposite things. Since these two macros are used in a lot of classes and packages, instead modifying these two macros, we have created two new macros \bidillap and \bidirlap which give logical results.

1.18 LTRitems and RTLitems Environments

If you typeset an itemize, or an enumerate, or a description environment where all \items are one directional, you have no problem at all as shown below:

```
\documentclass{article}
\begin{document}
Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
\begin{enumerate}
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\end{enumerate}
\end{document}
```

However if the above example becomes bidirectional, as shown below:

```
\documentclass{article}
\usepackage{bidi}
```

```
\begin{document}
Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
\begin{enumerate}
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\setRTL
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\end{enumerate}
\end{document}
```

Then some people may argue that this typographically does not look promising. For this purpose, RTLitems environment is provided which has the following syntax:

```
\begin{RTLitems}
  \item ⟨text⟩
  ...
\end{RTLitems}
```

By using the RTLitems environment, the previous example will look like the following:

```
\documentclass{article}
\usepackage{bidi}
\begin{document}
Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
\begin{enumerate}
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\begin{RTLitems}
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\end{RTLitems}
\end{enumerate}
\end{document}
```

Similarly, LTRitems environment is defined which has the following syntax:

```
\begin{LTRitems}
  \item ⟨text⟩
  ...
\end{LTRitems}
```

1.19 LTRbibitems and RTLbibitems Environments

The syntax of LTRbibitems and RTLbibitems environments is exactly like the syntax of LTRitems and RTLitems environments but there are few differences:

☞ LTRitems and RTLitems environments should only be used for list-like environments (such as itemize, enumerate and description environments) but LTRbibitems and RTLbibitems environments should only be used for thebibliography environment.

☞ Clearly instead of `\item`, you have `\bibitem` inside LTRbibitems and RTLbibitems environments.

1.20 `\setLTRbibitems`, `\setRTLbibitems`, and `\setdefaultbibitems` commands

`\setLTRbibitems` `\setRTLbibitems` `\setdefaultbibitems`

☞ If your whole thebibliography environment is inside RTL mode, but all your `\bibitems` are LTR and you actually want to have `\bibname` to appear on the RHS, you can use `\setLTRbibitems` command before thebibliography environment.

☞ If your whole thebibliography environment is inside LTR mode, but all your `\bibitems` are RTL and you actually want to have `\bibname` to appear on the LHS, you can use `\setRTLbibitems` command before thebibliography environment.

☞ `\setdefaultbibitems` is the default, when your `\bibitems` are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your thebibliography environment is in. Please note that you do not have to use `\setdefaultbibitems` command in this case at all.

Consider an example that your thebibliography environment is inside LTR mode and you have, say two `\bibitems`. The first `\bibitem` is LTR and the second `\bibitem` is RTL. One could typeset this senario as shown below:

```
\documentclass{article}
\usepackage{bidi}
\begin{document}
\begin{thebibliography}{99}
\bibitem This is the first bibitem which is LTR.
\begin{RTLbibitems}
\bibitem This is the second bibitem which is RTL.
\end{RTLbibitems}
\end{thebibliography}
\end{document}
```

1.21 Typesetting margin par

By default, in RTL mode, \marginpar appears on LHS and its content is typeset RTL and in LTR mode, \marginpar appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```
\setRTLmarginpar  \setLTRmarginpar  \setdefaultmarginpar
\LTRmarginpar[⟨left-text⟩]{⟨right-text⟩}
\RTLmarginpar[⟨left-text⟩]{⟨right-text⟩}
```

- ☞ \setRTLmarginpar always makes \marginpar to appear on LHS and the content of \marginpar is typeset RTL (this is independent of the current mode).
- ☞ \setLTRmarginpar always makes \marginpar to appear on RHS and the content of \marginpar is typeset LTR (this is independent of the current mode).
- ☞ \setdefaultmarginpar gives the default behaviour of \marginpar as described above.
- ☞ \LTRmarginpar typesets ⟨*left-text*⟩ and ⟨*right-text*⟩ always LTR.
- ☞ \RTLmarginpar typesets ⟨*left-text*⟩ and ⟨*right-text*⟩ always RTL.
- ☞ in RTL mode, places of ⟨*left-text*⟩ and ⟨*right-text*⟩ swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The bidi package supports amsmath, amstext, amsthm, array, arydshln, breqn, cals, caption, color, colortbl, crop, cuted, cutwin, dblfnote draftwatermark, empheq, fancyhdr, fancybox, fix2col, float, floatrow, flowfram, framed, ftnright, geometry, graphicx, hvfloat, hyperref, lettrine, listings, mdframed, midfloat, minitoc, multicol, multienum, newfloat, pdfpages, pstricks, quotchap, picinpar, ragged2e, rotating, sidecap, stabular,

subfig, subfigure, supertabular, xtab, tabls, tabulary, PGF & TIKZ, tocbibind, tocloft, tocstyle, wrapfig, xcolor, xltxtra packages, amsart, amsbook, artikel1, artikel2, artikel3, extarticle, flashcards, standrad article, boek, boek3, standard book, bookest, extbook, extletter, scrlettr,standard letter, memoir, extreport, rapport1, rapport3, refrep, standard report, scrartcl, scrbook, scrreprt classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents.
We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use color and xcolor packages to typeset texts in colours and colour boxes produced by `\colorbox` and `\fcolorbox` commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use xecolor package.
Also if you are going to use `\color` command to colour the text at the beginning of a paragraph, then you should have `\leavevmode` before `\color` command.
For having coloured tabular, you can use colortbl package.

2.2 The dblfnote package

The dblfnote package makes footnotes double-columned. In addition bidi package adds bidirectional support for the dblfnote package by providing the following commands:

`\RTLdfnmakecol`	`\LTRdfnmakecol`

- ☞ `\RTLdfnmakecol` makes footnotes double-columned RTL.
- ☞ `\LTRdfnmakecol` makes footnotes double-columned LTR.
- ☞ If the main direction of the document is RTL, `\RTLdfnmakecol` is active and if the main direction of the document is LTR, `\LTRdfnmakecol` is active.

Please note that when using dblfnote package, the footnote rule will be as wide as the footnote column and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commonds have no effects.

2.3 Hyperref

The hyperref package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.

2.4 The listings package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the bidi package adds a key to the listings package, namely `captiondirection`. This key can have the following values:

- ☞ `textdirection` follows the direction of the text (default).
- ☞ `RTL` sets the direction of the caption to RTL.
- ☞ `LTR` sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 flowfram Package

You can use flowfram package for your bidirectional documents. Please note that flowfram package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of bidi package, it was recommended that you need to use fmultico package instead the original multicol package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy fmultico package any more. Simply load the original multicol package before loading bidi. bidi now supports multicol package and you can typeset bidirectional multi columns. When using multicol package, the following two additional commands are proveded:

```
\RTLmulticolcolumns  \LTRmulticolcolumns
```

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns. In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns.
In addition, you also can use vwcol package for variable width bidirectional column typesetting.

3 Extra bidi Packages and Classes

3.1 biditufte bundle

A modified version of tufte-latex, biditufte bundle, mainly for RTL typesetting, is provided. If you never used biditufte bundle or tufte-latex package and you want

to use biditufte bundle, then you need to look at tufte-latex package's manual and examples. In addition, for using biditufte bundle, you need to know the following notes:

- ☞ You need to use biditufte-book class instead tufte-book class and biditufte-handout class instead tufte-handout class.
- ☞ biditufte bundle provides the following extra commands:

`\LTRsidenote`	`\RTLsidenote`	`\LTRmarginnote`	`\RTLmarginnote`

- ☞ biditufte bundle unlike tufts-latex package, only provides justified lines.
- ☞ Some features of tufte-latex that does not make any sense in RTL, do not exist in biditufte bundle (no need for soul, letterspace and macrotype packages).
- ☞ If you want to configure biditufte-book class for your own needs, then you can create a file with the name `biditufte-book.cfg` and put your LaTeX macros in that file; similarly, if you want to configure biditufte-handout class for your own needs, then you can create a file with the name `biditufte-handout.cfg` and put your LaTeX macros in that file.

3.2 Typesetting TeX and LaTeX Codes

The LaTeX codes in this manual are typeset using the bidicode package. In standard LaTeX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsection` and any other section-like commands, `\caption` and tabular environment.
bidi package provides bidiftnxtra package that solves the issue of footnote in standard LaTeX. bidiftnxtra package should be loaded after bidi package.

3.3 Typesetting Poems

The bidi package provides bidipoem package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type \\ and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.
When using bidipoem package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying "Unjustified poem. Rerun `XeLaTeX` to get poem right".
When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use Kashida.
If you need to change the default distance between two verses, you can do just that by:

```
\renewcommand\poemcolsepskip{⟨length⟩}
```

```
\begin{traditionalpoem}
⟨verse1⟩&⟨verse2⟩\\
⟨verse3⟩&⟨verse4⟩\\
...
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}
⟨verse1⟩&⟨verse2⟩
⟨verse3⟩&⟨verse4⟩
...
\end{traditionalpoem*}
```

3.4 Typesetting Resumé

The bidi package provides bidimoderncv[2] class for typesetting resumés. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the doc folder than you can look and learn how you can use it.

3.5 Print Two Pages On A Single Page

bidi package provides bidi2in1 package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape 'container' page.

3.6 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

```
\eqnewif{⟨\newconditional1⟩}{⟨\newconditional2⟩}
```

In standard LaTeX, `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

☞ With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.

[2] This class is the modified version of moderncv class.

☞ `\newconditional1` will be identical to `\newconditional2`, so that whenever `\newconditional1` is true, then `\newconditional2` is also true and whenever `\newconditional1` is false, then `\newconditional2` is also false and vice versa.

4.2 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

4.4 Latin Conditional

`\if@nonlatin`

The packages should set the value of `\if@nonlatin` inside any environment that uses LTR script to false (`\@nonlatinfalse`) and inside any environment that uses RTL script to true (`\@nonlatintrue`).

4.5 Tags Internal Macro

`\@iftagsloaded{`⟨*tags name*⟩`}{`⟨*do thing(s) if the tag is loaded*⟩`}`
`{`⟨*do thing(s) if the tag is not loaded*⟩`}`

As you can see, the syntax of `\@iftagsloaded` is exactly the same as the syntax of `\@ifpackageloaded` and `\@ifclassloaded`. By tags, we mean things like `leqno` or `reqno`. Please note that in the argument ⟨*tags name*⟩, the extension `clo` should not be given.

4.6 Definition File Loaded Internal Macro

`\@ifdefinitionfileloaded{`⟨*definition file name*⟩`}`
`{`⟨*do thing(s) if the definition file is loaded*⟩`}`
`{`⟨*do thing(s) if the definition file is not loaded*⟩`}`

As you can see, the syntax of `\@ifdefinitionfileloaded` is exactly the same as the syntax of `\@ifpackageloaded` and `\@ifclassloaded`. By definition file, we mean things like `hyperref-bidi.def` or `wrapfig-bidi.def`. Please note that in the argument ⟨*definition file name*⟩, the extension `def` should not be given.

4.7 Tabular Conditional

`\if@RTLtab`

If the tabular is typeset RTL, `\if@RTLtab` is true and if the tabular is typeset LTR, `\if@RTLtab` is false.

4.8 Footnote Conditional

`\if@RTL@footnote`

When footnotes are typeset RTL, `\if@RTL@footnote` is true and when footnotes are typeset LTR, `\if@RTL@footnote` is false.

4.9 Direction Ensuring Macros

`\@ensure@RTL{`⟨*text*⟩`}` `\@ensure@RL{`⟨*text*⟩`}` `\@ensure@LTR{`⟨*text*⟩`}`
`\@ensure@LR{`⟨*text*⟩`}` `\@ensure@dir{`⟨*text*⟩`}` `\@ensure@maindir{`⟨*text*⟩`}`

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that ⟨*text*⟩ is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that ⟨*text*⟩ is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put ⟨*text*⟩ inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

`\save@dir` `\saved@@dir` `\reset@dir`

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II
Plain TEX Manual

5 Basics

5.1 Loading The Package

You can load the package in the ordinary way;

```
\input bidi
```

When loading the package, it is important to know that: bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

```
\bidiversion  \bididate
```

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \input bidi
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
3 \end
```

5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTEX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TEX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TEX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TEX. Two commands are provided for this purpose:

```
\TeXXeTOn  \TeXXeTOff
```

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

```
\setLTR  \setLR  \unsetRL  \unsetRTL
\setRTL  \setRL  \unsetLTR
```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
\input bidi
\setRTL%
Anyone who reads Old and Middle English literary texts will be
 familiar with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.

\setLTR% Notice the blank line before \setLTR
Anyone who reads Old and Middle English literary texts will be
 familiar with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\end
```

5.5 Pargraph Switching Environments

\LTR	⟨*text*⟩	\endLTR
\RTL	⟨*text*⟩	\endRTL

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```
\input bidi
\RTL
Anyone who reads Old and Middle English literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\LTR
Anyone who reads Old and Middle English literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\endLTR
And we are still typesetting right to left.
\endRTL
\end
```

5.6 Typesetting Short LTR and RTL Texts

\LRE{⟨*text*⟩}	\LR{⟨*text*⟩}
\RLE{⟨*text*⟩}	\RL{⟨*text*⟩}

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
\input bidi
\RTL
Anyone who reads Old and Middle English \LRE{Short left to right text}
literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\LTR
Anyone who reads Old and Middle English \RLE{Short right to left text}
literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\endLTR
\endRTL
\end
```

5.7 Primitive-like commands

\hboxR	\hboxL	\vboxR	\vboxL

☞ The syntax of \hboxR is exatly the same as the syntax of \hbox, but its contents is always typeset RTL.

☞ The syntax of \hboxL is exatly the same as the syntax of \hbox, but its contents is always typeset LTR.

☞ The syntax of \vboxR is exatly the same as the syntax of \vbox, but its contents is always typeset RTL.

☞ The syntax of \vboxL is exatly the same as the syntax of \vbox, but its contents is always typeset LTR.

5.8 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```
\input bidi
\setRTL
\hbox{This is a Test}
\end
```

You see that even you have used \setRTL, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TEX starts, it is in the vertical mode so if you need to have that \hbox appear RTL, then write \leavevmode before \hbox:

```
\input bidi
\setRTL
\leavevmode\hbox{This is a Test}
\end
```

5.9 Typesetting Logos

`\XeTeX`

bidi defines XeTEX logo and in addition, it makes sure that the logo, TEX is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

6.1 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

6.3 Direction Ensuring Macros

`\@ensure@RTL{`⟨*text*⟩`}` `\@ensure@RL{`⟨*text*⟩`}` `\@ensure@LTR{`⟨*text*⟩`}`
`\@ensure@LR{`⟨*text*⟩`}` `\@ensure@dir{`⟨*text*⟩`}` `\@ensure@maindir{`⟨*text*⟩`}`

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that ⟨*text*⟩ is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that ⟨*text*⟩ is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put ⟨*text*⟩ inside `\RLE` and if used in LTR mode, they put the text as it is.

6.4 Reset Direction Macro

`\save@dir` `\saved@@dir` `\reset@dir`

☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.

☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```
\ProvidesFile{amsart-xetex-bidi.def}[2015/11/14 v0.9 bidi adaptations for amsart class for Xe
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\l
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}


\long\def\@footnotetext#1{%
  \insert\footins{%
```

```
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
    \@RTLtrue%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}



\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
    \@RTLfalse%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
```

```
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

7.2 adjmulticol-xetex-bidi.def

```
\ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pa
\def\adjmulticols#1#2#3{\col@number#1\relax
  \def\@tempa{#2}%
  \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
  \def\@tempa{#3}%
  \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
```

```
  \ifnum\col@number<\@ne
     \PackageWarning{adjmulticol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use one columns instead}%
     \col@number\@ne\fi
  \ifnum\col@number>10
     \PackageError{adjmulticol}%
      {Too many columns}%
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
     \fi
     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
       \let\orig@LTRfootnotetext\@LTRfootnotetext
       \let\@LTRfootnotetext\mult@LTRfootnotetext
     \fi
     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
       \let\orig@RTLfootnotetext\@RTLfootnotetext
       \let\@RTLfootnotetext\mult@RTLfootnotetext
     \fi
  \@ifnextchar[\adjmult@cols{\adjmult@cols[]}}
\let\adjmc@page@sofar@orig=\page@sofar
```

7.3 algorithm2e-xetex-bidi.def

```
\ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pa
\expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
\else%                                          else
\renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
\fi%

\def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
\def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
\def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}%
\def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
\renewcommand{\@algocf@start}{%
  \@algoskip%
  \begin{bidi@lrbox}{\algocf@algobox}%
  \setlength{\algowidth}{\hsize}%
  \vbox\bgroup% save all the algo in a box
  \hbox to\algowidth\bgroup\hbox to \algomargin{\hfill}\vtop\bgroup%
  \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
  % initialization
  \addtolength{\hsize}{-1.5\algomargin}%
```

```
  \let\@mathsemicolon=\;\def\;{\ifmmode\@mathsemicolon\else\@endalgoln\fi}%
  \raggedright\AlFnt{}%
  \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgocfslide}}{}%
  \@algoinsideskip%
%   \let\@emathdisplay=\]\def\]{\algocf@endline\@emathdisplay\nl}%
}%
\renewcommand{\@algocf@finish}{%
  \@algoinsideskip%
  \egroup%end of vtop which contain all the text
  \hfill\egroup%end of hbox wich contains [margin][vtop]
  \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgocfslide}}{}%
  %
  \egroup%end of main vbox
  \end{bidi@lrbox}%
  \algocf@makethealgo% print the algo
  \@algoskip%
  % restore dimension and macros
  \setlength{\hsize}{\algowidth}%
  \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
  \let\;=\@mathsemicolon%
  \let\]=\@emathdisplay%
}%
```

7.4 amsbook-xetex-bidi.def

```
\ProvidesFile{amsbook-xetex-bidi.def}[2015/11/14 v1.0 bidi adaptations for amsbook class for
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\l
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
```

```
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}

\long\def\@footnotetext#1{%
  \insert\footins{%
   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
   \@RTLtrue%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
   \@RTLfalse%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
```

```
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}


\footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\@makechapterhead#1{\global\topskip 7.5pc\relax
  \begingroup
  \fontsize{\@xivpt}{18}\bfseries\centering
    \ifnum\c@secnumdepth>\m@ne
      \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
      \rlap{\vbox to\z@{\vss
          \centerline{\normalsize\mdseries
              \uppercase\@xp{\chaptername}\enspace\thechapter}
          \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
     #1\par \endgroup
  \skip@34\p@ \advance\skip@-\normalbaselineskip
  \vskip\skip@ }
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \begingroup
  \@maketitle
  \endgroup
  \c@footnote\z@
  \def\do##1{\let##1\relax}%
  \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
  \do\author \do\@xauthor \do\address \do\@xaddress
  \do\email \do\@xemail \do\curraddr \do\@xcurraddr
  \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
  \do\keywords \do\@keywords \do\subjclass \do\@subjclass
```

```
}
```

7.5 amsmath-xetex-bidi.def

```
\ProvidesFile{amsmath-xetex-bidi.def}[2016/09/12 v1.0 bidi adaptations for amsmath package fo
\let\veqno=\eqno
\iftagsleft@ \let\veqno=\leqno \fi
\renewcommand{\numberwithin}[3][\arabic]{%
  \@ifundefined{c@#2}{\@nocounterr{#2}}{%
    \@ifundefined{c@#3}{\@nocnterr{#3}}{%
      \@addtoreset{#2}{#3}%
      \@xp\xdef\csname the#2\endcsname{%
        \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}}%
}
\def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\ignorespaces#1\unskip\@@italiccorr)\if@no
```

7.6 amstext-xetex-bidi.def

```
\ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package fo
\def\textdef@#1#2#3{\hbox{{%
                    \everymath{#1}%
                    \let\f@size#2\selectfont
                    \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7.7 amsthm-xetex-bidi.def

```
\ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
\def\@thmcountersep{\@SepMark}
```

7.8 animate-xetex-bidi.def

```
\ProvidesFile{animate-xetex-bidi.def}[2016/05/03 v0.2 bidi adaptations for animate package fo


%user command for embedding animation sequence
% #1: options
% #2: frame rate (fps)
% #3: basename of graphics file sequence (without frame number and extension)
% #4: first frame (integer)
% #5: last frame (integer)
\renewcommand{\animategraphics}[5][]{%
  \@anim@endsanitize%
  \leavevmode%
  \ifpdf\else%
    \if@anim@grxloaded%
      \if@anim@xetex%
        \DeclareGraphicsRule{.mps}{eps}{*}{}%
      \fi%
    \else%
      \if@anim@xetex%
        \@anim@missing[xetex]{graphicx}%
      \else%
        \if@anim@dvipdfmx%
```

```
          \@anim@missing[dvipdfmx]{graphicx}%
        \else%
          \@anim@missing{graphicx}%
        \fi%
      \fi%
    \fi%
  \fi%
\fi%
\@anim@reset% to default settings
\begingroup% make use of graphic[xs] search path
\beginL%
\ifcsname Ginput@path\endcsname%
  \let\input@path\Ginput@path%
\fi%
%
\setkeys{anim@user}{#1}%
\ifthenelse{\boolean{@anim@autoplay}\OR\boolean{@anim@autoresume}}{%
  \setboolean{@anim@autoplayorresume}{true}%
}{}%
\ifthenelse{\boolean{@anim@controls}\OR\boolean{@anim@palindrome}}{%
  \setboolean{@anim@morejs}{true}%
}{}%
\ifx\empty\@anim@label\empty\else%
  \setboolean{@anim@morejs}{true}%
\fi%
\ifthenelse{\NOT\boolean{@anim@controls}\AND\boolean{@anim@step}}{%
  \setboolean{@anim@loop}{true}%
}{}%
\def\@anim@base{#3}%
\def\@anim@first{#4}%
\def\@anim@last{#5}%
%
\@anim@checkmultipage{\@anim@base}{\@anim@ftype}%test for multipage file
\if@anim@multipage\else% cope with wrong user input
  \ifthenelse{\equal{#4}{}\OR\equal{#5}{}}{%
    \PackageError{animate}{%
      Missing frame number in \protect\animategraphics\space command%
    }{}%
  }{}%
  \ifthenelse{\@anim@first<\z@\OR\@anim@last<\z@}{%
    \PackageError{animate}{%
      Negative frame numbers not allowed%
    }{}%
  }{}%
\fi%
\def\@anim@relop{>}%
\edef\@anim@numtemplate{\@anim@first}%
\ifnum\@anim@first>\@anim@last\relax%
  \edef\@anim@every{-\@anim@every}%
  \def\@anim@relop{<}%
  \edef\@anim@numtemplate{\@anim@last}%
```

```
\fi%
\global\@anim@curframe=\@anim@first%
\global\@anim@curframe@zb=\z@%
%
\if@anim@draft%
  \if@anim@multipage%
    %store file in a box
    \@anim@filebox{\@anim@pathtofile}{\@anim@first}%
  \else%
    %get file name extension
    \@anim@getpath{\@anim@base\@anim@first}{\@anim@ftype}%
    \@anim@filebox{\@anim@pathtofile}{1}%
  \fi%
  \@anim@scale{\@anim@box}%
  %draw draftbox according to dimensions of the first frame
  \@anim@draftbox%
\else%
  \if@anim@controls%
    %create button faces only once in the current colour combination
    \ifcsname
      btncol:\@anim@bgcolour:\@anim@fgcolour\endcsname\else%
      \@anim@makebuttons{\the\@anim@num}%
      \@anim@newkey{btncol:\@anim@bgcolour:\@anim@fgcolour}{\the\@anim@num}%
    \fi%
  \fi%
  \xdef\@anim@nfps{#2\space}% current frame rate
  \xdef\@anim@nfps{\expandafter\zap@space\@anim@nfps\@empty}%
  \ifdim\@anim@nfps\p@<\z@%
    \PackageError{animate}{%
      Negative frame rate `\@anim@nfps' is not allowed%
    }{}%
  \fi%
  \xdef\@anim@fps{\@anim@nfps}%
  %
  %read all frames of the sequence
  \loop\ifnum\@anim@curframe\@anim@relop\@anim@last\relax\else%
    \if@anim@multipage%
      %embed graphics
      \@anim@ximage{\the\@anim@num}{\the\@anim@curframe@zb}{%
        \@anim@pathtofile}{\the\@anim@curframe}%
    \else%
      %get path to current file end its extension
      \@anim@getpath{%
        \@anim@base\@anim@pad{\@anim@numtemplate}{\the\@anim@curframe}%
      }{\@anim@ftype}%
      %embed graphics
      \@anim@ximage{\the\@anim@num}{\the\@anim@curframe@zb}{%
        \@anim@pathtofile}{1}%
    \fi%
    \global\advance\@anim@curframe by \@anim@every%
```

```
      \global\advance\@anim@curframe@zb by \@ne%
    \repeat%
    \xdef\@anim@frames{\the\@anim@curframe@zb}% total number
    \global\@anim@tmpcnt=\@anim@frames%
    \global\advance\@anim@tmpcnt by -\@ne%
    \xdef\@anim@maxframe{\the\@anim@tmpcnt}% highest frame index
    %build timeline from optional timeline file
    \@anim@sanitizeJS%
    \if@anim@timeline\@anim@buildtmln{\the\@anim@num}\fi%
    % if last frame used as poster, write frame num to aux file
    \ifnum\@anim@poster=\@anim@mone\relax%
      \@anim@keytoaux{a\the\@anim@num.poster}{\@anim@maxframe}%
    \fi%
    %insert animation widget & controls
    \@anim@insertwidgets{\the\@anim@num}{%
      \@anim@getkeyval{btncol:\@anim@bgcolour:\@anim@fgcolour}}%
    \@anim@endsanitize%
  \fi%
  \endL%
  \endgroup%
  \global\advance\@anim@num by \@ne%
}%
%adjust catcode of `:' character within \animategraphics
\let\@anim@animategraphics\animategraphics
\def\animategraphics{\@anim@sanitizeColon\@anim@animategraphics}



%user environment for animating inline graphics
% #1: options
% #2: frame rate (fps)
\renewenvironment{animateinline}[2][]{%
  \@anim@endsanitize%
  \leavevmode%
  \@anim@reset% to default settings
  \begingroup%
  \beginL%
  % make use of graphic[xs] search path
  \ifcsname Ginput@path\endcsname%
    \let\input@path\Ginput@path%
  \fi%
  \setkeys{anim@user}{#1}%
  \ifthenelse{\boolean{@anim@autoplay}\OR\boolean{@anim@autoresume}}{%
    \setboolean{@anim@autoplayorresume}{true}%
  }{}%
  \ifthenelse{\boolean{@anim@controls}\OR\boolean{@anim@palindrome}}{%
    \setboolean{@anim@morejs}{true}%
  }{}%
  \ifx\empty\@anim@label\empty\else%
    \setboolean{@anim@morejs}{true}%
```

```
  \fi%
  \ifthenelse{\NOT\boolean{@anim@controls}\AND\boolean{@anim@step}}{%
    \setboolean{@anim@loop}{true}%
  }{}%
  \global\@anim@curframe@zb=\z@%
  \global\@anim@skipfram=\z@%
  \if@anim@draft\else%
    %create button faces if necessary
    \if@anim@controls%
      \ifcsname
        btncol:\@anim@bgcolour:\@anim@fgcolour\endcsname\else%
        \@anim@makebuttons{\the\@anim@num}%
        \@anim@newkey{btncol:\@anim@bgcolour:\@anim@fgcolour}{\the\@anim@num}%
      \fi%
    \fi%
    \if@anim@step\else%
      \xdef\@anim@nfps{-1}%
      \@anim@processfpsarg{#2}%
    \fi%
  \fi%
  \ifdefined\NoHyper\NoHyper\fi% silently suppress any hyperref specials
  \let\newframe\@anim@@newframe%
  \let\multiframe\@anim@multiframe%
  \@anim@beginframe%
  \ignorespaces%
}{%
  \unskip%
  \@anim@endframe{\the\@anim@num}{\the\@anim@curframe@zb}%
  \ifdefined\endNoHyper\endNoHyper\fi%
  \global\advance\@anim@curframe@zb by \@ne%
  \if@anim@draft\else%
    \xdef\@anim@frames{\the\@anim@curframe@zb}% total number
    \global\@anim@tmpcnt=\@anim@frames%
    \global\advance\@anim@tmpcnt by -\@ne%
    \xdef\@anim@maxframe{\the\@anim@tmpcnt}% highest frame index
    %build timeline from optional timeline file
    \@anim@sanitizeJS%
    \if@anim@timeline\@anim@buildtmln{\the\@anim@num}\fi%
    %insert animation widget & controls
    \@anim@insertwidgets{\the\@anim@num}{%
      \@anim@getkeyval{btncol:\@anim@bgcolour:\@anim@fgcolour}}%
    \@anim@endsanitize%
    % if last frame used as poster, write frame num to aux file
    \ifnum\@anim@poster=\@anim@mone\relax%
      \@anim@keytoaux{a\the\@anim@num.poster}{\@anim@maxframe}%
    \fi%
  \fi%
  \endL%
  \endgroup%
  \global\advance\@anim@num by \@ne%
```

```
}
\let\@anim@animateinline\animateinline
\def\animateinline{\@anim@sanitizeColon\@anim@animateinline}
```

7.9 array-xetex-bidi.def

```
\ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for Xe
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi \fi}
\def\@tabular{%
  \leavevmode
  \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                     \let\d@llarend\endgroup
  \@tabarray}
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname=\endtabular
\def\@array[#1]#2{%
  \@tempdima \ht \strutbox
  \advance \@tempdima by\extrarowheight
  \setbox \@arstrutbox \hbox{\vrule
             \@height \arraystretch \@tempdima
             \@depth \arraystretch \dp \strutbox
             \@width \z@}%
  \begingroup
  \@mkpream{#2}%
  \xdef\@preamble{\noexpand \ialign \@halignto
                  \bgroup \@arstrut \@preamble
```

```
                          \tabskip \z@ \cr}%
  \endgroup
  \@arrayleft
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
  \bgroup
  \let \@sharp ##\let \protect \relax
  \lineskip \z@
  \baselineskip \z@
  \m@th
  \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxRco
\def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
\def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@pream
\def\array{\col@sep\arraycolsep
  \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}%
  \@RTLtabfalse\@tabarray}
```

7.10 article-xetex-bidi.def

```
\ProvidesFile{article-xetex-bidi.def}[2015/11/14 v0.5 bidi adaptations for standard article c
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
```

```
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
```

```
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
       \if@compatibility
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
```

```
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname\nobreakspace\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
      \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
```

```
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\section*{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
```

7.11 artikel1-xetex-bidi.def

```
\ProvidesFile{artikel1-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for artikel1 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
```

```
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
```

```
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
```

```
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
```

```
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
```

```
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

7.12 artikel2-xetex-bidi.def

```
\ProvidesFile{artikel2-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for artikel2 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \advance\@tempdima by \othermargin
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@section[2]{%
```

```
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
```

```
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \section*{\hskip\unitindent\small\SectFont\abstractname}%
        \list{}{\setlength\listparindent{\unitindent}%
                \setlength\parindent    {\z@}%
                \setlength\leftmargin   {\unitindent}%
                \setlength\rightmargin  {\unitindent}%
                \setlength\parsep       {\z@}}%
        \item[]%
      \fi}
      {\if@twocolumn\else\par\endlist\fi}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \hrule\@width 3\unitindent
  \kern 2.6\p@
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
  \kern 2.6\p@}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
```

```
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
     \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
```

```
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \long\def\@makefntext##1{\parindent\z@
      \def\labelitemi{\textendash}%
      \leavevmode\hb@xt@.5\unitindent{%
        \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
```

```
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

7.13 artikel3-xetex-bidi.def

```
\ProvidesFile{artikel3-xetex-bidi.def}[2015/11/14 v0.4 bidi adaptations for artikel3 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
```

```
    \leavevmode
    \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
    \hskip 1em \nobreak{\slshape #3}\par
    }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi

\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@titlepage
  \renewenvironment{abstract}{%
```

```
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
```

```
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
```

```
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
```

```
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
              \def\and{%%% \begin{tabular} has already started
                       \end{tabular}\hskip 1em plus .17fil
                       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabul
              \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\p
     \vskip 1em {\large \TitleFont \@date}
 \fi
  \par
  \vskip 1.5em}
\fi
```

7.14 arydshln-xetex-bidi.def

```
\ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package
\def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname\endtabular
\let\adl@array\@array
\def\@array{\adl@everyvbox\everyvbox
        \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
        \ifadl@inactive \adl@inactivate \else \adl@activate \fi
        \let\adl@noalign\noalign
        \adl@array}
\ifadl@usingarypkg
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
```

```
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
   \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
   \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
   \@chnum
   \if \@nextchar m\thr@@\else
    \if \@nextchar p4 \else
     \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}

\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
   \@addtopreamble{\ifcase \@chnum
      \hfil
      \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
   \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
        \adl@endmbox\or
   \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi}\prepnext@tok}
\def\adl@class@start{4}
\def\adl@class@iiiorvii{7}

\else
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
        \ifnum \@lastchclass=\thr@@ 5\relax \else
                \z@ \if #1c\@chnum \z@ \else
                    \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                    \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
                \@chclass
                    \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
                    \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
                    \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
                    \if #1@\tw@ \else
                    \if #1p\thr@@ \else \z@ \@preamerr 0\fi
        \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi}
```

```
\def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
                \ifcase \@chnum
                    \hfil\adl@putlrc{$\relax\@sharp$}\hfil
                \or \adl@putlrc{$\relax\@sharp$}\hfil
                \or \hfil\adl@putlrc{$\relax\@sharp$}\fi}}
\def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
        \ifcase \@chnum
                    \hfil\adl@putlrc{\@sharp\unskip}\hfil
                \or \adl@putlrc{\@sharp\unskip}\hfil
                \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
\def\adl@class@start{6}
\def\adl@class@iiiorvii{3}
\fi
\@ifpackageloaded{colortbl}{%
\def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
\def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
        \let\@endpbox\adl@org@endpbox}
\let\adl@CT@setup\CT@setup
\def\CT@setup{\adl@CT@setup
        \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
        \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
        \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
\let\adl@act@CT@setup\CT@setup
\def\@classz{\@classx
        \@tempcnta\count@ \prepnext@tok
        \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
        \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
        \expandafter\adl@extract@drsc
                \the\toks\@tempcnta\doublerulesepcolor!\@nil
        \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
        \@addtopreamble{\if@RTL\beginL\fi%
                \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
                \ifcase \@chnum
                        \hskip\stretch{.5}\kern\z@
                        \d@llarbegin
                        \insert@column
                        \d@llarend\hskip\stretch{.5}%
                \or \d@llarbegin \insert@column \d@llarend \hfill
                \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
                \or  $\vcenter
                        \@startpbox{\@nextchar}\insert@column \@endpbox $%
                \or  \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
                \or  \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
```

```
                \fi
                \if@RTL\endR\fi\egroup\egroup
                \begingroup
                        \CT@setup
                        \CT@column@color
                        \CT@row@color
                        \CT@cell@color
                        \CT@do@color
                \endgroup
                \@tempdima\ht\z@
                \advance\@tempdima\minrowclearance
                \vrule\@height\@tempdima\@width\z@
                \unhbox\z@\if@RTL\endL\fi}%
        \prepnext@tok}
\let\adl@act@classz\@classz
\let\adl@org@classz\@classz
}{}
```

7.15 bidi.sty

```
\NeedsTeXFormat{LaTeX2e}
\def\bididate{2017/03/03}
\def\bidiversion{v30.2}
\ProvidesPackage{bidi}[\bididate\space \bidiversion\space
Bidirectional typesetting in plain TeX and LaTeX]
\edef\@bidi@info{**************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2009--2017 Vafa Khalighi^^J%
* ^^J%
* \bididate, \bidiversion^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://github.com/tex-xet/bidi/issues^^J%
* ^^J%
* Support: persian-tex@tug.org^^J%
**************************************************}
\typeout{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
```

```
\everyjob{\bidi@everyjob\typeout{\@bidi@info}}
\edef\@bidi@strip@v@bidiversion{\expandafter\@gobble\bidiversion}
\newcommand*{\IfbidiPackageVersionLater}[1]{%
  \ifdim\@bidi@strip@v@bidiversion pt > #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersionBefore}[1]{%
  \ifdim\@bidi@strip@v@bidiversion pt < #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersion}[1]{%
  \ifdim\@bidi@strip@v@bidiversion pt = #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\RequirePackage{iftex}
\RequireXeTeX
\RequirePackage{biditools}
\RequirePackage{zref-abspage}
\RequirePackage{auxhook}
\RequirePackage{ltxcmds}
\RequirePackage{xkeyval}
\eqnewif{\if@RTLmain}{\if@rlmain}
\eqnewif{\if@RTL}{\if@rl}
\newif\if@nonlatin
\newcommand*{\setlatin}{\@nonlatinfalse}
\newcommand*{\setnonlatin}{\@nonlatintrue}
\eqnewif{\if@RTLtab}{\if@tab@rl}
\newif\if@hboxRconstruct
\newcommand*{\setRTLtable}{\@RTLtabtrue}
\newcommand*{\setLTRtable}{\@RTLtabfalse}
\newif\if@RTLmarginpar
\newif\if@LTRmarginpar
\newif\if@LTRbibitems
\newif\if@RTLbibitems
\newif\if@extrafootnotefeatures
\newif\if@parafootRTL
\newif\if@RTLcolumnfootnotes
\eqnewif{\if@RTL@footnote}{\if@rl@footnote}
\newif\if@bidi@list@minipage@parbox
\newif\if@bidi@list@minipage@parbox@not@nob
\@RTLmainfalse
\AtBeginDocument{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
```

```
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\bidi@newrobustcmd*{\RLE}{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\input{latex-xetex-bidi.def}
\input{loadingorder-xetex-bidi.def}
\define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttorigh
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}{
  \ifcase\bidi@tempb\relax
    \@RTLtabtrue
  \or
    \@RTLtabfalse
  \fi}
\define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
  \ifcase\bidi@tempb\relax
    \@nonlatinfalse
  \or
    \@nonlatintrue
  \fi}
\define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,
  \ifcase\bidi@tempb\relax
    \autofootnoterule
  \or
    \leftfootnoterule
  \or
    \rightfootnoterule
```

```
  \or
    \SplitFootnoteRule
  \or
    \textwidthfootnoterule
  \fi}
\define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttorigh
  \ifcase\bidi@tempb\relax
    \@RTL@footnotetrue
  \or
    \@RTL@footnotefalse
  \fi}
\define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \footdir@debugtrue
  \or
    \footdir@debugfalse
  \fi}
\define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@extrafootnotefeaturestrue
  \or
    \@extrafootnotefeaturesfalse
  \fi}

\ProcessOptionsX

\if@extrafootnotefeatures
  \input{extrafootnotefeatures-xetex-bidi.def}
\fi
\newcount\bidi@digits
\XeTeXinterchartokenstate=\@ne
\newXeTeXintercharclass\bidi@digits@charclass
\newXeTeXintercharclass\bidi@dot@charclass
\newXeTeXintercharclass\bidi@dash@charclass
\XeTeXcharclass `\. \bidi@dot@charclass
\XeTeXcharclass `\- \bidi@dash@charclass
\bidi@digits=`\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits
\bidi@digits=`\  \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<
\XeTeXinterchartoks \bidi@digits@charclass  \bidi@dot@charclass = {\DigitsDotDashInterCharTok
\XeTeXinterchartoks \bidi@dot@charclass  \bidi@digits@charclass = {\DigitsDotDashInterCharTok
\XeTeXinterchartoks \bidi@digits@charclass  \bidi@dash@charclass = {\DigitsDotDashInterCharTo
\XeTeXinterchartoks \bidi@dash@charclass  \bidi@digits@charclass = {\DigitsDotDashInterCharTo
\newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
```

7.16 bidi.tex

```
\def\bididate{2015/10/16}
\def\bidiversion{v0.3}
\catcode`@=11
\let \protect \relax
```

```
\newlinechar`\^^J
\edef\@bidi@info{**************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2009--2015 Vafa Khalighi^^J%
* ^^J%
* \bididate, \bidiversion^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://github.com/tex-xet/bidi/issues^^J%
* ^^J%
* Support: persian-tex@tug.org^^J%
**************************************************}
\message{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\message{\@bidi@info}}
\input iftex.sty
\RequireXeTeX
\newif\if@RTLmain
\newif\if@RTL
\newif\if@hboxRconstruct
\newif\if@sentdir
\newif\if@RTL@footnote
\@RTLmainfalse
\def\setRTLmain{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\protected\def\LRE{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\protected\def\RLE{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\input plain-xetex-bidi.def
```

```
\catcode`@=12
```

7.17 bidi2in1.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidi2in1}
\pagestyle{plain}
\newcount\evenpage
\newcount\oddpage
\twocolumn
\def\@oddfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
\def\@evenfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
\textwidth 9.49in
\textheight 6.7in
\columnsep 0.9in
\columnseprule 0.125pt
\headheight 0cm
\topmargin 0in
\marginparwidth 0in
\marginparsep 0in
\hoffset 0.05in % Corrected
\voffset -0.5in %top margin space is 1.0in by default
\oddsidemargin 0in
\evensidemargin 0in
\headsep 0cm
\topskip 0cm
\parskip 0.15in       %
\headsep 0pt
\special{papersize=11.69in,8.26in}
\renewcommand\maketitle{\par
\begingroup
\renewcommand\thefootnote{\@fnsymbol\c@footnote}%
\def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
\long\def\@makefntext##1{\parindent 1em\noindent
\hb@xt@1.8em{%
\hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
\@maketitle
\@thanks
\endgroup
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\maketitle\relax
```

```
\global\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
```

7.18 bidicode.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidicode}
\RequirePackage{xcolor}
\RequirePackage{showexpl}
\definecolor{hellgelb}{rgb}{1,1,0.85}
\definecolor{colKeys}{rgb}{0,0,1}
\definecolor{colIdentifier}{rgb}{0,0,0}
\definecolor{colComments}{rgb}{1,0,0}
\definecolor{colString}{rgb}{0,0.5,0}
\lstset{
    language=[LaTeX]TEX,
    float=hbp,
    basicstyle=\ttfamily\small,
    identifierstyle=\color{colIdentifier},
    keywordstyle=\color{colKeys},
    stringstyle=\color{colString},
    commentstyle=\color{colComments},
    columns=flexible,
    tabsize=4,
    gobble =1,
    extendedchars=true,
    showspaces=false,
    showstringspaces=false,
    numbers=left,
    numbersep=0.9em,
    numberstyle=\tiny, %
    frame=single,
    captionpos=b,
    xleftmargin=1em,
    breaklines=true,
    breakautoindent=false,
    breakindent=0pt,
    escapeinside=**,
    pos=r,
    explpreset={%
    xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
    morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
```

```
}
\newcommand\HLON{%
  \gdef\lst@alloverstyle##1{%
    \fboxrule=0pt
    \fboxsep=0pt
    \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
}}
\newcommand\HLOFF{%
  \xdef\lst@alloverstyle##1{##1}%
}
\newcommand\Larg [1]{{\normalfont\itshape#1\/}}
\newcommand\Larga[1]{$\langle$\Larg{#1}$\rangle$}
\newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
\newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
\newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
\newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
\newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}

\DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
\DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\{}}
\DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\}}}
\DeclareRobustCommand\lsb{{\normalfont\ttfamily[}}
\DeclareRobustCommand\rsb{{\normalfont\ttfamily]}}
\DeclareRobustCommand\lrb{{\normalfont\ttfamily(}}
\DeclareRobustCommand\rrb{{\normalfont\ttfamily)}}

\def\Lcs#1{\nxLcs{#1}}
\def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
\def\nxLcs#1{\texttt{\symbol{92}#1}}

\def\Coordx#1{$x_{#1}$}
\def\Coordy#1{$y_{#1}$}
\def\Coordz#1{$z_{#1}$}
\def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
\def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
\def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
\def\CAny{\Coordx{},\kern 1pt\Coordy{}}
\def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
\def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
\def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
\def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
\def\coordx#1{($x_{#1}$)}
\def\coordy#1{($y_{#1}$)}
\def\coordz#1{($z_{#1}$)}
\def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
\def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}

\newsavebox{\boxdef}
\newenvironment{BDef}
  {\begin{lrbox}\boxdef
```

```
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}

   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }

\newenvironment{BDef*}
  {\begin{lrbox}\boxdef
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}
   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }
\newenvironment{BCmd}{
  \@beginparpenalty-\@lowpenalty
  \topsep\BDefaboveskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty\@M
  \@topsepadd\BDefbelowskip
  \endflushleft}

\newenvironment{BCmd*}{
  \@beginparpenalty\@M
  \topsep\BDefinlineskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty5000
  \endflushleft}

\newskip\BDefaboveskip
\newskip\BDefbelowskip
\newskip\BDefinlineskip
\setlength\BDefaboveskip{10pt plus 4pt}
\setlength\BDefbelowskip{6pt}
\setlength\BDefinlineskip{6pt}

\def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
\def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
\def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
\def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}
```

7.19 bidiftnxtra.sty

```
\NeedsTeXFormat{LaTeX2e}
```

```
\ProvidesPackage{bidiftnxtra}
\newtoks\bidi@p@ftn
\let\FN@sf@@footnote\footnote
\let\FN@sf@@LTRfootnote\LTRfootnote
\let\FN@sf@@RTLfootnote\RTLfootnote
\def\footnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\LTRfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@LTRfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\RTLfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@RTLfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\edef\FN@sf@gobble@opt{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
\expandafter\def\csname FN@sf@gobble@opt \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@twobracket
    \@gobble
}
\def\FN@sf@gobble@twobracket[#1]#2{}
\let\FN@sf@@footnotemark\footnotemark
\def\footnotemark{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnotemark
  \else
    \expandafter\FN@sf@gobble@optonly
  \fi
}
\edef\FN@sf@gobble@optonly{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
\expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@bracket
    {}%
}
\def\FN@sf@gobble@bracket[#1]{}
\def\@tabular{%
   \leavevmode \hbox \bgroup
   \let\@footnotetext\bidi@p@ftntext
   \let\@LTRfootnotetext\bidi@p@LTRftntext
```

```
  \let\@RTLfootnotetext\bidi@p@RTLftntext
  \let\@xfootnotenext\bidi@p@xftntext
  \let\@xfootnote\bidi@p@xfootnote
  \let\@xLTRfootnotenext\bidi@p@xLTRftntext
  \let\@xLTRfootnote\bidi@p@xLTRfootnote
   \let\@xRTLfootnotenext\bidi@p@xRTLftntext
  \let\@xRTLfootnote\bidi@p@xRTLfootnote
  \if@RTLtab\beginR \fi
  $\let\@acol\@tabacol
  \let\@classz\@tabclassz
  \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                \egroup $\if@RTLtab\endR\fi\egroup
                 \ifx\@captype\@undefined
                  \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
\long\def\bidi@p@ftntext#1{%
  \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempy{#1}}}%
\long\def\bidi@p@LTRftntext#1{%
  \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyi{#1}}}%
\long\def\bidi@p@RTLftntext#1{%
  \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}%


\long\def\bidi@p@xftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidi@p@xLTRftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidi@p@xRTLftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}


\def\bidi@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xftntext[#1]}


\def\bidi@p@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xLTRftntext[#1]}
```

```
2235
2236
2237 \def\bidi@p@xRTLfootnote[#1]{%
2238   \begingroup
2239     \csname c@\@mpfn\endcsname #1\relax
2240     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2241   \endgroup
2242   \@footnotemark\bidi@p@xRTLftntext[#1]}
2243
2244 \def\@xfloat #1[#2]{%
2245  \@nodocument
2246  \def \@captype {#1}%
2247   \def \@fps {#2}%
2248   \@onelevel@sanitize \@fps
2249   \def \reserved@b {!}%
2250   \ifx \reserved@b \@fps
2251     \@fpsadddefault
2252   \else
2253     \ifx \@fps \@empty
2254       \@fpsadddefault
2255     \fi
2256   \fi
2257   \ifhmode
2258     \@bsphack
2259     \@floatpenalty -\@Mii
2260   \else
2261     \@floatpenalty-\@Miii
2262   \fi
2263  \ifinner
2264     \@parmoderr\@floatpenalty\z@
2265  \else
2266    \@next\@currbox\@freelist
2267      {%
2268       \@tempcnta \sixt@@n
2269       \expandafter \@tfor \expandafter \reserved@a
2270         \expandafter :\expandafter =\@fps
2271         \do
2272          {%
2273           \if \reserved@a h%
2274             \ifodd \@tempcnta
2275             \else
2276               \advance \@tempcnta \@ne
2277             \fi
2278           \fi
2279           \if \reserved@a t%
2280             \@setfpsbit \tw@
2281           \fi
2282           \if \reserved@a b%
2283             \@setfpsbit 4%
2284           \fi
```

```
            \if \reserved@a p%
              \@setfpsbit 8%
            \fi
            \if \reserved@a !%
              \ifnum \@tempcnta>15
                \advance\@tempcnta -\sixt@@n\relax
              \fi
            \fi
            }%
        \@tempcntb \csname ftype@\@captype \endcsname
        \multiply \@tempcntb \@xxxii
        \advance \@tempcnta \@tempcntb
        \global \count\@currbox \@tempcnta
        }%
    \@fltovf
  \fi
  \global \setbox\@currbox
    \color@vbox
      \normalcolor
      \vbox \bgroup
       \let\@footnotetext\bidi@p@ftntext
       \let\@LTRfootnotetext\bidi@p@LTRftntext
       \let\@RTLfootnotetext\bidi@p@RTLftntext
       \let\@xfootnotenext\bidi@p@xftntext
        \let\@xfootnote\bidi@p@xfootnote
        \let\@xLTRfootnotenext\bidi@p@xLTRftntext
        \let\@xLTRfootnote\bidi@p@xLTRfootnote
        \let\@xRTLfootnotenext\bidi@p@xRTLftntext
        \let\@xRTLfootnote\bidi@p@xRTLfootnote
        \hsize\columnwidth
        \@parboxrestore
        \@floatboxreset
}
\def \@endfloatbox{%
      \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
      \@minipagefalse
      \outer@nobreak
    \egroup                  %% end of vbox
    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
  \color@endbox
}
```

7.20 bidimoderncv.cls

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesClass{bidimoderncv}
\newif\if@DEBUG\@DEBUGfalse
\DeclareOption{a4paper}{
  \setlength\paperheight{297mm}
  \setlength\paperwidth{210mm}}
```

```
\DeclareOption{a5paper}{
  \setlength\paperheight{210mm}
  \setlength\paperwidth{148mm}}
\DeclareOption{b5paper}{
  \setlength\paperheight{250mm}
  \setlength\paperwidth{176mm}}
\DeclareOption{letterpaper}{
  \setlength\paperheight{11in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{legalpaper}{
  \setlength\paperheight{14in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{executivepaper}{
  \setlength\paperheight{10.5in}
  \setlength\paperwidth{7.25in}}
\DeclareOption{landscape}{
  \setlength\@tempdima{\paperheight}
  \setlength\paperheight{\paperwidth}
  \setlength\paperwidth{\@tempdima}}
\newcommand\@ptsize{}
\DeclareOption{10pt}{\renewcommand\@ptsize{0}}
\DeclareOption{11pt}{\renewcommand\@ptsize{1}}
\DeclareOption{12pt}{\renewcommand\@ptsize{2}}
\DeclareOption{draft}{\setlength\overfullrule{5pt}}
\DeclareOption{final}{\setlength\overfullrule{0pt}}
\newif\if@colour\@colourtrue
\DeclareOption{nocolour}{\@colourfalse}
\ExecuteOptions{a4paper,11pt,colour,final}
\ProcessOptions\relax
\input{size1\@ptsize.clo}
\RequirePackage{color}
\RequirePackage{graphicx}
\RequirePackage{ifthen}
\RequirePackage{marvosym}
\addtolength{\oddsidemargin}{-54pt}
\addtolength{\textwidth}{109pt}
\addtolength{\topmargin}{-70pt}
\addtolength{\textheight}{122pt}
\addtolength{\marginparsep}{-5pt}
\addtolength{\marginparwidth}{-10pt}
\RequirePackage{url}
\RequirePackage{hyperref}
\hypersetup{%
  breaklinks,
  baseurl       = http://,%
  pdfborder     = 0 0 0,%
  pdfpagemode   = UseNone,%
  pdfstartpage  = 1}
\AtEndOfClass{%
  \AtBeginDocument{%
```

```
    \hypersetup{%
      pdfauthor     = \@firstname~\@familyname,%
      pdftitle      = \@title,%
      pdfsubject    = \@firstname~\@familyname,%
      pdfkeywords   = \@resumename~\@firstname~\@familyname}}
\urlstyle{tt}
\RequirePackage{fancyhdr}
\fancypagestyle{plain}{%
  \renewcommand{\headrulewidth}{0pt}
  \renewcommand{\footrulewidth}{0pt}
  \fancyhf{}}
\pagestyle{plain}
\setlength\lineskip{1\p@}
\setlength\normallineskip{1\p@}
\renewcommand\baselinestretch{}
\setlength{\parindent}{0pt}
\setlength{\parskip}{0pt}
\setlength\columnsep{10\p@}
\setlength\columnseprule{0\p@}
\pagestyle{empty}
\pagenumbering{arabic}
\raggedbottom
\onecolumn
\providecommand*{\listitemsymbol}{\textbullet}
\providecommand*{\addresssymbol}{}
\providecommand*{\mobilesymbol}{\Mobilefone}
\providecommand*{\phonesymbol}{\Telefon}
\providecommand*{\faxsymbol}{\FAX}
\providecommand*{\emailsymbol}{\Letter}
\definecolor{firstnamecolor}{rgb}{0,0,0}
\def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
\def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
\def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
\def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
\def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
\def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
\definecolor{sectionrectanglecolor}{rgb}{0,0,0}
\def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
\def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
\providecommand*{\firstnamefont}{}
\providecommand*{\familynamefont}{}
\providecommand*{\titlefont}{}
\providecommand*{\addressfont}{}
\providecommand*{\quotefont}{}
\providecommand*{\sectionfont}{}
\providecommand*{\subsectionfont}{}
\providecommand*{\hintfont}{\small}
\providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
\providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
\providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
```

```
\providecommand*{\addresstyle}[1]{{\addressfont\@addresscolour#1}}
\providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
\providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
\providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
\providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
\newcommand*{\cvtheme}[2][]{
  \def\@cvtheme{#2}
  \def\@cvthemeoptions{#1}}
\cvtheme{bidi-casual}
\AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
\newcommand*{\resumename}[1]{\def\@resumename{#1}}
\newcommand*{\firstname}[1]{\def\@firstname{#1}}
\newcommand*{\familyname}[1]{\def\@familyname{#1}}
\renewcommand*{\title}[1]{\def\@title{#1}}
\newcommand*{\address}[1]{\def\@address{#1}}
\newcommand*{\mobile}[1]{\def\@mobile{#1}}
\newcommand*{\phone}[1]{\def\@phone{#1}}
\renewcommand*{\fax}[1]{\def\@fax{#1}}
\newcommand*{\email}[1]{\def\@email{#1}}
\newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
\def\@photowidth{0pt}
\newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
\newcommand*{\quote}[1]{\def\@quote{#1}}
\newlength{\quotewidth}
\newlength{\hintscolumnwidth}
\newlength{\separatorcolumnwidth}
\setlength{\separatorcolumnwidth}{0.025\textwidth}
\newlength{\maincolumnwidth}
\newlength{\doubleitemmaincolumnwidth}
\newlength{\listitemsymbolwidth}
\settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
\newlength{\listitemmaincolumnwidth}
\newlength{\listdoubleitemmaincolumnwidth}
\newcommand*{\recomputethemelengths}{}
\newcommand*{\recomputelengths}{%
\setlength{\quotewidth}{0.65\textwidth}%
\setlength{\maincolumnwidth}{\textwidth}%
\addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
\addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
\setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
\setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
\renewcommand{\headwidth}{\textwidth}%
\recomputethemelengths}
```

```
\setlength{\hintscolumnwidth}{0.15\textwidth}
\recomputelengths
\title{}
\renewcommand*{\maketitle}{}
\newcommand*{\section}[1]{%
\vspace*{2.5ex \@plus 1ex \@minus .2ex}%
  \phantomsection{}%
  \addcontentsline{toc}{part}{#1}%
  \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglec
  \hspace{\separatorcolumnwidth}%
  \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\\[1ex]}
\newcommand*{\subsection}[1]{%
  \cvline[0.45em]{}{\subsectionstyle{#1}}}
\newcommand*{\cvline}[3][.25em]{%
  \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}
    \bidi@raggedleft\hintfont{#2} &{#3}%
  \end{tabular}\\[#1]}
\newcommand*{\cvdoubleitem}[4]{%
 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}%
 \hfill%
 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\s
\newcommand*{\cvlistitem}[2][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}
\newcommand*{\cvlistdoubleitem}[3][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}%
  \hfill%
  \ifthenelse{\equal{#3}{}}%
    {}%
    {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
\newcommand*{\cventry}[6]{%
  \cvline{#1}{%
    {\bfseries#2}%
    \ifx#3\else{, {\slshape#3}}\fi%
    \ifx#4\else{, #4}\fi%
    \ifx#5\else{, #5}\fi%
    .%
    \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
    }}%
\newcommand*{\cvlanguage}[3]{%
  \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{
\newcommand*{\cvcomputer}[4]{%
  \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
\newcommand*{\link}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{#2}{#2}}%
    {\href{#2}{#1}}}
\newcommand*{\httplink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{http://#2}{#2}}%
    {\href{http://#2}{#1}}
```

```
\newcommand*{\emaillink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{mailto:#2}{#2}}%
    {\href{mailto:#2}{#1}}}
\newif\if@displaypagenumbers\@displaypagenumberstrue
\newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
\AtBeginDocument{%
  \if@displaypagenumbers%
    \@ifundefined{r@lastpage}{}{%
      \ifthenelse{\pageref{lastpage} > 1}{%
      \fancypagestyle{plain}{%
        \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\page
      \pagestyle{plain}}{}}%
  \AtEndDocument{\label{lastpage}}%
  \fi}
\newlength{\bibindent}
\setlength{\bibindent}{1.5em}
\newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
\newenvironment{thebibliography}[1]%
  {%
    \section{\refname}%
    \small%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \begin{list}{\bibliographyitemlabel}%
      {%
        \setlength{\topsep}{0pt}%
        \setlength{\labelwidth}{\hintscolumnwidth}%
        \setlength{\labelsep}{\separatorcolumnwidth}%
        \leftmargin\labelwidth%
        \advance\leftmargin\labelsep%
        \@openbib@code%
        \usecounter{enumiv}%
        \let\p@enumiv\@empty%
        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
        \sloppy\clubpenalty4000\widowpenalty4000%
  }%
  {%
    \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
    \end{list}%
  }
\newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
\let\@openbib@code\@empty
```

7.21 biditools.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{biditools}[2016/11/30 v0.9 Programming tools for bidi package]
\providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\relax
  \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
  \ifx\@tempa\@tempb \global\let#2#1%
```

```
  \else
    \edef\@tempb{\meaning#2}%
    \ifx\@tempa\@tempb
    \else
      \@latex@error{Unable to properly define \string#2; primitive
      \noexpand#1no longer primitive}\@eha
    \fi
  \fi
  \endgroup}
\newtoks\@bidi@envbody
\newtoks\@bidi@emptytoks
\def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\def\bidi@collect@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\def\bidi@push@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@begins\fi
}
\def\bidi@collect@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@envbody{#1}%
  \else
    \bidi@addto@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\long\def\bidi@collect@long@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\long\def\bidi@push@long@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
}
\long\def\bidi@collect@long@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@s
```

```
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@long@envbody{#1}%
  \else
    \bidi@addto@long@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@new@ifnextchar#1#2#3{%
  \let\reserved@d= #1%
  \def\reserved@a{#2}\def\reserved@b{#3}%
  \futurelet\@let@token\bidi@new@ifnch
}
\def\bidi@new@ifnch{%
  \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
  \reserved@b
}
\def\bidi@matrix@check#1{%
  \expandafter\ifx\csname\@currenvir\endcsname#1%
  \else\bidi@matrix@error#1%
    \expandafter\@gobble
  \fi
}
\def\bidi@matrix@error#1{%
  \PackageError{biditools}{%
Old form `\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
  }{%
`\string#1{...}' is old bidi package syntax whose use is
ill-advised in the old versions of bidi package.%
  }%
}
\def\@tagsextension{clo}
\def\@definitionfileextension{def}
\def\@texfileextension{tex}
\def\@iftagsloaded{\@ifl@aded\@tagsextension}
\def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
\def\@iftexfileloaded{\@ifl@aded\@texfileextension}
\def\eqnewif#1#2{%
  \count@\escapechar \escapechar\m@ne
    \let#1\iffalse
    \let#2\iffalse
    \eq@if#1#2\iftrue
    \eq@if#1#2\iffalse
  \escapechar\count@}
\def\eq@if#1#2#3{%
  \expandafter\def\csname\expandafter\@gobbletwo\string#1%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#1#3%
                         \let#2#3}%
```

```
  \expandafter\def\csname\expandafter\@gobbletwo\string#2%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#2#3%
                         \let#1#3}}
\newcommand*{\SetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\csname#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\global\csname#1\@tempa\endcsname}}}
\newcommand*{\SetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\csname @#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\global\csname @#1\@tempa\endcsname}}}
\def\@bidi@removefromreset#1#2{{%
  \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
  \def\@elt##1{%
    \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
    \else
      \noexpand\@elt{##1}%
    \fi}%
  \expandafter\xdef\csname cl@#2\endcsname{%
    \csname cl@#2\endcsname}}}
\newcommand*{\ifRtoL}{%
  \if@RTL
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
```

```
  \fi}
\newcommand*{\ifLtoR}{%
  \if@RTL
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifRtoLtable}{%
  \if@RTLtab
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoRtable}{%
  \if@RTLtab
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifRtoLhboxconstruct}{%
  \if@hboxRconstruct
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoRhboxconstruct}{%
  \if@hboxRconstruct
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\iflatin}{%
  \if@nonlatin
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifnonlatin}{%
  \if@nonlatin
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}

\newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
    \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}

\newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
    \dimexpr #1*65536/\dimexpr 1pt\relax}

```

```
\newcommand*{\if@bidi@csdef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\if@bidi@csundef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\ifx\csname#1\endcsname\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@def}[1]{%
  \ifdefined#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@undef}[1]{%
  \ifdefined#1%
    \ifx#1\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@blank}[1]{% from url.sty
  \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
\long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
\newcommand{\bidi@notblank}[1]{%
  \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
\newcommand{\if@bidi@defmacro}{}
\long\edef\if@bidi@defmacro#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefmacro
  \noexpand\meaning#1\detokenize{macro}:&}
\edef\bidi@ifdefmacro{%
  \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
\bidi@ifdefmacro{\bidi@notblank{#2}}
\newcommand*{\if@bidi@csmacro}[1]{%
  \if@bidi@csdef{#1}
```

```
    {\expandafter\if@bidi@defmacro\csname#1\endcsname}
    {\@secondoftwo}}
\newcommand{\if@bidi@defprimitive}[1]{%
  \ifprimitive#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@csprimitive}[1]{%
 \begingroup\expandafter\expandafter\expandafter\endgroup%
  \expandafter\ifprimitive\csname#1\endcsname%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\bidi@csdefcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
\newcommand*{\bidi@csletcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
\newcommand*{\bidi@cslet}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\endcsname#2}}
\newcommand{\bidi@namelongdef}[1]{%
  \long\expandafter\def\csname #1\endcsname}
\def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
\def\bidi@ensure@new@command#1{%
  \begingroup \escapechar\m@ne\xdef\@gtempa{{\string#1}}\endgroup
  \expandafter\if@bidi@csundef\@gtempa
     {\new@command#1}{\relax%
  \let\@ifdefinable\@rc@ifdefinable%
  \new@command#1}}
\def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}

\protected\def\bidi@error{\PackageError{bidi}}
\protected\def\bidi@warning{\PackageWarning{bidi}}
\protected\def\bidi@info{\PackageInfo{bidi}}


\newcommand*{\setbaselineskip}[1]{%
    \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\r
    \selectfont
}


\newcommand*{\bidi@newrobustcmd}{}
\protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}

\def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
```

```
2879
2880 \def\bidi@newcommand#1[#2]{%
2881   \@ifnextchar[%]
2882     {\bidi@xargdef#1[#2]}
2883     {\ifx\l@ngrel@x\relax
2884        \let\l@ngrel@x\protected
2885      \else
2886        \protected\def\l@ngrel@x{\protected\long}%
2887      \fi
2888      \@argdef#1[#2]}}
2889
2890 \long\def\bidi@xargdef#1[#2][#3]#4{%
2891   \@ifdefinable#1{%
2892     \expandafter\protected
2893     \expandafter\def
2894     \expandafter#1%
2895     \expandafter{%
2896       \expandafter\@testopt
2897       \csname\string#1\endcsname{#3}}%
2898     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
2899
2900 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
2901
2902 \def\bidi@renew@command#1{%
2903   \if@bidi@undef{#1}
2904      {\bidi@error{\string#1 undefined}\@ehc}
2905      {}%
2906   \let\@ifdefinable\@rc@ifdefinable
2907   \bidi@new@command#1}
2908
2909
2910
2911 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
2912
2913 \def\bidi@provide@command#1{%
2914   \if@bidi@undef{#1}
2915     {\def\reserved@a{\bidi@new@command#1}}
2916     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2917   \reserved@a}
2918
2919 \newcommand*{\bidi@csuse}[1]{%
2920   \ifcsname#1\endcsname
2921     \csname#1\expandafter\endcsname
2922   \fi}
2923
2924 \newcommand{\bidi@expandonce}[1]{%
2925   \unexpanded\expandafter{#1}}
2926
2927 \def\bidi@protected{%
2928   \let\@@protect\protect
```

```
  \let\protect\@unexpandable@protect
  \afterassignment\restore@protect}

\bidi@newrobustcmd{\bidi@appto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@eappto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{\bidi@expandonce#1#2}}}
\bidi@newrobustcmd{\bidi@gappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@xappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{\bidi@expandonce#1#2}}}

\bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
\bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}



\bidi@newrobustcmd{\bidi@preto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@epreto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{#2\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@gpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@xpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{#2\bidi@expandonce#1}}}

\bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
\bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}



\bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
```

```
\bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
\bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}


\bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
\bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}


\bidi@newrobustcmd{\if@bidi@patchable}{%
  \bidi@dbg@trce\if@bidi@patchable
  \begingroup
  \@makeother\#%
  \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}

\long\def\bidi@ifpatchable#1#2{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \bidi@ifscanable{#1}
          {\bidi@ifhashcheck{#2}
             {\bidi@dbg@info{tok}%
              \bidi@ifpattern#1{#2}
                 {\bidi@dbg@info{pat}%
                  \bidi@dbg@info{pos}\@firstoftwo}
                 {\bidi@dbg@fail{pat}\@secondoftwo}}
             {\bidi@dbg@fail{hsh}\@secondoftwo}}
          {\bidi@dbg@fail{tok}\@secondoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@ifpatchable@i#1{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#1}
          {\bidi@dbg@info{prm}%
```

```
            \bidi@ifscanable{#1}
              {\bidi@dbg@info{tok}%
               \bidi@dbg@info{pos}\@firstoftwo}
              {\bidi@dbg@fail{tok}\@secondoftwo}}
           {\bidi@dbg@info{prl}%
            \if@bidi@defprotected{#1}
              {\bidi@dbg@info{pro}}
              {}%
            \bidi@dbg@info{pos}\@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\bidi@newrobustcmd*{\bidi@patchcmd}{%
  \bidi@dbg@trce\bidi@patchcmd
  \begingroup
  \@makeother\#%
  \bidi@@patchcmd}

\newcommand{\bidi@@patchcmd}[4][########1]{%
  \bidi@ifpatchable#2{#3}
    {\bidi@dbg@succ{ret}%
     \begingroup
     \edef\bidi@resrvda{%
       \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
         #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
       \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
         ####1\detokenize{#4}####2}%
       \edef\noexpand\bidi@resrvda{%
         \noexpand\bidi@resrvda\meaning#2&}}%
     \bidi@resrvda
     \bidi@patchcmd@scantoks\bidi@resrvda
     \let#2\bidi@resrvda
     \bidi@undef\bidi@resrvda
     \@firstoftwo}
    {\@secondoftwo}}

\def\bidi@patchcmd@scantoks#1{%
  \edef\bidi@resrvda{\endgroup
    \unexpanded{\makeatletter\scantokens}{#1}%
    \catcode\number`\@=\the\catcode`\@\relax}%
  \bidi@resrvda}

\newcommand\bidi@isloaded[2][]{
  \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
    \expandafter\newif\csname if@bidi@#2loaded@\endcsname
  \fi
  \@ifpackageloaded{#2}
    {\csname @bidi@#2loaded@true\endcsname #1}
    {\csname @bidi@#2loaded@false\endcsname}}

\protected\def\bidi@ifscanable#1{%
```

```
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda####2{####3}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
  \bidi@resrvda
  \makeatletter
  \scantokens\expandafter{\bidi@resrvda}%
  \expandafter\endgroup\ifx#1\bidi@resrvda
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}


\protected\long\def\bidi@ifhashcheck#1{%
  \begingroup
  \edef\bidi@resrvda{\detokenize{#1}}%
  \expandafter\endgroup
  \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}

\edef\bidi@ifhashcheck@i#1&{%
  \noexpand\expandafter
  \noexpand\bidi@ifhashcheck@ii
  \noexpand\strip@prefix#1\string#\string#&}

\edef\bidi@ifhashcheck@ii{%
  \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
\bidi@ifhashcheck@ii{\if@bidi@blank{#2}}


\protected\long\def\bidi@ifpattern#1#2{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
      \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
      \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
    \noexpand\bidi@resrvda}
  \bidi@resrvda\@secondoftwo\@firstoftwo}


\newcommand{\if@bidi@defparam}{}
\long\edef\if@bidi@defparam#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefparam
  \noexpand\meaning#1\detokenize{macro}:->&}
\edef\bidi@ifdefparam{%
  \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
\bidi@ifdefparam{\bidi@notblank{#2}}

```

```
\newcommand{\if@bidi@defprotected}{}
\long\edef\if@bidi@defprotected#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefprotected
  \noexpand\meaning#1\string\protected&}
\edef\bidi@ifdefprotected{%
  \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
\bidi@ifdefprotected{\bidi@notblank{#2}}


\bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}

\let\bidi@dbg@trce\@gobble
\let\bidi@dbg@init\@gobble
\let\bidi@dbg@info\@gobble
\let\bidi@dbg@succ\@gobble
\let\bidi@dbg@fail\@gobble



\bidi@newrobustcmd*{\bidi@apptocmd}{%
  \bidi@dbg@trce\bidi@apptocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@append}



\bidi@newrobustcmd*{\bidi@pretocmd}{%
  \bidi@dbg@trce\bidi@pretocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@prepend}

\long\def\bidi@hooktocmd#1#2#3{%
  \endgroup
  \bidi@dbg@init#2%
  \if@bidi@undef{#2}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#2}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#2}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#2}
             {\bidi@ifhashcheck{#3}
                {\bidi@dbg@info{tok}%
                 \bidi@dbg@succ{ret}%
                 \bidi@hooktocmd@i#1#2{#3}%
                 \@firstoftwo}
```

```
                {\bidi@dbg@fail{hsh}\@secondoftwo}}
              {\bidi@dbg@fail{tok}\@secondoftwo}}
           {\bidi@dbg@info{prl}%
            \if@bidi@defprotected{#2}
              {\bidi@dbg@info{pro}%
               \bidi@dbg@succ{red}%
               \protected}
              {\bidi@dbg@succ{red}}%
            \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
            \@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@hooktocmd@i#1#2#3{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
    \edef\noexpand\bidi@resrvda{%
      \noexpand\bidi@resrvda\meaning#2&}}%
  \bidi@resrvda
  \bidi@patchcmd@scantoks\bidi@resrvda
  \let#2\bidi@resrvda
  \bidi@undef\bidi@resrvda}

\long\def\bidi@append#1#2{#1#2}
\long\def\bidi@prepend#1#2{#2#1}

\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
\newcommand*{\bidi@endpreamblehook}{}

\bidi@preto\document{%
  \endgroup
  \let\bidi@AtEndPreamble\@firstofone
  \bidi@endpreamblehook
  \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@endpreamblehook
  \begingroup}

\bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
\bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}

\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
\newcommand*{\bidi@afterendpreamblehook}{}

\bidi@appto\document{%
  \let\bidi@AfterEndPreamble\@firstofone
  \bidi@afterendpreamblehook
  \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@afterendpreamblehook
  \ignorespaces}
```

```
\AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}

\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
\newcommand*{\bidi@afterenddocumenthook}{}

\bidi@patchcmd\enddocument
  {\deadcycles}
  {\let\bidi@AfterEndDocument\@firstofone
   \bidi@afterenddocumenthook
   \deadcycles}
  {}
  {\let\bidi@@end\@@end
   \def\@@end{%
     \let\bidi@AfterEndDocument\@firstofone
     \bidi@afterenddocumenthook
     \bidi@@end}}

\bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@begin@#1@hook}}

\bidi@patchcmd\begin
  {\csname #1\endcsname}
  {\bidi@csuse{@bidi@begin@#1@hook}%
   \csname #1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}



\bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@end@#1@hook}}

\bidi@patchcmd\end
  {\csname end#1\endcsname}
  {\bidi@csuse{@bidi@end@#1@hook}%
   \csname end#1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AtEndEnvironment' will not work\@gobble}}



\bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@beforebegin@#1@hook}}

\bidi@pretocmd\begin
```

```
  {\bidi@csuse{@bidi@beforebegin@#1@hook}}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}


\bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@afterend@#1@hook}}

\bidi@patchcmd\end
  {\if@ignore}
  {\bidi@csuse{@bidi@afterend@#1@hook}%
   \if@ignore}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}

\CheckCommand{\InputIfFileExists}[2]{%
  \IfFileExists{#1}%
    {#2\@addtofilelist{#1}\@@input \@filef@und}}

\renewcommand{\InputIfFileExists}[2]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
    \expandafter\@secondoftwo
  \else
    \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
    \expandafter\@firstoftwo
  \fi
  {%
    \expandafter\InputIfFileExists\expandafter{\csname
      #1-@bidi@alias\endcsname}{#2}%
  }%
  {\IfFileExists{#1}{%
      \bidi@load@hook{before}{#1}%
      #2\@addtofilelist{#1}%
      \@@input \@filef@und
      \bidi@load@hook{after}{#1}%
    }}%
}

\newcommand*{\bidi@@loadwithoptions}{}
\newcommand*{\bidi@loadwithoptions}{}
\let\bidi@loadwithoptions\@loadwithoptions

\renewcommand*{\@loadwithoptions}[3]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
```

```
  \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
    \def\bidi@@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
  \else
    \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
    \def\bidi@@loadwithoptions{%
      \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
    }%
  \fi
  \bidi@@loadwithoptions
}

\newcommand*{\bidi@onefilewithoptions}{}
\let\bidi@onefilewithoptions\@onefilewithoptions
\def\@onefilewithoptions#1[#2][#3]#4{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
    \def\bidi@@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
  \else
    \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
    \edef\bidi@@onefilewithoptions{%
      \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
  \fi
  \bidi@@onefilewithoptions[{#2}][{#3}]{#4}%
  \bidi@load@hook{lateafter}{#1.#4}%
}

\newcommand*{\bidi@ReplaceInput}[2]{%
  \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
}

\newcommand*{\bidi@UnReplaceInput}[1]{%
  \ifcsname #1-@bidi@alias\endcsname
    \expandafter\let\csname #1-@bidi@alias\endcsname\relax
  \fi
}

\newcommand*{\@bidi@replacefilewithext}[3]{%
  \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
 }
\newcommand*{\bidi@ReplacePackage}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@pkgextension
}
\newcommand*{\bidi@ReplaceClass}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@clsextension
}
\newcommand*{\@bidi@unreplacefilewithext}[2]{%
  \ifcsname #1.#2-@bidi@aliasname\endcsname
    \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
  \fi
}
```

```
\newcommand*{\bidi@UnReplacePackage}[1]{%
  \@bidi@unreplacefilewithext{#1}\@pkgextension
}
\newcommand*{\bidi@UnReplaceClass}[1]{%
  \@bidi@unreplacefilewithext{#1}\@clsextension
}
\newcommand*{\bidi@replacefile@msg}[2]{%
  \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
}

\newcommand*{\bidi@load@hook}[2]{%
  \@ifundefined{#2-@#1}{}{%
    \@nameuse{#2-@#1}%
    \expandafter\let\csname #2-@#1\endcsname=\relax}}
\newcommand*{\bidi@set@load@hook}[2]{%
  \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}{}%
  \expandafter\g@addto@macro\csname #2-@#1\endcsname}
\newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
\newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
\newcommand*{\bidi@BeforeClass}[1]{%
  \bidi@set@load@hook{before}{#1.\@clsextension}}
\newcommand*{\bidi@AfterClass}{%
  \@ifstar {\@s@bidi@AfterClass}{%
    \@ifnextchar +\@@bidi@AfterClass{%
      \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
    }%
  }%
}

\newcommand*{\@@@bidi@AfterClass}[2]{%
  \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterClass
  \else
    \aftergroup\bidi@AfterAtEndOfClass
  \fi
  \endgroup{#2}%
}

\newcommand*{\bidi@AfterAtEndOfClass}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
\newcommand*{\@@bidi@AfterClass}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterClass
    \else
      \aftergroup\@bidi@AfterClass
    \fi
  \endgroup{#2}%
}

```

```
\newcommand*{\@bidi@AfterClass}[1]{%
  \bidi@set@load@hook{after}{#1.\@clsextension}}
\newcommand*{\@s@bidi@AfterClass}[1]{%
  \begingroup
    \@ifclassloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterClass
    }%
  \endgroup
  {#1}%
}


\newcommand*{\bidi@BeforePackage}[1]{%
  \bidi@set@load@hook{before}{#1.\@pkgextension}}
\newcommand*{\bidi@AfterPackage}{%
  \@ifstar {\@s@bidi@AfterPackage}{%
    \@ifnextchar +\@@bidi@AfterPackage{%
      \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
    }%
  }%
}
\newcommand*{\@@@bidi@AfterPackage}[2]{%
  \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterPackage
  \else
    \aftergroup\bidi@AfterAtEndOfPackage
  \fi
  \endgroup{#2}%
}
\newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
\newcommand*{\@@bidi@AfterPackage}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterPackage
    \else
      \aftergroup\@bidi@AfterPackage
    \fi
  \endgroup{#2}%
}
\newcommand*{\@bidi@AfterPackage}[1]{%
  \bidi@set@load@hook{after}{#1.\@pkgextension}}
\newcommand*{\@s@bidi@AfterPackage}[1]{%
  \begingroup
    \@ifpackageloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterPackage
```

```
    }%
  \endgroup
  {#1}%
}

\newcommand*{\bidi@excludedpackages}{}
\let\bidi@excludedpackages\@empty
\newcommand*{\bidi@saved@RequirePackage}{}
\newcommand*{\bidi@PreventPackageFromLoading}{%
  \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
          {\@bidi@PreventPackageFromLoading\PackageWarning}%
}
\newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
  \@ifnextchar [%]
    {\@@bidi@PreventPackageFromLoading#1}{\@@bidi@PreventPackageFromLoading#1[]}%
}
\newcommand*{\@@bidi@PreventPackageFromLoading}{}

\def\@@bidi@PreventPackageFromLoading#1[#2]#3{%
  \edef\reserved@b{\zap@space#3 \@empty}%
  \ifx \reserved@b\@empty
    #1{biditools}{%
      \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
      argument ignored%
    }%
  \else
    \ifx\bidi@excludedpackages\@empty
      \let\bidi@saved@RequirePackage\RequirePackage
      \let\RequirePackage\bidi@RequirePackage
      \def\reserved@a##1##{%
        \@latex@error
        {\noexpand \usepackage before \string\documentclass}%
        {\noexpand \usepackage may only appear in the document
          preamble, i.e.,\MessageBreak
          between \noexpand\documentclass and
          \string\begin{document}.}%
        \@gobble}%
      \ifx\reserved@a\usepackage\else
        \ifx\usepackage\bidi@saved@RequirePackage\else
          \PackageWarning{biditools}{%
            Maybe serious problem: unexpected definition of\MessageBreak
            \string\usepackage
          }%
        \fi
        \let\usepackage\RequirePackage
      \fi
    \fi
    \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
    \reserved@b\do {%
      \ifx\reserved@a\@empty
```

```
        #1{biditools}{%
          empty package argument for
          \string\bidi@PreventPackageFromLoading\MessageBreak
          ignored%
        }%
      \else
        \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
          #1{biditools}{%
            package `\reserved@a' already loaded.\MessageBreak
            Cannot prevent it from beeing loaded%
          }%
        }{%
          \edef\bidi@excludedpackages{\bidi@excludedpackages,%
            \reserved@a}%
          \if\relax\detokenize{#2}\relax\else
            \@ifundefined{bidi@exclude@package@\reserved@a @do}{%
              \@namedef{bidi@exclude@package@\reserved@a @do}{}%
            }{}%
            \expandafter\def
            \csname bidi@exclude@package@\reserved@a
                    @do\expandafter\expandafter\expandafter\endcsname
            \expandafter\expandafter\expandafter{%
              \csname bidi@exclude@package@\reserved@a @do\endcsname
              #2%
            }%
          \fi
        }%
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty
      \bidi@ResetPreventPackageFromLoading
    \fi
  \fi
}

\@onlypreamble\bidi@PreventPackageFromLoading
\newcommand*{\bidi@ResetPreventPackageFromLoading}{%
  \let\bidi@excludedpackages\@empty
  \ifx\RequirePackage\bidi@RequirePackage
    \ifx\usepackage\RequirePackage
      \let\usepackage\bidi@saved@RequirePackage
    \fi
    \let\RequirePackage\bidi@saved@RequirePackage
  \fi
}
\@onlypreamble\bidi@ResetPreventPackageFromLoading
\newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
  \let#1\bidi@excludedpackages
}
\@onlypreamble\bidi@StorePreventPackageFromLoading
```

```
\newcommand*{\bidi@UnPreventPackageFromLoading}{%
  \@ifstar {\@tempswatrue\@bidi@UnPreventPackageFromLoading}%
           {\@tempswafalse\@bidi@UnPreventPackageFromLoading}%
}

\newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
  \edef\reserved@b{\zap@space#1 \@empty}%
  \if@tempswa
    \@for\reserved@a:=\reserved@b\do {%
      \ifx\reserved@a\@empty \else
        \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
          \expandafter\let
          \csname bidi@exclude@package@\reserved@a @do\endcsname
          \undefined
        \fi
      \fi
    }%
  \fi
  \ifcsname bidi@excludedpackages\endcsname
    \let\reserved@a\bidi@excludedpackages
    \let\bidi@excludedpackages\@empty
    \expandafter\@for\expandafter\reserved@c
    \expandafter:\expandafter=\reserved@a
    \do{%
      \ifx\reserved@c\@empty\else
        \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,}%
        \ifin@
        \else
          \edef\bidi@excludedpackages{%
            \bidi@excludedpackages,\reserved@c
          }%
        \fi
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty\bidi@ResetPreventPackageFromLoading\fi
  \fi
}


\newcommand*{\bidi@RequirePackage}[2][]{%
  \let\reserved@c\@empty
  \let\reserved@d\@empty
  \edef\reserved@b{\zap@space#2 \@empty}%
  \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
  \do {%
    \begingroup
      \@tempswatrue
      \@for\reserved@a:=\bidi@excludedpackages\do {%
        \ifx\reserved@a\reserved@b
          \@tempswafalse
```

```
        \fi
      }%
      \if@tempswa
        \xdef\reserved@c{\reserved@c,\reserved@b}%
      \else
        \ifx\reserved@b\@empty\else
          \PackageInfo{biditools}{Excluding package `\reserved@b'\MessageBreak
            from loading}%
          \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
          }{%
            \expandafter\g@addto@macro\expandafter\reserved@d
            \csname bidi@exclude@package@\reserved@b @do\endcsname
          }%
        \fi
      \fi
    \endgroup
  }%
  \ifx\reserved@c\@empty
    \let\reserved@a\bidi@gobbleopt
  \else
    \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
        \expandafter\@gobble\reserved@c\@empty}}%
  \fi
  \expandafter\reserved@d
  \reserved@a
}

\newcommand{\bidi@gobbleopt}[1][]{}
\AtEndDocument{%
  \let\bidi@saved@checkend=\@checkend
  \renewcommand*{\@checkend}[1]{%
    \def\reserved@a{#1}\def\reserved@b{document}%
    \bidi@saved@checkend{#1}%
    \ifx\reserved@a\reserved@b
      \let\bidi@saved@clearpage=\clearpage
      \renewcommand*{\clearpage}{\bidi@saved@clearpage
        \bidi@hook@bcma
        \bidi@restore@newpage
        \let\clearpage=\bidi@saved@clearpage}%
    \fi%
    \let\bidi@saved@dofilelist\@dofilelist
    \def\@dofilelist{%
      \bidi@hook@acma
      \let\@dofilelist\bidi@saved@dofilelist
      \bidi@saved@dofilelist
    }%
  }%
}
```

```
\newcommand*{\bidi@saved@checkend}{}
\newcommand*{\bidi@saved@dofilelist}{}
\newcommand*{\bidi@redefine@newpage}{%
  \let\bidi@saved@newpage\newpage
  \def\bidi@restore@newpage{%
    \renewcommand*{\newpage}{%
      \PackageWarningNoLine{%
        biditools%
      }{%
        \string\newpage\space at main aux file!\MessageBreak
        You have output material at the main aux file.\MessageBreak
        Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
        are processed before the output from aux file%
      }%
      \let\newpage\bidi@saved@newpage
      \newpage
    }%
  }%
  \renewcommand*{\newpage}{%
    \PackageError{%
      biditools%
    }{%
      \string\newpage\space at \string\bidi@BeforeClosingMainAux
    }{%
      You should never use \string\newpage\space or
      \string\clear(double)page or other output material at the\MessageBreak
      argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
      If you'll continue, the \string\newpage\space will be ignored to
      avoid corruption of\MessageBreak
      every prior use of \string\bidi@BeforeClosingMainAux.
    }%
  }%
}

\newcommand*{\bidi@restore@newpage}{}
\newcommand*{\bidi@hook@bcma}{}
\newcommand*{\bidi@hook@acma}{}
\newcommand*{\bidi@BeforeClosingMainAux}{%
  \ifx\bidi@hook@bcma\@empty
    \gdef\bidi@hook@bcma{%
      \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
      \bidi@redefine@newpage
    }%
  \fi
  \g@addto@macro\bidi@hook@bcma%
}

\newcommand*{\bidi@AfterReadingMainAux}{%
  \ifx\bidi@hook@acma\@empty
```

```
    \gdef\bidi@hook@acma{%
      \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
    }%
  \fi
  \g@addto@macro\bidi@hook@acma%
}

\long\def\bidi@protected@immediate@write#1#2#3{%
  \begingroup
    #2%
    \let\protect\@unexpandable@protect
    \edef\reserved@a{\immediate\write#1{#3}}%
    \reserved@a
  \endgroup
  \if@nobreak\ifvmode\nobreak\fi\fi
}

\def\bidi@patch@counter{0}%
\if@bidi@csundef{numexpr}{%
  \def\bidi@patch@stepcounter{%
    \begingroup
      \count@\bidi@patch@counter\relax
      \advance\count@\@ne\relax
    \edef\x{\endgroup
      \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
    }%
    \x
  }%
}{%
  \def\bidi@patch@stepcounter{%
    \edef\bidi@patch@counter{%
      \the\numexpr\bidi@patch@counter+\@ne\relax
    }%
  }%
}
\def\bidi@patch@list{}
\def\bidi@patch@Add{%
  \bidi@appto\bidi@patch@list
}
\def\bidi@patch@AfterPackage#1{%
  \@ifpackageloaded{#1}{%
    \@firstofone
  }{%
    \bidi@patch@AfterPackage{#1}%
  }%
}
\def\bidi@patch@AfterPackage#1{%
  \edef\bidi@patch@temp{#1}%
  \bidi@patch@stepcounter
```

```
  \expandafter\bidi@patch@@AfterPackage
  \csname bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
    \bidi@patch@temp
  }%
}
\def\bidi@patch@@AfterPackage#1#2#3{%
  \begingroup
    \toks@{#3}%
    \xdef\bidi@patch@gtemp{%
      \noexpand\@ifpackageloaded{#2}{%
        \noexpand\let\noexpand#1\noexpand\relax
        \the\toks@
      }{}%
    }%
  \endgroup
  \let#1\bidi@patch@gtemp
  \bidi@patch@Add#1%
  \bidi@patch@try{bidi@AfterPackage}{#2}#1%
}

\def\bidi@patch@try#1#2#3{%
  \if@bidi@csundef{#1}{}{%
    \csname #1\endcsname{#2}{#3}%
  }%
}

\AtBeginDocument{\bidi@patch@list}

\bidi@AtEndPreamble{\bidi@patch@list}%

\bidi@AfterEndPreamble{%
  \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
  \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
  \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
  \let\bidi@patch@OrgIfClassLater\@ifclasslater
  \bidi@patch@list
  \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
  \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
  \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
  \let\@ifclasslater\bidi@patch@OrgIfClassLater
}%
```

7.22 bidituftefloat.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftefloat}[2011/06/14 v0.1
bidi implementation of tufte float]
\RequirePackage{xifthen}
\newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
\newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
```

```
\newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bidi
\newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1\@gobble}}
\newboolean{@bidituftefloat@reversegeometry}
\setboolean{@bidituftefloat@reversegeometry}{false}
\DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
\newboolean{@bidituftefloat@afourpaper}
\DeclareOption{a4paper}{\setboolean{@bidituftefloat@afourpaper}{true}}
\newboolean{@bidituftefloat@bfivepaper}
\DeclareOption{b5paper}{\setboolean{@bidituftefloat@bfivepaper}{true}}
\newboolean{@bidituftefloat@symmetric}
\newboolean{@bidituftefloat@twoside}
\DeclareOption{twoside}{%
\@twosidetrue  \@mparswitchtrue%
\setboolean{@bidituftefloat@twoside}{true}%
\setboolean{@bidituftefloat@symmetric}{true}%
}
\DeclareOption{oneside}{%
\@twosidefalse  \@mparswitchfalse%
\setboolean{@bidituftefloat@twoside}{false}%
\setboolean{@bidituftefloat@symmetric}{false}%
}
\@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
\newboolean{@bidituftefloat@debug}
\newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetec
\ProcessOptions
%% Globally sets the length
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}

%% Set the font sizes and baselines to match bidituftefloat's books
\renewcommand\normalsize{%
   \@setfontsize\normalsize\@xpt{14}%
   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
   \abovedisplayshortskip \z@ \@plus3\p@
   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
   \belowdisplayskip \abovedisplayskip
   \let\@listi\@listI}
\normalbaselineskip=14pt
\normalsize
\renewcommand\footnotesize{%
   \@setfontsize\footnotesize\@viiipt{10}%
   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus\p@
   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 3\p@ \@plus\p@ \@minus\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
```

```
  \belowdisplayskip \abovedisplayskip
}
%% Paragraph indentation and separation for marginal text
\newcommand{\@bidituftefloat@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
\RequirePackage{ragged2e}
\ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
\RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,
  {}}{%
\RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpars
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpars
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,m
  {}}
\ifthenelse{\boolean{@bidituftefloat@symmetric}}
  {}
  {\geometry{asymmetric}}% forces internal LaTeX `twoside'
\setlength\marginparpush{10pt}
%% Font for margin items
\newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
\newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
\newcommand{\@bidituftefloat@justification}{\justifying}%
\setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
\setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
\newboolean{@bidituftefloat@changepage}
\IfFileExists{changepage.sty}{%
  \bidituftefloatDebugInfoNL{Found changepage.sty}
  \RequirePackage[strict]{changepage}
  \setboolean{@bidituftefloat@changepage}{true}
}{%
  \bidituftefloatDebugInfoNL{Found chngpage.sty}
  \RequirePackage[strict]{chngpage}
  \setboolean{@bidituftefloat@changepage}{false}
}
\newboolean{@bidituftefloat@odd@page}
\setboolean{@bidituftefloat@odd@page}{true}
\newcommand*{\@bidituftefloat@checkoddpage}{%
  \checkoddpage%
```

```
  \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
    \ifoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }{%
    \ifcpoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }%
}
\newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running head
\newlength{\@bidituftefloat@fullwidth}
\newlength{\@bidituftefloat@caption@fill}
\newcommand{\bidituftefloatRecalculate}{%
  \setlength{\@bidituftefloat@overhang}{\marginparwidth}
  \addtolength{\@bidituftefloat@overhang}{\marginparsep}

  \setlength{\@bidituftefloat@fullwidth}{\textwidth}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}

  \setlength{\@bidituftefloat@caption@fill}{\textwidth}
  \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
}
\AtBeginDocument{\bidituftefloatRecalculate}
\RequirePackage{optparams}%  provides multiple optional arguments for commands
\RequirePackage{placeins}
\newsavebox{\@bidituftefloat@margin@floatbox}
\newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
  {\FloatBarrier% process all floats before this point so the figure/table numbers stay in or
  \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
  \begin{minipage}{\marginparwidth}%
    \@bidituftefloat@caption@font%
    \def\@captype{#2}%
    \hbox{}\vspace*{#1}%
    \@bidituftefloat@caption@justification%
    \@bidituftefloat@margin@par%
    \noindent%
  }
  {\end{minipage}%
  \end{lrbox}%
  \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
  }
\newenvironment{marginfigure}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{figure}}
  {\end{@bidituftefloat@margin@float}}
```

```
\newenvironment{margintable}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{table}}
  {\end{@bidituftefloat@margin@float}}
\newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%

\newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float
\newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
  \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}%
    {\def\@bidituftefloat@float@debug@info{#1}}%
    {\g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak#1}}%
}
\newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
\newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug
\newboolean{@bidituftefloat@float@recto}
\newcommand{\forcerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detec
\newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Dete
\newsavebox{\@bidituftefloat@figure@box}
\newsavebox{\@bidituftefloat@caption@box}
\let\@bidituftefloat@orig@float\@float
\let\@bidituftefloat@orig@endfloat\end@float
\newlength{\@bidituftefloat@caption@vertical@offset}
\setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
\newcommand{\@bidituftefloat@stored@shortcaption}{}
\newcommand{\@bidituftefloat@stored@caption}{}
\newcommand{\@bidituftefloat@stored@label}{}
\long\def\@bidituftefloat@caption[#1][#2]#3{%
  \ifthenelse{\isempty{#1}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#3}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#1}}%
  \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}% we want a positive offset to lo
  \gdef\@bidituftefloat@stored@caption{#3}%
}
\newcommand{\@bidituftefloat@label}[1]{%
  \gdef\@bidituftefloat@stored@label{#1}%
}
\newcommand{\@bidituftefloat@fps}{}
\newboolean{@bidituftefloat@float@star}
\newlength{\@bidituftefloat@float@contents@width}
\newenvironment{@bidituftefloat@float}[3][htbp]%
  {% begin @bidituftefloat@float
    % Should this float be full-width or just text-width?
    \ifthenelse{\equal{#3}{star}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
    % Check page side (recto/verso) and store detected value -- can be overriden in environme
    \@bidituftefloat@checkoddpage%
    \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detec
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Dete
    % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
```

```
    \renewcommand{\@bidituftefloat@fps}{#1}%
    \@bidituftefloat@float@debug{Allowed positions: [#1]}%
    \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
      {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [bott
      {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]
    % Capture the contents of the \caption and \label commands to use later
    \global\let\@bidituftefloat@orig@caption\caption%
    \global\let\@bidituftefloat@orig@label\label%
    \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[][Opt]}}%
    \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
    % Handle subfigure package compatibility
    \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
      % don't move the label while inside a \subfigure or \subtable command
      \global\let\label\@bidituftefloat@orig@label%
    }{}% subfigure package is not loaded
    \@bidituftefloat@orig@float{#2}[#1]%
    \ifthenelse{\boolean{@bidituftefloat@float@star}}%
      {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
      {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
    \begin{lrbox}{\@bidituftefloat@figure@box}%
      \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
}{% end @bidituftefloat@float
      \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% al
      \end{minipage}%
    \end{lrbox}%
    % build the caption box
    \begin{lrbox}{\@bidituftefloat@caption@box}%
      \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
        \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}}{\@bidituftefloat@orig@capt
        \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}}{\@bidituftefloat@orig@label{
        \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
      \end{minipage}%
    \end{lrbox}%
    % now typeset the stored boxes
    \begin{fullwidth}%
      \begin{minipage}[\floatalignment]{\linewidth}%
        \ifthenelse{\boolean{@bidituftefloat@float@star}}%
          {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@bidit
          {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bidit
      \end{minipage}%
    \end{fullwidth}%
    \@bidituftefloat@orig@endfloat% end original LaTeX float environment
    % output debug info
    \ifthenelse{\boolean{@bidituftefloat@debug}}{%
      \typeout{^^J^^J---------- bidituftefloat package float information ----------}%
      \ifthenelse{\equal{\@bidituftefloat@stored@label}{}}%
        {\typeout{Warning: Float unlabeled!}}%
        {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
      \typeout{Page number: [\thepage]}%
      \def\MessageBreak{^^J}%
```

```
      \typeout{\@bidituftefloat@float@debug@info}%
      \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
        {\typeout{Symmetric: [true]}}%
        {\typeout{Symmetric: [false]}}%
      \typeout{----------------------------------------------------^^J^^J}%
    }{}%
    % reset commands and temp boxes and captions
    \gdef\@bidituftefloat@float@debug@info{}%
    \let\caption\@bidituftefloat@orig@caption%
    \let\label\@bidituftefloat@orig@label%
    \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
    \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
    \gdef\@bidituftefloat@stored@shortcaption{}%
    \gdef\@bidituftefloat@stored@caption{}%
    \gdef\@bidituftefloat@stored@label{}%
    \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
  }
\newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
  \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}
    % asymmetric or page is odd, so caption is on the right
    \hbox{%
      \usebox{#2}%
      \hspace{\marginparsep}%
      \smash{\raisebox{#1}{\usebox{#3}}}%
    }
    \@bidituftefloat@float@debug{Caption position: [right]}%
  }{% symmetric pages and page is even, so caption is on the left
    \hbox{%
      \smash{\raisebox{#1}{\usebox{#3}}}%
      \hspace{\marginparsep}%
      \usebox{#2}%
    }
    \@bidituftefloat@float@debug{Caption position: [left]}%
  }%
}
\newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
  \ifthenelse{\equal{\floatalignment}{b}}%
    {% place caption above figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@re
        {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug{
        {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{
    }{% place caption below figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@re
        {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug{
        {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug{
    }%
}
\renewenvironment{figure}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{}}
  {\end{@bidituftefloat@float}}
```

```
\renewenvironment{table}[1][htbp]
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{figure*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{star}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{star}}
  {\end{@bidituftefloat@float}}
\newenvironment{fullwidth}
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefl
     {\begin{adjustwidth}{}{-\@bidituftefloat@overhang}}%
  }%
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
    {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}
    {\end{adjustwidth}}%
  }
\long\def\@caption#1[#2]#3{%
  \par%
  \addcontentsline{\csname ext@#1\endcsname}{#1}%
    {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
  \begingroup%
    \@parboxrestore%
    \if@minipage%
      \@setminipage%
    \fi%
    \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
    \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
    %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
  \endgroup}
%%
% Turns newlines into spaces.  Based on code from the `titlesec' package.
\DeclareRobustCommand{\@bidituftеheading@newlinetospace}{%
  \@ifstar{\@bidituftеheading@newlinetospace@i}{\@bidituftеheading@newlinetospace@i}%
}
\def\@bidituftеheading@newlinetospace@i{%
  \ifdim\lastskip>\z@\else\space\fi
  \ignorespaces%
}
\DeclareRobustCommand{\newlinetospace}[1]{%
  \let\@bidituftеheading@orig@cr\\% save the original meaning of \\
  \def\\{\@bidituftеheading@newlinetospace}% turn \\ and \\* into \space
  \let\newline\\% turn \newline into \space
  #1%
  \let\\\@bidituftеheading@orig@cr% revert to original meaning of \\
}
\RequirePackage{fancyhdr}
\pagestyle{fancy}
\AtBeginDocument{%
```

```
  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhfoffset[LE,RO]{\@bidituftefloat@overhang}}
    {\fancyhfoffset[RE,RO]{\@bidituftefloat@overhang}}
}
% The running heads/feet don't have rules
\renewcommand{\headrulewidth}{0pt}
\renewcommand{\footrulewidth}{0pt}
% The 'fancy' page style is the default style for all pages.
\fancyhf{} % clear header and footer fields
    \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
    \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
    {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
% The `plain' page style is used on chapter opening pages.
% In Tufte's /Beautiful Evidence/ he never puts page numbers at the
% bottom of pages -- the folios are unexpressed.
\fancypagestyle{plain}{
  \fancyhf{} % clear header and footer fields
  % Uncomment the following five lines of code if you want the opening page
  % of the chapter to express the folio in the lower outside corner.
  %  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
  %  {\fancyfoot[LE,RO]{\thepage}}
  %  {\fancyfoot[RE,RO]{\thepage}}
}
% The `empty' page style suppresses all headers and footers.
% It's used on title pages and `intentionally blank' pages.
\fancypagestyle{empty}{
  \fancyhf{} % clear header and footer fields
}
\def\morefloats{% provides a total of 52 floats
  \ifthenelse{\isundefined{\bx@S}}{%
    \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
    \newinsert\bx@S
    \newinsert\bx@T
    \newinsert\bx@U
    \newinsert\bx@V
    \newinsert\bx@W
    \newinsert\bx@X
    \newinsert\bx@Y
    \newinsert\bx@Z
    \newinsert\bx@a
    \newinsert\bx@b
    \newinsert\bx@c
    \newinsert\bx@d
    \newinsert\bx@e
    \newinsert\bx@f
    \newinsert\bx@g
    \newinsert\bx@h
    \newinsert\bx@i
    \newinsert\bx@j
```

```
    \newinsert\bx@k
    \newinsert\bx@l
    \newinsert\bx@m
    \newinsert\bx@n
    \newinsert\bx@o
    \newinsert\bx@p
    \newinsert\bx@q
    \newinsert\bx@r
    \newinsert\bx@s
    \newinsert\bx@t
    \newinsert\bx@u
    \newinsert\bx@v
    \newinsert\bx@w
    \newinsert\bx@x
    \newinsert\bx@y
    \newinsert\bx@z
    \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                    \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                    \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                    \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                    \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                    \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                    \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                    \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                    \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                    \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                    \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                    \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
}{% we've already added another 34 floats, so we'll add 26 more, but that's it!
  \ifthenelse{\isundefined{\bx@AA}}{%
    \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
    \newinsert\bx@AA
    \newinsert\bx@BB
    \newinsert\bx@CC
    \newinsert\bx@DD
    \newinsert\bx@EE
    \newinsert\bx@FF
    \newinsert\bx@GG
    \newinsert\bx@HH
    \newinsert\bx@II
    \newinsert\bx@JJ
    \newinsert\bx@KK
    \newinsert\bx@LL
    \newinsert\bx@MM
    \newinsert\bx@NN
    \newinsert\bx@OO
    \newinsert\bx@PP
    \newinsert\bx@QQ
    \newinsert\bx@RR
    \newinsert\bx@SS
```

```
      \newinsert\bx@TT
      \newinsert\bx@UU
      \newinsert\bx@VV
      \newinsert\bx@WW
      \newinsert\bx@XX
      \newinsert\bx@YY
      \newinsert\bx@ZZ
      \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                      \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                      \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                      \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                      \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                      \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                      \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                      \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                      \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                      \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                      \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                      \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
                      \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
                      \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
                      \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
                      \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
                      \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
                      \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
    }{%
      \bidituftefloatError{You may only call \string\morefloats\space twice. See the\MessageB
        {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\
    }%
  }%
}
\newboolean{@bidituftefloat@packages@subfigure}
\setboolean{@bidituftefloat@packages@subfigure}{false}
\AtBeginDocument{%
  \@ifpackageloaded{subfigure}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
}
\AtBeginDocument{%
  \@ifpackageloaded{float}{%
    % Save the redefined float environment (instead of the LaTeX float environment)
    \let\@bidituftefloat@orig@float\@float
    \let\@bidituftefloat@orig@endfloat\end@float

    % Define Tuftian float styles (with the caption in the margin)
    \newcommand{\floatc@bidituftefloatplain}[2]{%
      \begin{lrbox}{\@bidituftefloat@caption@box}%
        \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
          \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
        \end{minipage}%
```

```
      \end{lrbox}%
      \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
    }
    \newcommand{\fs@bidituftefloatplain}{%
      \def\@fs@cfont{\@bidituftefloat@caption@font}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{}%
      \def\@fs@post{}%
      \def\@fs@mid{}%
      \let\@fs@iftopcapt\iftrue%
    }
    \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
    \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
    \newcommand\floatc@bidituftefloatruled[2]{%
      {\@fs@cfont #1} #2\par%
    }
    \newcommand\fs@bidituftefloatruled{%
      \def\@fs@cfont{\@bidituftefloat@caption@font}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
      \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
      \def\@fs@mid{}%
      \let\@fs@iftopcapt\iftrue%
    }
    \newcommand\fs@bidituftefloatboxed{%
      \def\@fs@cfont{}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{%
        \setbox\@currbox\vbox{\hbadness10000
        \moveleft3.4pt\vbox{\advance\hsize by6.8pt
          \hrule \hbox to\hsize{\vrule\kern3pt
            \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
      }%
      \def\@fs@mid{\kern2pt}%
      \def\@fs@post{}%
      \let\@fs@iftopcapt\iftrue%
    }
  }{%
    % Nothing to do
  }
}
\AtBeginDocument{%
  \@ifpackageloaded{algorithm}{%
    % Set the float style to the Tuftian version
    \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG
      \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak
      \floatstyle{bidituftefloat\ALG@floatstyle}%
      \restylefloat{algorithm}%
    }{}%
  }{%
```

```
    % Nothing to do
  }
}
\PassOptionsToPackage{caption=false}{subfig}
```

7.23 bidituftesidenote.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftesidenote}[2015/04/30 v0.3
bidi implementation of tufte sidenote]
\RequirePackage{xifthen}
\RequirePackage{ragged2e}
\RequirePackage{setspace}
\RequirePackage{biditools}
\def\bidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteympar}
\long\def\@bidituftesidenotexmpar[#1]#2{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \@bidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@bidituftesidenoteympar#1{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@bidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@bidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
```

```
    \color@endbox
}
\def \@bidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
}
\def\LTRbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteympar}
\long\def\@LTRbidituftesidenotexmpar[#1]#2{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRbidituftesidenoteympar#1{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
```

```
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteympar}
\long\def\@RTLbidituftesidenotexmpar[#1]#2{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLbidituftesidenoteympar#1{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
```

```
\newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
\newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRsidenote@font}{#1}
\newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}
\newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
\newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}
\newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}
\newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
\newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}
\newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}
\newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@au
\newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@
\newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@au
\newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
\newcommand{\@bidituftesidenote@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
%%
% Globally sets the length
\@ifundefined{gsetlength}{%
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}%
}{}

%%
% A function that removes leading and trailling spaces from the supplied macro.
% Based on code written by Michael Downes (See ``Around the Bend'', #15.)
% Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
% being trimmed of leading and trailing white space.
\catcode`\Q=3
\def\@bidituftesidenote@trim@spaces#1{%
  % Use grouping to emulate a multi-token afterassignment queue
  \begingroup%
  % Put `\toks 0 {' into the afterassignment queue
  \aftergroup\toks\aftergroup0\aftergroup{%
  % Apply \trimb to the replacement text of #1, adding a leading
  % \noexpand to prevent brace stripping and to serve another purpose
  % later.
```

```
  \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
  % Transfer the trimmed text back into #1.
  \edef#1{\the\toks0}%
}
% \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
% clean up any leftover bizarre Qs, and trim a leading space. In
% order for \trimc to work properly we need to put back a Q first.
\def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
% Execute \vfuzz assignment to remove leading space; the \noexpand
% will now prevent unwanted expansion of a macro or other expandable
% token at the beginning of the trimmed text. The \endgroup will feed
% in the \aftergroup tokens after the \vfuzz assignment is completed.
\def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
\catcode`\Q=11
%%
% Citations should go in the margin as sidenotes

\RequirePackage{natbib}
\RequirePackage{bibentry}        % allows bibitems to be typeset outside thebibliography envi
% Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
\renewcommand\BR@b@bibitem[2][]{%
  \ifthenelse{\isempty{#1}}%
    {\BR@bibitem{#2}}%
    {\BR@bibitem[#1]{#2}}%
  \BR@c@bibitem{#2}%
}
\bidi@AtEndPreamble{\nobibliography*}                % pre-loads the bibliography keys
%%
% Normal \cite behavior
\newcounter{@bidituftesidenote@num@bibkeys}%
\newcommand{\@bidituftesidenote@normal@cite}[2][Opt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \sidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
\newcommand{\@bidituftеLTRsidenote@normal@cite}[2][Opt]{%
```

```
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \LTRsidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
\newcommand{\@bidituftеRTLsidenote@normal@cite}[2][0pt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \RTLsidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% Macros for holding the list of cite keys until after the \sidenote
\gdef\@bidituftesidenote@citations{}% list of cite keys
\newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
  \ifx\@bidituftesidenote@citations\@empty\else
    \g@addto@macro\@bidituftesidenote@citations{,}% separate by commas
  \fi
  \g@addto@macro\@bidituftesidenote@citations{#1}
}
\newcommand{\@bidituftesidenote@print@citations}[1][0pt]{% puts the citations in a margin not
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
```

```
  \marginpar{%
    \hbox{}\vspace*{#1}%
    \@bidituftesidenote@citation@font%
    \@bidituftesidenote@citation@justification%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% \cite behavior when executed within a sidenote
\newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
\newcommand{\@bidituftesidenote@infootnote@cite}[1]{%
  \@bidituftesidenote@add@citation{#1}
}
%%
% Set the default \cite style.  This is set and reset by the \sidenote command.
\let\cite\@bidituftesidenote@normal@cite
\let\LTRcite\@biditufteLTRsidenote@normal@cite
\let\RTLcite\@biditufteRTLsidenote@normal@cite
%%
% Transform existing \footnotes into \sidenotes
% Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
\RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional argum
\providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenot
\renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@
% Override footmisc's definition to set the sidenote marks (numbers) inside the
% sidenote's text block.
\bidi@patch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidituftesidenote@
% Set the in-text footnote mark in the same typeface as the body text itself.
\bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotes
\providecommand*{\multiplefootnotemarker}{3sp}
\providecommand*{\multfootsep}{,}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\@footnotemark}{%
  \leavevmode%
  \ifhmode%
    \edef\@x@sf{\the\spacefactor}%
    \@bidituftesidenote@check@multiple@sidenotes%
    \nobreak%
```

```
  \fi%
  \@makefnmark%
  \ifhmode\spacefactor\@x@sf\fi%
  \relax%
}%
}
\newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
  \ifdim\lastkern=\multiplefootnotemarker\relax%
    \edef\@x@sf{\the\spacefactor}%
    \unkern%
    \textsuperscript{\multfootsep}%
    \spacefactor\@x@sf\relax%
  \fi
}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand\@footnotetext[2][0pt]{%
  \bidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \bidi@@footnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@LTRfootnotetext[2][0pt]{%
  \LTRbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@RTLfootnotetext[2][0pt]{%
```

```
  \RTLbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
}
%
% Define \sidenote command.  Can handle \cite.
\newlength{\@bidituftesidenote@sidenote@vertical@offset}
\setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
% #1 = footnote num, #2 = vertical offset, #3 = footnote text
\long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@bidituftesidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@bidituftesidenote@normal@cite%       go back to using normal in-text \RTLc
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
```

```
}
\long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@bidituftеLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@bidituftеRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
```

```
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}%
}
%%
% Sidenote without the footnote mark
\newcommand\marginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituf
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
}
\newcommand\LTRmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@b
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
}
\newcommand\RTLmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@RTLmarginnote@font\@b
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
}
```

7.24 bidituftetoc.sty

```
\NeedsTeXFormat{LaTeX2e}
```

```
\ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
bidi implementation of tufte toc]
\RequirePackage{titlesec,titletoc,xifthen,biditools}
\newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
\newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
%%
% Turn off section numbering
\setcounter{secnumdepth}{-1}
\newboolean{@bidituftetoc@toc}
\setboolean{@bidituftetoc@toc}{true}
\DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
\DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
\ProcessOptions
%%
% Make Tuftian-style section headings and TOC formatting
\bidi@patch@AfterPackage{bidi}{%
\titleformat{\chapter}%
  [display]% shape
  {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}}% format a
  {\itshape\huge\thechapter}% label
  {0pt}% horizontal separation between label and title body
  {\huge\rmfamily\itshape}% before the title body
  [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}]% after the title
\titleformat{\section}%
  [hang]% shape
  {\normalfont\Large\itshape}% format applied to label+text
  {\thesection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\subsection}%
  [hang]% shape
  {\normalfont\large\itshape}% format applied to label+text
  {\thesubsection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\paragraph}%
  [runin]% shape
  {\normalfont\itshape}% format applied to label+text
  {\theparagraph}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titlespacing*{\chapter}{0pt}{50pt}{40pt}
\titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
\titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
}
% Subsubsection and following section headings shouldn't be used.
% See Bringhurst's _The Elements of Typography_, section 4.2.2.
```

```
\renewcommand\subsubsection{%
  \bidituftetocError{\noexpand\subsubsection is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subsubsection was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the ma
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
\renewcommand\subparagraph{%
  \bidituftetocError{\noexpand\subparagraph is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subparagraph was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the ma
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
% Formatting for main TOC (printed in front matter)
% {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
\ifthenelse{\boolean{@bidituftetoc@toc}}{%
 \bidi@patch@AfterPackage{bidi}{%
 \titlecontents{part}% FIXME
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global forma
    {\contentslabel{2em}} % before w/label (label = ``II'')
    {} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{chapter}%
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global forma
    {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
    {\hspace*{0em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{section}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatt
    {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
    {\hspace*{2em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{subsection}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatt
    {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
    {\hspace*{4em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
```

```
  \titlecontents{paragraph}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global fo
    {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
    {\hspace*{6em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
}%
}{}
%%
% Format lists of figures/tables
\renewcommand\listoffigures{%
  \@ifundefined{chapter}%
    {\section*{\listfigurename}}%
    {\chapter*{\listfigurename}}%
%  \begin{fullwidth}%
    \@starttoc{lof}%
%  \end{fullwidth}%
}
\renewcommand\listoftables{%
  \@ifundefined{chapter}%
    {\section*{\listtablename}}%
    {\chapter*{\listtablename}}%
%  \begin{fullwidth}%
    \@starttoc{lot}%
%  \end{fullwidth}%
}
\newcommand{\@bidituftetoc@lof@line}[2]{%
  % #1 is the figure/table number and its caption text
  % #2 is the page number on which the figure/table appears
  \leftskip 0.0em
  \rightskip 0em
  \parfillskip 0em plus 1fil
  \parindent 0.0em
  \@afterindenttrue
  \interlinepenalty\@M
  \leavevmode
  \@tempdima 2.0em
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
  {#1}\nobreak\qquad\nobreak#2%
  \par%
}
\renewcommand*\l@figure{\@bidituftetoc@lof@line}
\let\l@table\l@figure
```

7.25 bidituftegeneralstructure.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
```

```
bidi implementation of tufte general structure]
\renewcommand\small{%
   \@setfontsize\small\@ixpt{12}%
   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus2\p@
   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 4\p@ \@plus2\p@ \@minus2\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
\renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
\renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
\renewcommand\large{\@setfontsize\large\@xipt{15}}
\renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
\renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
\renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
\renewcommand\Huge{\@setfontsize\Huge{24}{36}}
\setlength\leftmargini   {1pc}
\setlength\leftmarginii  {1pc}
\setlength\leftmarginiii {1pc}
\setlength\leftmarginiv  {1pc}
\setlength\leftmarginv   {1pc}
\setlength\leftmarginvi  {1pc}
\setlength\labelsep      {.5pc}
\setlength\labelwidth    {\leftmargini}
\addtolength\labelwidth{-\labelsep}
\setlength{\parindent}{1.0pc}%
\setlength{\parskip}{0pt}%
\RequirePackage{ragged2e}
\setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
% Paragraph indentation and separation for normal text
\newcommand{\@bidituftegeneralstructure@reset@par}{%
  \setlength{\RaggedRightParindent}{1.0pc}%
  \setlength{\JustifyingParindent}{1.0pc}%
  \setlength{\parindent}{1pc}%
  \setlength{\parskip}{0pt}%
}
\@bidituftegeneralstructure@reset@par
% Require paralist package for tighter lists
\RequirePackage{paralist}
% Add rightmargin to compactenum
\def\@compactenum@{%
  \expandafter\list\csname label\@enumctr\endcsname{%
    \usecounter{\@enumctr}%
    \rightmargin=2em% added this
    \parsep\plparsep
    \itemsep\plitemsep
    \topsep\pltopsep
```

```
    \partopsep\plpartopsep
    \def\makelabel##1{\hss\llap{##1}}}}
%%
% An environment for paragraph-style section
\providecommand\newthought[1]{%
   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
   \noindent\textbf{#1}%
}
%%
% Redefine the display environments (quote, quotation, etc.)
\renewenvironment{verse}
               {\let\\\@centercr
                \list{}{\itemsep      \z@
                        \itemindent   -1pc%
                        \listparindent\itemindent
                        \rightmargin  \leftmargin
                        \advance\leftmargin 1pc}%
                \small%
                \item\relax}
               {\endlist}
\renewenvironment{quotation}
               {\list{}{\listparindent 1pc%
                        \itemindent    \listparindent
                        \rightmargin   \leftmargin
                        \parsep        \z@ \@plus\p@}%
                \small%
                \item\relax\noindent\ignorespaces}
               {\endlist}
\renewenvironment{quote}
               {\list{}{\rightmargin\leftmargin}%
                \small%
                \item\relax}
               {\endlist}
% Italicize description run-in headings (instead of the default bold)
\renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
%%
% Redefine \bibsection to not mark the running heads.
% (Code modified from natbib.sty.)
\@ifundefined{chapter}%
  {\renewcommand\bibsection{\section*{\refname}}}
  {\@ifundefined{NAT@sectionbib}%
    {\renewcommand\bibsection{\chapter{\bibname}}}
    {\renewcommand\bibsection{\section*{\bibname}}}}
\RequirePackage{multicol}
\renewenvironment{theindex}{%
\@ifundefined{chapter}%
    {\section*{\indexname}}%
    {\chapter{\indexname}}%
  \begin{fullwidth}%
  \small%
```

```
  \parskip0pt%
  \parindent0pt%
  \let\item\@idxitem%
  \begin{multicols}{3}%
}{%
  \end{multicols}%
  \end{fullwidth}%
}
\AtBeginDocument{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
\renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
\renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}}
\renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
\newcommand{\lettergroup}[1]{}% swallow the letter heading in the index
```

7.26 bidituftehyperref.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
bidi implementation of tufte hyperref]
%%
% Color
\RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
\newboolean{@bidituftehyperref@loadhyper}
\setboolean{@bidituftehyperref@loadhyper}{true}
\DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
\DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
\ProcessOptions
%% Loads the hyperref package and sets some default options.
\newcommand{\bidituftehyperrefLoadHyperref}{%
\RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
  \hypersetup{%
    bookmarksdepth = section,
    citecolor = DarkGreen,
    linkcolor = DarkBlue,
%    pagecolor = DarkBlue,
    urlcolor = DarkGreen,
  }%
}
\ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
  \bidituftehyperrefLoadHyperref%
}{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
  \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
}
```

7.27 bidituftetitle.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
bidi implementation of tufte title]
\RequirePackage{biditools}
```

```
%%
% `titlepage' option -- creates a full title page with \maketitle
\newboolean{@bidituftetitle@titlepage}
\DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
\DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
% Default `book' and `handout' options
\@ifclassloaded{book}{%
\ExecuteOptions{titlepage}}{%
\@ifclassloaded{article}{%
\ExecuteOptions{notitlepage}}%
{}}
\ProcessOptions
%%
% Modified \title, \author, and \date commands.  These store the
% (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
\newcommand{\plaintitle}{}%     plain-text-only title
\newcommand{\plainauthor}{}%    plain-text-only author
\newcommand{\plainpublisher}{}% plain-text-only publisher
\newcommand{\thanklesstitle}{}%     full title text minus \thanks{}
\newcommand{\thanklessauthor}{}%    full author text minus \thanks{}
\newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
\newcommand{\@publisher}{}% full publisher with \thanks{}
\newcommand{\thedate}{\today}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\thanks}[1]{\footnote{#1}}
\renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
\renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
}
\renewcommand{\title}[2][]{%
  \gdef\@title{#2}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesstitle{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
    {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
}
\let\@author\@empty% suppress default latex.ltx ``no author'' warning
\renewcommand{\author}[2][]{%
  \ifthenelse{\isempty{#2}}{}{\gdef\@author{#2}}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
```

```
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklessauthor{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
    {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
}
\renewcommand{\date}[1]{%
  \gdef\@date{#1}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thedate{#1}%
  \endgroup%
}
%%
% Provides a \publisher command to set the publisher
\newcommand{\publisher}[2][]{%
  \gdef\@publisher{#2}%
  \begingroup%
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesspublisher{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}
    {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
    {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
}
%%
% Produces a full title page
\newcommand{\maketitlepage}[0]{%
  \cleardoublepage%
  {%
  \bfseries%
  \begin{fullwidth}%
  \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
  \vspace{11.5pc}%
  \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
  \vfill%
  \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
  \end{fullwidth}%
  }
  \thispagestyle{empty}%
```

```
  \clearpage%
}
%%
% Title block
\bidi@AfterEndPreamble{%
\renewcommand{\maketitle}{%
  \newpage%
  \global\@topnum\z@% prevent floats from being placed at the top of the page
  \begingroup%
    \setlength{\parindent}{0pt}%
    \setlength{\parskip}{4pt}%
    \let\@@title\@empty%
    \let\@@author\@empty%
    \let\@@date\@empty%
      \gdef\@@title{\LARGE\itshape\@title\par}%
      \gdef\@@author{\Large\itshape\@author\par}%
      \gdef\@@date{\Large\itshape\@date\par}%
    \@@title%
    \@@author%
    \@@date%
  \endgroup%
  \thispagestyle{plain}% suppress the running head
}%
}
%%
% Title page (if the `titlepage' option was passed to the bidituftetitle-handout
% class.)
\bidi@AfterEndPreamble{%
\ifthenelse{\boolean{@bidituftetitle@titlepage}}
  {\renewcommand{\maketitle}{\maketitlepage}}
  {}
}
%%
% When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
% without headers and footers
\def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
  \hbox{}
  %\vspace*{\fill}
  %\begin{center}
  %  This page intentionally contains only this sentence.
  %\end{center}
  %\vspace{\fill}
  \thispagestyle{empty}
  \newpage
  \if@twocolumn\hbox{}\newpage\fi\fi\fi}
```

7.28 bidituftе-handout.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{bidituftе-handout}[2011/06/18 v0.1 bidituftе-handout class]
```

```
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{article}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
\renewenvironment{abstract}
  {\begin{quotation}}
  {\end{quotation}}
\AtBeginDocument{%
\IfFileExists{biditufte-handout.cfg}
  {\input{biditufte-handout.cfg}
   \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
  {}%
}
```

7.29 biditufte-book.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{book}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
%%
% Set up any book-specific stuff now
%%
% The front matter in Tufte's /Beautiful Evidence/ contains everything up
% to the opening page of Chapter 1.  The running heads, when they appear,
% contain only the (arabic) page number in the outside corner.
%\newif\if@mainmatter \@mainmattertrue
\renewcommand\frontmatter{%
  \cleardoublepage%
  \@mainmatterfalse%
```

```
  \pagenumbering{arabic}%
  %\pagestyle{plain}%
  \fancyhf{}%
    \ifthenelse{\boolean{@bidituftefloat@twoside}}%
    {\fancyhead[LE,RO]{\thepage}}%
    {\fancyhead[RE,RO]{\thepage}}%
}
%%
% The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
% numbering---it continues where it left off in the front matter.
\renewcommand\mainmatter{%
  \cleardoublepage%
  \@mainmattertrue%
  \fancyhf{}%
  \ifthenelse{\boolean{@bidituftefloat@twoside}}%
      {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
      \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
      \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}}% chapter title
      {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
}
%%
% The back matter contains appendices, indices, glossaries, endnotes,
% biliographies, list of contributors, illustration credits, etc.
\renewcommand\backmatter{%
  \if@openright%
    \cleardoublepage%
  \else%
    \clearpage%
  \fi%
  \@mainmatterfalse%
}
%%
% Only show the chapter titles in the table of contents
\setcounter{tocdepth}{0}
\AtBeginDocument{%
\IfFileExists{biditufte-book.cfg}
  {\input{biditufte-book.cfg}
   \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
  {}%
}
```

7.30 bidipoem.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidipoem}%
[2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]

% Usage:
%
% \Setversedim #1#2  % define the layout (within a group):
```

```
% #1 = length of both half-verses
% #2 = separation distance = length of a connection, if present
%  Variant:
% \Setversedim #1[#2]#3  % for half-verses of unequal length
% #1 = length of first (=right) half-verse
% #2 = length of second (=left) half-verse
% #3 = separation distance = length of a connection, if present
%
% \traditionalhalfverses #1#2 % typeset two separated half-verses
% #1 = text of first (=right) half-verse
% #2 = text of second (=left) half-verse
%  Variant:
% \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
% #1 = text of first (=right) half-verse
% #2 = text of connection
% #3 = text of second (=left) half-verse
%
% Alternative (if preferred):
%
% \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3


\newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}

% define the layout, verses will be centered

\newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
\newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen

\newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
\bidipoem@hvind \textwidth
\bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
\ifx [#2\def \bidipoem@next {\bidipoem@set@verseI [}\else
\bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem

\def \bidipoem@set@verseI [#1]{% optional parameter
\bidipoem@@hvlen #1\relax \bidipoem@set@@verse }

\newcommand*{\bidipoem@set@@verse}[1]{% separation
\advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
\advance \bidipoem@hvind -\bidipoem@hvsep  \divide \bidipoem@hvind 2 }

\newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
\ifdim 0pt > \bidipoem@hvind %
\bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
\else
\noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
\bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
\bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
\par }
```

```
5503
5504 % macro for two half verses
5505 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
5506 \ifx [#2\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]%
5507 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
5508 \bidipoem@half@verses@next}
5509
5510 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
5511 \traditionalconnverses {#1}{#2}{#3}}
5512
5513
5514 {\catcode`\^^M=\active % these lines must end with %
5515   \gdef\traditionalpoem@obeylines{\catcode`\^^M\active \let^^M\traditionalpoem@par}%
5516   \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
5517 {\catcode`\^^M=\active % these lines must end with %
5518   \gdef\modernpoem@obeylines{\catcode`\^^M\active \let^^M\modernpoem@par}%
5519   \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
5520 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
5521 \def\poemmarginskip{1em plus 1fil minus 1em}
5522 \def\poemextrabaselineskip{0\baselineskip}
5523 \def\poemskip{\medskip}
5524 \newcommand{\bidipoem@openbox}{\leavevmode
5525   \hbox to.77778em{%
5526   \hfil\vrule
5527   \vbox to.675em{\hrule width.6em\vfil\hrule}%
5528   \vrule\hfil}}
5529 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
5530 \newdimen\versewidth
5531 \newtoks\bidipoem@p@ftn
5532 \def\poem@verse#1{%
5533 \ifdim\wd#1>\new@poem@width
5534 \xdef\new@poem@width{\the\wd#1}%
5535 \ifdim\new@poem@width>\poem@width
5536 \xdef\poem@width{\new@poem@width}%
5537 \global\let\poem@needrun\relax
5538 \fi
5539 \fi
5540 \hbox to\poem@width{\unhbox#1}%
5541 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
5542 }
5543 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
5544 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
5545 \def\poem@lineversesep{%
5546 \nobreak
5547 \hskip\z@ plus 1filll%
5548 \penalty600%
5549 \hskip\poemcolsepskip
5550 \hskip\z@ plus -2filll%
5551 \vadjust{}%
5552 \nobreak
```

```
\hskip\z@ plus 1filll%
}
\def\poem@lineparsebegin{%
\halign\bgroup
\global\setbox\verse@i=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}&&
\global\setbox\verse@ii=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}
\cr
}
\def\poem@lineparseend{%
\crcr\egroup
\vskip-\baselineskip
}
\def\traditionalpoem@cr{%
  \cr\poem@line
}
\newbox\verse@i
\newbox\verse@ii
\newif\ifpoem@started

\def\poem@line{%
\poem@lineparseend
\ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
\ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
\ifpoem@started
  \ifdim\wd\verse@ii>\z@\else
  \nopagebreak[3]
  \fi
  \leavevmode
  \poem@linebegin
  \poem@verse\verse@i
```

```
  \ifdim\wd\verse@ii>\z@
  \poem@lineversesep
  \poem@verse\verse@ii
  \fi
  \poem@lineend
%  \nopagebreak
  \par
  \vskip\poemextrabaselineskip
\fi
\poem@lineparsebegin
}
\def\@traditionalpoem{%
\stepcounter{poem@no}
        \ifnum\max@poem@no<\number\c@poem@no%
\xdef\poem@width{\z@}%
        \else
\xdef\poem@width{\poem@prop{poem@width}}%
\fi
\xdef\new@poem@width{\z@}%
\global\versewidth=\poem@width
\poemskip\par
\begingroup
\tabskip=\z@
\parskip=\z@
\parindent=\z@
\parfillskip=\z@
\rightskip=\z@
\leftskip=\z@
\widowpenalty=10000% No break between verses of the same line.
\clubpenalty=10000% Same as above.  Not really needed.
\def\newblock{\hfil\poemblocksep\hfil\null}%
\def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
\def\\{\global\poem@startedtrue\traditionalpoem@cr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\poem@lineparsebegin
}
\def\@endtraditionalpoem{%
\cr
\ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
\noalign{%
\skip0=\poemextrabaselineskip
\vskip-\skip0
\vskip-\baselineskip
}%
\fi\fi
\poem@lineparseend
\endgroup
```

```
\par
\vskip\baselineskip
\poemskip
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
\ifdim\new@poem@width<\poem@width
\global\let\poem@needrun\relax
\fi
        \poem@write@aux{poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
\ifx\AtEndDocument\undefined\poem@finish\fi
}


\long\def\bidipoem@p@ftntext#1{%
  \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}}%
\long\def\bidipoem@p@LTRftntext#1{%
  \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}
  \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
\long\def\bidipoem@p@RTLftntext#1{%
  \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]
  \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%

\long\def\bidipoem@p@xftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidipoem@p@xLTRftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidipoem@p@xRTLftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}

\def\bidipoem@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xftntext[#1]}

\def\bidipoem@p@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
```

```
    \@footnotemark\bidipoem@p@xLTRftntext[#1]}

\def\bidipoem@p@xRTLfootnote[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \@footnotemark\bidipoem@p@xRTLftntext[#1]}



\newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
\expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl
\expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
\def\poem@finish{%
\poem@write@aux{max@poem@no}{\number\c@poem@no}%
\ifx\poem@needrun\relax
\PackageWarning{bidipoem}{Unjustified poem.  Rerun XeLaTeX to get poem right}%
\global\let\poem@needrun\undefined
\fi
}
\ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
\newcounter{poem@no}\setcounter{poem@no}{\z@}
\ifx\max@poem@no\undefined
        \def\max@poem@no{0}%
\fi
\newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
\newcommand{\poem@write@aux}[2]{%
        \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
        \@x
}
\def\@modernpoem{%
\par
\begingroup
\parskip=\z@
\parindent=\z@
\def\[{\@settab\@tabplus\ignorespaces}%
\def\]{\@tabminus\ignorespaces}%
\def\newblock{\poemblocksep}%
\let\newpoem@tabcr\@tabcr
\def\modernpoem@par{% Redefine \par for possible \obeylines
  \ifpoem@started\else
    \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
      \@stopfield
      \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
      \@contfield
    \fi
  \fi
  \ifpoem@started\newpoem@tabcr\fi}%
\def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
```

```
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\begin{tabbing}%
}
\def\@endmodernpoem{%
\global\poem@startedfalse
\ifdim\wd\@curline>\z@\global\poem@startedtrue\else
  \@stopfield
  \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
  \@contfield
\fi
\ifpoem@started\else\let\@stopline\@stopfield\fi
\end{tabbing}%
\endgroup
\par
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
}
\newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
\expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\moder
\expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
\gdef\@startfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup}
\gdef\@stopfield{%
  \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
\gdef\@contfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
```

```
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup\unhbox\@curfield}
```

7.31 boek3-xetex-bidi.def

```
\ProvidesFile{boek3-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for boek3 class for XeTe
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
```

```
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
```

```
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
```

```
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

7.32 boek-xetex-bidi.def

```
\ProvidesFile{boek-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for boek class for XeTeX
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
```

```
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
```

```
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
  \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
```

```
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
```

```
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

7.33 bookest-xetex-bidi.def

```
\ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
\def\@makechapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        {\colorA\huge\scshape \@chapapp\space \thechapter}
        \par\nobreak
        \vskip 10\p@
      \fi
    \fi
    \interlinepenalty\@M
  {\colorB\hrule}
  \vskip 15\p@
   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
     {\colorA\Huge \bfseries #1}\par\nobreak
   \if@RTL\end{flushleft}\else\end{flushright}\fi
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \raggedright \normalfont
  {\colorB\hrule}
  \vskip 15\p@
   \begin{center}
     {\colorA\Huge \bfseries #1}\par\nobreak
   \end{center}
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
```

7.34 book-xetex-bidi.def

```
\ProvidesFile{book-xetex-bidi.def}[2015/11/14 v0.9 bidi adaptations for standard book class f
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
\@ifclassloaded{bookest}{}{%
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
```

```
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
```

```
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi}
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
```

```
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
```

```
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

7.35 breqn-xetex-bidi.def

```
\ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for Xe
\def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
  \everydisplay\expandafter{\the\everydisplay \display@setup}%
  \if@noskipsec \leavevmode \fi
  \if@inlabel \leavevmode \global\@inlabelfalse \fi
  \if\eq@group\else\eq@prelim\fi
  \setkeys{breqn}{#1}%
  \the\eqstyle
  \eq@setnumber
  \begingroup
  \eq@setup@a
  \eq@startup
}
\def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
  \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
  \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
  \global\let\GRP@label\@empty
  \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
  \global\grp@linewidth\z@\global\grp@wdNum\z@
  \global\let\grp@eqs@numbered\@False
  \global\let\grp@aligned\@True
  \global\let\grp@shiftnumber\@False
  \eq@prelim
  \setkeys{breqn}{#1}%
  \if\grp@hasNumber \grp@setnumber \fi
}
\def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
  \let\display@setup\dseries@display@setup
  % Question: should this be the default for dseries???
  \global\eq@wdCond\z@
  \@dmath[layout={M},#1]%
  \mathsurround\z@\@@math \penalty\@Mi
  \let\endmath\ends@math
  \def\premath{%
    \ifdim\lastskip<.3em \unskip
```

```
    \else\ifnum\lastpenalty<\@M \dquad\fi\fi
}%
  \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
\ignorespaces
}
\def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
\renewenvironment{dsuspend}{%
  \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
    \parshape 1 \displayindent \displaywidth\relax
    \hsize=\columnwidth \noindent\ignorespaces
}{%
  \par\egroup
  \global\setbox\GRP@box\vbox{%
    \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
    \unvbox\GRP@box
  }%
  \global\GRP@queue\@xp{\the\GRP@queue
     \@elt{\let\eq@isIntertext\@True}%
  }%
}
```

7.36 cals-xetex-bidi.def

```
\ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTe
\renewcommand\cals@setup@alignment[1]{%
\if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
\if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
\if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
}
\renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
\renewenvironment{calstable}[1][\cals@table@alignment]{%
\if@RTLtab\cals@activate@rtl\fi
\let\cals@thead@tokens=\relax
\let\cals@tfoot@tokens=\relax
\let\cals@tbreak@tokens=\relax
\cals@tfoot@height=0pt \relax
\let\cals@last@context=n%
\let\cals@current@context=b%
\parindent=0pt \relax%
\cals@setup@alignment{#1}%
\cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
%% Alignment inside is independent on center/flushright outside
\parfillskip=0pt plus1fil\relax
\let\cals@borderL=\relax
\let\cals@borderR=\relax
\let\cals@borderT=\relax
\let\cals@borderB=\relax
\setbox\cals@backup@row=\box\voidb@x\relax
\cals@AtBeginTable
}{% End of the table
```

```
\cals@tfoot@tokens\lastrule\cals@AtEndTable}
\renewcommand\alignL{%
\if@RTLtab
  \cals@vfillAdd\cals@paddingL
\else
  \cals@vfillDrop\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
\renewcommand\alignR{%
\if@RTLtab
  \cals@vfillDrop\cals@paddingL
\else
  \cals@vfillAdd\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
```

7.37 caption-xetex-bidi.def

```
\ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package fo
\let\@makecaption\caption@makecaption
```

7.38 caption3-xetex-bidi.def

```
\ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
\renewcommand*\caption@@par{%
  \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%
```

7.39 colortbl-xetex-bidi.def

```
\ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
\def\CT@setup{%
  \@tempdimb\col@sep
  \@tempdimc\col@sep
  \def\CT@color{%
    \global\let\CT@do@color\CT@@do@color
    \bidicolor}}
\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
\expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
   \@addtopreamble{\if@RTLtab\beginL\fi%
    \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
      \ifcase \@chnum
      \hskip\stretch{.5}\kern\z@
      \d@llarbegin
      \insert@column
      \d@llarend\hskip\stretch{.5}\or
      \d@llarbegin \insert@column \d@llarend \hfill \or
      \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
   $\vcenter
   \@startpbox{\@nextchar}\insert@column \@endpbox $\or
   \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
```

```
   \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi
 \if@RTLtab\endR\fi\egroup\egroup
\begingroup
  \CT@setup
  \CT@column@color
  \CT@row@color
  \CT@cell@color
  \CT@do@color
\endgroup
        \@tempdima\ht\z@
        \advance\@tempdima\minrowclearance
        \vrule\@height\@tempdima\@width\z@
        \unhbox\z@\if@RTLtab\endL\fi}%
  \prepnext@tok}
```

7.40 color-xetex-bidi.def

```
\ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe
\long\def\color@b@x#1#2#3{%
 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
 \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
      \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
\DeclareRobustCommand\color{%
  \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@declaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\@undeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor{%
  \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ignorespaces}
```

```
\def\@bidideclaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ignorespaces}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3{%
  \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode
```

7.41 combine-xetex-bidi.def

```
\ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
\renewcommand{\c@ll@chapsecii}[2]{%
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
  #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
}
\renewcommand{\c@ll@chapseci}{%
  \setlength\@tempdima{0em}%
  \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode
}
\renewenvironment{tocindent}[1]{%
  \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}
```

7.42 crop-xetex-bidi.def

```
\ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTe
\renewcommand*\CROP@@ulc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,30){\circle{10}}
```

```
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@urc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@llc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
```

```
}
\renewcommand*\CROP@@lrc{%
    \if@RTLmain%
        \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
}
\@ifpackagewith{crop}{cam}{%
\CROP@execopt{cam}%
}{}
```

7.43 cutwin-xetex-bidi.def

```
\ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
\renewcommand*{\c@twcompctr}[2]{%
  \def\c@twfirst{1}
  \loop\advance\c@twwinlines\m@ne
  \setbox\c@twslicea=\vsplit#1 to\baselineskip
  \setbox\c@twsliceb=\vsplit#1 to\baselineskip
  \c@twprune{\c@twslicea}{\c@twlftside}%
  \c@twprune{\c@twsliceb}{\c@twrtside}%
  \ifnum\c@twfirst=\@ne
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@tws
  \else
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\bo
  \fi
  \def\c@twfirst{2}
  \ifnum\c@twwinlines>\z@\repeat}
\renewcommand*{\c@twcompoddctr}[2]{%
  \def\c@twrounds{1}
  \def\c@twfirst{1}
```

```
\@for\c@twlspec:=\c@twb\do{%
  \ifnum\c@twrounds=1
    \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
    \c@twprune{\c@twslicea}{\c@twlspec}%
    \def\c@twrounds{2}
  \else
    \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
    \c@twprune{\c@twsliceb}{\c@twlspec}%
    \ifnum\c@twfirst=1
      \setbox#2=\vbox{\unvbox#2\hbox
      to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\b
      \def\c@twfirst{2}
    \else
      \setbox#2=\vbox{\unvbox#2\hbox
      to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\els
    \fi
    \def\c@twrounds{1}
  \fi}}
```

7.44 cuted-xetex-bidi.def

```
\ProvidesFile{cuted-xetex-bidi.def}[2016/05/10 v0.4 bidi adaptations for cuted package for Xe

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
```

```
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{\box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
    \ifvoid\hold@viper
    \else
      \setbox\@outputbox \vbox to\textheight{%
                            \box\hold@viper
                            \box\@outputbox
                            \vss
                            }%
    \fi
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
      \ifvoid\@viper
      \else
        \global\setbox\@viper\vbox{%
                   \vskip-\stripsep
                   \unvbox\@viper
                   }%
        \@viperoutput
      \fi
    \endgroup
  \fi}%

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
```

```
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
    \ifvoid\hold@viper
    \else
      \setbox\@outputbox \vbox to\textheight{%
                              \box\hold@viper
                              \box\@outputbox
                              \vss
                              }%
    \fi
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
      \ifvoid\@viper
      \else
        \global\setbox\@viper\vbox{%
                   \vskip-\stripsep
                   \unvbox\@viper
                   }%
        \@viperoutput
      \fi
    \endgroup
  \fi}%


\def \@addviper {%
   \if@firstcolumn
     \@insertfalse
     \@reqcolroom .5\@pageht
     \ht@viper\@reqcolroom
     \advance \@reqcolroom \ht\@viper
     \advance \@reqcolroom \stripsep
     \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
%%
     \@tempdimb \ht@viper
     \loop
     \setbox\v@aaa\copy\@holdpg
```

```
    \setbox\v@ccc\vbox to\@tempdimb{%
              \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
    \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
    \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
    \loop
    \setbox\v@aaa\copy\@holdpg
    \setbox\v@ccc\vbox to\@tempdimb{%
              \vsplit\v@aaa to\@tempdimb\vss}%
    \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
    \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
    \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
    \setbox\v@ccc\vbox to\@tempdimb{%
              \vsplit\@holdpg to\@tempdimb\vss}%
%%
    \setbox\@tempboxa \vbox {%
       \hb@xt@\textwidth {%
         \if@RTLmain%
         \hskip \columnwidth
          \hfil \vrule width\columnseprule \hfil
           \hb@xt@\columnwidth {%
                  \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
            \hskip -\textwidth
            \hb@xt@\columnwidth {%
                  \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
             \hskip \columnsep
             \hskip \columnwidth
              \else%
               \hb@xt@\columnwidth {%
                   \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
                   \hfil
                   \vrule \@width\columnseprule
                   \hfil
                   \hb@xt@\columnwidth {%
                   \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
                         \fi}%
                     }%
    \ifvoid\hold@viper
       \global\setbox\hold@viper \vbox {%
              \unvbox\@tempboxa
              \penalty\interlinepenalty
              \vskip\stripsep
              \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
              \outputpenalty \z@
                      }%
    \else
       \global\setbox\hold@viper \vbox {%
              \unvbox\hold@viper
              \unvbox\@tempboxa
              \penalty\interlinepenalty
              \vskip\stripsep
```

```
6914                \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6915                \outputpenalty \z@
6916                        }%
6917     \fi
6918     \ifdim \@colroom>\@reqcolroom
6919        \global\setbox\hold@viper \vbox {%
6920                \unvbox\hold@viper
6921                \box\@viper
6922                \penalty\interlinepenalty
6923                \vskip\stripsep
6924                \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6925                \outputpenalty \z@
6926                        }%
6927        \@inserttrue
6928        \advance\@tempdima by-\ht\hold@viper
6929        \global \advance \@colht \@tempdima
6930        \ifdim \@colht<2.5\baselineskip
6931           \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
6932                too tall on page \thepage (1 stulpelis)}%
6933           \@emptycol
6934           \if@firstcolumn
6935           \else
6936             \@emptycol
6937           \fi
6938           \global\@lastvipertrue
6939        \else
6940           \global \vsize \@colht
6941           \global \@colroom \@colht
6942           \check@floats
6943           \ifdim\@tempdima>\z@
6944                   \global\advance\@colroom by-\@tempdima
6945           \fi
6946           \ifdim\@colroom<\z@
6947                   \global\@colroom 1pt
6948                   \ifdim\@tempdima>\@colht
6949                      \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
6950                                netelpa lape \thepage (1 stulpelis)}%
6951                   \fi
6952                   \@emptycol
6953                   \if@firstcolumn
6954                   \else
6955                     \@emptycol
6956                   \fi
6957                   \global\@lastvipertrue
6958           \fi
6959        \fi
6960     \fi
6961   \else
6962     \@insertfalse
6963     \@reqcolroom\@colht
```

```
    \advance\@reqcolroom \@pageht
    \ht@viper.5\@reqcolroom
    \@reqcolroom\ht@viper
    \advance \@reqcolroom \ht\@viper
    \advance \@reqcolroom \stripsep
     \if@flushend@auto@baselineskip
       \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
         \global\lastskip@d\lastskip
         \global\lastskip@b\lastskip
         \loop
           \global\lastskip@a\lastskip@b
           \unskip\unpenalty
           \global\lastskip@b\lastskip
           \global\advance\lastskip@d by\lastskip
         \ifdim\lastskip@b=-\lastskip@a
           \global\advance\lastskip@d by-\lastskip
         \else
         \repeat
         \ifdim\lastskip@b=-\lastskip@a
           \ifdim\lastskip@b=\z@
             \setbox\lastbox@a\lastbox
             \global\advance\lastskip@d by\ht\lastbox@a
             \global\advance\lastskip@d by\lastskip
             \unskip\unpenalty
             \setbox\lastbox@a\lastbox
             \global\advance\lastskip@d by\dp\lastbox@a
           \else
             \global\lastskip@d\lastskip
             \global\advance\lastskip@d by\topskip
           \fi
         \fi
         \global\advance\lastskip@d by-\topskip
         }%
       \ifdim\ht\@holdpg>\@colht
         \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
           \par\eject
           \vbox to \@colht{\unvbox\@holdpg\unskip}%
           }%
       \else
         \global\setbox\@holdpg\vbox{%
           \unvbox\@leftcolumn\unskip\unpenalty
           \vskip\lastskip@d
           \the\At@ViperColsBreak
           \unvbox\@holdpg
           \unskip
           }%
       \fi
    \else
       \global\setbox\@holdpg\vbox{%
                \unvbox\@leftcolumn
```

```
                \setbox\@tempboxa\lastbox
                \on@stripcols@break
                \the\At@ViperColsBreak
                \unvbox\@holdpg
                }%
    \fi
    \global\At@ViperColsBreak{}%
    \ht@viper .5\ht\@holdpg
    \ifdim \ht@viper>\@colht
       \ht@viper \@colht
    \fi
    \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
%%
    \@tempdimb \ht@viper
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{%
                \vsplit\v@aaa to\@tempdimb
                \vss
                \vsplit\v@aaa to\@tempdimb
                }%
      \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
    \ifvoid\v@aaa
    \else
      \advance\@tempdimb 1\p@
    \repeat
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
      \wlog{(2)Left:\the\ht\v@ccc\space
              Right:\the\ht\v@aaa\space
             Output:\the\@tempdimb
           }%
    \ifdim\ht\v@ccc<\ht\v@aaa
      \@tempdimb \the\ht\v@aaa
    \repeat
    \wlog{- LAST -^^JLeft:\the\ht\v@ccc
                 ^^JRight:\the\ht\v@aaa
                ^^JOutput:\the\@tempdimb
         }%
    \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
    \setbox\@tempboxa\vbox{%
       \hb@xt@\textwidth {%
           \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
           \hfil
           \vrule \@width\columnseprule
           \hfil
           \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
           }%
       }%
```

```
\ifvoid\hold@viper
   \global\setbox\hold@viper \vbox {%
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\else
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\fi
\ifdim \@colht>\@reqcolroom
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \box\@viper
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
   \@inserttrue
   \global\@firstcolumntrue
   \advance\@tempdima by-\ht\hold@viper
   \global \advance \@colht \@tempdima
   \ifdim \@colht<2.5\baselineskip
       \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
                                too tall on page \thepage (2 stulpelis)}%
       \@emptycol
       \if@firstcolumn
       \else
           \@emptycol
       \fi
       \global\@lastvipertrue
   \else
       \global \vsize \@colht
       \global \@colroom \@colht
       \check@floats
       \ifdim\@tempdima>\z@
           \global\advance\@colroom by-\@tempdima
       \fi
       \ifdim\@colroom<\z@
           \global\@colroom 1pt
           \ifdim\@tempdima>\@colht
```

```
                \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
                                netelpa lape \thepage (2 stulpelis)}%
                \fi
                \@emptycol
                \if@firstcolumn
                \else
                    \@emptycol
                \fi
                \global\@lastvipertrue
            \fi
        \fi
    \fi
\fi
\if@insert
\else
    \advance\@tempdima by-\ht\hold@viper
    \global \advance \@colht \@tempdima
    \global\setbox\hold@viper \vbox {%
                                     \unvbox\hold@viper
                                     \csname viper@top@hook\endcsname
                                     \vsplit\@viper to \@colht
                                     \vss
                                    }%
    \vbox{}%
    \global\@firstcolumnfalse
    \newpage
\fi
}
```

7.45 cvthemebidicasual.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidicasual}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidicasual}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
\familynamecolour{808080}
\firstnamecolour{A9A9A9}
```

```
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\definecolor{rulecolour}{gray}{0.6}
\definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
\definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
\if@colourorange
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
\if@colourgreen
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}
  \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
\if@colourred
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
\if@colourgrey
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}
  \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
  \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\renewcommand*{\maketitle}{%
  {%
    \ifthenelse{\isundefined{\@photo}}%
      {}%
      {{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
    \hfill%
    \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\\[-.35em]}%
```

```
   {\color{firstnamecolor}\rule{\textwidth}{.25ex}\\[2.5em]}%
  \ifthenelse{\isundefined{\@quote}}%
    {}%
    {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[
  }%
\newif\if@firstfooterelement\@firstfooterelementtrue
\providecommand*{\footersymbol}{}
\renewcommand*{\footersymbol}{%
  \if@firstfooterelement%
  \else%
    { ~~\color{footersymbolcolor}\textbullet~~~}\fi}
\providecommand*{\makefooter}{}
\renewcommand*{\makefooter}{%
  \fancypagestyle{plain}{%
    \fancyfoot[c]{%
      \parbox{0.8\textwidth}{%
      \centering%
      \addressfont\@addresscolour%
      \ifthenelse{\isundefined{\@address}}{}{%
        \addresssymbol~\@address\\%
        \@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelem
      \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfal
      \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\@fir
      \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfa
  }%
  \pagestyle{plain}}
\AtBeginDocument{\makefooter}
```

7.46 cvthemebidiclassic.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidiclassic}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidiclassic}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\firstnamecolour{}
\familynamecolour{}
```

```
\titlecolour{808080}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\if@colourorange
  \addresscolour{FF8C00}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}\fi
\if@colourgreen
  \addresscolour{008000}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}\fi
\if@colourred
  \addresscolour{FF0000}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}\fi
\if@colourgrey
  \addresscolour{808080}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
\renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\newlength{\maketitlenamemaxwidth}
\setlength{\maketitlenamemaxwidth}{.525\textwidth}
\newlength{\maketitlenamefullwidth}
\settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyna
\newlength{\maketitlenamewidth}
\ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitl
\newlength{\maketitlepicturewidth}
\setlength{\maketitlepicturewidth}{\@photowidth}
\newlength{\maketitledetailswidth}
\renewcommand*{\recomputethemelengths}{%
  \setlength{\maketitledetailswidth}{\textwidth}%
```

```
  \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
  \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}
\recomputethemelengths
\newif\if@firstdetailselement\@firstdetailselementtrue
\newcommand*{\maketitledetailsnewline}{
  \if@firstdetailselement%
    \@firstdetailselementfalse%
  \else%
    \\[.2em]\fi}
\renewcommand*{\maketitle}{%
  % name and title
  \begin{minipage}[b]{\maketitlenamewidth}%
    \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
    \ifthenelse{\equal{\@title}{}}{}{\\[1.25em]\titlestyle{\@title}}%
  \end{minipage}%
  % optional data
  \begin{minipage}[b]{\maketitledetailswidth}%
    \bidi@raggedleft\addressfont\@addresscolour%
   \ifthenelse{\isundefined{\@address}}{}{%
      \maketitledetailsnewline%
      \addresssymbol~\\\@address}%
    \ifthenelse{\isundefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
    \ifthenelse{\isundefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
    \ifthenelse{\isundefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
    \ifthenelse{\isundefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emaillink{\@em
    \ifthenelse{\isundefined{\@extrainfo}}{}{\maketitledetailsnewline\@extrainfo}%
  \end{minipage}%
  % optional photo
  \ifthenelse{\isundefined{\@photo}}%
    {}%
    {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\m
  % optional quote
  \ifthenelse{\isundefined{\@quote}}%
    {}%
    {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[
  }
```

7.47 dblfnote-xetex-bidi.def

```
\ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width  \DFNcolumnwidth \kern 2.6\p@}%
\AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
\let\@footnotetext\dfn@footnotetext}
```

```
\long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
\let\@LTRfootnotetext\dfn@LTRfootnotetext}
\long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
\let\@RTLfootnotetext\dfn@RTLfootnotetext}
\def\dfn@RTLmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
```

```
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                 \hskip \DFNcolumnwidth
                 \hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}
                \hskip -\textwidth
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                \unvbox\dfn@boxa\vss}\fi\hss}
                                 \hskip \DFNcolumnsep
                                 \hskip \DFNcolumnwidth}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\def\dfn@LTRmakecol{{\ifvoid\footins\else
```

```
\dfn@dima\ht\footins
\@tempcnta\z@ \dfn@countins
\@tempdima\z@ \let\@elt\dfn@elt@getht
\dfn@list\@nil
\ifdim\@tempdima=\z@\else
\dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
\global\setbox\dfn@ins\box\dfn@ins
\@tempswatrue
\ifdfn@trysingle
        \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
        \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
        \advance\@tempdima-\skip\footins
        \advance\@tempdima-\ht\dfn@boxa
        \ifdim\@tempdima<\z@\else \@tempswafalse
                \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                        \footnoterule \unvbox\dfn@boxa}\fi\fi
\if@tempswa
\dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
\global\setbox\footins\vbox{\hbox{%
        \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
        \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                \vbox to\@tempdima{
                        \setbox\@tempboxa\vbox{\footnoterule}
                        \ifdfn@ruleboth \unvbox\@tempboxa
                        \else \@tempdima\ht\@tempboxa
                                \advance\@tempdima\dp\@tempboxa
                                \vskip\@tempdima
                                \prevdepth\dp\@tempboxa \fi
                        \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
\global\dfn@fnht\z@
\ifx\dfn@list\@empty\else
        \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
        \dfn@list \global\advance\dfn@fnht\dfn@dimb
        \let\@elt\relax
        \ifdim\dfn@dimb>\z@
                \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                \insert\footins{\floatingpenalty\@MM
                        \vbox to\dfn@dimb{}}\fi
        \ifdim\dfn@fnht>\@tempdima
                \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                \global\dfn@fnht\@tempdima
                \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                \xdef\dfn@afteroutput{\insert\footins{
                                \floatingpenalty\@MM
                                \vbox to\number\@tempdimb sp{}}%
                        \global\let\noexpand\dfn@afteroutput\relax}%
        \fi\fi
\fi}%
\let\footnoterule\relax \dfn@latex@makecol
```

```
        \let\footnoterule\dfn@footnoterule}
\renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
\newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
\newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
\DFNalwaysdouble
```

7.48 draftwatermark-xetex-bidi.def

```
\ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterm
\renewcommand\SetWatermarkText[1]{%
  \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}
```

7.49 eso-pic-xetex-bidi.def

```
\ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package fo
\renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
  \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}

\ESO@isMEMOIR{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \ifodd\c@page
        \@tempdima=\spinemargin
      \else
        \@tempdima=\paperwidth
        \advance\@tempdima-\textwidth
        \advance\@tempdima-\spinemargin
      \fi
      \@tempdimb=-\uppermargin
      \AtPageUpperLeft{%
        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \@tempdima=1in\relax
      \ifodd\c@page
        \advance\@tempdima\oddsidemargin
      \else
        \advance\@tempdima\evensidemargin
      \fi
      \@tempdimb=-1in\relax
      \advance\@tempdimb-\topmargin
      \advance\@tempdimb-\headheight
      \advance\@tempdimb-\headsep
      \AtPageUpperLeft{%
        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
```

```
  }
}
```

7.50 empheq-xetex-bidi.def

```
\ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for
\MHInternalSyntaxOn
\def\EQ_tag_plus_endmark:{%
  \iftagsleft@
    \gdef\maketag@@@##1{%
      \hfuzz\displaywidth
      \if@RTL\makebox[\widthof{##1}][r]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}
      \else\makebox[\widthof{##1}][l]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}\fi}%
  \else:
    \gdef\maketag@@@##1{%
      \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
        \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}%
        \MH_addtolength:dn \@tempdima
          {\g_EQ_bottomtag_depth_dim+\mintagvsep}
        \setlength{\@tempdimb}
          {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{}}
            +\depthof{\EQ_innerbox:{}}}
        \if_dim:w \@tempdima>\@tempdimb
          \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
            -\@tempdima+\g_EQ_bottomrow_depth_dim}
          \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{}}}%
          \def\EQ_next:{\raisebox{\@tempdima}}%
        \else:
          \def\EQ_next:{
            \raisebox{-\dp\EQ_mathdisplay_box
                      -\depthof{\EQ_outerbox:{}}}}%
        \fi:\EQ_next:}}}%
  \fi:}
\def\EQ_post_process:{%
  \EQ_initialize:
  \EQ_begin_equation:
  \MH_if_boolean:nT {outer_mult}{
    \setkeys{\MT_options_name:}{
      firstline-afterskip=0pt,
      lastline-preskip=0pt,
      multlined-width=0pt,
    }
```

```
    \ifodd \l_EQ_alignmentmode_int
      \setkeys{\MT_options_name:}{multlined-pos=b}
    \else:
      \setkeys{\MT_options_name:}{multlined-pos=t}
    \fi:
      \g@addto@macro\EQ_complete_mathdisplay:{
        \begin{MTmultlined}\relax}
}
\g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
\MH_if_boolean:nT {outer_mult}{
  \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
}
\EQ_end_equation:
\edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
\savecounters@
\EQ_typeset_tags:
\edef\l_EQ_equation_fint{\number\c@equation}
\restorecounters@
\Hy@linkcounter=\EQ_hyperref_link_fint
\settowidth\l_EQ_totalwidth_dim{%
  $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
\MH_if_boolean:nTF {outer_mult}
  { \def\EQ_next:{_mult} }
  { \def\EQ_next:{} }
\@nameuse{EQ_modify_linewidth_
          \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
\EQ_typeset_display:
\@nameuse{find_displaywidth_
         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
\MH_addtolength:dn
  \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
\savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
  $\EQ_left_side:
  \EQ_innerbox:{%
    \if_case:w \l_EQ_alignmentmode_int\or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \or:
      \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
        \if_num:w \l_EQ_equationtype_int=5 \else:
          \if_num:w \l_EQ_equationtype_int=6 \else:
            \kern-\@mathmargin
          \fi:
        \fi:
        \usebox{\EQ_mathdisplay_box}}%
      \else\makebox[\l_EQ_displaywidth_dim][l]{%
        \if_num:w \l_EQ_equationtype_int=5 \else:
```

```
            \if_num:w \l_EQ_equationtype_int=6 \else:
              \kern-\@mathmargin
            \fi:
          \fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \or:
        \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
          \if_num:w \l_EQ_equationtype_int=5 \else:
            \if_num:w \l_EQ_equationtype_int=6 \else:
              \kern-\@mathmargin
            \fi:
          \fi:
          \usebox{\EQ_mathdisplay_box}}
        \else\makebox[\l_EQ_displaywidth_dim][l]{%
          \if_num:w \l_EQ_equationtype_int=5 \else:
            \if_num:w \l_EQ_equationtype_int=6 \else:
              \kern-\@mathmargin
            \fi:
          \fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \fi:}%
    \EQ_right_side:$}%
  \begin{AmSequation*}
  \@nameuse{EQ_place_display_
           \romannumeral\l_EQ_equationtype_int\EQ_next: :}
  \if_dim:w \g_EQ_widesttag_dim>\z@
  \MH_set_boolean_T:n {show_manual_tags}
    \if_case:w \l_EQ_alignmentmode_int
    \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
    \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
    \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
    \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
    \fi:
  \fi:
  \end{AmSequation*}
  \global\c@equation=\l_EQ_equation_fint\relax
}
\AtBeginDocument{%
  \@ifpackageloaded{fancybox}{%
    \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
    {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
    \renewcommand*\shadowbox{%
      \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}
              {\MH_set_boolean_F:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}}
    \def\EQ_shadowbox:n #1{%
      \sbox{\z@}{\fbox{#1}}%
      \MH_if_boolean:nTF {shadowbox_star}{
        \MH_setlength:dn \@tempdima{\z@}%
```

```
      }{
        \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
      }
      \raisebox{\@tempdima}{%
        \if@RTL\makebox[\z@][r]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }%
        \else\makebox[\z@][l]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }\fi%
        \usebox\z@\textcolor{shadowcolor}{%
          \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
  }{}%
}
\MHInternalSyntaxOff
```

7.51 extarticle-xetex-bidi.def

```
\ProvidesFile{extarticle-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for extarticle clas
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
  \renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
    \endgroup
  \fi}
  \def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
```

```
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname~\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
 \def\@spart#1{%
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \huge \bfseries #1\par}%
     \nobreak
     \vskip 3ex
     \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname
        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
         \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
```

```
    \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
```

```
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%
```

7.52 extbook-xetex-bidi.def

```
\ProvidesFile{extbook-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for extbook class for
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
```

```
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
```

```
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
```

```
      \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
      \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}

\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
```

```
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \list{\@biblabel{\@arabic\c@enumiv}}%
         {\settowidth\labelwidth{\@biblabel{#1}}%
          \leftmargin\labelwidth
          \advance\leftmargin\labelsep
          \@openbib@code
          \usecounter{enumiv}%
          \let\p@enumiv\@empty
          \renewcommand\theenumiv{\@arabic\c@enumiv}}%
    \sloppy
    \clubpenalty4000
    \@clubpenalty \clubpenalty
    \widowpenalty4000%
    \sfcode`\.\@m}
   {\def\@noitemerr
     {\@latex@warning{Empty `thebibliography' environment}}%
    \endlist}
```

7.53 extletter-xetex-bidi.def

```
\ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignores
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
  \stopbreaks
  \noindent
  \ifx\@empty\fromaddress\else
  \hspace*{\longindentation}\fi
  \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
       \ignorespaces #1\\[6\medskipamount]%
       \ifx\@empty\fromsig
           \fromname
       \else \fromsig \fi\strut}%
   \par}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
```

```
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

7.54 extrafootnotefeatures-xetex-bidi.def

```
\ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2016/05/10 v1 bidi extra footnote feature
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
\bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
\renewcommand{\@footnotetext}[1]{%
    \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \foottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@RTLfootnotetext}[1]{%
    \insert\footins{%
    \@RTLtrue%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \RTLfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@LTRfootnotetext}[1]{%
```

```
    \insert\footins{%
    \@RTLfalse%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \LTRfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@mpfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \foottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\renewcommand{\@mpLTRfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \LTRfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\renewcommand{\@mpRTLfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \RTLfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
```

```
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\let\m@mold@footnotetext\@footnotetext
\let\m@mold@LTRfootnotetext\@LTRfootnotetext
\let\m@mold@RTLfootnotetext\@RTLfootnotetext
\let\m@mold@mpfootnotetext\@mpfootnotetext
\let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
\let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
\bidi@ensure@newcommand{\normalfootnotes}{%
  \let\@footnotetext\m@mold@footnotetext
  \let\@LTRfootnotetext\m@mold@LTRfootnotetext
  \let\@RTLfootnotetext\m@mold@RTLfootnotetext
  \let\@mpfootnotetext\m@mold@mpfootnotetext
  \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
  \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext}
\@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
\bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
\bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
\bidi@ensure@newcommand*{\setSingleSpace}[1]{%
  \def\m@m@singlespace{#1}%
  \def\m@m@footnote@spacing{#1}%
  \def\m@m@float@spacing{#1} %
}
\setSingleSpace{1}
\bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
\bidi@ensure@newcommand*{\m@mmf@prepare}{%
  \kern-\multiplefootnotemarker
  \kern\multiplefootnotemarker\relax}
\bidi@ensure@newlength{\footmarkwidth}
\bidi@ensure@newlength{\footmarksep}
\bidi@ensure@newlength{\footparindent}
\bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
\bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
\bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
\bidi@ensure@newcommand{\footfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\footscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\footscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\LTRfootfootmark}{%
  \ifdim\footmarkwidth < \z@
```

```
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\LTRfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\LTRfootscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\RTLfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\RTLfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\RTLfootscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
    \fi
  \fi}
\footmarkstyle{\textsuperscript{#1}}
\LTRfootmarkstyle{\textsuperscript{#1}}
\RTLfootmarkstyle{\textsuperscript{#1}}
\setlength{\footmarkwidth}{1em plus.4em minus.4em}
\setlength{\footparindent}{1em}
\bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
\bidi@ensure@newcommand*{\extrafeetins}{%
  \setbox\@outputbox \vbox{%
    \boxmaxdepth \@maxdepth
    \unvbox\@outputbox
    \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
    \extrafeetinshook}}
\bidi@ensure@newcommand{\extrafeetinshook}{}
\bidi@ensure@newcommand{\foottextfont}{\footnotesize}
\bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
\bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
\bidi@ensure@newlength{\footinsdim}
  \setlength{\footinsdim}{8in}   % standard for \dimen\footins
\bidi@ensure@newcommand{\@preamfntext}{%
  \interlinepenalty\interfootnotelinepenalty
  \floatingpenalty \@MM
  \splittopskip=\footnotesep
  \splitmaxdepth=\dp\strutbox
  \@parboxrestore}
\bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
  \extrafeetminihook}
\bidi@ensure@newcommand{\extrafeetendmini}{%
  \ifvoid\@mpfootinsv@r\else
```

```
    \vskip\skip\@mpfootins
    \normalcolor\footnoterule\mp@footgroupv@r
  \fi
  \extrafeetendminihook}
\bidi@ensure@newcommand{\extrafeetendminihook}{}
\bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
\def\endminipage{%
  \par
  \unskip
  \ifvoid\@mpfootins\else
    \vskip\skip\@mpfootins
    \normalcolor
    \footnoterule
    \unvbox\@mpfootins
  \fi
  \m@mdoextrafeetendmini
  \@minipagefalse
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\bidi@ensure@newcommand{\m@make@footstart}[1]{%
  \@namedef{@footstart#1}{%
   \bidi@mopfn@bottom
    \vskip\bigskipamount
    \leftskip=\z@
    \rightskip=\z@
    \footnoterule}}
\newinsert\footinsv@r
  \skip\footinsv@r\bigskipamount
  \count\footinsv@r=1000 % no magnifcation
  \dimen\footinsv@r=\footinsdim
\m@make@footstart{v@r}
\bidi@ensure@newcommand{\@footgroupv@r}{}
\newinsert\@mpfootinsv@r
\bidi@ensure@newcommand{\mp@footgroupv@r}{}
\newcount\m@m@k \newdimen\m@m@h
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \hsize\textwidth
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}
\bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
  \global\advance\m@m@k-1\cr\m@mdosplits\fi}
\bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
  \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
  \setbox2 \vsplit0 to \dimen0
```

```
  \unvbox2 }
\bidi@ensure@newcommand{\twocolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@twocolfootnotetext
  \let\@LTRfootnotetext\@twocolLTRfootnotetext
  \let\@RTLfootnotetext\@twocolRTLfootnotetext
  \dimen\footinsv@r=2\footinsdim
  \count\footinsv@r=500\relax
  \m@make@twocol@footgroup{v@r}%
  \let\@footgroupv@r\@twocol@footgroupv@r
  \let\@mpfootnotetext\@mptwocolfootnotetext
  \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
  \m@make@mptwocol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptwocol@footgroupv@r}
\bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtwofmt}{%
  \hsize .45\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
```

```
\bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
  \@preamtwofmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
  \@preamtwofmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
  \@preamtwofmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
  \m@make@twocolfootnotetext{#1}%
  \m@make@mptwocolfootnotetext{#1}%
  \m@make@twocolfootfmt{#1}%
```

```
  \m@make@twocol@footgroup{#1}%
  \m@make@mptwocol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@twocolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mptwocolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@twocol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mptwocol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
  \bidi@namelongdef{@twocolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@twocolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
\bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@twocolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
  \@namedef{@twocolfootfmt#1}##1{%
    \@preamtwofmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
  \@namedef{@twocol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
\@namedef{@mptwocol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
```

```
\bidi@ensure@newcommand{\threecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@threecolfootnotetext
  \let\@LTRfootnotetext\@threecolLTRfootnotetext
  \let\@RTLfootnotetext\@threecolRTLfootnotetext
  \dimen\footinsv@r=3\footinsdim
  \count\footinsv@r=333\relax
  \m@make@threecol@footgroup{v@r}%
  \let\@footgroupv@r\@threecol@footgroupv@r
  \let\@mpfootnotetext\@mpthreecolfootnotetext
  \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
  \m@make@mpthreecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpthreecol@footgroupv@r}
\bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@preamthreefmt}{%
  \hsize .3\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
  \@preamthreefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
```

```
  \@preamthreefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
  \@preamthreefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
  \m@make@threecolfootnotetext{#1}%
  \m@make@mpthreecolfootnotetext{#1}%
  \m@make@threecolfootfmt{#1}%
  \m@make@threecol@footgroup{#1}%
  \m@make@mpthreecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
    \@nameuse{@threecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpthreecolfootnotetext#1}{##1}}%
```

```
  \@namedef{@footgroup#1}{\@nameuse{@threecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpthreecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
  \expandafter\count\csname footins#1\endcsname=333\relax}
\bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
\bidi@namelongdef{@threecolfootnotetext#1}##1{%
  \insert\@nameuse{footins#1}{%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\@nameuse{foottextfont#1}%
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@threecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
\bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@threecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
\bidi@namelongdef{@threecolfootfmt#1}##1{%
  \@preamthreefmt
  {\@nameuse{footfootmark#1}\strut
   {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
\@namedef{@threecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
\@namedef{@mpthreecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\fourcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@fourcolfootnotetext
  \let\@LTRfootnotetext\@fourcolLTRfootnotetext
  \let\@RTLfootnotetext\@fourcolRTLfootnotetext
  \dimen\footinsv@r=4\footinsdim
  \count\footinsv@r=250\relax
  \m@make@fourcol@footgroup{v@r}%
```

```
  \let\@footgroupv@r\@fourcol@footgroupv@r
  \let\@mpfootnotetext\@mpfourcolfootnotetext
  \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
  \m@make@mpfourcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
\bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfourfmt}{%
  \hsize .25\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
  \@preamfourfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
  \@preamfourfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
  \@preamfourfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
```

```
\bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
  \m@make@fourcolfootnotetext{#1}%
  \m@make@mpfourcolfootnotetext{#1}%
  \m@make@fourcolfootfmt{#1}%
  \m@make@fourcol@footgroup{#1}%
  \m@make@mpfourcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@fourcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpfourcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@fourcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpfourcol@footgroup#1}}%
```

```
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
  \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@fourcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
\bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@fourcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
  \@namedef{@fourcolfootfmt#1}##1{%
    \@preamfourfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
  \@namedef{@fourcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
\@namedef{@mpfourcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\fivecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@fivecolfootnotetext
  \let\@LTRfootnotetext\@fivecolLTRfootnotetext
  \let\@RTLfootnotetext\@fivecolRTLfootnotetext
  \dimen\footinsv@r=5\footinsdim
  \count\footinsv@r=200\relax
  \m@make@fivecol@footgroup{v@r}%
  \let\@footgroupv@r\@fivecol@footgroupv@r
```

```
  \let\@mpfootnotetext\@mpfivecolfootnotetext
  \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
  \m@make@mpfivecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
\bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfivefmt}{%
  \hsize .2\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
  \@preamfivefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
  \@preamfivefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
  \@preamfivefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
```

```
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
  \m@make@fivecolfootnotetext{#1}%
  \m@make@mpfivecolfootnotetext{#1}%
  \m@make@fivecolfootfmt{#1}%
  \m@make@fivecol@footgroup{#1}%
  \m@make@mpfivecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@fivecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpfivecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@fivecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpfivecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
```

```
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
  \bidi@namelongdef{@fivecolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@fivecolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
\bidi@namelongdef{@mpfivecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@fivecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
  \@namedef{@fivecolfootfmt#1}##1{%
    \@preamfivefmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
  \@namedef{@fivecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
\@namedef{@mpfivecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\sixcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@sixcolfootnotetext
  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
  \dimen\footinsv@r=6\footinsdim
  \count\footinsv@r=166\relax
  \m@make@sixcol@footgroup{v@r}%
  \let\@footgroupv@r\@sixcol@footgroupv@r
  \let\@mpfootnotetext\@mpsixcolfootnotetext
```

```
  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
  \m@make@mpsixcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
\bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsixfmt}{%
  \hsize .16\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
  \@preamsixfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
  \@preamsixfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
  \@preamsixfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\f
  \global\setbox\@mpfootinsv@r\vbox{%
```

```
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
  \m@make@sixcolfootnotetext{#1}%
  \m@make@mpsixcolfootnotetext{#1}%
  \m@make@sixcolfootfmt{#1}%
  \m@make@sixcol@footgroup{#1}%
  \m@make@mpsixcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@sixcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpsixcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@sixcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpsixcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
```

```
\bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
  \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@sixcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
\bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@sixcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
  \@namedef{@sixcolfootfmt#1}##1{%
    \@preamsixfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
  \@namedef{@sixcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
\@namedef{@mpsixcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\sevencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@sevencolfootnotetext
  \let\@LTRfootnotetext\@sevencolLTRfootnotetext
  \let\@RTLfootnotetext\@sevencolRTLfootnotetext
  \dimen\footinsv@r=7\footinsdim
  \count\footinsv@r=142\relax
  \m@make@sevencol@footgroup{v@r}%
  \let\@footgroupv@r\@sevencol@footgroupv@r
  \let\@mpfootnotetext\@mpsevencolfootnotetext
  \let\@mpLTRfootnotetext\@mpsevencolLTRfootnotetext
```

```
  \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
  \m@make@mpsevencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsevencol@footgroupv@r}
\bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsevenfmt}{%
  \hsize .142\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
  \@preamsevenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
  \@preamsevenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
  \@preamsevenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
```

```
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
  \m@make@sevencolfootnotetext{#1}%
  \m@make@mpsevencolfootnotetext{#1}%
  \m@make@sevencolfootfmt{#1}%
  \m@make@sevencol@footgroup{#1}%
  \m@make@mpsevencol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@sevencolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpsevencolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@sevencol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpsevencol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
```

```
  \bidi@namelongdef{@sevencolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@sevencolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
\bidi@namelongdef{@mpsevencolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@sevencolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
  \@namedef{@sevencolfootfmt#1}##1{%
    \@preamsevenfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
  \@namedef{@sevencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
\@namedef{@mpsevencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\eightcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@eightcolfootnotetext
  \let\@LTRfootnotetext\@eightcolLTRfootnotetext
  \let\@RTLfootnotetext\@eightcolRTLfootnotetext
  \dimen\footinsv@r=8\footinsdim
  \count\footinsv@r=125\relax
  \m@make@eightcol@footgroup{v@r}%
  \let\@footgroupv@r\@eightcol@footgroupv@r
  \let\@mpfootnotetext\@mpeightcolfootnotetext
  \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
```

```
  \m@make@mpeightcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
\bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preameightfmt}{%
  \hsize .125\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
  \@preameightfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
  \@preameightfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
  \@preameightfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
```

```
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
  \m@make@eightcolfootnotetext{#1}%
  \m@make@mpeightcolfootnotetext{#1}%
  \m@make@eightcolfootfmt{#1}%
  \m@make@eightcol@footgroup{#1}%
  \m@make@mpeightcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@eightcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpeightcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@eightcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpeightcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
  \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
```

```
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@eightcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
\bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@eightcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
  \@namedef{@eightcolfootfmt#1}##1{%
    \@preameightfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
  \@namedef{@eightcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
\@namedef{@mpeightcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\ninecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@ninecolfootnotetext
  \let\@LTRfootnotetext\@ninecolLTRfootnotetext
  \let\@RTLfootnotetext\@ninecolRTLfootnotetext
  \dimen\footinsv@r=9\footinsdim
  \count\footinsv@r=111\relax
  \m@make@ninecol@footgroup{v@r}%
  \let\@footgroupv@r\@ninecol@footgroupv@r
  \let\@mpfootnotetext\@mpninecolfootnotetext
  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
  \m@make@mpninecol@footgroup{v@r}%
```

```
  \let\mp@footgroupv@r\@mpninecol@footgroupv@r}
\bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamninefmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
  \@preamninefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
  \@preamninefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
  \@preamninefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
```

```
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\ninecolumnfootstyle}[1]{%
  \m@make@ninecolfootnotetext{#1}%
  \m@make@mpninecolfootnotetext{#1}%
  \m@make@ninecolfootfmt{#1}%
  \m@make@ninecol@footgroup{#1}%
  \m@make@mpninecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@ninecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpninecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@ninecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpninecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
  \bidi@namelongdef{@ninecolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
```

```
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@ninecolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
\bidi@namelongdef{@mpninecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@ninecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
  \@namedef{@ninecolfootfmt#1}##1{%
    \@preamninefmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
  \@namedef{@ninecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
\@namedef{@mpninecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\tencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@tencolfootnotetext
  \let\@LTRfootnotetext\@tencolLTRfootnotetext
  \let\@RTLfootnotetext\@tencolRTLfootnotetext
  \dimen\footinsv@r=10\footinsdim
  \count\footinsv@r=100\relax
  \m@make@tencol@footgroup{v@r}%
  \let\@footgroupv@r\@tencol@footgroupv@r
  \let\@mpfootnotetext\@mptencolfootnotetext
  \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
  \m@make@mptencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptencol@footgroupv@r}
```

```
\bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtenfmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
  \@preamtenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
  \@preamtenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
  \@preamtenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
```

```
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
  \m@make@tencolfootnotetext{#1}%
  \m@make@mptencolfootnotetext{#1}%
  \m@make@tencolfootfmt{#1}%
  \m@make@tencol@footgroup{#1}%
  \m@make@mptencol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@tencolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mptencolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@tencol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mptencol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
  \bidi@namelongdef{@tencolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
```

```
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@tencolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
\bidi@namelongdef{@mptencolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@tencolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
  \@namedef{@tencolfootfmt#1}##1{%
    \@preamtenfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
  \@namedef{@tencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
\@namedef{@mptencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@munvxh}[1]{%
  \setbox0=\vbox{\unvbox#1%
    \global\setbox1=\lastbox}%
  \unhbox1
  \unskip
  \unskip
  \unpenalty
  \hskip\m@mipn@skip}
\bidi@ensure@newcommand{\m@mungebox}{%
  \setbox0=\hbox{\m@munvxh0}%
  \dp0=\z@
  \ht0=\footfudgefactor\wd0
  \box0
  \penalty0}
\newskip\m@mipn@skip
```

```
\bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
  {\foottextfont\global\m@mipn@skip=#1\relax}}
\m@minterparanoteglue{1em plus.4em minus.4em}
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
 \hsize\textwidth%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}
}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}}
\bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
  \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
\bidi@ensure@newcommand*{\footfudgefiddle}{64}
\bidi@ensure@newcommand{\paragraphfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@parafootnotetext
  \let\@LTRfootnotetext\@paraLTRfootnotetext
  \let\@RTLfootnotetext\@paraRTLfootnotetext
  \dimen\footinsv@r=\footinsdim
  \count\footinsv@r=1000\relax
  \m@make@para@footgroup{v@r}%
  \let\@footgroupv@r\@para@footgroupv@r
  \let\@mpfootnotetext\@mpparafootnotetext
  \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
  \m@make@mppara@footgroup{v@r}%
  \let\mp@footgroupv@r\@mppara@footgroupv@r
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \foottextfont
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
```

```
   \endgroup
  }
\bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\e
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@parafootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\footfootmark\strut {\foottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
```

```
\bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
    \let\bidi@RTL@everypar\@empty%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\e
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
  \m@make@parafootnotetext{#1}%
  \m@make@mpparafootnotetext{#1}%
  \m@make@parafootfmt{#1}%
  \m@make@para@footgroup{#1}%
  \m@make@mppara@footgroup{#1}%
  \m@make@para@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
```

```
    \@nameuse{@parafootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpparafootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@para@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mppara@footgroup#1}}%
  \@namedef{@footstart#1}{\@nameuse{@para@footstart#1}}%
  \expandafter\dimen\csname footins#1\endcsname=\footinsdim
  \expandafter\count\csname footins#1\endcsname=1000\relax
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \@nameuse{foottextfont#1}%
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
   \endgroup
  }
\bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
\bidi@namelongdef{@parafootnotetext#1}##1{%
  \insert\@nameuse{footins#1}{
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\@nameuse{foottextfont#1}%
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@nameuse{@parafootfmt#1}{##1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
\bidi@namelongdef{@mpparafootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
        \noindent \@nameuse{@parafootfmt#1}{##1}%
      \color@endgroup}%
    \m@mungebox}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
\bidi@namelongdef{@parafootfmt#1}##1{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
```

```
  {\@nameuse{footfootmark#1}\strut
   {\@nameuse{foottextfont#1}##1}\penalty-10}}
\bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
\@namedef{@para@footgroup#1}{%
  \unvbox\@nameuse{footins#1}
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \@parboxrestore%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
\@namedef{@mppara@footgroup#1}{%
  \unvbox\@nameuse{@mpfootins#1}
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
\@namedef{@para@footstart#1}{%
  \vskip\bigskipamount
  \leftskip=\z@
  \rightskip=\z@
  \parindent=\z@
  \vskip\skip\@nameuse{footins#1}%
  \footnoterule}}
\bidi@ensure@newcommand*{\m@m@makecolfloats}{%
  \xdef\@freelist{\@freelist\@midlist}%
  \global\let\@midlist\@empty
  \@combinefloats}
\bidi@ensure@newcommand*{\m@m@makecoltext}{%
  \ifvbox\@kludgeins
    \@makespecialcolbox
  \else
    \setbox\@outputbox \vbox to\@colht{%
      \@texttop
      \dimen@ \dp\@outputbox
      \unvbox \@outputbox
      \vskip -\dimen@
      \@textbottom}%
  \fi}
\bidi@ensure@newcommand*{\m@m@makecolintro}{}
\bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \@tempdima\dp\@cclv
  \unvbox\@cclv
  \vskip-\@tempdima
  \bidi@mopfn@bottom
  \vskip \skip\footins
```

```
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup}}
\newcommand*{\bidi@mopfootnotebf}{%
  \setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \unvbox\@outputbox
  \bidi@mopfn@bottom
  \vskip\skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup}}
\gdef\mem@makecol{%
  \m@m@makecolintro
  \ifvoid\footins
    \setbox\@outputbox \box\@cclv
  \else
    \m@mopfootnote
  \fi
  \m@mdoextrafeet
  \m@m@makecolfloats
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\gdef\bidi@makecolbf{%
  \m@m@makecolintro
  \setbox\@outputbox \box\@cclv
  \m@m@makecolfloats
  \ifvoid\footins
  \else
    \bidi@mopfootnotebf
  \fi
  \m@mdoextrafeet
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
\newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
\newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
\newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
\FeetAboveFloat
\FeetBelowRagged
```

7.55 extreport-xetex-bidi.def

```
\ProvidesFile{extreport-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extreport class
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
```

```
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\left@footnoterule{%
  \kern-3\p@
```

```
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
```

```
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
```

```
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand\thefigure{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
```

7.56 fancybox-xetex-bidi.def

```
\ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package
\def\fancy@@oval#1#2#3{%
  \boxmaxdepth \maxdimen
  \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
  \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
  \@ovxx#1\relax
  \advance\@ovxx-\@wholewidth
  \@ovyy#2\relax
  \advance\@ovyy-\@wholewidth
  \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
  \advance\@tempdimb-2\p@
  \ifdim\@tempdimb>\the@cornersize\relax
    \@tempdimb=\the@cornersize
  \fi
  \@getcirc\@tempdimb
  \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
  \@circlefnt
  \setbox\@tempboxa\hbox{\beginL%
    \if@ovr \@ovvert32\kern -\@tempdima \fi
    \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
    \if@ovt \@ovhorz \kern -\@ovxx \fi
    \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
  \advance\@ovdx\@ovro
```

```
  \advance\@ovdy\@ovro
  \advance\@ovxx\@wholewidth
  \wd\@tempboxa=\@ovxx
  \dp\@tempboxa=\z@}
```

7.57 fancyhdr-xetex-bidi.def

```
\ProvidesFile{fancyhdr-xetex-bidi.def}[2016/11/30 v0.6 bidi adaptations for fancyhdr package

\let\fnch@everypar\everypar%

\def\@fancyhead#1#2#3#4#5{#1\hbox to\headwidth{\fancy@reset
  \@fancyvbox\headheight{\hbox
    {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
      \parbox[b]{\headwidth}{\centering#3}\hfill
      \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}}#5}

\def\@fancyfoot#1#2#3#4#5{#1\hbox to\headwidth{\fancy@reset
    \@fancyvbox\footskip{\footrule
      \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[t]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}}}#5}

```

7.58 fix2col-xetex-bidi.def

```
\ProvidesFile{fix2col-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for fix2col package fo
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
\else  \global\@firstcolumntrue
\setbox\@outputbox \vbox {\hbox to\textwidth {%
\hskip \columnwidth
\hfil \vrule width\columnseprule \hfil
\hbox to\columnwidth {\box\@leftcolumn \hss}%
\hskip -\textwidth
```

```
\hbox to\columnwidth{\box\@outputbox \hss}%
\hskip \columnsep
\hskip \columnwidth }}%
\@combinedblfloats \@setmarks \@outputpage
\begingroup \@dblfloatplacement \@startdblcolumn
\@whilesw\if@fcolmade \fi
{\@outputpage \@startdblcolumn }\endgroup
\fi}
\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hfil
        \vrule \@width\columnseprule
        \hfil
       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
    \endgroup
  \fi}
```

7.59 fleqn-xetex-bidi.def

```
\ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX
\renewcommand\[{\relax
                \ifmmode\@badmath
```

```
                \else
                  \begin{trivlist}%
                    \@beginparpenalty\predisplaypenalty
                    \@endparpenalty\postdisplaypenalty
                    \item[]\leavevmode
                    \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
                      \hskip\mathindent\bgroup
                \fi}
\renewcommand\]{\relax
                \ifmmode
                      \egroup $\hfil% $
                    \endL\egroup
                  \end{trivlist}%
                \else \@badmath
                \fi}
\renewenvironment{equation}%
    {\@beginparpenalty\predisplaypenalty
     \@endparpenalty\postdisplaypenalty
     \refstepcounter{equation}%
     \trivlist \item[]\leavevmode
       \hb@xt@\linewidth\bgroup\beginL $\m@th% $
         \displaystyle
         \hskip\mathindent}%
        {$\hfil % $
         \displaywidth\linewidth\hbox{\@eqnnum}%
       \endL\egroup
     \endtrivlist}
```

7.60 float-xetex-bidi.def

```
\ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for Xe
\renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{{\@fs@cfont #1:} #2}%
  \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
    \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
\def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
    \expandafter\edef\csname the#1\endcsname{%
      \expandafter\noexpand\csname
        the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
    {\PackageWarning{float}{Can't redefine counter variable for #1.}}}
```

7.61 floatrow-xetex-bidi.def

```
\ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package
\renewcommand\flnew@within[1]{\@addtoreset{\FB@captype}{#1}%
  \expandafter\edef\csname the\FB@captype\endcsname{%
      \expandafter\noexpand\csname
        the#1\endcsname\@SepMark\noexpand\arabic{\FB@captype}}}
```

7.62 flowfram-xetex-bidi.def

```
\ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package
\def\@outputdblcol{%
```

```
\@nxtcol=\c@thisframe
\c@curpg=\c@page
\@g@tnextcol{\@nxtcol}%
\if@ff@nwpg % next flow frame starts on new page
  \global\@firstcolumntrue
  \@setcolbox\c@thisframe
  \if@specialpage
    \global\@specialpagefalse
    \@nameuse{ps@\@specialstyle}\relax
  \fi
  \if@twoside
    \ifodd\count\z@
      \let\@thehead\@oddhead
      \let\@thefoot\@oddfoot
    \else
      \let\@thehead\@evenhead
      \let\@thefoot\@evenfoot
    \fi
  \else
    \let\@thehead\@oddhead
    \let\@thefoot\@oddfoot
  \fi
  \@begindvi
  \@dodynamicthehead\@dodynamicthefoot
  \vbadness=\@M
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
  \@combinedblfloats
  \@outputpage
\advance\c@curpg by -\c@page\relax
  \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
\@outputpage}
  \begingroup
    \@dblfloatplacement
    \@startdblcolumn
    \@whilesw \if@fcolmade \fi
       {\@outputpage \@startdblcolumn }\endgroup
  \@resetst@tics
  \@resetdyn@mics
\else % still on same page, save contents of box255
  \global\@firstcolumnfalse
  \@setcolbox\c@thisframe
\fi
\global\c@thisframe=\@nxtcol
\@setcol{\c@thisframe}\relax
\global\@colht\vsize
}
\def\@outputpage{%
\begingroup
  \let\protect\noexpand
```

```
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse\@parboxrestore
  \shipout\vbox{\set@typeset@protect
    \aftergroup
    \endgroup
    \aftergroup
    \set@typeset@protect
    \reset@font\normalsize\normalsfcodes
    \let\label\@gobble
    \let\index\@gobble
    \let\glossary\@gobble
    \baselineskip\z@skip
    \lineskip\z@skip
    \lineskiplimit\z@
    \vskip\topmargin\moveright\@themargin
    \vbox{%
      \vskip\headheight
      \vskip\headsep
      \box\@outputbox
    }}%
  \global\let\if@newlist\@@if@newlist
  \stepcounter{page}%
  \setcounter{displayedframe}{0}%
  \let\firstmark\botmark}


\newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
\expandafter\bidicolor\ff@txtcol}}

\newcommand{\bidi@ff@box}[3]{{\@ffbackground{\vbox to#2
{\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}


\renewcommand*{\@docolbox}[1]{%
\edef\ff@frametype{%
\csname @ff@frametype@\romannumeral#1\endcsname}%
\edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
\edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
\edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
\@ff@setoffset{#1}%
\rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
\ifthenelse{\boolean{columnframe\romannumeral#1}}{%
\@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}{%
\csname\ff@frametype\endcsname}%
}{%
\bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
```

```
\expandafter\box\csname column\romannumeral#1\endcsname}%
}}}
\@ifclassloaded{book}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\@ifclassloaded{report}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\renewcommand{\rotateframe}[2]{\if@ttb@rotate
\rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
\else
#2\relax
\fi}
```

7.63 footnote-xetex-bidi.def

```
\ProvidesFile{footnote-xetex-bidi.def}[2016/09/09 v1.0 bidi footnote macros for XeTeX engine]
\if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
\newif\ifbidi@autofootnoterule
\def\bidi@mpfootnoterule{\footnoterule}
\newcounter{footdir@label}
\renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
\newcommand*{\footdir@write}{%
  \stepcounter{footdir@label}%
  \zref@labelbyprops{\thefootdir@label}{abspage}%
}
\newif\iffootdir@debug
\newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
\newtoks\footdir@toks
\newcommand*{\footdir@debug}[1]{%
```

```
  \iffootdir@debug
    \typeout{[footdir] #1}%
  \fi
}
%\@ifpackagelater{zref-abspage}{2012/10/27}{%
%  \newcommand*{\footdir@LeftRightElse}{%
%    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
%      \footdir@debug{abspage \the\value{zabspage}: else}%
%      \ltx@thirdofthree
%    }{%
%      \if\csname footdir@\the\value{zabspage}\endcsname L%
%        \footdir@debug{abspage \the\value{zabspage}: left}%
%        \expandafter\ltx@firstofthree
%      \else
%        \footdir@debug{abspage \the\value{zabspage}: right}%
%        \expandafter\ltx@secondofthree
%      \fi
%    }%
%  }%
%}{%
  \providecommand*{\c@zabspage}{\c@abspage}%
  \newcommand*{\footdir@LeftRightElse}{%
    \footdir@write
    \zifrefundefined{\thefootdir@label}{%
      \footdir@debug{abspage ??: else}%
      \ltx@thirdofthree
    }{%
      \edef\footdir@abspage{%
        \zref@extractdefault{\thefootdir@label}{abspage}{0}%
      }%
      \ltx@ifundefined{footdir@\footdir@abspage}{%
        \footdir@debug{\footdir@abspage: else}%
        \ltx@thirdofthree
      }{%
        \if\csname footdir@\footdir@abspage\endcsname L%
          \footdir@debug{\footdir@abspage: left}%
          \expandafter\ltx@firstofthree
        \else
          \footdir@debug{\footdir@abspage: right}%
          \expandafter\ltx@secondofthree
        \fi
      }%
    }%
  }%
%}
\newcommand*{\footdir@fntext}[1]{%
  \zifrefundefined{\thefootdir@label}{%
  }{%
    \edef\footdir@name{%
      footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
```

```
    }%
    \@ifundefined{\footdir@name}{%
      \expandafter\gdef\csname\footdir@name\endcsname{#1}%
    }{}%
  }%
}

\newcommand*{\footdir@temp}[3]{%
  \@ifdefinable{#1}{%
    \let#1#2%
    \renewcommand{#2}[1]{%
      \footdir@write
      \footdir@fntext{#3}%
      \stepcounter{footdir@label}%
      \footdir@fntext{#3}%
      \footdir@toks{##1}%
      \footdir@toks\expandafter{%
        \the\expandafter\footdir@toks
        \expandafter
        \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
      }%
      \expandafter#1\expandafter{\the\footdir@toks}%
    }%
  }%
}

\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\def\left@footnoterule{\kern-3\p@
  \hrule \@width .4\columnwidth \kern 2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\def\leftfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\left@footnoterule}}
\let\LRfootnoterule=\leftfootnoterule
\def\rightfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\right@footnoterule}}
\def\textwidthfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\textwidth@footnoterule}}



\def\auto@footnoterule{%
\footdir@LeftRightElse%
\left@footnoterule%
```

```
\right@footnoterule%
\left@footnoterule%
}


\def\autofootnoterule{%
\bidi@autofootnoteruletrue%
\def\footnoterule{\auto@footnoterule}%
}

\newcommand*{\SplitFootnoteRule}{%
  \gdef\split@prev{0}
  \let\pagefootnoterule\footnoterule
  \let\mpfootnoterule\footnoterule
  \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
  \def\footnoterule{\relax
    \ifx \@listdepth\@mplistdepth
      \mpfootnoterule
    \else
      \ifnum\split@prev=\z@
        \pagefootnoterule
      \else
        \splitfootnoterule
      \fi
      \xdef\split@prev{\the\insertpenalties}%
    \fi
  }%
}


\def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
     \protected@xdef\@thefnmark{\thempfn}%
     \@footnotemark\@RTLfootnotetext}}
\def\@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\@RTLfootnotetext}
\def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
     \protected@xdef\@thefnmark{\thempfn}%
     \@footnotemark\@LTRfootnotetext}}
\def\@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
```

```
   \@footnotemark\@LTRfootnotetext}


\def\setfootnoteRL{\@RTL@footnotetrue}
\def\unsetfootnoteRL{\@RTL@footnotefalse}
\def\setfootnoteLR{\unsetfootnoteRL}

\newcommand*{\bidi@@footnotetext@font}{\reset@font\footnotesize}
\newcommand*{\bidi@@LTRfootnotetext@font}{\reset@font\footnotesize}
\newcommand*{\bidi@@RTLfootnotetext@font}{\reset@font\footnotesize}

\long\def\@footnotetext#1{\insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \bidi@@footnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%


\long\def\@RTLfootnotetext#1{\insert\footins{%
    \@RTLtrue%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\long\def\@LTRfootnotetext#1{\insert\footins{%
    \@RTLfalse%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\AtBeginDocument{%
\if@RTL@footnote
  \newcommand*{\bidi@footdir@footnote}{R}
\else
  \newcommand*{\bidi@footdir@footnote}{L}
\fi%
}

\footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%

\long\def\@mpRTLfootnotetext#1{%
  \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footn
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpLTRfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnot
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoter
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \bidi@@footnotetext@font% \reset@font\footnotesize
```

```
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\def\@iiiminipage#1#2[#3]#4{%
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
  \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\f
  \setlength\@tempdima{#4}%
  \def\@mpargs{{#1}{#2}[#3]{#4}}%
  \setbox\@tempboxa\vbox\bgroup
    \color@begingroup
      \hsize\@tempdima
      \textwidth\hsize \columnwidth\hsize
      \@parboxrestore
      \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
      \let\@footnotetext\@mpfootnotetext
      \let\@LTRfootnotetext\@mpLTRfootnotetext
      \let\@RTLfootnotetext\@mpRTLfootnotetext
      \let\@listdepth\@mplistdepth \@mplistdepth\z@
      \@minipagerestore
      \@setminipage}
\def\endminipage{%
    \par
    \unskip
    \ifvoid\@mpfootins\else
      \vskip\skip\@mpfootins
      \normalcolor
      \bidi@mpfootnoterule
      \unvbox\@mpfootins
    \fi
    \@minipagefalse   %% added 24 May 89
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\def\LTRthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
}
\def\LTRfootnotetext{%
     \@ifnextchar [\@xLTRfootnotenext
       {\protected@xdef\@thefnmark{\thempfn}%
    \@LTRfootnotetext}}
\def\@xLTRfootnotenext[#1]{%
  \begingroup
```

```
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@LTRfootnotetext}
\def\RTLthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
}
\let\@thanks\@empty
\def\RTLfootnotetext{%
     \@ifnextchar [\@xRTLfootnotenext
       {\protected@xdef\@thefnmark{\thempfn}%
    \@RTLfootnotetext}}
\def\@xRTLfootnotenext[#1]{%
  \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@RTLfootnotetext}
\leftfootnoterule
```

7.64 framed-xetex-bidi.def

```
\ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
\renewcommand\TitleBarFrame[3][]{\begingroup
  \ifx\delimiter#1\delimiter
    \let\TF@conlab\@empty
  \else
    \def\TF@conlab{% continuation label
     \nointerlineskip
     \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
  \fi
  %\let\TF@savecolor\current@color
  \textcolor{TFFrameColor}{%
  \CustomFBox
    {\TF@Title{#2}}{\TF@conlab}%
    \fboxrule\fboxrule\fboxrule\fboxrule
    %{\let\current@color\TF@savecolor\set@color #3}%
    {\normalcolor #3}%
  }\endgroup
}
\renewenvironment{titled-frame}[1]{%
  \def\FrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1}}}%
  \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
  \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1\ (cont
  \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1\ (cont)}}}%
```

```
  \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
%  note: 8 + 2 + 8 + 2 = 20.  Don't use \width because the frame title
%  could interfere with the width measurement.
 {\endMakeFramed}
\chardef\FrameRestore=\catcode`\| % for debug
\catcode`\|=\catcode`\% % (debug: insert space after backslash)
\def\fb@put@frame#1#2{\relax
 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
|   \message{============== Entering putframe ====================^^J
|     \pagegoal=\the\pagegoal,  \pagetotal=\the\pagetotal. }%
 \ifinner
   \fb@putboxa#1%
   \fb@afterframe
 \else
  \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
  \ifdim\dimen@<2\baselineskip % Too little room on page
|   \message{Page has only \the\dimen@\space room left; eject. }%
    \eject \fb@adjheight \fb@put@frame#1#2%
  \else % there's appreciable room left on the page
     \fb@sizeofframe#1%
|    \message{\string\pagetotal=\the\pagetotal,
|        \string\pagegoal=\the\pagegoal,
|        \string\pagestretch=\the\pagestretch,
|        \string\pageshrink=\the\pageshrink,
|        \string\fb@frh=\the\fb@frh. \space}
|    \message{^^JBox of size \the\ht\@tempboxa\space}%
     \begingroup % temporarily set \dimen@ to be...
     \advance\dimen@.8\pageshrink  % maximum space available on page
     \advance\dimen@-\fb@frh\relax % max space available for frame's contents
%%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
     \expandafter\endgroup
     % expand \ifdim, then restore \dimen@ to real room left on page
     \ifdim\dimen@>\ht\@tempboxa % whole box does fit
|       \message{fits in \the\dimen@. }%
        % ToDo: Change this to use vsplit anyway to capture the marks
        % MERGE THIS WITH THE else CLAUSE!!!
        \fb@putboxa#1%
        \fb@afterframe
     \else % box must be split
|       \message{must be split to fit in \the\dimen@. }%
        % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
        \fb@sizeofframe#2%
        \setbox\@tempboxa\vbox{% simulate frame and flexiblity of the page:
           \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
           \kern137sp\kern-137sp\penalty-30
           \unvbox\@tempboxa}%
        \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
                           \splittopskip\the\splittopskip}%
        \boxmaxdepth\z@ \splittopskip\z@
|      \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
```

```
10858         % Split box here
10859         \setbox\tw@\vsplit\@tempboxa to\dimen@
10860 |       \toks99\expandafter{\splitfirstmark}%
10861 |       \toks98\expandafter{\splitbotmark}%
10862 |       \message{Marks are: \the\toks99, \the\toks98. }%
10863         \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
10864 |       \message{Natural height of split box is \the\ht\tw@, leaving
10865 |          \the\ht\@tempboxa\space remainder. }%
10866         % If the split-to size > (\vsize-\topskip), then set box to full size.
10867         \begingroup
10868         \advance\dimen@\topskip
10869         \expandafter\endgroup
10870         \ifdim\dimen@>\pagegoal
10871 |         \message{Frame is big -- Use up the full column. }%
10872           \dimen@ii\pagegoal
10873           \advance\dimen@ii -\topskip
10874           \advance\dimen@ii \FrameHeightAdjust\relax
10875         \else  % suspect this is implemented incorrectly:
10876           % If the split-to size > feasible room_on_page, rebox it smaller.
10877           \advance\dimen@.8\pageshrink
10878           \ifdim\ht\tw@>\dimen@
10879 |           \message{Box too tall; rebox it to \the\dimen@. }%
10880             \dimen@ii\dimen@
10881           \else % use natural size
10882             \dimen@ii\ht\tw@
10883           \fi
10884         \fi
10885         % Re-box contents to desired size \dimen@ii
10886         \advance\dimen@ii -\fb@frh
10887         \setbox\tw@\vbox to\dimen@ii \bgroup
10888         % remove simulated frame and page flexibility:
10889         \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
10890         \unvbox\tw@ \unpenalty\unpenalty
10891         \ifdim\lastkern=-137sp % whole box went to next page
10892 |          \message{box split at beginning! }%
10893            % need work here???
10894            \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
10895            \fb@adjheight
10896            \fb@put@frame#1#2% INSERTED ???
10897         \else % Got material split off at the head
10898            \egroup \fb@resto@set
10899            \ifvoid\@tempboxa % it all fit after all
10900 |             \message{box split at end! }%
10901               \setbox\@tempboxa\box\tw@
10902               \fb@putboxa#1%
10903               \fb@afterframe
10904            \else % it really did split
10905 |             \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
10906               \ifdim\wd\tw@>\z@
10907                 \wd\tw@\wd\@tempboxa
```

```
                \centerline{#2{\hboxL{\box\tw@}}}%  ??? \centerline bad idea
              \else
                \message{Zero width means likely blank. Don't frame it (guess)}%
                \box\tw@
              \fi
              \hrule \@height\z@ \@width\hsize
              \eject
              \fb@adjheight
              \fb@put@frame\LastFrameCommand\MidFrameCommand
  \fi\fi\fi\fi\fi
}
\def\fb@putboxa#1{%
  \ifvoid\@tempboxa
    \PackageWarning{framed}{Boxa is void -- discard it. }%
  \else
    \message{Frame and place boxa. }%
    %{\showoutput\showbox\@tempboxa}%
    \centerline{#1{\hboxL{\box\@tempboxa}}}%
  \fi
}
\catcode`\|=\FrameRestore
\def\FrameRestore{%
   \let\if@nobreak\iffalse
   \let\if@noskipsec\iffalse
   \let\-\@dischyph
   \let\'\@acci\let\`\@accii\let\=\@acciii
   %  \message{FrameRestore:
   %    \@totalleftmargin=\the \@totalleftmargin,
   %    \rightmargin=\the\rightmargin,
   %    \@listdepth=\the\@listdepth.  }%
   % Test if we are in a list (or list-like paragraph)
   \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
          \ifdim\rightmargin>\z@ 1\fi
          \ifnum\@listdepth>\z@ 1\fi 0>\z@
     %     \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftma
     %       \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
     %       \labelwidth=\the\labelwidth. }%
     \@setminipage % snug fit around the item
     % Now try to propageate changes of width from \hsize to list parameters.
     % This is deficient, but a more advanced way to indicate modification to text
     % dimensions is not (yet) provided; in particular, no separate left/right
     % adjustment.
     \advance\linewidth-\columnwidth \advance\linewidth\hsize
     \parshape\@ne \@totalleftmargin \linewidth
   \else % Not in list
     \linewidth=\hsize
     %\message{No list, set \string\linewidth=\the\hsize. }%
   \fi
   \sloppy
}
```

7.65 ftnright-xetex-bidi.def

```
\ProvidesFile{ftnright-xetex-bidi.def}[2016/05/10 v0.4 bidi adaptations for ftnright package

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%



\def\RTL@outputdblcol{%
  \if@firstcolumn
```

```
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{\box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%


\let\leftfootnoterule\@empty
\let\rightfootnoterule\@empty
\let\textwidthfootnoterule\@empty
\let\autofootnoterule\@empty
```

```
\let\footnoterule\@empty
\long\def\@makefntext#1{\parindent 1em
   \noindent\hbox to 2em{}%
   \llap{\@thefnmark\hbox{.}\,\,}#1}
```

7.66 graphicx-xetex-bidi.def

```
\ProvidesFile{graphicx-xetex-bidi.def}[2012/01/01 v0.4 bidi adaptations for graphicx package
\def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\
  \Grot@x\z@
  \Grot@y\z@
  \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
\long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{#3}}%
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\Gin@iii[#1,#2][#3,#4]#5{%
  \begingroup
  \ifmmode\else\if@RTL\beginL\fi\fi
  \Gin@bboxtrue
  \Gin@defaultbp\Gin@llx{#1}%
  \Gin@defaultbp\Gin@lly{#2}%
  \Gin@defaultbp\Gin@urx{#3}%
  \Gin@defaultbp\Gin@ury{#4}%
  \Ginclude@graphics{#5}%
  \ifmmode\else\if@RTL\endL\fi\fi
  \endgroup}
\def\Gin@ii[#1]#2{%
    \def\@tempa{[}\def\@tempb{#2}%
    \ifx\@tempa\@tempb
      \def\@tempa{\Gin@iii[#1][}%
      \expandafter\@tempa
    \else
     \begingroup
```

```
      \ifmmode\else\if@RTL\beginL\fi\fi
      \@tempswafalse
      \toks@{\Ginclude@graphics{#2}}%
      \setkeys{Gin}{#1}%
      \Gin@esetsize
      \the\toks@
      \ifmmode\else\if@RTL\endL\fi\fi
    \endgroup
    \fi}
\def\reflectbox{\bidiGscale@box-1[1]}
\long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\scalebox#1{%
  \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
\def\resizebox{%
  \leavevmode
  \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
\def\bidiGscale@@box#1#2#3{%
  \let\@tempa\Gin@exclamation
  \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
  \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
  \ifx\@tempb\@tempa
    \ifx\@tempc\@tempa
      \toks@{\mbox}%
    \else
      \toks@{\bidiGscale@box@dd{#3}#1}%
    \fi
  \else
    \ifx\@tempc\@tempa
      \toks@{\bidiGscale@box@dd{#2}\width}%
    \else
      \toks@{\bidiGscale@box@dddd{#2}\width{#3}#1}%
    \fi
  \fi
```

```
  \the\toks@}
\long\def\bidiGscale@box@dd#1#2#3{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
  \@end@tempboxa}
\long\def\bidiGscale@box@dddd#1#2#3#4#5{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \setlength\@tempdima{#3}%
    \setlength\@tempdimb{#4}%
    \Gscale@div\@tempb\@tempdima\@tempdimb
    \ifGin@iso
      \ifdim\@tempa\p@>\@tempb\p@
        \let\@tempa\@tempb
      \else
        \let\@tempb\@tempa
      \fi
    \fi
    \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
  \@end@tempboxa}
```

7.67 geometry-xetex-bidi.def

```
\ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package
\renewcommand*{\Gm@vrules@mpi}{%
\if@RTLmain%
        \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
        \llap{\Gm@vrule}\ignorespaces
        \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
        \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
    \else%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
\renewcommand*{\Gm@vrules@mpii}{%
\if@RTLmain%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}%
\else%
  \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
  \llap{\Gm@vrule}\ignorespaces
  \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
  \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
\bidi@patchcmd{\Gm@pageframes}{%
```

```
      \ifodd\count\z@
        \let\@themargin\oddsidemargin
      \else
        \let\@themargin\evensidemargin
      \fi
}{%
      \ifodd\count\z@
        \if@RTLmain
          \let\@themargin\evensidemargin
        \else
          \let\@themargin\oddsidemargin
        \fi
      \else
        \if@RTLmain
          \let\@themargin\oddsidemargin
        \else
          \let\@themargin\evensidemargin
        \fi
      \fi
}{}{}
```

7.68 hvfloat-xetex-bidi.def

```
\ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package fo
\def\do@@hvFloat[#1]#2#3{%
\def\hv@shortCap{#1}
\def\hv@longCap{#2}
\def\hv@label{#3}
%\newcommand*{\hvFloat}[5][]{%
% [#1]: keyvalues
% #2: type  figure | table | ...
% #3: float contents
% [#4]: short caption
% #5: caption
% #6: label
% \setDefaults%
% \def\@tempa{#1}%
% \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
  \def\@tempa{90}%
  \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
  \else                      \setlength{\hvMaxCapWidth}{\linewidth}
  \fi
%
% First we save the object in \hvObjectBox
%
  \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
    \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
  \else
    \savebox{\hvObjectBox}{%
    \rotatebox{\hvSet@objectAngle}{%
```

```
    \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
  \fi
  \setlength{\hvObjectWidth}{\wd\hvObjectBox}
%
% Now we save the caption with its defined \hvCapWidth
%
  \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
  \else
    \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
    \else
      \setlength{\hvCapWidth}{\hvObjectWidth}
      \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
\setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
      \else
\setlength{\hvCapWidth}{\hvMaxCapWidth}
      \fi
    \fi
  \fi
%
% now we have the object and the caption with the right
% rotated angles saved in boxes
%
  \def\fps@figure{\hvSet@floatPos}
  \ifhv@nonFloat\begingroup% Start the nonfloat part
  \else         \begin{\hv@floatType}% Start the floating environment
  \fi%
  \saveCaptionSkip% we put this space ourselve
  \ifx\hvSet@capAngle\hv@Width % need rotation?
    \sbox{\hvCaptionBox}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
        \ifhv@nonFloat%
  \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
\fi%
\label{#3}%
      \end{minipage}%
    }%
  \else%
    \sbox{\hvCaptionBox}{%
      \rotatebox{\hvSet@capAngle}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
```

```
\ifhv@nonFloat%
     \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
        \fi%
        \label{#3}%
      \end{minipage}%
      }%
    }%
  \fi%
%%
  \restoreCaptionSkip% save old values
  \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
  \else%
    \ifx\hvSet@objectPos\hv@Center
      \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
    \fi%
  \fi%
%
% to rotate object and caption together, we save all in another box
% the caption comes first, if its on the left or the top
%
  \savebox{\@tempboxa}{%
  \ifx\hvSet@capPos\hv@Left  %  caption on left side
\if@RTL%
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
```

```
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi%
\else% not RTL
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
\fi% end of RTL
  \fi%
  \else
```

```
\ifx\hvSet@capPos\hv@Top
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
\fbox{\usebox{\hvObjectBox}}
\else
\usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
\usebox{\hvObjectBox}
\fi%
\end{minipage}
\else
\ifx\hvSet@capPos\hv@Bottom
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
\fbox{\usebox{\hvCaptionBox}}
\else
\usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
\usebox{\hvCaptionBox}
\fi%
\end{minipage}
\else% the last option: put the caption on the right
\if@RTL%
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
```

```
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
  \fi%
\else% not RTL
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi
```

```
\fi% end of RTL
\fi
\fi
\fi
}% End savebox Object and caption
%
% now we rotate the object and caption, if needed
%
\ifx\hvSet@rotAngle\hv@Zero
\usebox{\@tempboxa}
\else
\rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
\fi
\ifhv@nonFloat
\ifx\hvSet@objectPos\hv@Center
\ifhv@nonFloat
\hspace{\fill}
\fi
\fi
\endgroup% End the nonfloat part
\else
\end{\hv@floatType}% End the floating environment
\fi
}
```

7.69 hyperref-xetex-bidi.def

```
\ProvidesFile{hyperref-xetex-bidi.def}[2015/11/26 v0.9 bidi adaptations for hyperref package
\AtBeginDocument{%
\def\contentsline#1#2#3#4{%
  \ifx\\#4\\%
    \csname l@#1\endcsname{#2}{#3}%
  \else
    \ifcase\Hy@linktoc % none
      \csname l@#1\endcsname{#2}{#3}%
    \or % section
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{#3}%
    \or % page
      \csname l@#1\endcsname{{#2}}{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \else % all
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \fi
```

```
  \fi
}
\ifHy@hyperfootnotes
   \let\H@@footnotetext\@footnotetext
   \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
   \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
    \def\@xfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@footnotetext\@mpfootnotetext
      \expandafter\H@@mpfootnotetext
    \else
      \expandafter\H@@footnotetext
    \fi
  }%
    \def\@xRTLfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@RTLfootnotetext\@mpRTLfootnotetext
      \expandafter\HRTL@@mpRTLfootnotetext
    \else
      \expandafter\HRTL@@RTLfootnotetext
    \fi
  }%
    \def\@xLTRfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@LTRfootnotetext\@mpLTRfootnotetext
      \expandafter\HLTR@@mpLTRfootnotetext
    \else
      \expandafter\HLTR@@LTRfootnotetext
    \fi
  }%
    \def\@xfootnotemark[#1]{%
    \begingroup
      \c@footnote #1\relax
      \unrestored@protected@xdef\@thefnmark{\thefootnote}%
    \endgroup
    \H@@footnotemark
  }%
  \let\H@@mpfootnotetext\@mpfootnotetext
  \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
  \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
    \long\def\@mpfootnotetext#1{%
```

```
    \H@@mpfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
  \long\def\@mpRTLfootnotetext#1{%
    \HRTL@@mpRTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
    \long\def\@mpLTRfootnotetext#1{%
    \HLTR@@mpLTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
    \long\def\@footnotetext#1{%
    \H@@footnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }%
        \let\@currentHlabel\Hy@footnote@currentHlabel
        \let\@currentHref\Hy@footnote@currentHref
        \let\@currentlabelname\@empty
        #1%
      \fi
    }%
  }%
    \long\def\@RTLfootnotetext#1{%
    \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
```

```
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }%
        \let\@currentHlabel\Hy@footnote@currentHlabel
        \let\@currentHref\Hy@footnote@currentHref
        \let\@currentlabelname\@empty
        #1%
      \fi
    }%
  }%
    \long\def\@LTRfootnotetext#1{%
    \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }%
        \let\@currentHlabel\Hy@footnote@currentHlabel
        \let\@currentHref\Hy@footnote@currentHref
        \let\@currentlabelname\@empty
        #1%
      \fi
    }%
  }%
    \@ifpackageloaded{tabularx}{%
    \let\HyOrg@TX@endtabularx\TX@endtabularx
    \def\Hy@tabularx@hook{%
      \let\@footnotetext\H@@footnotetext
      \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
      \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
      \let\@footnotemark\H@@footnotemark
      \let\@mpfootnotetext\H@@mpfootnotetext
      \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
      \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
    }%
    \begingroup
      \toks@\expandafter{\TX@endtabularx}%
      \xdef\Hy@gtemp{%
        \noexpand\Hy@tabularx@hook
        \the\toks@
      }%
    \endgroup
    \let\TX@endtabularx\Hy@gtemp
  }{}%
    \@ifpackageloaded{longtable}{%
    \CheckCommand*{\LT@p@LTRftntext}[1]{%
      \edef\@tempa{%
```

```
      \the\LT@p@ftn
      \noexpand\LTRfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@LTRftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@LTRfootnotetext#1#2{%
   \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
  \CheckCommand*{\LT@p@RTLftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\RTLfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@RTLftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
```

```
          }%
          \noexpand\Hy@LT@RTLfootnotetext{%
            \Hy@footnote@currentHref
          }%
      }%
      \global\LT@p@ftn\expandafter{%
          \@tempa{#1}%
        \endgroup
      }%
    }%
    \long\def\Hy@LT@RTLfootnotetext#1#2{%
     \HRTL@@RTLfootnotetext{%
        \ifHy@nesting
          \hyper@@anchor{#1}{#2}%
        \else
          \Hy@raisedlink{%
            \hyper@@anchor{#1}{\relax}%
          }%
          \def\@currentHref{#1}%
          \let\@currentlabelname\@empty
          #2%
        \fi
      }%
    }%
  }{}%
    \@ifpackageloaded{bidipoem}{%
    \long\def\bidipoem@p@ftntext#1{%
      \edef\@tempx{%
        \the\bidipoem@p@ftn
        \begingroup
          \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
          \noexpand\protected@xdef\noexpand\@thefnmark{%
            \noexpand\thempfn
          }%
          \noexpand\Hy@bidipoem@footnotetext{%
            \Hy@footnote@currentHref
          }%
      }%
      \global\bidipoem@p@ftn\expandafter{%
          \@tempx{#1}%
        \endgroup
      }%
    }%
    \long\def\Hy@bidipoem@footnotetext#1#2{%
      \H@@footnotetext{%
        \ifHy@nesting
          \hyper@@anchor{#1}{#2}%
        \else
          \Hy@raisedlink{%
            \hyper@@anchor{#1}{\relax}%
```

```
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
      \long\def\bidipoem@p@LTRftntext#1{%
    \edef\@tempxi{%
      \the\bidipoem@p@ftn
      \begingroup
        \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@bidipoem@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\bidipoem@p@ftn\expandafter{%
        \@tempxi{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
    \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
      \long\def\bidipoem@p@RTLftntext#1{%
    \edef\@tempxii{%
      \the\bidipoem@p@ftn
      \begingroup
        \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@bidipoem@RTLfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
```

```
      \global\bidipoem@p@ftn\expandafter{%
          \@tempxii{#1}%
        \endgroup
      }%
    }%
    \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
      \HRTL@@RTLfootnotetext{%
        \ifHy@nesting
          \hyper@@anchor{#1}{#2}%
        \else
          \Hy@raisedlink{%
            \hyper@@anchor{#1}{\relax}%
          }%
          \def\@currentHref{#1}%
          \let\@currentlabelname\@empty
          #2%
        \fi
      }%
    }%
  }{}%
  \let\HyOrg@maketitle\maketitle
  \def\maketitle{%
    \let\Hy@saved@footnotemark\@footnotemark
    \let\Hy@saved@footnotetext\@footnotetext
    \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
    \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
    \let\@footnotemark\H@@footnotemark
    \let\@footnotetext\H@@footnotetext
    \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
    \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
    \@ifnextchar[\Hy@maketitle@optarg{% ]
      \HyOrg@maketitle
      \Hy@maketitle@end
    }%
  }%
  \def\Hy@maketitle@optarg[#1]{%
    \HyOrg@maketitle[{#1}]%
    \Hy@maketitle@end
  }%
  \def\Hy@maketitle@end{%
    \ifx\@footnotemark\H@@footnotemark
      \let\@footnotemark\Hy@saved@footnotemark
    \fi
    \ifx\@footnotetext\H@@footnotetext
      \let\@footnotetext\Hy@saved@footnotetext
    \fi
    \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
      \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
    \fi
    \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
```

```
      \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
    \fi
  }%
  \def\realfootnote{%
    \@ifnextchar[\@xfootnote{%
      \stepcounter{\@mpfn}%
      \protected@xdef\@thefnmark{\thempfn}%
      \H@@footnotemark\H@@footnotetext
    }%
  }%
\fi
\def\Hy@BeginAnnot#1{%
  \ifmmode\else\beginL\fi%
  \stepcounter{Hy@AnnotLevel}%
  \ifnum\value{Hy@AnnotLevel}=\@ne
    #1%
  \fi
}
\def\Hy@EndAnnot{%
  \ifnum\value{Hy@AnnotLevel}=\@ne
    \Hy@endcolorlink
    \@pdfm@mark{eann}%
  \fi
  \addtocounter{Hy@AnnotLevel}\m@ne
  \ifmmode\else\endL\fi%
}
\def\hyper@link#1#2#3{%
  \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi\
}
\def\hyper@linkfile#1#2#3{%
  \leavevmode
  \Hy@BeginAnnot{%
    \def\Hy@pstringF{#2}%
    \Hy@CleanupFile\Hy@pstringF
    \Hy@pstringdef\Hy@pstringF\Hy@pstringF
    \Hy@pstringdef\Hy@pstringD{#3}%
    \Hy@MakeRemoteAction
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@filebordercolor\relax
        \else
          /C[\@filebordercolor]%
        \fi
        /A<<%
          /S/GoToR%
          /F(\Hy@pstringF)%
```

```
          /D%
          \ifx\\#3\\%
            [\Hy@href@page\@pdfremotestartview]%
          \else
            (\Hy@pstringD)%
          \fi
          \Hy@SetNewWindow
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@filecolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\@hyper@launch run:#1\\#2#3{% filename, anchor text linkname
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringF{#1}%
    \Hy@pstringdef\Hy@pstringP{#3}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@runbordercolor\relax
        \else
          /C[\@runbordercolor]%
        \fi
        /A<<%
          /F(\Hy@pstringF)%
          /S/Launch%
          \Hy@SetNewWindow
          \ifx\\#3\\%
          \else
            /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@runcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\hyper@linkurl#1#2{%
  \leavevmode
```

```
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringURI{#2}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@urlbordercolor\relax
        \else
          /C[\@urlbordercolor]%
        \fi
        /A<<%
          /S/URI%
          /URI(\Hy@pstringURI)%
          \ifHy@href@ismap
            /IsMap true%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@urlcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\Acrobatmenu#1#2{%
  \Hy@Acrobatmenu{#1}{#2}{%
    \Hy@BeginAnnot{%
      \EdefEscapeName\Hy@temp@menu{#1}%
      \@pdfm@mark{%
        bann<<%
          /Type/Annot%
          /Subtype/Link%
          \ifHy@pdfa /F 4\fi
          \Hy@setpdfborder
          \ifx\@menubordercolor\relax
          \else
            /C[\@menubordercolor]%
          \fi
          /A<<%
            /S/Named%
            /N/\Hy@temp@menu
            \Hy@href@nextactionraw
          >>%
        >>%
      }%
      \Hy@colorlink\@menucolor
    }%
```

```
    \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
    \Hy@EndAnnot
  }%
}
\def\hyper@natlinkstart#1{%
  \Hy@backout{#1}%
  \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
  \def\hyper@nat@current{#1}%
}
\def\hyper@natlinkend{%
  \if@RTL\endR\fi\hyper@linkend
}
\def\hyper@natlinkbreak#1#2{%
  \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
}%
}
\pdfstringdefDisableCommands{%
\let\LRE\@firstofone
\let\LR\@firstofone
\let\RLE\@firstofone
\let\RL\@firstofone
\def\XeTeX{Xe\TeX}
\def\XeLaTeX{Xe\LaTeX}
}
\@ifpackageloaded{longtable}{%
  \begingroup
    \def\y{\LT@array}%
    \@ifundefined{scr@LT@array}{%
      \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
    }{\def\y{\scr@LT@array}}%
    \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
      \expandafter\endgroup
      \expandafter\def\y[##1]##2{%
        \H@refstepcounter{#1}%
        \hyper@makecurrent{table}%
        \let\Hy@LT@currentHref\@currentHref
        #2\@sharp#####4%
      }%
    }%
  \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
  \begingroup
    \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
      \endgroup
      \def\LT@start{%
        #1%
        \ifvoid\LT@foot#2\fi
        \let\@currentHref\Hy@LT@currentHref
        \Hy@raisedlink{%
          \hyper@anchorstart{\@currentHref}\hyper@anchorend
        }%
```

```
        #3%
      }%
    }%
  \expandafter\x\LT@start\@nil
}{}
```

7.70 leqno-xetex-bidi.def

```
\ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX
\renewcommand\@eqnnum{\hb@xt@.01\p@{}%
                      \rlap{
                        \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theeq
```

7.71 letter-xetex-bidi.def

```
\ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter cla
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

7.72 lettrine-xetex-bidi.def

```
\ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package
\def\@lettrine[#1]#2#3{%
  \setcounter{L@lines}{\theDefaultLines}%
  \setcounter{L@depth}{\theDefaultDepth}%
  \renewcommand*{\L@hang}{\DefaultLhang}%
  \renewcommand*{\L@oversize}{\DefaultLoversize}%
  \renewcommand*{\L@raise}{\DefaultLraise}%
  \renewcommand*{\L@ante}{}%
  \setlength{\L@Findent}{\DefaultFindent}%
  \setlength{\L@Nindent}{\DefaultNindent}%
  \setlength{\L@slope}{\DefaultSlope}%
  \setlength{\L@novskip}{\DiscardVskip}%
```

```
\ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
\ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
\if\DefaultOptionsFile\relax
\else
  \begingroup
  \InputIfFileExists{\DefaultOptionsFile}%
    {}%
    {\PackageWarning{lettrine.sty}%
       {File \DefaultOptionsFile\space not found}%
    }%
  \def\color##1##{\l@color{##1}}%
  \let\l@color\@gobbletwo
  \def\textcolor##1##{\l@textcolor{##1}}%
  \def\l@textcolor##1##2##3{##3}%
  \expandafter\ifx\csname l@#2-keys\endcsname\relax
                \gdef\l@LOKeys{}%
              \else
                \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
              \fi
  \endgroup
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
  \sbox{\L@lbox}{\LettrineFont #2}%
  \setlength{\LettrineWidth}{\wd\L@lbox}%
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
\fi
\setkeys{L}{#1}%
\ifL@image
   \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
\else
   \sbox{\L@lbox}{\LettrineFont #2}%
\fi
\sbox{\L@tbox}{\LettrineTextFont{#3}}%
 \@tempdima=\baselineskip
 \ifnum\theL@lines=1
   \setlength{\L@first}{\ht\L@lbox}%
   \addtolength{\L@first}{-\ht\L@tbox}%
   \setlength{\L@lraise}{\z@}%
 \else
   \setlength{\L@first}{-\theL@lines\@tempdima}%
   \addtolength{\L@first}{\@tempdima}%
   \sbox{\@tempboxa}{\LettrineTextFont x}%
   \addtolength{\L@first}{-\ht\@tempboxa}%
   \setlength{\L@lraise}{-\L@raise\L@first}%
   \addtolength{\L@first}{\L@lraise}%
   \addtolength{\L@first}{\ht\L@lbox}%
   \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
```

```
    \addtolength{\L@lraise}{\@tempdima}%
  \fi
  \par
  \ifdim\L@first>\L@novskip
    \ifL@grid
      \@tempdima=\baselineskip
      \@tempdimb=\@tempdima
      \advance\@tempdimb by \L@novskip
      \@tempcnta=1
      \loop\ifdim\L@first>\@tempdimb
        \advance\@tempcnta by 1
        \advance\L@first by -\@tempdima
      \repeat
      \vskip\@tempcnta\baselineskip
    \else
      \vskip\L@first
    \fi
  \fi
\setlength{\L@Pindent}{\wd\L@lbox}%
\addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
\settowidth{\L@first}{\L@ante}%
\addtolength{\L@Pindent}{\L@first}%
\addtolength{\L@Pindent}{\L@Findent}%
\setlength{\L@first}{\linewidth}%
\addtolength{\L@first}{-\L@Pindent}%
\addtolength{\L@Nindent}{\L@Pindent}%
\setlength{\L@next}{\linewidth}%
\addtolength{\L@next}{-\L@Nindent}%
\addtolength{\L@Pindent}{\rightmargin}%
\addtolength{\L@Nindent}{\rightmargin}%
\setlength{\LettrineWidth}{\wd\L@lbox}%
\setlength{\LettrineHeight}{\ht\L@lbox}%
\setlength{\LettrineDepth}{\dp\L@lbox}%
\addtocounter{L@lines}{1}%
\addtocounter{L@lines}{\the\c@L@depth}%
\if@RTL\def\L@parshape{\c@L@lines 0pt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@P
\@tempcnta=\tw@
\@whilenum \@tempcnta<\c@L@lines\do{%
   \if@RTL\edef\L@parshape{\L@parshape 0pt \the\L@next}\else\edef\L@parshape{\L@parshape \t
   \addtolength{\L@Nindent}{\L@slope}%
   \addtolength{\L@next}{-\L@slope}%
   \advance\@tempcnta\@ne}%
\if@RTL \edef\L@parshape{\L@parshape 0pt \the\linewidth}\else\edef\L@parshape{\L@parshape \
\noindent
\parshape=\L@parshape\relax
\smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}%
        \hskip \the\L@Findent}}%
\usebox{\L@tbox}%
}
```

7.73 listings-xetex-bidi.def

```
\ProvidesFile{listings-xetex-bidi.def}[2017/01/14 v1.4 bidi adaptations for listings package
\lst@Key{captiondirection}{textdirection}{%
    \lstKV@SwitchCases{#1}%
    {textdirection&\\%
     RTL&\chardef\bidi@lst@caption@direction\@ne\\%
     LTR&\chardef\bidi@lst@caption@direction\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\lst@Key{captionscript}{textscript}{%
    \lstKV@SwitchCases{#1}%
    {textscript&\\%
     latin&\chardef\bidi@lst@caption@script\@ne\\%
     nonlatin&\chardef\bidi@lst@caption@script\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
   \@ifundefined{bidi@lst@caption@direction}{}{%
    \ifnum\bidi@lst@caption@direction=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@direction=\@ne%
             #2%
         \fi%
     \fi%
}}

\newcommand*{\bidi@lst@ensure@caption@script}[2]{%
   \@ifundefined{bidi@lst@caption@script}{}{%
    \ifnum\bidi@lst@caption@script=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@script=\@ne%
             #2%
         \fi%
     \fi%
}}

\long\def\@bidi@lst@makecaption#1#2{%
   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
   \vskip\abovecaptionskip
   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
   \sbox\@tempboxa{%
   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
   #1: #2%
   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
   }%
   \ifdim \wd\@tempboxa >\hsize
     #1: #2\par
```

```
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
  \fi
  \vskip\belowcaptionskip}%
\def\lst@makecaption{\@bidi@lst@makecaption}
\def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
\bidi@AtEndPreamble{%
\bidi@patchcmd{\lst@MakeCaption}{%
    \ifx #1t%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                \expandafter\refstepcounter
        \fi {lstlisting}%
}{%
    \ifx #1t%
       \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                \expandafter\refstepcounter
        \fi {lstlisting}%
        \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
}{}{}%
\bidi@patchcmd{\lst@MakeCaption}{%
                \addcontentsline{lol}{lstlisting}%
                    {\protect\numberline{\thelstlisting}\lst@@caption}%
}{%
\begingroup%
               \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
                \addcontentsline{lol}{lstlisting}%
                    {\protect\numberline{\thelstlisting}\lst@@caption}%
\endgroup%
}{}{}%
}
\@ifpackageloaded{caption}{%
  \AtBeginCaption{%
  \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
  \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
}
  \let\@bidi@lst@makecaption\caption@makecaption%
  \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}%
}{%
\AtBeginDocument{%
\@ifundefined{captionlabelfalse}{}{%
  \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
\@ifundefined{caption@startrue}{}{%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
}%
}
\AtBeginDocument{
  \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
```

```
\lst@ifnumberbychapter
    \gdef\thelstlisting%
         {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
\else
    \gdef\thelstlisting{\@arabic\c@lstlisting}
\fi}
```

7.74 loadingorder-xetex-bidi.def

```
\ProvidesFile{loadingorder-xetex-bidi.def}[2015/10/16 v0.96 making sure that bidi is the last
\bidi@isloaded{amsmath}
\bidi@isloaded{amstext}
\bidi@isloaded{amsthm}
\bidi@isloaded{animate}
\bidi@isloaded{breqn}
\bidi@isloaded{cals}
\bidi@isloaded{caption}
\bidi@isloaded{crop}
\bidi@isloaded{cuted}
\bidi@isloaded{cutwin}
\bidi@isloaded{color}
\bidi@isloaded{dblfnote}
\bidi@isloaded{xcolor}
\bidi@isloaded{colortbl}
\bidi@isloaded{float}
\bidi@isloaded{floatrow}
\bidi@isloaded{flowfram}
\bidi@isloaded{framed}
\bidi@isloaded{ftnright}
\bidi@isloaded{xltxtra}
\bidi@isloaded{xunicode}
\bidi@isloaded{wrapfig}
\bidi@isloaded{graphicx}
\bidi@isloaded{geometry}
\bidi@isloaded{hvfloat}
\bidi@isloaded{mdframed}
\bidi@isloaded{midfloat}
\bidi@isloaded{ntheorem}
\bidi@isloaded{ntheorem-hyper}
\bidi@isloaded{hyperref}
\bidi@isloaded{fancybox}
\bidi@isloaded{fancyhdr}
\bidi@isloaded{fix2col}
\bidi@isloaded{draftwatermark}
\bidi@isloaded{empheq}
\bidi@isloaded{overpic}
\bidi@isloaded{pdfpages}
\bidi@isloaded{listings}
\bidi@isloaded{lettrine}
\bidi@isloaded{media9}
```

```
\bidi@isloaded{pstricks}
\bidi@isloaded{pgf}
\bidi@isloaded{picinpar}
\bidi@isloaded{quotchap}
\bidi@isloaded{tikz}
\bidi@isloaded{titlesec}
\bidi@isloaded{titletoc}
\bidi@isloaded{array}
\bidi@isloaded{soul}
\bidi@isloaded{stabular}
\bidi@isloaded{subfig}
\bidi@isloaded{subfigure}
\bidi@isloaded{supertabular}
\bidi@isloaded{xtab}
\bidi@isloaded{longtable}
\bidi@isloaded{arydshln}
\bidi@isloaded{multicol}
\bidi@isloaded{multienum}
\bidi@isloaded{minitoc}
\bidi@isloaded{natbib}
\bidi@isloaded{newfloat}
\bidi@isloaded{ragged2e}
\bidi@isloaded{rotating}
\bidi@isloaded{tabls}
\bidi@isloaded{tabulary}
\bidi@isloaded{tocbasic}
\bidi@isloaded{tocstyle}
\bidi@isloaded{tocbibind}
\bidi@isloaded{fontspec}
\bidi@isloaded{arabxetex}
\bidi@isloaded{polyglossia}
\bidi@isloaded{fancyvrb}
\AtBeginDocument{
  \if@bidi@amsmathloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi packa
  \fi%
    \if@bidi@amstextloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi packa
  \fi%
  \if@bidi@amsthmloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi packag
  \fi%
  \if@bidi@animateloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi packa
  \fi%
  \if@bidi@breqnloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package
  \fi%
    \if@bidi@calsloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package.
```

```
\fi%
\if@bidi@captionloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi packa
\fi%
\if@bidi@croploaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package.
\fi%
\if@bidi@colorloaded@\else
\@ifpackageloaded{hyperref}{}{%
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package
\fi%
\if@bidi@cutwinloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi packag
\fi%
  \if@bidi@cutedloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package
\fi%
\if@bidi@dblfnoteloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi pack
\fi%
\if@bidi@xcolorloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi packag
\fi%
\if@bidi@colortblloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi pack
\fi%
\if@bidi@floatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package
\fi%
  \if@bidi@floatrowloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi pack
\fi%
\if@bidi@flowframloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi pack
\fi%
\if@bidi@framedloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi packag
\fi%
  \if@bidi@ftnrightloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi pack
\fi%
\if@bidi@xltxtraloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi packa
\fi%
\if@bidi@xunicodeloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi pack
\fi%
\if@bidi@wrapfigloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi packa
\fi%
```

```
\if@bidi@graphicxloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi pack
\fi%
  \if@bidi@geometryloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi pack
\fi%
\if@bidi@hvfloatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi packa
\fi%
    \if@bidi@mdframedloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi pack
\fi%
      \if@bidi@midfloatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi pack
\fi%
  \if@bidi@ntheoremloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi pack
\fi%
\if@bidi@hyperrefloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi pack
\fi%
  \if@bidi@fancyboxloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi pack
\fi%
\if@bidi@fancyhdrloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi pack
\fi%
\if@bidi@draftwatermarkloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bid
\fi%
\if@bidi@empheqloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi packag
\fi%
  \if@bidi@overpicloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi packa
\fi%
\if@bidi@pdfpagesloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pack
\fi%
\if@bidi@lettrineloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi pack
\fi%
\if@bidi@listingsloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pack
\fi%
\csname if@bidi@media9loaded@\endcsname\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi packag
\fi%
\if@bidi@pstricksloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pack
```

```
\fi%
\if@bidi@pgfloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
\fi%
\if@bidi@picinparloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pack
\fi%
\if@bidi@quotchaploaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pack
\fi%
\if@bidi@tikzloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
\fi%
\if@bidi@titlesecloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pack
\fi%
\if@bidi@titletocloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pack
\fi%
\if@bidi@arrayloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package
\fi%
\if@bidi@stabularloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi pack
\fi%
\if@bidi@soulloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package.
\fi%
\if@bidi@subfigloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi packag
\fi%
\if@bidi@subfigureloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pac
\fi%
\if@bidi@supertabularloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi
\fi%
\if@bidi@xtabloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.
\fi%
\if@bidi@longtableloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pac
\fi%
\if@bidi@arydshlnloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi pack
\fi%
\if@bidi@multicolloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi pack
\fi%
\if@bidi@multienumloaded@\else
```

```
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pac
  \fi%
  \if@bidi@minitocloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packa
  \fi%
  \if@bidi@natbibloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packag
  \fi%
    \if@bidi@newfloatloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pack
  \fi%
  \csname if@bidi@ragged2eloaded@\endcsname\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi pack
  \fi%
    \if@bidi@rotatingloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pack
  \fi%
  \if@bidi@tablsloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi package
  \fi%
  \if@bidi@tabularyloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi pack
  \fi%
  \if@bidi@tocbasicloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi pack
  \fi%
  \if@bidi@tocstyleloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pack
  \fi%
  \if@bidi@tocbibindloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pac
  \fi%
  \if@bidi@fontspecloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pack
  \fi%
  \if@bidi@arabxetexloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pac
  \fi%
  \if@bidi@polyglossialoaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi p
  \fi%
  \if@bidi@fancyvrbloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pack
  \fi%
}
```

7.75 longtable-xetex-bidi.def

```
\ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable packag
\def\LT@array[#1]#2{%
```

```
\refstepcounter{table}\stepcounter{LT@tables}%
\if l#1%
  \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
\else\if r#1%
  \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
\else\if c#1%
  \LTleft\fill \LTright\fill
\fi\fi\fi
\let\LT@mcol\multicolumn
\let\LT@@tabarray\@tabarray
\let\LT@@hl\hline
\def\@tabarray{%
  \let\hline\LT@@hl
  \LT@@tabarray}%
\let\\\LT@tabularcr\let\tabularnewline\\%
\def\newpage{\noalign{\break}}%
\def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
\def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
\let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
\@tempdima\ht\strutbox
\let\@endpbox\LT@endpbox
\ifx\extrarowheight\@undefined
  \let\@acol\@tabacol
  \let\@classz\@tabclassz \let\@classiv\@tabclassiv
  \def\@startpbox{\vtop\LT@startpbox}%
  \let\@@startpbox\@startpbox
  \let\@@endpbox\@endpbox
  \let\LT@LL@FM@cr\@tabularcr
\else
  \advance\@tempdima\extrarowheight
  \col@sep\tabcolsep
  \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
\fi
\setbox\@arstrutbox\hbox{\vrule
  \@height \arraystretch \@tempdima
  \@depth \arraystretch \dp \strutbox
  \@width \z@}%
\let\@sharp##\let\protect\relax
 \begingroup
  \@mkpream{#2}%
  \xdef\LT@bchunk{%
     \global\advance\c@LT@chunks\@ne
     \global\LT@rows\z@\setbox\z@\vbox\bgroup
     \LT@setprevdepth
     \tabskip\LTleft \noexpand\halign to\hsize\bgroup
    \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
\endgroup
\expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
\LT@make@row
\m@th\let\par\@empty
```

```
  \everycr{}\lineskip\z@\baselineskip\z@
  \LT@bchunk}
\def\LT@makecaption#1#2#3{%
  \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
    \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
    \ifdim\wd\@tempboxa>\hsize
      #1{#2: }#3%
    \else
      \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
    \fi
    \endgraf\vskip\baselineskip}%
  \hss}}}
\@ifpackageloaded{caption}{%
  \renewcommand\LT@makecaption[3]{%
    \caption@LT@make{%
      \caption@settype*\LTcaptype
      \ifdim\LTcapwidth=4in \else
        \setcaptionwidth\LTcapwidth
      \fi
      \caption@setoptions{longtable}%
      \caption@setoptions{@longtable}%
      \caption@LT@setup
      \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
      \caption@startrue#1\caption@starfalse
      \caption@prepare@stepcounter\LTcaptype{LT}%
      \caption@begin\LTcaptype
        \caption@normalsize
        \vskip-\ht\strutbox
        \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
        \caption@@make{#2}{#3}\endgraf
        \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
      \caption@end}}%
}{}
\def\LT@startpbox#1{%
  \bgroup
    \let\@footnotetext\LT@p@ftntext
    \let\@LTRfootnotetext\LT@p@LTRftntext
    \let\@RTLfootnotetext\LT@p@RTLftntext
    \setlength\hsize{#1}%
    \@arrayparboxrestore
    \vrule \@height \ht\@arstrutbox \@width \z@}
\def\LT@p@LTRftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
\def\LT@p@RTLftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%


\def\LT@output{%
```

```
\ifnum\outputpenalty <-\@Mi
  \ifnum\outputpenalty > -\LT@end@pen
    \LT@err{floats and marginpars not allowed in a longtable}\@ehc
  \else
    \setbox\z@\vbox{\unvbox\@cclv}%
    \ifdim \ht\LT@lastfoot>\ht\LT@foot
      \dimen@\pagegoal
      \advance\dimen@-\ht\LT@lastfoot
      \ifdim\dimen@<\ht\z@
        \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
        \@makecol
        \@outputpage
        \setbox\z@\vbox{\box\LT@head}%
      \fi
    \fi
    \global\@colroom\@colht
    \global\vsize\@colht
    \vbox
      {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foo
  \fi
\else
  \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot
  \@makecol
  \@outputpage
    \global\vsize\@colroom
  \copy\LT@head\nobreak
\fi}
```

7.76 mdframed-xetex-bidi.def

```
\ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
\newif\if@bidi@mdf@RTL
\def\mdf@lrbox#1{%
  \mdf@patchamsthm%patch amsthm
   \if@RTL\@bidi@mdf@RTLtrue\fi%
   \@RTLfalse%
\setbox#1\vbox\bgroup%
  \color@begingroup%
   \if@bidi@mdf@RTL\@RTLtrue\fi%
    \mdf@horizontalmargin@equation%
    \columnwidth=\hsize%
    \textwidth=\hsize%
    \let\if@nobreak\iffalse%
    \let\if@noskipsec\iffalse%
    \let\par\@@par%
    \let\-\@dischyph%
    \let\'\@acci\let\`\@accii\let\=\@acciii%
    \parindent\z@ \parskip\z@skip%
    \linewidth\hsize%
    \@totalleftmargin\z@%
```

```
      \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
      \parfillskip\@flushglue \lineskip\normallineskip%
      \baselineskip\normalbaselineskip%
%%  \sloppy%
      \let\\\@normalcr%
      \mdf@par@local%New feature to restore parskip/parindent local in save box
      \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
      \@afterindentfalse%
     %\@afterheading%
}
\renewrobustcmd\mdfframedtitleenv[1]{%
    \mdf@lrbox{\mdf@frametitlebox}%
     \mdf@frametitlealignment%
       \leavevmode{\color{\mdf@frametitlefontcolor}%
           \normalfont\mdf@frametitlefont{#1}
       \ifbool{mdf@ignorelastdescenders}%
         {%
          \par\strut\par
          \unskip\unskip\setbox0=\lastbox
          \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
         }{}}%
    \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
    \endmdf@lrbox\relax%
   \mdf@ignorevbadness%
   \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
   \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
   \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
   \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
   \mdfframetitleboxtotalheight=\dimexpr
                                  \ht\mdf@frametitlebox
                                  +\dp\mdf@frametitlebox%
                                  +\mdf@frametitleaboveskip@length
                                  +\mdf@frametitlebelowskip@length
                                \relax%
}

\renewrobustcmd*\mdf@footnoteoutput{%
     \ifvoid\@mpfootins\else%
          \nobreak%
          \vskip\mdf@footenotedistance@length%
          \normalcolor%
          \bidi@mpfootnoterule%
          \unvbox\@mpfootins%
     \fi%
}


\renewrobustcmd*\mdf@footnoteinput{%
   \def\@mpfn{mpfootnote}%
   \def\thempfn{\thempfootnote}%
```

```
  \c@mpfootnote\z@%
  \let\@footnotetext\@mpfootnotetext%
   \let\@LTRfootnotetext\@mpLTRfootnotetext%
   \let\@RTLfootnotetext\@mpRTLfootnotetext%
}
```

7.77 bidi-media9.sty

```
\ProvidesExplPackage{bidi-media9}{2016/05/03}{0.2}
{bidi fixes for media9 package for the XeTeX engine}

\keys_define:nn{media9/mbtn}{
  draft .code:n = {},
  final .code:n = {},

  tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
  tooltip .value_required:n = {true},

  overface .code:n = {
    %\hbox_set:Nn\l_mix_poster_box{#1}
    \sbox\l_mix_poster_box{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
  },
  overface .value_required:n = {true},

  downface .code:n = {
    %\hbox_set:Nn\l_mix_poster_box{#1}
    \sbox\l_mix_poster_box{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
  },
  downface .value_required:n = {true},

  3Dgotoview .code:n = {
    \tl_set:Nx\l_tmpa_tl{#1}              %extract ref
    \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl
    \tl_trim_spaces:N\l_tmpa_tl
    \tl_if_exist:cTF{ann@\l_tmpa_tl}{
      \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
        \tl_set:Nx\l_tmpb_tl{#1}          %extract idx
        \regex_replace_once:nnN{[^:]+:?}{}\l_tmpb_tl
        \tl_trim_spaces:N\l_tmpb_tl
        \tl_if_blank:VF\l_tmpb_tl{
          \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
            \tl_set:Nx\l_mix_vidx_tl{/\l_tmpb_tl}
          }{
            \regex_match:nVTF{^\d+$}\l_tmpb_tl{
              \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
            }{
```

```
12872             \regex_replace_once:nnN{^\(\s*}{}\l_tmpb_tl
12873             \regex_replace_once:nnN{\s*\)$}{}\l_tmpb_tl
12874             \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
12875           }
12876         }
12877       }
12878       \mix_pdfobj:nnn{}{dict}{
12879         /S/JavaScript/JS~(
12880           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
12881           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
12882             annotRM['\l_tmpa_tl']=
12883               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
12884           }
12885           annotRM['\l_tmpa_tl'].activated=true;
12886         )
12887         \tl_if_blank:VF\l_tmpb_tl{
12888           /Next~<<
12889             /S/GoTo3DView
12890             /TA~\tl_use:c{ann@\l_tmpa_tl}
12891             /V\l_mix_vidx_tl
12892           >>
12893         }
12894       }
12895       \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
12896     }
12897   }{
12898     \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
12899     \cs_if_exist:NF\g_mix_refundefwarned_tl{
12900       \tl_new:N\g_mix_refundefwarned_tl
12901       \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
12902     }
12903   }
12904 },
12905 3Dgotoview .value_required:n = {true},
12906
12907 mediacommand .code:n = {
12908   \tl_set:Nx\l_tmpa_tl{#1}
12909   \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
12910   \tl_trim_spaces:N\l_tmpa_tl
12911   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
12912     \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
12913       \tl_set:Nx\l_tmpb_tl{#1}
12914       \regex_replace_once:nnN{[^:]+\:?}{}\l_tmpb_tl
12915       \tl_trim_spaces:N\l_tmpb_tl
12916       \regex_replace_all:nnN{^\{|\}$}{}\l_tmpb_tl
12917       \tl_set:Nx\l_mix_cmd_tl{
12918         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
12919       \tl_trim_spaces:N\l_mix_cmd_tl
12920       \tl_set:Nx\l_mix_arg_tl{
12921         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
```

```
      \tl_trim_spaces:N\l_mix_arg_tl
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
              this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_mix_cmd_tl{
          /Next~<<
            /S/RichMediaExecute
            /TA~\tl_use:c{ann@\l_tmpa_tl}
            /TI~\tl_use:c{main@\l_tmpa_tl}
            /CMD~<<
              /C~(\l_mix_cmd_tl)
              \tl_if_blank:VF\l_mix_arg_tl{
                /A~[\l_mix_arg_tl]
              }
            >>
          >>
        }
      }
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  }{
    \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
    \cs_if_exist:NF\g_mix_refundefwarned_tl{
      \tl_new:N\g_mix_refundefwarned_tl
      \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
    }
  }
},
mediacommand .value_required:n = {true},

jsaction .code:n = {
  \tl_set:Nx\l_tmpa_tl{#1}
  \regex_match:nVTF{^[^\{:]+:.*$}\l_tmpa_tl{
    \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
    \tl_trim_spaces:N\l_tmpa_tl
  }{\tl_clear:N\l_tmpa_tl}
  \tl_set:Nx\l_tmpb_tl{#1}
  \tl_if_blank:VF\l_tmpa_tl{
    \tl_if_exist:cF{ann@\l_tmpa_tl}{
      \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
      \cs_if_exist:NF\g_mix_refundefwarned_tl{
        \tl_new:N\g_mix_refundefwarned_tl
        \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
      }
```

```
      }
      \regex_replace_once:nnN{[^:]+\:}{}\l_tmpb_tl
    }
    \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
    \tl_trim_spaces:N\l_tmpb_tl
    \tl_if_blank:VF\l_tmpb_tl{
    \mix_pdfobj:nnn{}{dict}{
      /S/JavaScript/JS~(
        try{\l_tmpb_tl}catch(e){console.show();console.println(e)})}}
    \bool_if:nT{
      \tl_if_exist_p:c{ann@\l_tmpa_tl}&&
      !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
    }{
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
              this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
      }
    }
    \bool_if:nT{
      \tl_if_exist_p:c{ann@\l_tmpa_tl}&&
      !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}||
      !\tl_if_blank_p:V\l_tmpb_tl
    }{
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  },
  jsaction .value_required:n = {true},

  unknown .code:n = {
    \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
  }
}


\RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
  \mix_uriend:
  \group_begin:
  \beginL
  \leavevmode
  %empty stream as appearance dummy
  \cs_if_exist:NF\g_mix_appearance_tl{
    \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
    \mix_pdfxform:n{\l_mix_poster_box}
```

```
  \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
}
\mix_reset:
\mix_uribegin: %treat URI characters correctly
\keys_set:nn{media9/user}{#1}
\mix_uriend:
\tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
\tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
\tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
\tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
\tl_gtrim_spaces:N\g_mix_flashvars_tl

\cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}

%\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
%\hbox_set:Nn\l_mix_poster_box{#2}
\sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
\mix_scale:n{\l_mix_poster_box}
\bool_if:nT{
  \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
  \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
}{
  \tl_gset:Nn\g_mix_usrpbtn_tl{none}
}
\bool_if:NTF\g_mix_usrdraft_bool{
  \tl_if_empty:NF\g_mix_usrlabel_tl{
    \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
  }
  \tl_if_blank:oTF{#2}{
    \mix_uribegin: %treat URI characters correctly
    \mix_draftbox:n{\tl_to_str:n{#3}}
    \mix_uriend:
  }{
    \hbox_to_wd:nn{\g_mix_wd_tl}{
      \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
      \box_use:N\l_mix_poster_box\hss
    }
  }
}{
  \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
    %attach script that switches off play button overlay upon activation
    \mix_pdfobj:nnn{}{stream}{
      {}{
        var~ocgs=host.getOCGs(host.pageNum);
        for(var~i=0;i<ocgs.length;i++){
          if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
            ocgs[i].state=false;
          }
        }
      }
```

```
    }
    \mix_pdfobj:nnn{}{dict}{
      /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
    }
    \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
    \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
    %enforce plain playbutton overlay for XeTeX
    \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
  }
  %embed main asset
  \mix_uribegin:
  \mix_embedasset:n{#3}
  \bool_if:nTF{
    \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
  }{
    \bool_gset_true:N\g_mix_iiid_bool
    \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
  }{
    \str_case_x:nnF{\l_mix_base_tl}{
      {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
      {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
      {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
      {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
      {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
    }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
  }
  \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
  \mix_uriend:
  %secondary assets (added by addresource)
  \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
  \seq_map_inline:Nn\g_mix_script_seq{
    \mix_embedasset:n{##1}
    \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
  }
  %attach 3D calculation script
  \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
    \mix_embedasset:n{3Dmenu.js}
    \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
  }
  %create 3D views from file (option 3Dviews)
  \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
    \tl_set:Nn\l_mix_level_tl{\c_minus_one}
    \int_zero:N\l_mix_viewcnt_int
    \int_zero:N\l_mix_lineno_int

    \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
    \ior_map_inline:Nn\l_mix_vfile_stream{
      \int_incr:N\l_mix_lineno_int
      \keys_set:nn{media9/views}{##1} %process input line
    }
```

```
    \ior_close:N\l_mix_vfile_stream
  }
  \bool_if:nT{ %create default 3D view if required
    \g_mix_iiid_bool &&
    (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
  }{
    \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
    \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
    \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
    \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
    \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
    \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
    \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl

    \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
    \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
    \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
    \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp

    \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
    \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
    \tl_clear:N\l_mix_naarray_tl

    \bool_if:NF\l_mix_ciiw_bool{
      \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
      \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
    }

    \tl_clear:N\l_mix_naarray_tl
    \tl_clear:N\l_mix_saarray_tl
    \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl

    \mix_view:n{Default}
    \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}

  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaInstance
    /Subtype/\g_mix_mainassetsub_tl
    /Asset~\g_mix_mainasset_tl
    \bool_if:NF\g_mix_iiid_bool{
      /Params~<<
        /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
          /Foreground
        }{
          /Background
        }
        \tl_if_blank:VF\g_mix_flashvars_tl{
          /FlashVars~(\g_mix_flashvars_tl)
        }
```

```
      >>
    }
  }
  \tl_if_empty:NF\g_mix_usrlabel_tl{
    \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaConfiguration
    /Subtype/\g_mix_mainassetsub_tl
    /Instances~[\mix_pdflastobj:]
  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaContent
    /Assets~<</Names~[\g_mix_assets_tl]>>
    /Configurations~[\mix_pdflastobj:]
    \bool_if:nT{
      \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
    }{
      /Views~[\l_mix_iiidviewarray_tl]
    }
  }
  \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
  \bool_if:nT{
    \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
  }{
    \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
  }
  %determine floating window size
  \bool_if:NT\g_mix_opt_windowed_bool{
    \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
  }
  \mix_pdfobj:nnn{}{dict}{
    /Activation~<<
      /Condition\g_mix_act_tl
      \bool_if:nT{
        \g_mix_iiid_bool &&
        !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
      }{%seems to work only with 3D content
        /Animation~<<
          /Subtype/\g_mix_playtpe_tl
          /PlayCount~\g_mix_playcnt_tl
          /Speed~\g_mix_playspd_tl
        >>
      }
      \bool_if:nT{
        \g_mix_iiid_bool && (
          \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
        )
      }{/View~\l_mix_dfltview_tl}
      /Presentation~<<
```

```
      /Transparent~\g_mix_transp_tl
      \bool_if:NTF\g_mix_opt_windowed_bool{
        /Style/Windowed
        /Window~<<
          /Width~<</Default~\tl_mix_fltwd>>
          /Height~<</Default~\tl_mix_fltht>>
          /Position~<<
            /HOffset~0/VOffset~0
            \str_case_x:nnF{\g_mix_winpos_tl}{
              {tl}{/VAlign/Near/HAlign/Near}
              {cl}{/VAlign/Center/HAlign/Near}
              {bl}{/VAlign/Far/HAlign/Near}
              {bc}{/VAlign/Far/HAlign/Center}
              {br}{/VAlign/Far/HAlign/Far}
              {cr}{/VAlign/Center/HAlign/Far}
              {tr}{/VAlign/Near/HAlign/Far}
              {tc}{/VAlign/Near/HAlign/Center}
            }{/HAlign/Center/VAlign/Center}
          >>
        >>
      }{
        /Style/Embedded
      }
      \bool_if:NTF\g_mix_iiid_bool{
        /Toolbar~\g_mix_tools_tl
        /NavigationPane~\g_mix_nav_tl
      }{
        /PassContextClick~\g_mix_contextclick_tl
      }
    >>
    \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
  >>
  /Deactivation~<</Condition\g_mix_deact_tl>>
}
\tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
\tl_if_empty:NF\g_mix_usrlabel_tl{
  \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
}
% #1:width, #2:height, #3:depth, #4:content (key-value)
\mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
  /Subtype/RichMedia
  /F~4\cs_if_exist_use:N\ocgxii@insert@OC
  /BS~<</W~0/S/S>>
  /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
  /NM~(\g_mix_label_tl)
  /AP~<</N~\g_mix_appearance_tl>>
  /RichMediaSettings~\l_mix_settings_tl
  /RichMediaContent~\l_mix_content_tl
}
\tl_if_empty:NF\g_mix_usrlabel_tl{
```

```
    \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
    \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
      \noexpand\the\g@mix@page@int}
  }
  \mix_pdfobj:nnn{}{dict}{
    /S/JavaScript/JS~(
      try{
        if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
        if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
          annotRM['\g_mix_label_tl']=
            this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
        }
        \str_if_eq_x:nnF{\g_mix_usrpbtn_tl}{none}{
          if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
            var~ocgs=this.getOCGs(this.pageNum);
            for(var~i=0;i<ocgs.length;i++){
              if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
                 var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
              }
            }
          }
          if(
            !annotRM['\g_mix_label_tl'].activated&&(
              app.viewerType=='Reader'||
              app.viewerType=='Exchange'||
              app.viewerType=='Exchange-Pro'
            )&&app.viewerVersion>=9
          ){
            ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
          }
        }
      }catch(e){}
      this.dirty=false;
    )
  }
  \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{
    /Subtype/Widget
    /FT/Btn/Ff~65537/F~2
    /BS~<</W~0>>
    /T~(fd@\g_mix_label_tl)
    /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
  }
  \mix_appendtofields:n{\mix_pdflastann:}
  \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
  \str_if_eq_x:nnTF{\g_mix_usrpbtn_tl}{none}{
    \hbox_to_wd:nn{\g_mix_wd_tl}{
      \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
    }
  }{%insert play button overlay
    \mix_insert_btnocg: %create OCG
```

```
      \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
      %\hbox_set:Nn\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
      \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
      \box_move_down:nn{\g_mix_dp_tl}{
        \hbox_to_wd:nn{\g_mix_wd_tl}{
          \vbox_to_ht:nn{\g_mix_tt_tl}{
            \vss
            \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
            \box_use:N\l_mix_pbtn_box
            \ocgbase_oc_emc:
          }
        }
      }
    }
    \int_gincr:N\g_mix_rmcnt_int
  }
  \endL
  \group_end:
}
\tl_set_eq:NN\l_mix_includemedia_tl\includemedia
\tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}


\RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
  \mix_uriend:
  \group_begin:
  \beginL
  \leavevmode
  %reset various variables
  \tl_gclear:N\g_mix_overbtn_tl
  \tl_gclear:N\g_mix_downbtn_tl
  \tl_gclear:N\g_mix_btnactions_tl
  \tl_gclear:N\g_mix_tooltip_tl
  %process options
  \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
  \mix_uribegin: %treat URI characters correctly
  \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
  \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
  \mix_uriend:
  %normal button appearance
  %\hbox_set:Nn\l_mix_poster_box{#2}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
  \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
  \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
  \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
  \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
    \bool_if:nT{ %dummy Widget for ocgx2, AR seems to need it
```

```
%      \cs_if_exist_p:N\ocgxii@insert@OC && !\tl_if_blank_p:V\ocgxii@insert@OC
      !\cs_if_exist:NTF\ocgxii@insert@OC{
        \tl_if_blank_p:V\ocgxii@insert@OC
      }{
        \c_true_bool
      }
    }{\mix_pdfannot:nnnn{\width}{\height}{\depth}{/Subtype/Widget/F~2}}
    %insert widget annotation
    \mix_pdfannot:nnnn{\width}{\height}{\depth}{
      /Subtype/Widget
      /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
      \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
      /FT/Btn/Ff~65536\cs_if_exist_use:N\ocgxii@insert@OC
      \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
      /AP~<<
        /N~\g_mix_normalbtn_tl
        \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
        \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
      >>
      /MK~<<
        /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
        /I~\g_mix_normalbtn_tl
        \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
        \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
      >>
      /A~<<
        /S/JavaScript/JS~(app.focusRect=false;)
        %sequence of actions to perform
        \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
      >>
    }
    \mix_appendtofields:n{\mix_pdflastann:}
    \hbox_to_wd:nn{\width}{
      \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
    }
    \int_gincr:N\g_mix_mbtncnt_int
  }
  \endL
  \group_end:
}
\tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
\tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
```

7.78 memoir-xetex-bidi.def

```
\ProvidesFile{memoir-xetex-bidi.def}[2010/07/25 v0.5 bidi adaptations for memoir class for Xe
\renewcommand{\keepthetitle}{%
```

```
  \@bsmtitlempty
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\and\relax
  \global\let\andnext\relax
  \global\let\@thanks\@empty
  \global\let\@title\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty}
\renewcommand{\maketitle}{\par
  \begingroup
    \@bsmarkseries
    \def\@makefnmark{\@textsuperscript{%
       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}%
    \long\def\@makefntext##1{\makethanksmark ##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \ifdim\pagetotal>\z@
        \newpage
      \fi
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{title}\@thanks
  \endgroup
  \@bscontmark  %  \setcounter{footnote}{0}%
  }
\renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
\renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
\renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
\renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
\renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*{\thesubsection}{%
              \thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
              \thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*{\theparagraph}{%
              \thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
              \theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
\renewcommand{\theequation}{%
```

```
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
\renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
\ifartopt
  \chapterstyle{article}
  \counterwithout{figure}{chapter}
  \counterwithout{table}{chapter}
  \counterwithout{footnote}{chapter}
  \counterwithout{equation}{chapter}
  \renewcommand{\chaptername}{}
  \renewcommand{\maketitlehookb}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
  \renewcommand{\maketitlehookc}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
\fi
\long\def\@makecaption#1#2{\let\@memtempa\relax
  \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
  \else \def\@memtempa{\vbox to\topskip{}}\fi
  \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
  \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
  \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
  \let\footnote\@contfnote
  \let\footnotemark\@contfmark
  \ifdim\wd\@tempboxa<\linewidth \centering \fi
  \if@contcw
    \centering
    \parbox{\@contcwidth}{%
    \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
  \fi
  \ifdim\wd\@tempboxa<\linewidth
    \@contpre
    {\@contnfont #1\@contdelim}\@memtempa
    {\@contcshortstyle \@conttfont #2\@contfinal\par}
  \else
    \if@conthang
      \sbox\@tempboxa{\@contnfont #1\@contdelim}
      \@contpre%
      {\@contcstyle\hangindent=\wd\@tempboxa
       \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
    \else
      \if@contindent
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle\hangindent=\@contindw
                     \hangafter=\@ne\@conttfont #2\@contfinal\par}% <- v1.4
      \else
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle \@conttfont #2\@contfinal\par}
      \fi
```

```
    \fi
  \fi
  \@contpost
  \if@contcw
    \par
    }  % end of the \parbox
  \fi
  \vskip\belowcaptionskip}
\@ifpackageloaded{caption}{%
\AtBeginPackage{caption}{
\ClassWarningNoLine{memoir}{%
  You are using the caption package with the memoir \MessageBreak
  class. This may cause unexpected or inconsistent \MessageBreak
  results if you use any of memoir's captioning facilities}

\long\def\@makecaption##1##2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
  \fi
  \vskip\belowcaptionskip}

\def\caption{%
   \ifx\@captype\@undefined
     \@latex@error{\noexpand\caption outside float}\@ehd
     \expandafter\@gobble
   \else
     \refstepcounter\@captype
     \expandafter\@firstofone
   \fi
   {\@dblarg{\@caption\@captype}}%
}

\long\def\@caption##1[##2]##3{%
  \par
  \addcontentsline{\csname ext@##1\endcsname}{##1}%
    {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
  \begingroup
    \@parboxrestore
    \if@minipage
      \@setminipage
    \fi
    \normalsize
    \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
  \endgroup}
}}{}
```

```
\renewenvironment{thebibliography}[1]{%
  \bibsection
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}
```

7.79 midfloat-xetex-bidi.def

```
\ProvidesFile{midfloat-xetex-bidi.def}[2016/05/10 v0.3 bidi adaptations for midfloat package
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
        \fi
        \global\advance\@colht by\cor@height
        \global\cor@height=0pt
    \fi
    \global \setbox\@rightcolumn \vbox{}%
  \else
    \ifdim\c@colht>\@colht
            \@tempdima\@colht
            \ifdim\@colht>\z@
            \global\setbox\@rightcolumn \vbox{%
                        \unvbox\@rightcolumn
                        \vbox to\@tempdima{%
                                \vskip\c@addvipersep\unvbox\@outputbox}%
                        \vskip\stripsep
                        \vrule height\the\juo@ht width 0pt depth 0pt
                        \vskip\stripsep
                        }%
```

```
          \global\c@addvipersep\m@addvipersep
          \else
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \fi
          \ifnum\juo@sk>0
              \remove@strip\juo@sar
              \global\@colht\the\juo@pr
              \global\advance\@colht by -\ht\@rightcolumn
              \global\advance\@colht by\cor@height
              \global\cor@height=0pt
          \else
              \global\advance\c@colht by-\ht\@rightcolumn
              \global\@colht\c@colht
          \fi
  \else
  \global\@firstcolumntrue
   \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
                      \unvbox\@rightcolumn
                      \vskip\c@addvipersep
                      \unvbox\@outputbox
                      }%
   \setbox\@outputbox \vbox {%
                       \hb@xt@\textwidth {%
                        \hskip \columnwidth
                        \hfil
                         \vrule \@width\columnseprule
                         \hfil
                         \hb@xt@\columnwidth {%
                           \box\@leftcolumn \hss}%
                         \hskip-\textwidth
                         \hb@xt@\columnwidth {%
                           \box\@outputbox \hss}%
                         \hskip\columnwidth
                         \hskip\columnsep}%
                            }%
   \@combinedblfloats
   \@setmarks
   \@outputpage
   \begingroup
     \@dblfloatplacement
     \@startdblcolumn
     \@whilesw\if@fcolmade \fi
       {\@outputpage
        \@startdblcolumn}%
   \endgroup
   \global\juo@sk=0\global\juo@sar={}%
```

```
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
        \fi
        \global\advance\@colht by\cor@height
        \global\cor@height=0pt
    \fi
    \global \setbox\@rightcolumn \vbox{}%
  \else
    \ifdim\c@colht>\@colht
            \@tempdima\@colht
            \ifdim\@colht>\z@
            \global\setbox\@rightcolumn \vbox{%
                        \unvbox\@rightcolumn
                        \vbox to\@tempdima{%
                                \vskip\c@addvipersep\unvbox\@outputbox}%
                        \vskip\stripsep
                        \vrule height\the\juo@ht width 0pt depth 0pt
                        \vskip\stripsep
                        }%
            \global\c@addvipersep\m@addvipersep
            \else
```

```
            \global\setbox\@rightcolumn \vbox{%
                        \unvbox\@rightcolumn
                        \vrule height\the\juo@ht width 0pt depth 0pt
                        \vskip\stripsep
                        }%
            \fi
            \ifnum\juo@sk>0
                \remove@strip\juo@sar
                \global\@colht\the\juo@pr
                \global\advance\@colht by -\ht\@rightcolumn
                \global\advance\@colht by\cor@height
                \global\cor@height=0pt
            \else
                \global\advance\c@colht by-\ht\@rightcolumn
                \global\@colht\c@colht
            \fi
  \else
   \global\@firstcolumntrue
    \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
                        \unvbox\@rightcolumn
                        \vskip\c@addvipersep
                        \unvbox\@outputbox
                        }%
    \setbox\@outputbox \vbox {%
                         \hb@xt@\textwidth {%
                           \hb@xt@\columnwidth {%
                             \box\@leftcolumn \hss}%
                           \hfil
                           \vrule \@width\columnseprule
                           \hfil
                           \hb@xt@\columnwidth {%
                             \box\@outputbox \hss}%
                                          }%
                            }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}
```

```
\def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
  \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\
        \hsize\textwidth
        \@parboxrestore
        \col@number \@ne
        \vrule height\topskip width0pt depth0pt
}

\def\endstrip{%
        \egroup\egroup
        \if@firstcolumn
                \ifdim\pagetotal>\z@
                        \vskip\stripsep
                        \global\ht@strip\pagegoal
                        \global\advance\ht@strip by-\pagetotal
                        \global\advance\ht@strip by-\stripsep
                        \global\advance\ht@strip by-\ht\@viper
                        \global\advance\ht@strip by-\stripsep
                        \global\juo@ht=\ht\@viper
                \else
                        \global\ht@strip\z@
                \fi
                \ifdim\ht@strip>\z@
                  \unvbox\@viper
                  \vskip\stripsep
                  \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
                  \global\advance\juo@sk by1
                \else
                  \@latex@error{Strip needs more place!}\@ehc
                  \if@vihproof
                    \framebox[\columnwidth]{??? Strip ???}%
                  \fi
                \fi
        \else
          \@latex@error{Strip is used only on left column!}\@ehc
          \if@vihproof
            \framebox[\columnwidth]{??? Strip ???}%
          \fi
        \fi
}
```

7.80 minitoc-xetex-bidi.def

```
\ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package fo
\def\@undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
  \vskip \z@ plus.2\p@
  {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
   \parindent #2\relax\@afterindenttrue
```

```
  \interlinepenalty\@M
  \leavevmode
  \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
  \hskip -\if@RTL\rightskip\else\leftskip\fi
   #4\nobreak\hfill \nobreak
          \null\par}%
 \fi}
\def\@Undottedtocline#1#2#3#4#5{%
 \ifnum #1>\c@tocdepth\relax \else
   \vskip \z@ \@plus.2\p@
   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmar
    \parindent #2\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima #3\relax
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\coffeefont #4}\nobreak \nobreak\null
   \par}%
 \fi}
\def\@Undottedtoclinep#1#2#3#4#5{%
 \ifnum #1>\c@tocdepth\relax \else
   \vskip \z@ \@plus.2\p@
   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmar
    \parindent #2\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima #3\relax
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {#4}\nobreak \hfill \nobreak\null
    \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
   \par}%
 \fi}
```

7.81 multicol-xetex-bidi.def

```
\ProvidesFile{multicol-xetex-bidi.def}[2016/11/27 v0.8 bidi adaptations for multicol package
\def\page@sofar{%
  \process@cols\mult@rightbox
      {\ifvoid\count@
         \setbox\count@\hbox to\hsize{}%
       \else
         \wd\count@\hsize
       \fi}%
  \count@\col@number \advance\count@\m@ne
  \mult@info\z@
   {Column spec: \the\full@width\space = indent
                 + columns + sep =\MessageBreak
       \the\multicol@leftmargin\space
       + \the\col@number\space
       x \the\hsize\space
```

```
        + \the\count@\space
        x \the\columnsep
     }%
\ifvmode\else\errmessage{Multicol Error}\fi
   \nointerlineskip
   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
   \moveright\multicol@leftmargin
    \hbox to\full@width{%
       \bidi@multicol@align@columns
       \rlap{\phantom p}%
    }%
 \prevdepth\z@
 \kern-\dimen\tw@
 \ifdim\dimen\tw@ > \mc@gridwarn
   \PackageWarning{multicol}%
     {Very deep columns!\MessageBreak
      Grid alignment might be broken}%
 \fi
}
\def\LTR@column@boxes{%
    \process@cols\mult@gfirstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \mc@col@status@write
       \box\count@
       \hss{\columnseprulecolor\vrule
              \@width\columnseprule}\hss}%
     \ifdim\dp\mult@rightbox>\dimen\tw@
       \global\dimen\tw@\dp\mult@rightbox \fi
     \mc@lastcol@status@write
     \box\mult@rightbox
}

\def\RTL@column@boxes{%
  \ifnum\col@number<\tw@
     \LTR@column@boxes
  \else
     \process@cols\mult@gfirstbox{%
       \hskip\hsize
       \hss{\columnseprulecolor\vrule
              \@width\columnseprule}\hss
     }%
     \hskip\hsize
     \process@cols\mult@gfirstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \hskip-\hsize
       \mc@col@status@write
       \box\count@
       \hskip-\hsize
```

```
      \hskip-\columnsep
    }%
    \ifdim\dp\mult@rightbox>\dimen\tw@
      \global\dimen\tw@\dp\mult@rightbox \fi
    \hskip-\hsize
    \mc@lastcol@status@write
    \box\mult@rightbox
    \hskip-\hsize
    \hskip\full@width
  \fi
 }
\newcommand\RTLmulticolcolumns
    {\let\bidi@multicol@align@columns
        \RTL@column@boxes}
\newcommand\LTRmulticolcolumns
    {\let\bidi@multicol@align@columns
      \LTR@column@boxes}
\newcommand\bidi@multicol@align@columns
    {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
\def\multicols#1{\col@number#1\relax
  \ifnum\col@number<\tw@
    \PackageWarning{multicol}%
     {Using `\number\col@number'
      columns doesn't seem a good idea.^^J
      I therefore use two columns instead}%
    \col@number\tw@ \fi
  \ifnum\col@number>10
    \PackageError{multicol}%
     {Too many columns}%
     {Current implementation doesn't
      support more than 10 columns.%
      \MessageBreak
      I therefore use 10 columns instead}%
    \col@number10 \fi
    \ifx\@footnotetext\mult@footnotetext\else
      \let\orig@footnotetext\@footnotetext
      \let\@footnotetext\mult@footnotetext
    \fi
    \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
      \let\orig@LTRfootnotetext\@LTRfootnotetext
      \let\@LTRfootnotetext\mult@LTRfootnotetext
    \fi
    \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
      \let\orig@RTLfootnotetext\@RTLfootnotetext
      \let\@RTLfootnotetext\mult@RTLfootnotetext
    \fi
  \@ifnextchar[\mult@cols{\mult@cols[]}}
\long\def\mult@footnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
```

```
          \orig@footnotetext{#1}\endgroup}
\long\def\mult@LTRfootnotetext#1{\begingroup
          \hsize\textwidth
          \columnwidth\textwidth
          \orig@LTRfootnotetext{#1}\endgroup}
\long\def\mult@RTLfootnotetext#1{\begingroup
          \hsize\textwidth
          \columnwidth\textwidth
          \orig@RTLfootnotetext{#1}\endgroup}
\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
  \kern2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \textwidth \kern 2.6\p@}
```

7.82 multienum-xetex-bidi.def

```
\ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packag
\renewcommand{\itemx}[1]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
\renewcommand{\itemxx}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
\renewcommand{\itemxxxx}[4]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
\renewcommand{\itemxxxxx}[5]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
```

```
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
\renewcommand{\itemxox}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxo}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxoxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxox}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxxo}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}
```

7.83 natbib-xetex-bidi.def

```
\ProvidesFile{natbib-xetex-bidi.def}[2011/06/04 v0.1 bidi adaptations for natbib package for
\renewenvironment{thebibliography}[1]{%
 \bibsection
 \parindent\z@
 \bibpreamble
 \bibfont
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
 \ifNAT@openbib
   \renewcommand\newblock{\par}%
 \else
   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
```

```
\fi
\sloppy\clubpenalty4000\widowpenalty4000
\sfcode`\.\@m
\let\NAT@bibitem@first@sw\@firstoftwo
   \let\citeN\cite \let\shortcite\cite
   \let\citeasnoun\cite
}{%
\bibitem@fin
\bibpostamble
\def\@noitemerr{%
 \PackageWarning{natbib}{Empty `thebibliography' environment}%
}%
\endlist
\bibcleanup
}%
```

7.84 newfloat-xetex-bidi.def

```
\ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package
\renewcommand*\newfloat@setwithin[2]{%
  \ifcsname c@chapter\endcsname
    \@removefromreset{#1}{chapter}%
  \fi
  \@removefromreset{#1}{section}%
  \edef\@tempa{#2}%
  \ifx\@tempa\@empty
    \def\@tempa{none}%
  \fi
  \def\@tempb{none}%
  \ifx\@tempa\@tempb
    \ifcsname c@chapter\endcsname
      \@chapterlistsgap@off{#1}%
    \fi
    \newfloat@@setwithin{#1}{}{}%
  \else
    \def\@tempb{chapter}%
    \ifx\@tempa\@tempb
      \@addtoreset{#1}{chapter}%
      \@chapterlistsgap@on{#1}%
      \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@Se
    \else
      \def\@tempb{section}%
      \ifx\@tempa\@tempb
        \@addtoreset{#1}{section}%
        \ifcsname c@chapter\endcsname
          \@addtoreset{#1}{chapter}%
          \@chapterlistsgap@on{#1}%
          \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
        \else
          \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection
```




```
        \fi
      \else
        \newfloat@Error{Invalid value `#2' for option `within'}%
      \fi
    \fi
  \fi}
```

7.85 ntheorem-xetex-bidi.def

```
\ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package
\gdef\@thm#1#2#3{%
   \if@thmmarks
     \stepcounter{end\InTheoType ctr}%
   \fi
   \renewcommand{\InTheoType}{#1}%
   \if@thmmarks
     \stepcounter{curr#1ctr}%
     \setcounter{end#1ctr}{0}%
   \fi
   \refstepcounter{#2}%
   \theorem@prework
   \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
   \ifvmode \advance\thm@topsepadd\partopsep\fi
   \trivlist
   \@topsep \theorempreskipamount
   \@topsepadd \thm@topsepadd        % used by \@endparenv
   \advance\linewidth -\theorem@indent
   \advance\@totalleftmargin \theorem@indent
  \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

7.86 ntheorem-hyper-xetex-bidi.def

```
\ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hy
\gdef\@thm#1#2#3{%
   \if@thmmarks
     \stepcounter{end\InTheoType ctr}%
   \fi
   \renewcommand{\InTheoType}{#1}%
   \if@thmmarks
     \stepcounter{curr#1ctr}%
     \setcounter{end#1ctr}{0}%
   \fi
   \refstepcounter{#2}%
   \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
   \ifvmode \advance\thm@topsepadd\partopsep\fi
   \trivlist
   \@topsep \theorempreskipamount
   \@topsepadd \thm@topsepadd        % used by \@endparenv
   \advance\linewidth -\theorem@indent
   \advance\@totalleftmargin \theorem@indent
```

```
  \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
  \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

7.87 overpic-xetex-bidi.def

```
\ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package fo
\renewenvironment{overpic}[2][]{%
  \sbox{\z@}{\includegraphics[#1]{#2}}%
  \settodepth{\@tempcnta}{\usebox{\z@}}%
  \settoheight{\@tempcntb}{\usebox{\z@}}%
  \advance\@tempcntb\@tempcnta%
  \settowidth{\@tempcnta}{\usebox{\z@}}%
  \setlength{\@tempdima}{\unitlength}%
  \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
%
  \OVP@calc%
%
  \begin{picture}(\@tempcnta,\@tempcntb)%
    \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}%
    \ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi\fi%
    % reset the graphics parameter
    \let\Gin@outer@scalex\relax
    \let\Gin@outer@scaley\relax
    \let\Gin@angle\relax
    \let\Gin@ewidth\Gin@exclamation
    \let\Gin@eheight\Gin@ewidth
    \def\Gin@scalex{1}
    \let\Gin@scaley\Gin@exclamation
}{%
    \if@RTL\ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi%
    \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
  \end{picture}%
}%
```

7.88 pdfpages-xetex-bidi.def

```
\ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package
\renewcommand*{\includepdf}[2][]{%
  \begingroup
  \@RTLfalse
  \let\AM@threadname\relax
  \AM@split@options{pdfpages}{#1}%
  \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
  \expandafter\setkeys\AM@temp
  \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
```

```
    \let\AM@currentdocname\relax
    \renewcommand\includegraphics[2][]{Survey in draft-mode}%
    \def\AM@pagecount{0}%
  }{%
    \AM@findfile{#2}%
    \if\AM@threadname\relax
      \def\AM@threadname{\AM@currentdocname}%
    \fi
  }%
  \ifAM@survey
    \def\AM@pagestemp{}%
    \@tempcnta=0
    \def\foo{%
      \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
         {\let\foo\relax}
         {\expandafter\ifx\expandafter\\\AM@pagestemp\\
             \edef\AM@pagestemp{%
                \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \else
            \edef\AM@pagestemp{\AM@pagestemp,%
               \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \fi
          \advance\@tempcnta 1\relax
         }%
      \foo
    }%
    \foo
    \expandafter\ifx\expandafter\\\AM@pagestemp\\
      \def\AM@pagestemp{1}%
    \fi
  \fi
  \ifAM@output
    \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
    \AM@output{#1}%
  \fi
  \AM@CheckAtEnd
  \endgroup
  \AM@ClearShipoutPicture
}
```

7.89 pgfcorescopes.code-xetex-bidi.def

```
\ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pac
\def\pgfpicture{%
  \begingroup%
   \ifmmode\else\@RTLfalse\beginL\fi%
    \pgfpicturetrue%
    \global\advance\pgf@picture@serial@count by1\relax%
    \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
    \let\pgf@nodecallback=\pgfutil@gobble%
```

```
    \pgf@picmaxx=-16000pt\relax%
    \pgf@picminx=16000pt\relax%
    \pgf@picmaxy=-16000pt\relax%
    \pgf@picminy=16000pt\relax%
    \pgf@relevantforpicturesizetrue%
    \pgf@resetpathsizes%
    \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
\def\endpgfpicture{%
              \ifpgfrememberpicturepositiononpage%
                \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
              \fi%
              % ok, now let's position the box
              \ifdim\pgf@picmaxx=-16000pt\relax%
                % empty picture. make size 0.
                \global\pgf@picmaxx=0pt\relax%
                \global\pgf@picminx=0pt\relax%
                \global\pgf@picmaxy=0pt\relax%
                \global\pgf@picminy=0pt\relax%
              \fi%
              % Shift baseline outside:
              \pgf@relevantforpicturesizefalse%
              \pgf@process{\pgf@baseline}%
              \xdef\pgf@shift@baseline{\the\pgf@y}%
              %
              \pgf@process{\pgf@trimleft}%
              \global\advance\pgf@x by-\pgf@picminx
              % prepare \hskip\pgf@trimleft@final.
              % note that \pgf@trimleft@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimleft@final{-\the\pgf@x}%
              %
              \pgf@process{\pgf@trimright}%
              \global\advance\pgf@x by-\pgf@picmaxx
              % prepare \hskip\pgf@trimright@final.
              % note that \pgf@trimright@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimright@final{\the\pgf@x}%
        %
        \pgf@remember@layerlist@globally
            \endgroup%
            \hss%
          \egroup%
      \pgf@restore@layerlist@from@global
          \pgf@insertlayers%
        \endgroup%
        \pgfsys@discardpath%
        \endgroup%
      \pgfsys@endscope%
    \pgfsys@endpicture%
    \endgroup%
```

```
    \hss
  \egroup%
  \pgfsys@typesetpicturebox\pgfpic%
  \ifmmode\else\endL\fi%
  \endgroup%
}
```

7.90 picinpar-xetex-bidi.def

```
\ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
\long\def\@makewincaption#1#2{%
   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
   \ifdim\wd\@tempboxa>\picwd
      {\footnotesize{\bf #1:\enspace}{#2\par}}
   \else
      \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
   \fi}
\def\endwindow{%
    \global\tcd=\tcdsav
    \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
    \vbadness=10000
    \splittopskip=0pt
%
% Typeset the lines above the window
%
\ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
\tcn=\tcd
\loop\advance\tcn -1
\setbox\fslice=\vsplit\holder to\baselineskip
\prune\fslice\linewidth
\topheight=0pt
\ifnum\dp\fslice>\dp\wstrutbox
       \advance\topheight-\dp\fslice
       \advance\topheight\dp\wstrutbox
       \advance\topheight\ilg\fi
\hbox to\linewidth{\box\fslice}
\vskip-\topheight
\ifdim\ht\holder>0pt\repeat
\fi
%
% Now we build the boxes beside the window
%
\global\topheight=\tcl\baselineskip
\ifnum\cumpartcl>0\global\tcl=\cumtcl
      \global\topheight=\vpic
\fi
\ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
\ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
\else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
\tcn=\tcl \na=0 \nb=0
```

```
\ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
\ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
\ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
\ifnum\na=0\ifnum\nb=0
      \setbox\waslice=\vbox to\vpic{\vss}
      \setbox\wbslice=\vbox to\vpic{\vss}
      \bl=1\br=1
      \vskip\ilg
\fi\fi
%
% both sides
%
\ifnum\na>0 \ifnum\nb>0
\loop\advance\nb -1
\advance\na -1
\if@RTL%
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\else%
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\fi%
\ifnum\nb>0\repeat
\fi\fi
%
% only text on the left side
%
\ifnum\na>0
    \loop\advance\na -1
    \setbox\aslice=\vsplit\holder to\baselineskip
    \prune\aslice\lftside
    \setbox\waslice=\vbox{\unvbox\waslice\hbox
    to\lftside{\box\aslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% only text on the right side
%
```

```
\ifnum\nb>0
    \loop\advance\nb -1
    \setbox\bslice=\vsplit\holder to\baselineskip
    \prune\bslice\rtside
    \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
    to\rtside{\box\bslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% fixing the dimensions of the window part
%
\ifnum\bl=0\topheight=\ht\wbslice
\else\ifnum\br=0\topheight=\ht\waslice
      \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
            \else\topheight=\ht\wbslice\fi\fi\fi
%
% ship out the window material to the main vertical list
%
\ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
\setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
\fi\fi\fi
\setbox\windowbox=\vbox{\hbox to\linewidth{%
\ifnum\bl>0\box\waslice\hfill\fi%
\vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
\vfill\unvbox\picbox%
\ifnum\picwd>0\vfill\fi%
\vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
\unvbox\windowbox%
\loop
 \setbox\bslice=\vsplit\rawtext to\baselineskip
 \prune\bslice\linewidth
 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
 \unvbox\wbslice
 \ifdim\ht\rawtext>0pt
\repeat
}% FINITO
```

7.91 plain-xetex-bidi.def

```
\def\TeXXeTOn{\TeXXeTstate=1 }
\def\TeXXeTOff{\TeXXeTstate=0 }
\TeXXeTOn
\def\usebox#1{\leavevmode\copy #1\relax}
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
```

```
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
```

```
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}
  \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
```

7.92 pstricks-xetex-bidi.def

```
\ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package
\def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
\def\endpspicture{%
  \ifshowgrid\ifnum\showgridp@s>0
    \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
  \pst@killglue
%  \global\pst@shift=\pst@shift% in fact of the following endgroup
  \endgroup
  \egroup
  \ifdim\wd\pst@hbox=\z@\else
    %\@pstrickserr{Extraneous space in the pspicture environment}%
    %{Type \space <return> \space to proceed.}%
  \fi
  \ht\pst@hbox=\pst@dimd
  \dp\pst@hbox=-\pst@dimb
  \setbox\pst@hbox=\hbox{%
    \kern-\pst@dima
% Orig version ----------
%\ifx\pst@tempa\@empty\else
%\advance\pst@dimd-\pst@dimb
```

```
%\pst@dimd=\pst@tempa\pst@dimd
%\advance\pst@dimd\pst@dimb
%\lower\pst@dimd
%\fi
%----- end Orig
    \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%     shift=*
      \advance\pst@dimd-\pst@dimb
      \pst@dimd=0.5\pst@dimd
    \else\pst@dimd-\pst@shift\fi
    \advance\pst@dimd\pst@dimb
    \lower\pst@dimd
    \box\pst@hbox
    \kern\pst@dimc}%
  \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
  \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
  \fboxsep=0pt
  \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
  \ifmmode\else\endL\fi
  \endgroup%
  \psset[pstricks]{shift=0}% reset value
}
```

7.93 quotchap-xetex-bidi.def

```
\ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package
\renewcommand{\qauthor}[1]{%
  \par\smallskip
  {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
\renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
  {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
      {\chapnumfont
        \ifnum \c@secnumdepth >\m@ne%
        \if@mainmatter\thechapter%
        \fi\fi
        \par\nobreak}%
      {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10
    \nobreak\chapterheadendvskip}}
\renewcommand*{\@iprintcites}{%
  \vbox to\z@{\leavevmode\copy\@quotebox\vss}
  \global\let\@printcites\relax}
```

7.94 ragged2e-xetex-bidi.def

```
\ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package
\renewcommand{\Centering}{%
  \ifx\\\@raggedtwoe@savedcr
     \let\\\@centercr
  \fi
  \let\@gnewline\@raggedtwoe@gnewline
  \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
  \@rightskip\CenteringRightskip
```

```
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\CenteringParfillskip
   \parindent\CenteringParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedLeft}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
   \@rightskip\RaggedLeftRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\RaggedLeftParfillskip
   \parindent\RaggedLeftParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedRight}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
   \@rightskip\RaggedRightRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\RaggedRightParfillskip
   \parindent\RaggedRightParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\justifying}{%
   \let\\\@raggedtwoe@savedcr
   \let\@gnewline\@raggedtwoe@saved@gnewline
   \if@RTL\rightskip\else\leftskip\fi\z@
   \@rightskip\z@
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\JustifyingParfillskip
   \parindent\JustifyingParindent
   \@raggedtwoe@spaceskipfalse
   \@raggedtwoe@everyselectfont
   }
\renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{
  \CheckCommand*{\@arrayparboxrestore}{%
    \let\if@nobreak\iffalse
    \let\if@noskipsec\iffalse
    \let\par\@@par
    \let\-\@dischyph
    \let\'\@acci\let\`\@accii\let\=\@acciii
```

```
    \parindent\z@ \parskip\z@skip
    \everypar{}%
    \linewidth\hsize
    \@totalleftmargin\z@
    \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \@rig
    \parfillskip\@flushglue \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \renewcommand{\@arrayparboxrestore}{%
    \let\if@nobreak\iffalse
    \let\if@noskipsec\iffalse
    \let\par\@@par
    \let\-\@dischyph
    \let\'\@acci\let\`\@accii\let\=\@acciii
    \parskip\z@skip
    \everypar{}%
    \linewidth\hsize
    \@totalleftmargin\z@
    \RaggedRight
    \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \let\@raggedtwoe@raggedrightboxes@opt\relax
  }
\let\origin@RaggedLeft=\RaggedLeft
\let\origin@RaggedRight=\RaggedRight
\def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
\def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}
```

7.95 rapport1-xetex-bidi.def

```
\ProvidesFile{rapport1-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for rapport1 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
```

```
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
```

```
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
```

```
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
```

```
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
```

```
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

7.96 rapport3-xetex-bidi.def

```
\ProvidesFile{rapport3-xetex-bidi.def}[2015/11/14 v0.5 bidi adaptations for rapport3 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
```

```
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
```

```
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
```

```
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
              \def\and{%%% \begin{tabular} has already started
                       \end{tabular}\hskip 1em plus .17fil
                       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabul
              \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\p
     \vskip 1em {\large \TitleFont \@date}
 \fi
  \par
  \vskip 1.5em}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
```

```
15068      \parfillskip\z@
15069      \@tempdima\unitindent
15070      \parindent\z@
15071      \leavevmode
15072      \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15073      \hskip 1em \nobreak{\slshape #3}\par
15074      }%
15075   \fi}
15076 \if@oldtoc
15077 \renewcommand*\l@part[2]{%
15078   \ifnum \c@tocdepth >-2\relax
15079     \addpenalty{-\@highpenalty}%
15080     \addvspace{2.25em \@plus\p@}%
15081     \begingroup
15082       \setlength\@tempdima{3em}%
15083       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15084       \parfillskip -\@pnumwidth
15085       {\leavevmode
15086         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
15087         \nobreak
15088         \global\@nobreaktrue
15089         \everypar{\global\@nobreakfalse\everypar{}}%
15090     \endgroup
15091   \fi}
15092 \else
15093    \renewcommand*\l@part{%
15094      \ifnum \c@tocdepth >-2\relax
15095      \addpenalty{-\@highpenalty}%
15096      \addvspace{2.25em \@plus \p@}%
15097      \@regtocline{0}%
15098    \fi}
15099 \fi
15100 \if@oldtoc
15101 \renewcommand*\l@chapter[2]{%
15102     \addpenalty{-\@highpenalty}%
15103     \vskip 1.0em \@plus\p@
15104     \setlength\@tempdima{1.5em}%
15105     \begingroup
15106     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15107     \parfillskip -\@pnumwidth
15108     \leavevmode \bfseries
15109     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15110     \hskip -\if@RTL\rightskip\else\leftskip\fi
15111     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
15112     \penalty\@highpenalty
15113    \endgroup}
15114 \else
15115   \renewcommand*\l@chapter{\@regtocline{0}}
15116 \fi
15117 \renewcommand*\head@style{%
```

```
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
```

```
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
```

7.97 refrep-xetex-bidi.def

```
\ProvidesFile{refrep-xetex-bidi.def}[2015/11/14 v0.4 bidi adaptations for refrep class for Xe
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
  \def\@makefnmark%
      {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
  \long\def\@makefntext##1{%
       \@setpar{\@@par
          \@tempdima = \hsize
          \advance\@tempdima -1em
          \parshape \@ne 1em \@tempdima}%
       \par\parindent 1em \noindent
       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
```

```
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\else
  \renewcommand\maketitle{\par
    \begingroup
      \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
      \def\@makefnmark%
          {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
      \long\def\@makefntext##1{%
         \@setpar{\@@par
            \@tempdima = \hsize
            \advance\@tempdima -1em
            \parshape \@ne 1em \@tempdima}%
         \par\parindent 1em \noindent
         \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@   % Prevents figures from going at top of page.
        \@maketitle
      \fi
      \thispagestyle{empty}\@thanks
    \endgroup
    \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
```

```
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
  \def\@maketitle{%
    \newpage
    \null
    \longthickrule\vskip1.5em%
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    {\secshape \parskip\z@ \parindent\z@
    \Large\bfseries \@title \par}%
    \vskip1.5em\longthickrule\vskip1.5em%
    {\normalsize
      \lineskip .5em%
      \begin{flushright}%
        {\slshape\@author\par}
        \vskip 1em%
        {\@date}%
      \end{flushright}\par}%
    \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
```

```
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup
  \fi}
\renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
                       \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
                       \hyphenpenalty=2000}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
{\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand\thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable%
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand\thesection       {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection    {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
         \@mkboth{\bibname}{\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
            \sloppy
            \clubpenalty4000
            \@clubpenalty \clubpenalty
            \widowpenalty4000%
      \sfcode`\.=\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

7.98 report-xetex-bidi.def

```
\ProvidesFile{report-xetex-bidi.def}[2015/11/14 v0.7 bidi adaptations for standard report cla
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand\maketitle{\begin{titlepage}%
\let\footnotesize\small
\let\right@footnoterule\relax
\let\left@footnoterule\relax
\let\textwidth@footnoterule\relax
\let \footnote \thanks
\let \LTRfootnote \LTRthanks
\let \RTLfootnote \RTLthanks
\null\vfil
\vskip 60\p@
\begin{center}%
  {\LARGE \@title \par}%
  \vskip 3em%
  {\large
   \lineskip .75em%
    \begin{tabular}[t]{c}%
      \@author
    \end{tabular}\par}%
    \vskip 1.5em%
  {\large \@date \par}%       % Set date in \large size.
\end{center}\par
\@thanks
\vfil\null
\end{titlepage}%
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\LTRthanks\relax
\global\let\RTLthanks\relax
\global\let\maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
```

```
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
```

```
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
```

```
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
```

```
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

7.99 rotating-xetex-bidi.def

```
\ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package
\def\end@rotfloat{%
   \end{minipage}\end{lrbox}%
   \stepcounter{r@tfl@t}%
   \rot@label{RF\ther@tfl@t}%
   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
   \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
   \rot@mess@toks\expandafter{\@tempa}
   \wd\rot@float@box\z@
   \ht\rot@float@box\z@
   \dp\rot@float@box\z@
   \vboxL to \textheight{%
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
    \ifthenelse{\isodd{\R@@page}}{%
      \if@rot@twoside
        \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \if@rot@twoside
        \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
      \fi
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}
  }%
  \end@float
}
\let\endsidewaysfigure\end@rotfloat
```

```
\let\endsidewaystable\end@rotfloat
\def\end@rotdblfloat{%
  \end{minipage}\end{lrbox}%
  \stepcounter{r@tfl@t}%
  \rot@label{RF\ther@tfl@t}%
  \rot@pageref{RF\ther@tfl@t}{\R@@page}%
  \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
  \rot@mess@toks\expandafter{\@tempa}
  \@tempdima\ht\rot@float@box
  \advance\@tempdima by \dp\rot@float@box
  \wd\rot@float@box\z@
  \ht\rot@float@box\z@
  \dp\rot@float@box\z@
  \vboxL to \textheight{%
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
    \ifthenelse{\isodd{\R@@page}}{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
\fi
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
\fi
      \fi%
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}%
  }%
  \end@dblfloat
}
\def\turn#1{%
  \Grot@setangle{#1}%
```

```
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endturn{%
  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\rotate#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endrotate{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\turnbox#1#2{%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\f
  \Grot@x\z@\Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\sideways{%
  \Grot@setangle{90}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endsideways{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
```

7.100 scrartcl-xetex-bidi.def

```
\ProvidesFile{scrartcl-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrartcl class fo
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
```

```
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\le
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
```

```
    \setcounter{page}{%
      #1%
    }%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let\footnote\thanks
    \let\LTRfootnote\LTRthanks
    \let\RTLfootnote\RTLthanks
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \let\@oldmakefnmark\@makefnmark
    \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
    \ifx\@extratitle\@empty \else
      \noindent\@extratitle\next@tpage\cleardoubleemptypage
      \thispagestyle{empty}%
    \fi
    \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
    \ifx\@titlehead\@empty \else
      \begin{minipage}[t]{\textwidth}%
      \@titlehead
      \end{minipage}\par
    \fi
    \null\vfill
    \begin{center}
      \ifx\@subject\@empty \else
        {\subject@font \@subject \par}%
        \vskip 3em
      \fi
      {\titlefont\huge \@title\par}%
      \vskip 1em
      {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
      \vskip 2em
      {\Large \lineskip 0.75em
        \begin{tabular}[t]{c}
          \@author
        \end{tabular}\par
      }%
      \vskip 1.5em
      {\Large \@date \par}%
      \vskip \z@ \@plus3fill
      {\Large \@publishers \par}%
      \vskip 3em
    \end{center}\par
    \@thanks
    \vfill\null
    \if@twoside\next@tpage
      \begin{minipage}[t]{\textwidth}
        \@uppertitleback
      \end{minipage}\par
```

```
        \vfill
        \begin{minipage}[b]{\textwidth}
          \@lowertitleback
        \end{minipage}
      \fi
      \ifx\@dedication\@empty \else
        \next@tpage\null\vfill
        {\centering \Large \@dedication \par}%
        \vskip \z@ \@plus3fill
        \if@twoside \next@tpage\cleardoubleemptypage \fi
      \fi
    \end{titlepage}
  \else
    \par
    \@tempcnta=%
    #1%
    \relax\ifnum\@tempcnta=1\else
      \ClassWarning{\KOMAClassName}{%
        Optional argument of \string\maketitle\space ignored
        at\MessageBreak
        notitlepage-mode%
      }%
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
```

```
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
```

```
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \bib@heading
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \noindent\bibpreamble\par\nobreak
    \fi\fi
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
```

```
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
```

```
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
```

```
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\c
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
```

```
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
```

```
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@sectionentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{se
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{subsection}
\TOCEntryStyleStartInitCode{subsection}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{subsection}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\z@,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=0pt,%
  tocnumwidth=1.5em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
```

```
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=10em,%
  tocnumwidth=5em%
]{subparagraph}
```

7.101 scrbook-xetex-bidi.def

```
\ProvidesFile{scrbook-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrbook class for
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
```

```
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\le
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
```

```
\begin{titlepage}
  \setcounter{page}{%
    #1%
  }%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
  \let\@oldmakefnmark\@makefnmark
  \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle\next@tpage\cleardoubleemptypage
    \thispagestyle{empty}%
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}%
    \@titlehead
    \end{minipage}\par
  \fi
  \null\vfill
  \begin{center}
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}%
      \vskip 3em
    \fi
    {\titlefont\huge \@title\par}%
    \vskip 1em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 2em
    {\Large \lineskip 0.75em
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1.5em
    {\Large \@date \par}%
    \vskip \z@ \@plus3fill
    {\Large \@publishers \par}%
    \vskip 3em
  \end{center}\par
  \@thanks
  \vfill\null
  \if@twoside\next@tpage
    \begin{minipage}[t]{\textwidth}
      \@uppertitleback
```

```
16352         \end{minipage}\par
16353         \vfill
16354         \begin{minipage}[b]{\textwidth}
16355           \@lowertitleback
16356         \end{minipage}
16357       \fi
16358       \ifx\@dedication\@empty \else
16359         \next@tpage\null\vfill
16360         {\centering \Large \@dedication \par}%
16361         \vskip \z@ \@plus3fill
16362         \if@twoside \next@tpage\cleardoubleemptypage \fi
16363       \fi
16364     \end{titlepage}
16365   \else
16366     \par
16367     \@tempcnta=%
16368     #1%
16369     \relax\ifnum\@tempcnta=1\else
16370       \ClassWarning{\KOMAClassName}{%
16371         Optional argument of \string\maketitle\space ignored
16372         at\MessageBreak
16373         notitlepage-mode%
16374       }%
16375     \fi
16376     \begingroup
16377       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16378       \let\@oldmakefnmark\@makefnmark
16379       \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
16380       \if@twocolumn
16381         \ifnum \col@number=\@ne
16382           \@maketitle
16383         \else
16384           \twocolumn[\@maketitle]%
16385         \fi
16386       \else
16387         \newpage
16388         \global\@topnum\z@
16389         \@maketitle
16390       \fi
16391       \thispagestyle{\titlepagestyle}\@thanks
16392     \endgroup
16393   \fi
16394   \setcounter{footnote}{0}%
16395   \let\thanks\relax
16396   \let\LTRthanks\relax
16397   \let\RTLthanks\relax
16398   \let\maketitle\relax
16399   \let\@maketitle\relax
16400   \global\let\@thanks\@empty
16401   \global\let\@author\@empty
```

```
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
```

```
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@table
}
\renewcommand*\theequation{%
```

```
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
```

```
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
```

```
16602         #3\unskip\strut}}%
16603     }%
16604     \let\@footnotetext=\scr@tmp@footnotetext
16605     \let\scr@tmp@footnotetext=\undefined
16606     \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
16607     \let\scr@tmp@LTRfootnotetext=\undefined
16608     \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
16609     \let\scr@tmp@RTLfootnotetext=\undefined
16610     \setcounter{footnote}{\@tempcntb}%
16611     \setcounter{mpfootnote}{\@tempcnta}%
16612   \else
16613     \sbox\@tempboxa{\hspace*{2\cap@width}}%
16614   \fi
16615   \begingroup%
16616     \setlength{\@tempdima}{\cap@width}%
16617     \ifdim \wd\@tempboxa >\@tempdima
16618       \hb@xt@\hsize{%
16619         \setbox\@tempboxa\vbox{\hsize=\cap@width
16620           \ifdofullc@p
16621             {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
16622                   #1{{\caplabelfont{#2\captionformat}}}}}%
16623               {#3\unskip\strut\par}}}%
16624           \else%
16625             \ifdim\cap@indent<\z@
16626               {\capfont{\strut\ignorespaces
16627                 #1{{\caplabelfont{#2\captionformat\par}}}%
16628                 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
16629             \else%
16630               \if@capbreak
16631                 {\capfont{\strut\ignorespaces
16632                   #1{{\caplabelfont{#2\captionformat\par}}}%
16633                   \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
16634               \else
16635                 {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
16636                   {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
16637                     {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
16638               \fi
16639             \fi
16640           \fi
16641         }%
16642         \setlength{\@tempdima}{\ht\@tempboxa}%
16643         \addtolength{\@tempdima}{\dp\@tempboxa}%
16644         \addtolength{\@tempdima}{-\ht\strutbox}%
16645         \ht\@tempboxa\ht\strutbox
16646         \dp\@tempboxa\@tempdima
16647         \strut\cap@left
16648         \box\@tempboxa
16649         \cap@right\strut
16650       }%
16651     \else
```

```
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\c
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
```

```
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
```

```
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
```

```
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}


```

7.102 scrlettr-xetex-bidi.def

```
\ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class fo
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \edef\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima
    \fi
    \par
```

```
    \parindent #3\noindent
    \hbox to \z@{\hss\@@makefnmark}##1}
  \def\@@makefnmark{\hbox{#4}}
}
\deffootnote[1em]{1.5em}{1em}
  {\textsuperscript{\thefootnotemark}}
\def\left@footnoterule{\kern-1\p@
 \hrule width 0.4\columnwidth
 \kern .6\p@}
\def\right@footnoterule{%
  \kern-1\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
\def\@datefield{\@reffalse
 \ifx\varyourref\@empty \else \@reftrue \fi
 \ifx\varyourmail\@empty \else \@reftrue \fi
 \ifx\varmyref\@empty \else \@reftrue \fi
 \ifx\varcustomer\@empty \else \@reftrue \fi
 \ifx\varinvoice\@empty \else \@reftrue \fi
 \ifx\varrefitemi\@empty \else \@reftrue \fi
 \ifx\varrefitemii\@empty \else \@reftrue \fi
 \ifx\varrefitemiii\@empty \else \@reftrue \fi
 \vskip -\parskip
 \vskip \refvskip
 \if@ref
  \ifx\varyourref\@empty \else
   \settowidth{\sc@temp}{\varyourref}
   \setbox0\hbox{\scriptsize \sf \yourrefname}
   \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
   \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
  \fi
  \ifx\varyourmail\@empty \else
   \settowidth{\sc@temp}{\varyourmail}
   \setbox0\hbox{\scriptsize \sf \yourmailname}
   \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
   \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
  \fi
  \ifx\varmyref\@empty \else
   \settowidth{\sc@temp}{\varmyref}
   \setbox0\hbox{\scriptsize \sf \myrefname}
   \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
   \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
  \fi
  \ifx\varcustomer\@empty \else
   \settowidth{\sc@temp}{\varcustomer}
   \setbox0\hbox{\scriptsize \sf \customername}
   \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
   \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
  \fi
  \ifx\varinvoice\@empty \else
```

```
  \settowidth{\sc@temp}{\varinvoice}
  \setbox0\hbox{\scriptsize \sf \invoicename}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
 \fi
 \ifx\varrefitemi\@empty \else
  \settowidth{\sc@temp}{\varrefitemi}
  \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
 \fi
 \ifx\varrefitemii\@empty \else
  \settowidth{\sc@temp}{\varrefitemii}
  \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
 \fi
 \ifx\varrefitemiii\@empty \else
  \settowidth{\sc@temp}{\varrefitemiii}
  \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill
 \fi
 \ifx\@date\@empty \else
  \settowidth{\sc@temp}{\@date}
  \setbox0\hbox{\scriptsize \sf \datename}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
 \fi
 \par
 \vspace{2.5\baselineskip}
\else
 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
 \vspace{1.5\baselineskip}
\fi}
\long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
 -\sigindent \hspace{\sigindent}%
 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@sk
 \fromsig\strut}\par
 \vspace{1.5\baselineskip}}
```

7.103 scrreprt-xetex-bidi.def

```
\ProvidesFile{scrreprt-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrreprt class fo
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
```

```
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
```

```
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\le
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
      \ifx\@titlehead\@empty \else
        \begin{minipage}[t]{\textwidth}%
        \@titlehead
        \end{minipage}\par
      \fi
      \null\vfill
      \begin{center}
        \ifx\@subject\@empty \else
          {\subject@font \@subject \par}%
          \vskip 3em
        \fi
        {\titlefont\huge \@title\par}%
        \vskip 1em
        {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
        \vskip 2em
        {\Large \lineskip 0.75em
          \begin{tabular}[t]{c}
            \@author
          \end{tabular}\par
        }%
        \vskip 1.5em
        {\Large \@date \par}%
        \vskip \z@ \@plus3fill
        {\Large \@publishers \par}%
        \vskip 3em
      \end{center}\par
      \@thanks
```

```
      \vfill\null
      \if@twoside\next@tpage
        \begin{minipage}[t]{\textwidth}
          \@uppertitleback
        \end{minipage}\par
        \vfill
        \begin{minipage}[b]{\textwidth}
          \@lowertitleback
        \end{minipage}
      \fi
      \ifx\@dedication\@empty \else
        \next@tpage\null\vfill
        {\centering \Large \@dedication \par}%
        \vskip \z@ \@plus3fill
        \if@twoside \next@tpage\cleardoubleemptypage \fi
      \fi
    \end{titlepage}
  \else
    \par
    \@tempcnta=%
    #1%
    \relax\ifnum\@tempcnta=1\else
      \ClassWarning{\KOMAClassName}{%
        Optional argument of \string\maketitle\space ignored
        at\MessageBreak
        notitlepage-mode%
      }%
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
```

```
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
```

```
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \thechapter\@SepMark%
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \thechapter\@SepMark%
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \thechapter\@SepMark%
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \thechapter\@SepMark%
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
```

```
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
```

```
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
```

```
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\c
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
```

```
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
```

```
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
```

```
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
```

```
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}


```

7.104 sidecap-xetex-bidi.def

```
\ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package fo
\renewcommand*{\SC@FLOAT}[2]{\if@RTL%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
\isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
  \renewcommand*\SC@justify@caption{\if@RTL%
\isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
```

7.105 soul-xetex-bidi.def

```
\ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTe
\long\def\SOUL@start#1{{%
   \let\bidi@RTL@everypar\@empty
    \let\<\SOUL@lowerthan
    \let\>\empty
    \def\soulomit{\noexpand\soulomit}%
    \gdef\SOUL@eventuallyexhyphen##1{}%
    \let\SOUL@soeventuallyskip\relax
    \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
        \@minus\fontdimen4\font
    \SOUL@ignorespacesfalse
    \leavevmode
    \SOUL@preamble
    \SOUL@lasttoken={}%
    \SOUL@word={}%
    \SOUL@minus\z@
    \SOUL@comma\z@
    \SOUL@apo\z@
    \SOUL@grave\z@
    \SOUL@do{#1}%
```

```
    \SOUL@postamble
}}
\def\SOUL@ulunderline#1{{%
    \setbox\z@\hbox{#1}%
    \dimen@=\wd\z@
    \dimen@i=\SOUL@uloverlap
    \advance\dimen@2\dimen@i
    \if@RTL
    \unhcopy\z@
    \llap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \else
    \rlap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \unhcopy\z@
    \fi
}}
\def\bidi@SOUL@ulleaders{%
    \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\re
}
\def\SOUL@uleveryspace#1{%
       \if@RTL
       #1%
       \bidi@SOUL@ulleaders
       \hskip\spaceskip
       \else
    \SOUL@ulcolor{%
        #1%
        \SOUL@ulleaders
        \hskip\spaceskip
    }%
    \fi
    \null
}
```

7.106 stabular-xetex-bidi.def

```
\ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package
\def\@stabular{%
   \leavevmode \bgroup \if@RTLtab\beginR \fi
   \let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
\def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
```

```
                  \egroup \if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endstabular*\endcsname = \endstabular
\def\@sarray[#1]#2{%
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
```

7.107 subfigure-xetex-bidi.def

```
\ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure packag
\AtBeginDocument{%
\let\p@subfigure=\thefigure
\let\p@subtable=\thetable%
}
```

7.108 tabls-xetex-bidi.def

```
\ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for Xe
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}

\expandafter\let\csname endtabular*\endcsname=\endtabular

\def\endarray{\ifvmode\csname crcr\endcsname % just do \crcr if \\ given
  \else \\[\z@ \global\advance\@arstdepth-\@otarlinesep]%
  \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}

\def\@array[#1]#2{%  remember global variables to allow recursion:
 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
 \else \let\@tarlinesep\tablinesep \fi
 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
 \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
   \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
   \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
```

```
\fi \setbox\@arstrutbox\hbox{% set up smaller strut
   \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
\let\protect\noexpand
\edef\@preamble{\ialign \noexpand\@halignto \bgroup
\unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
\let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
\if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
\bgroup \let\par\@empty
\global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
\advance\extrarulesep.5\arrayrulewidth
\let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
\if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
\@preamble}
```

7.109 tabularx-xetex-bidi.def

```
\ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package
\def\TX@endtabularx{%
  \expandafter\expandafter\expandafter
    \TX@find@endtabularxa\csname end\TX@\endcsname
    \endtabularx\TX@\endtabularx\TX@find@endtabularxa
 \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
 \let\verb\TX@verb
 \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
 \edef\TX@ckpt{\cl@@ckpt}%
 \let\@elt\relax
 \TX@old@table\maxdimen
 \TX@col@width\TX@target
 \global\TX@cols\@ne
 \TX@typeout@
   {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
 \TX@trial{\def\NC@rewrite@X{%
        \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
 \loop
   \TX@arith
   \ifTX@
   \TX@trial{}%
 \repeat
 {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
  \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
  \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
   \csname tabular*\expandafter\endcsname\expandafter\TX@target
     \the\toks@
   \csname endtabular*\endcsname}%
 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
 \ifnum0=`{\fi}%
  \expandafter\expandafter\expandafter
  \TX@find@endtabularxbb
   \expandafter\end\expandafter{\TX@}%
   \endtabularx\TX@\endtabularx\TX@find@endtabularxb
```

```
}

\def\TX@trial#1{%
  \setbox\@tempboxa\hbox{%
    #1\relax
  \let\@footnotetext\TX@trial@ftn
  \let\@LTRfootnotetext\TX@trial@ftn
  \let\@RTLfootnotetext\TX@trial@ftn
  \let\TX@vwarn\@empty
   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
   \def\write{\begingroup
     \def\let{\afterassignment\endgroup\toks@}%
        \afterassignment\let\count@}%
    \hbadness\@M
    \hfuzz\maxdimen
    \let\hbadness\@tempcnta
    \let\hfuzz\@tempdima
    \expandafter\tabular\the\toks@
    \endtabular}%
  \TX@ckpt
  \TX@typeout@{\@spaces
     \expandafter\TX@align
        \the\wd\@tempboxa\space\space\space\space\space\@@
     \expandafter\TX@align
        \the\TX@col@width\space\space\space\space\space\@@
     \@spaces\the\TX@cols}}

\long\def\TX@LTRftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xLTRftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\TX@RTLftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xRTLftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}
```

7.110 tabulary-xetex-bidi.def

```
\ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
 \ifnum \@lastchclass=7 5 \else
  \ifnum \@lastchclass=8 \tw@ \else
   \ifnum \@lastchclass=9 \thr@@
```

```
  \else \z@
  \ifnum \@lastchclass = 10 \else
  \edef\@nextchar{\expandafter\string\@nextchar}%
  \@chnum
  \if \@nextchar c\z@ \else
   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
    \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
  \if \@nextchar C7 \else
   \if \@nextchar L8 \else
    \if \@nextchar R9 \else
    \if \@nextchar J10 \else
  \z@ \@chclass
  \if\@nextchar |\@ne \else
   \if \@nextchar !6 \else
    \if \@nextchar @7 \else
     \if \@nextchar <8 \else
      \if \@nextchar >9 \else
 10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
  \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi\fi \fi \fi\fi \fi
    \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
```

7.111 tc-xetex-bidi.def

```
\ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeT
\def\@cliptoboxdim#1{%
    \setbox#1=\hbox{%
        \Gin@defaultbp\WIDTH{\wd#1}%
        \Gin@defaultbp\DEPTH{\dp#1}%
        \@tempdima\ht#1%
        \advance\@tempdima\dp#1%
        \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
        \beginL\special{pdf:bcontent }%
        \special{%
            pdf:literal direct
                0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
        }%
        \special{pdf:literal direct W }%
        \special{pdf:literal direct n }%
            \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
        \special{pdf:econtent }\endL%
    }%
}
```

7.112 titlesec-xetex-bidi.def

```
\ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
\renewcommand\filright{%
```

```
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\def\ttlh@hang#1#2#3#4#5#6#7#8{%
  \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
  \setlength\leftskip{#6}%
  \setlength\rightskip{#7}%
  \interlinepenalty\@M
  \ttl@changecentercr
  \ttl@beginlongest
  #1{\ifhmode\ttl@hmode@error\fi
     \ttl@glcmds
     \parindent\z@
     \leavevmode
     \begingroup
       \ifttl@label
          \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
          \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
          \llap{\box\z@}%
       \fi
       #4{#8}%
       \kern\z@\strut\@@par
     \endgroup
     \nobreak\ttl@midlongest#5\@@par}%
  \ttl@endlongest}
```

7.113 titletoc-xetex-bidi.def

```
\ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\renewcommand\contentspush[1]{%
  \sbox\z@{#1}%
  \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
  \aftergroup\ttl@b
  \leavevmode\llap{\box\z@}}
\def\ttl@outnoblock#1#2#3{%
  \begingroup
  \ifnum\ttl@b>\ttl@a
    \nobreak
  \else\ifnum\ttl@b<\ttl@a
    \addpenalty{\@secpenalty}%
  \else
    \addpenalty{\z@}%
```

```
  \fi\fi
  \ttl@contentsstretch
  \nobreak
  \ifcase#1\relax\else\interlinepenalty\@M\fi
  \parindent\z@
  \ifx\@nil#2%
    \PackageError{titletoc}{Unimplemented}%
    {The optional argument is currently mandatory}%
  \else
    \if@RTL\setlength\rightskip{#2}\else
    \setlength\leftskip{#2}\fi%
  \fi
  \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
  \let\contentsmargin\ttl@margin
  \def\ttl@makeline##1{##1}%
  #3%
  \addtolength{\parfillskip}{-\ttl@corr}%
  \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
  \let\ttl@leaders\leaders}
\renewcommand\ttl@margin[2][\z@]{%
  \def\ttl@corr{#1}%
  \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
  \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
  \def\@pnumwidth{#2}}
\let\ttl@savel@part\l@part
\def\l@part{\ttl@lselect{part}}

\let\ttl@savel@chapter\l@chapter
\def\l@chapter{\ttl@lselect{chapter}}
```

7.114 tocbibind-xetex-bidi.def

```
\ProvidesFile{tocbibind-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for tocbibind packag
\if@dotocbib
  \@ifpackageloaded{natbib}{}{% natbib not loaded
    \renewcommand{\bibsection}{\t@cb@bchapsec}
    \renewenvironment{thebibliography}[1]{%
      \bibsection
      \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}
  \renewenvironment{thebibitemlist}[1]{
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \list{\@biblabel{\@arabic\c@enumiv}}%
         {\settowidth\labelwidth{\@biblabel{#1}}%
          \leftmargin\labelwidth
          \advance\leftmargin\labelsep
          \@openbib@code
          \usecounter{enumiv}%
          \let\p@enumiv\@empty
          \renewcommand\theenumiv{\@arabic\c@enumiv}}%
    \sloppy
```

```
    \clubpenalty4000
    \@clubpenalty \clubpenalty
    \widowpenalty4000%
    \sfcode`\.\@m}
   {\def\@noitemerr
     {\@latex@warning{Empty `thebibliography' environment}}%
     \endlist}

  \@ifpackagewith{chapterbib}{sectionbib}%
    {\renewcommand{\sectionbib}[2]{}}%
    {}

\fi
\if@inltxdoc\else
  \renewenvironment{theindex}%
    {\if@twocolumn
       \@restonecolfalse
     \else
       \@restonecoltrue
     \fi
     \if@bibchapter
        \if@donumindex
          \refstepcounter{chapter}
          \twocolumn[\vspace*{2\topskip}%
                     \@makechapterhead{\indexname}]%
          \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
          \chaptermark{\indexname}
        \else
          \if@dotocind
            \twocolumn[\vspace*{2\topskip}%
                       \@makeschapterhead{\indexname}]%
            \prw@mkboth{\indexname}
            \addcontentsline{toc}{chapter}{\indexname}
          \else
            \twocolumn[\vspace*{2\topskip}%
                       \@makeschapterhead{\indexname}]%
            \prw@mkboth{\indexname}
          \fi
        \fi
     \else
        \if@donumindex
          \twocolumn[\vspace*{-1.5\topskip}%
                     \@nameuse{\@tocextra}{\indexname}]%
          \csname \@tocextra mark\endcsname{\indexname}
        \else
          \if@dotocind
            \twocolumn[\vspace*{-1.5\topskip}%
                       \toc@headstar{\@tocextra}{\indexname}]%
            \prw@mkboth{\indexname}
            \addcontentsline{toc}{\@tocextra}{\indexname}
```

```
          \else
            \twocolumn[\vspace*{-1.5\topskip}%
                       \toc@headstar{\@tocextra}{\indexname}]%
            \prw@mkboth{\indexname}
          \fi
        \fi
      \fi
    \thispagestyle{plain}\parindent\z@
    \parskip\z@ \@plus .3\p@\relax
    \let\item\@idxitem}
    {\if@restonecol\onecolumn\else\clearpage\fi}
\fi
```

7.115 tocloft-xetex-bidi.def

```
\ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package fo
\let\cftdot\@SepMark
\if@cfthaspart
\renewcommand*{\l@part}[2]{
  \@cftdopartfalse
  \ifnum \c@tocdepth >-2\relax
    \if@cfthaschapter
      \@cftdoparttrue
    \fi
    \ifnum \c@tocdepth >\m@ne
      \if@cfthaschapter\else
        \@cftdoparttrue
      \fi
    \fi
  \fi
  \if@cftdopart
    \if@cfthaschapter
      \addpenalty{-\@highpenalty}
    \else
      \addpenalty\@secpenalty
    \fi
    \addvspace{\cftbeforepartskip}
    \begingroup
      {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \cftpartindent\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \cftpartnumwidth\relax
       \let\@cftbsnum \cftpartpresnum
       \let\@cftasnum \cftpartaftersnum
       \let\@cftasnumb \cftpartaftersnumb
       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rig
       {\cftpartfont \cftpartpresnum #1}
```

```
       \cftpartfillnum{#2}}
      \nobreak
      \if@cfthaschapter
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}
      \else
        \if@compatibility
          \global\@nobreaktrue
          \everypar{\global\@nobreakfalse\everypar{}}
        \fi
      \fi
    \endgroup
  \fi}
\fi
\if@cfthaschapter
\renewcommand*{\l@chapter}[2]{
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}
    \vskip \cftbeforechapskip
    {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftchapindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftchapnumwidth\relax
     \let\@cftbsnum \cftchappresnum
     \let\@cftasnum \cftchapaftersnum
     \let\@cftasnumb \cftchapaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
     {\cftchapfont #1}\nobreak
     \cftchapfillnum{#2}}
  \fi}
\fi
\renewcommand*{\l@section}[2]{%
  \ifnum \c@tocdepth >\z@
    \if@cfthaschapter
      \vskip \cftbeforesecskip
    \else
      \addpenalty\@secpenalty
      \addvspace{\cftbeforesecskip}
    \fi
    {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsecnumwidth\relax
     \let\@cftbsnum \cftsecpresnum
```

```
    \let\@cftasnum \cftsecaftersnum
    \let\@cftasnumb \cftsecaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cftsecfont #1}\nobreak
    \cftsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsection}[2]{%
  \ifnum \c@tocdepth >\@ne
    \vskip \cftbeforesubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubsecindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubsecnumwidth\relax
    \let\@cftbsnum \cftsubsecpresnum
    \let\@cftasnum \cftsubsecaftersnum
    \let\@cftasnumb \cftsubsecaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cftsubsecfont #1}\nobreak
    \cftsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsubsection}[2]{%
  \ifnum \c@tocdepth >\tw@
    \vskip \cftbeforesubsubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubsubsecindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubsubsecnumwidth\relax
    \let\@cftbsnum \cftsubsubsecpresnum
    \let\@cftasnum \cftsubsubsecaftersnum
    \let\@cftasnumb \cftsubsubsecaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cftsubsubsecfont #1}\nobreak
    \cftsubsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@paragraph}[2]{%
  \ifnum \c@tocdepth >3\relax
    \vskip \cftbeforeparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftparaindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftparanumwidth\relax
```

```
    \let\@cftbsnum \cftparapresnum
    \let\@cftasnum \cftparaaftersnum
    \let\@cftasnumb \cftparaaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cftparafont #1}\nobreak
    \cftparafillnum{#2}}
  \fi}
\renewcommand*{\l@subparagraph}[2]{%
  \ifnum \c@tocdepth >4\relax
    \vskip \cftbeforesubparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubparaindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubparanumwidth\relax
    \let\@cftbsnum \cftsubparapresnum
    \let\@cftasnum \cftsubparaaftersnum
    \let\@cftasnumb \cftsubparaaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cftsubparafont #1}\nobreak
    \cftsubparafillnum{#2}}
  \fi}
\renewcommand*{\l@figure}[2]{%
  \ifnum \c@lofdepth >\z@
    \vskip \cftbeforefigskip
    {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftfigindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftfignumwidth\relax
    \let\@cftbsnum \cftfigpresnum
    \let\@cftasnum \cftfigaftersnum
    \let\@cftasnumb \cftfigaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cftfigfont #1}\nobreak
    \cftfigfillnum{#2}}
   \fi
  }
\renewcommand*{\l@table}[2]{%
  \ifnum\c@lotdepth >\z@
    \vskip \cftbeforetabskip
    {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cfttabindent\relax\@afterindenttrue
    \interlinepenalty\@M
```

```
    \leavevmode
    \@tempdima \cfttabnumwidth\relax
    \let\@cftbsnum \cfttabpresnum
    \let\@cftasnum \cfttabaftersnum
    \let\@cftasnumb \cfttabaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cfttabfont #1}\nobreak
    \cfttabfillnum{#2}}
  \fi
 }
\renewcommand{\@cftl@subfig}{
\renewcommand*{\l@subfigure}[2]{%
 \ifnum \c@lofdepth > \toclevel@subfigure
   \vskip \cftbeforesubfigskip
   {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubfigindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubfignumwidth\relax
    \let\@cftbsnum \cftsubfigpresnum
    \let\@cftasnum \cftsubfigaftersnum
    \let\@cftasnumb \cftsubfigaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cftsubfigfont ##1}\nobreak
    \cftsubfigfillnum{##2}}
 \fi
 }
}
\renewcommand{\@cftl@subtab}{
\renewcommand*{\l@subtable}[2]{%
 \ifnum \c@lotdepth > \toclevel@subtable
   \vskip \cftbeforesubtabskip
   {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubtabindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubtabnumwidth\relax
    \let\@cftbsnum \cftsubtabpresnum
    \let\@cftasnum \cftsubtabaftersnum
    \let\@cftasnumb \cftsubtabaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
    {\cftsubtabfont ##1}\nobreak
    \cftsubtabfillnum{##2}}
 \fi
 }
}
```

```
\renewcommand{\newlistentry}[4][\@empty]{%
  \@ifundefined{c@#2}{%    check & set the counter
    \ifx \@empty#1\relax
      \newcounter{#2}
    \else
      \@ifundefined{c@#1}{\PackageWarning{tocloft}%
                          {#1 has no counter for use as a `within'}
        \newcounter{#2}}%
      {\newcounter{#2}[#1]%
       \expandafter\edef\csname the#2\endcsname{%
         \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
    \fi
    \setcounter{#2}{0}
  }
  {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}

  \@namedef{l@#2}##1##2{%
    \ifnum \@nameuse{c@#3depth} > #4\relax
      \vskip \@nameuse{cftbefore#2skip}
      {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \@nameuse{cft#2numwidth}\relax
       \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
       \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
       \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\righ
       {\@nameuse{cft#2font}##1}\nobreak
       \@nameuse{cft#2fillnum}{##2}}
    \fi
  }  % end of \l@#2

  \expandafter\newlength\csname cftbefore#2skip\endcsname
    \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
  \expandafter\newlength\csname cft#2indent\endcsname
  \expandafter\newlength\csname cft#2numwidth\endcsname
  \ifcase #4\relax  % 0
    \setlength{\@nameuse{cft#2indent}}{0em}
    \setlength{\@nameuse{cft#2numwidth}}{1.5em}
  \or               % 1
    \setlength{\@nameuse{cft#2indent}}{1.5em}
    \setlength{\@nameuse{cft#2numwidth}}{2.3em}
  \or               % 2
    \setlength{\@nameuse{cft#2indent}}{3.8em}
    \setlength{\@nameuse{cft#2numwidth}}{3.2em}
  \or               % 3
    \setlength{\@nameuse{cft#2indent}}{7.0em}
```

```
    \setlength{\@nameuse{cft#2numwidth}}{4.1em}
  \else             % anything else
    \setlength{\@nameuse{cft#2indent}}{10.0em}
    \setlength{\@nameuse{cft#2numwidth}}{5.0em}
  \fi
  \@namedef{cft#2font}{\normalfont}
  \@namedef{cft#2presnum}{}
  \@namedef{cft#2aftersnum}{}
  \@namedef{cft#2aftersnumb}{}
  \@namedef{cft#2dotsep}{\cftdotsep}
  \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
  \@namedef{cft#2pagefont}{\normalfont}
  \@namedef{cft#2afterpnum}{}
  \@namedef{toclevel@#2}{#4}
  \@namedef{cft#2fillnum}##1{%
    {\@nameuse{cft#2leader}}\nobreak
    \hb@xt@\@pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
} % end \newlistentry
\renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
  {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
   \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
   \textit{#1}\protect\par}}}
```

7.116 tocbasic-xetex-bidi.def

```
\ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package
\bidi@undef\scr@dte@def@l@undottedtocline
\bidi@undef\scr@dte@undottedtocline@init
\DeclareTOCEntryStyle{undottedtocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \DefineTOCEntryLengthOption{numwidth}%
    {scr@tso@}{@numwidth}{entry number width}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
                      \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
```

```
            }%
          }%
        }%
      }%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{3.8em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{7em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
```

```
    }%
  }{%
    \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@numwidth}{%
  \@ifundefined{scr@#1@tocnumwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
          \scr@ifundefinedorrelax{chapter}{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.2em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{4.1em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5m}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.1em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{5em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{6em}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{%
    \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
```

```
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{1.0em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \vskip 1.0em \@plus\p@
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{1.0em \@plus\p@}%
    \fi
    \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \bfseries
      \advance\bidi@leftskip\@tempdima
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
      ##1%
      \nobreak
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \penalty\@highpenalty
    \endgroup
  \fi
}

\bidi@undef\scr@dte@def@l@largetocline
\bidi@undef\scr@dte@largetocline@init
\DeclareTOCEntryStyle{largetocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
```

```
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{3.8em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{7em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
```

```
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{2.25em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \addvspace{2.25em \@plus\p@}%
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{2.25em \@plus\p@}%
    \fi
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \large
      \bfseries
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      ##1%
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \nobreak
      \ifnum 0=
        \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi
}

\renewcommand*{\scr@dte@tocline}[3]{%
  \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
  \else
    \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
    \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
```

```
  {%
    \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
    \bidi@rightskip \@tocrmarg
    \parfillskip -\bidi@rightskip
    \@nameuse{Ifscr@tso@#1@raggedpage}{%
      \addtolength{\parfillskip}{\z@ \@plus 1fil}%
    }{}%
    \parindent \@nameuse{scr@tso@#1@indent}\relax
    \@afterindenttrue
    \interlinepenalty\@M
    \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
      \addtolength\bidi@rightskip\@flushglue
    \else
      \def\reserved@a{\raggedright}%
      \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
        \addtolength\bidi@rightskip\@flushglue
      \else
        \renewcommand\reserved@a{\raggedright}%
        \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
          \addtolength\bidi@rightskip\@flushglue
        \fi
      \fi
    \fi
    \leavevmode
    \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
    \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
      \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
        \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
          \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
        \fi
      }%
    }{}%
    \advance\bidi@leftskip \@tempdima
    \null\nobreak\hskip -\bidi@leftskip
    {%
      \usetocbasicnumberline
      \let\scr@dte@numberline@box\numberline@box
      \def\numberline@box##1{%
        \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
        \global\scr@dte@tocline@numberwidth
        \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
        \ifdim \scr@dte@tocline@numberwidth
              >\@nameuse{scr@dte@#1@maxnumwidth}\relax
          \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
        \fi
        \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
          \ifdim \scr@dte@tocline@numberwidth
                >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
                          +\@nameuse{scr@tso@#1@numsep}\relax
            \PackageWarning{tocbasic%
```

```
              }{%
                number width of #1 toc entries should be
                increased!\MessageBreak
                Currently used number width =
                \the\wd\scr@dte@tocline@numbox,\MessageBreak
                Wanted number separation
                \space\space\space =
                \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
                Reserved number width \space\space\space\space\space\space =
                \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
              }%
            \fi
          }%
          \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
          \@nameuse{Ifscr@tso@#1@breakafternumber}{%
            {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
          }{}%
        }%
        \@nameuse{scr@tso@#1@entryformat}{%
          #2%
          \nobreak
          {%
            \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
            \nobreak
            \@nameuse{scr@tso@#1@pagenumberbox}{%
              \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
            }%
          }%
          \@par
        }%
      }%
    }%
    \tocbasic@SetPenaltyByTOCLevel{#1}%
  \fi
}

\bidi@undef\scr@dte@def@l@tocline
\bidi@undef\scr@dte@tocline@init
\DeclareTOCEntryStyle{tocline}[{%
  \DefineTOCEntryLengthOption{beforeskip}%
    {scr@tso@}{@beforeskip}{vertical skip before the entry}%
  \DefineTOCEntryIfOption{breakafternumber}%
    {scr@tso@}{@breakafternumber}{line break after number flag}%
  \DefineTOCEntryIfOption{dynnumwidth}%
    {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
  \DefineTOCEntryCommandOption{entryformat}%
    {scr@tso@}{@entryformat}[1]{entry format}%
  \DefineTOCEntryCommandOption{entrynumberformat}%
    {scr@tso@}{@numberformat}[1]{entry number format}%
  \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
```

```
  {scr@tso@}{@linefill}{filling between text and page number}%
\DefineTOCEntryLengthOption{numsep}%
  {scr@tso@}{@numsep}{entry number separation}%
\DefineTOCEntryCommandOption{onstarthigherlevel}%
  {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
\DefineTOCEntryCommandOption{onstartlowerlevel}%
  {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
\DefineTOCEntryCommandOption{onstartsamelevel}%
  {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
\DefineTOCEntryCommandOption{pagenumberbox}%
  {scr@tso@}{@pagenumberbox}[1]{page number box}%
\DefineTOCEntryCommandOption{pagenumberformat}%
  {scr@tso@}{@pagenumberformat}[1]{page number format}%
\DefineTOCEntryOption{raggedentrytext}[true]{%
  \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
  \ifx\FamilyKeyState\FamilyKeyStateProcessed
    \if@tempswa
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \raggedright
    \else
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \relax
    \fi
  \fi
}%
\DefineTOCEntryIfOption{raggedpagenumber}%
  {scr@tso@}{@raggedpage}{page number ragged flag}%
\DefineTOCEntryLengthOption{indent}%
  {scr@tso@}{@indent}{entry indent}%
\DefineTOCEntryLengthOption{numwidth}%
  {scr@tso@}{@numwidth}{entry number width}%
\scr@ifundefinedorrelax{#1tocdepth}{%
  \ifstrstart{#1}{sub}{%
    \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}{%
      \expandafter\edef\csname #1tocdepth\endcsname{%
        \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
      }%
    }%
  }{}%
}{}%
\@ifundefined{#1tocdepth}{%
  \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
    \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
          \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
            \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
              \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                  \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
```

```
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
                      \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{}%
  \scr@ifundefinedorrelax{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstrstart{#1}{sub}{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
          \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
            \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
              \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
              \relax
            }%
          }%
        }{%
          \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
            \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
              \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
              \relax
            }%
          }{%
            \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
              \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
                        +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
              \relax
            }%
          }%
        }%
      }{}%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
```

```
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
  \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
        \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
          \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
                    +.9em%
          \relax
        }%
      }%
    }{}%
  }{%
    \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
  }%
```

```
}{}%
\@ifundefined{scr@tso@#1@numwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
          \scr@ifundefinedorrelax{chapter}{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.2em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{4.1em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5m}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.1em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{5em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{6em}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
```

```
\@ifundefined{scr@tso@#1@beforeskip}{%
  \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
  }{%
    \ifstr{#1}{chapter}{%
      \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
    }{%
      \ifstr{#1}{section}{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
        }{}%
      }{}%
    }%
  }%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
}{}%
\@ifundefined{scr@dte@#1@maxnumwidth}{%
  \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
  \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
}{}%
\renewcommand*{\scr@dte@donumwidth}{}%
\g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
\expandafter\renewcommand\expandafter*%
\csname scr@tso@#1@numsep\endcsname{.4em}%
\expandafter\renewcommand%
\csname scr@tso@#1@numberformat\endcsname[1]{##1}%
\ifstr{#1}{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
}{%
  \ifstr{#1}{chapter}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
  }{%
    \scr@ifundefinedorrelax{l@chapter}{%
      \ifstr{#1}{section}{%
        \expandafter\renewcommand%
        \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
      }{}%
    }{}%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
  }%
}%
\expandafter\renewcommand
\csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
\@ifundefined{scr@tso@#1@linefill}{%
  \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@linefill}{\hfill}%
```

```
    }{%
      \ifstr{#1}{chapter}{%
        \@namedef{scr@tso@#1@linefill}{\hfill}%
      }{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \ifstr{#1}{section}{%
            \@namedef{scr@tso@#1@linefill}{\hfill}%
          }{}
        }{}
        \expandafter\renewcommand%
        \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
      }%
    }%
  }{}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
  \ifstr{#1}{part}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
  }{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
      {\normalfont\normalcolor ##1}}%
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
    \hb@xt@\@pnumwidth{\hfil ##1}}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
}]{%
  \scr@dte@tocline{#1}{##1}{##2}%
}
```

7.117 tocstyle-xetex-bidi.def

```
\ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package
\renewcommand*{\tocstyle@dottedtocline}[5]{%
  \let\numberline\tocstyle@numberline
  \ifnum #1>\c@tocdepth \else
    \if@tocstyle@penalties
      \begingroup
        \@tempcnta 20010
        \advance \@tempcnta by -#1
        \ifnum \@tempcnta>\lastpenalty
          \aftergroup\penalty\aftergroup\@lowpenalty
        \fi
      \endgroup
    \fi
    \edef\tocstyledepth{#1}%
    \tocstyle@activate@features
    \ifx\tocstyle@feature@entryvskip\relax
```

```
    \vskip \z@ \@plus.2\p@
  \else
    \addvspace{\tocstyle@feature@entryvskip}%
  \fi
  {%
    \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\els
    \tocstyle@feature@raggedhook
    \@tempdima #3\relax
    \@tempdimb #2\relax
    \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \ifnum #1>\z@\relax
      \@tempcnta #1\relax \advance\@tempcnta \m@ne
      \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
        \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
          \@tempdimb
          \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
          \advance\@tempdimb
          \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
        \fi
      \fi
    \fi
    \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
    \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
      \ifdim \@tempdimb>
      \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
        \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
        @#1\endcsname{\the\@tempdimb}%
      \fi
    \else
      \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
      @#1\endcsname{\the\@tempdimb}%
    \fi
    \iftocstyle@autolength
      \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
        \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
        \relax
      \fi
      \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
        \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
        \relax
      \fi
      \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
      \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
    \else
      \@tempdimb #2\relax
      \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
    \fi
    \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
      \ifdim \@tempdima>
      \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
```

```
      \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
      @\endcsname{\the\@tempdima}%
    \fi
  \else
    \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
    @\endcsname{\the\@tempdima}%
  \fi
  \ifcase\tocstyle@indentstyle\relax\else
    \@tempdimb \z@
    \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \relax
    \fi
    \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \advance\parindent \@tempdimb\@afterindenttrue
  \advance\if@RTL\rightskip\else\leftskip\fi \parindent
  \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
  \parfillskip -\if@RTL\leftskip\else\rightskip\fi
  \ifx\tocstyle@feature@parfillskip\relax\else
    \advance\parfillskip \tocstyle@feature@parfillskip\relax
  \fi
  \interlinepenalty\@M
  \leavevmode
  \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
  \null\nobreak
  \iftocstyle@indentnotnumbered\else
    \hskip -\if@RTL\rightskip\else\leftskip\fi
  \fi
  \tocstyle@feature@entryhook
  {#4}\nobreak
  \ifx\tocstyle@feature@leaders\relax
    \leaders\hbox{$\m@th
      \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
      \mkern \@dotsep mu$}\hfill
  \else
    \tocstyle@feature@leaders
  \fi
  \nobreak
  \ifx\tocstyle@feature@pagenumberbox\relax
    \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
  \else
    \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
  \fi
  \par
}%
\if@tocstyle@penalties
  \bgroup
    \@tempcnta 20009
```

```
        \advance\@tempcnta by -#1
        \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
      \reserved@a
    \fi
  \fi}
\renewcommand*{\tocstyle@numberline}[1]{%
  \begingroup
    \ifx\tocstyle@feature@spaceafternumber\relax
      \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
    \else
      \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
      \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
    \fi
    \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
      \ifdim \@tempdima >
      \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
        \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
        @\tocstyledepth\endcsname{\the\@tempdima}%
      \fi
    \else
      \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
      @\tocstyledepth\endcsname{\the\@tempdima}%
    \fi
  \endgroup
  \iftocstyle@indentnotnumbered
    \hskip -\if@RTL\rightskip\else\leftskip\fi
  \fi
  \ifcase \tocstyle@indentstyle
    \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
  \or
    \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
  \else
    \ifx\tocstyle@feature@spaceafternumber\relax
      \hbox{\tocstyle@@numberline{#1}\enskip}%
    \else
      \hbox{\tocstyle@@numberline{#1}\hskip
        \tocstyle@feature@spaceafternumber\relax}%
    \fi
  \fi
}
\AtBeginDocument{%
  \ifcsname l@part\endcsname
    \ifcsname l@chapter\endcsname
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{-1}}{}}%
    \else
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{0}}{}}%
    \fi
  \fi
```

```
\ifcsname l@chapter\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
\fi
\ifcsname l@section\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@section{\tocstyle@l@define{section}{1}}{}}%
\fi
\ifcsname l@subsection\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
\fi
\ifcsname l@subsubsection\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
\fi
\ifcsname l@paragraph\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
\fi
\ifcsname l@subparagraph\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
\fi
\ifcsname l@table\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@table{\tocstyle@l@define{table}{1}}{}}%
\fi
\ifcsname l@figure\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@figure{\tocstyle@l@define{figure}{1}}{}}%
\fi
\def\@tempa#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrm
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rig
     {#4}\nobreak
     \leaders\hbox{$\m@th
        \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
        mu$}\hfill
     \nobreak
     \hb@xt@\@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
     \par}%
  \fi}%
\ifx\@dottedtocline\@tempa\else
```

```
    \tocstyle@macrochangewarning\@dottedtocline
  \fi
  \let\tocstyle@saved@dottedtocline\@dottedtocline
  \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
  \ifx\numberline\@tempa\else
    \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
    \ifx\numberline@tempa\else
      \tocstyle@macrochangewarning\numberline
    \fi
  \fi
  \let\tocstyle@saved@numberline\numberline
}
\renewcommand*{\tocstyle@l@define}[2]{%
  \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
  \edef\@tempa{%
    \noexpand\global\noexpand\let
    \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
    \expandafter\noexpand\csname l@#1\endcsname
    \noexpand\gdef
    \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
      \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
    \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
      \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
      \expandafter\noexpand\csname tocstyle@l@#1\endcsname
    }%
  }%
  \PackageInfo{tocstyle}{prepare \expandafter\string
    \csname l@#1\endcsname\space for redefinition}%
  \@tempa
}
```

7.118 todonotes-xetex-bidi.def

```
\ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packag
\newif\if@bidi@todonotes@textdirection@RTL
\newif\if@bidi@todonotes@figposition@right
\newcommand{\@bidi@todonotes@align}{}%
\define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
\newcommand{\@bidi@todonotes@textdirection}{}%
\define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@textdirection@RTLtrue
    \let\@bidi@todonotes@textdirection\RLE
  \or
    \@bidi@todonotes@textdirection@RTLfalse
    \let\@bidi@todonotes@textdirection\LRE
  \fi}
\define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,l
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@figposition@righttrue
```

```
  \or
    \@bidi@todonotes@figposition@rightfalse
  \fi}
\if@todonotes@disabled%
\else % \if@todonotes@disabled
\renewcommand{\@todonotes@drawInlineNote}{%
    \if@todonotes@dviStyle%
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
            \if@todonotes@authorgiven%
                {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
            \else%
                {\noindent \@todonotes@sizecommand \@todonotes@text}%
            \fi
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
    \else%
        {\par\noindent\begin{tikzpicture}[remember picture]%
           \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
            \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@al
                \if@todonotes@authorgiven%
                    {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}
                \else%
                    {\noindent \@todonotes@sizecommand \@todonotes@text}%
                \fi};%
            \end{tikzpicture}\par}%
    \fi}%
\renewcommand{\@todonotes@drawMarginNoteWithLine}{%
\begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
    \node [coordinate] (inText) {};%
\end{tikzpicture}%
\marginpar[{% Draw note in left margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
}]{% Draw note in right margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
}%
}%
\renewcommand{\@todonotes@drawMarginNote}{%
\if@todonotes@dviStyle%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] {};%
    \end{tikzpicture}\\%
    \begin{minipage}{\@todonotes@textwidth}%
    \if@todonotes@authorgiven%
      \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
    \else%
      \@todonotes@sizecommand \@todonotes@text%
    \fi%
```

```
    \end{minipage}\\%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] (inNote) {};%
    \end{tikzpicture}%
\else%
    \let\originalHbadness\hbadness%
    \hbadness 100000%
    \begin{tikzpicture}[remember picture,baseline=(X.base)]%
       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
        \node(X){\vphantom{X}};%
        \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes
            {\@todonotes@text};%
        \if@todonotes@authorgiven%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todon
                {\@todonotes@sizecommand\@todonotes@author};%
            \node(Y)[below=of X]{};%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todon
                {\@todonotes@text};%
        \else%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todon
                {\@todonotes@text};%
        \fi%
    \end{tikzpicture}%
    \hbadness \originalHbadness%
\fi}%
\renewcommand{\missingfigure}[2][]{%
\setkeys{todonotes}{#1}%
\addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
\par
\noindent
\begin{tikzpicture}
\draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
    (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
\if@bidi@todonotes@figposition@right%
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw[red, fill=white, rounded corners = 5pt, line width=10pt]
    (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=-3.8cm]
\fi%
\if@bidi@todonotes@textdirection@RTL\setRTL\fi%
\draw (2, -0.3) node[right, text
    width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
```

```
\draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonote
\if@bidi@todonotes@figposition@right%
\end{scope}
\fi%
\end{tikzpicture}\hfill
}% Ending \missingfigure command
\fi % Ending \@todonotes@ifdisabled
\presetkeys%
    {todonotes}%
    {align=left,%
    textdirection=lefttoright,%
    figposition=left}{}%
```

7.119 wrapfig-xetex-bidi.def

```
\ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package fo
\let\WF@@everypar\bidi@n@everypar
\def\WF@putfigmaybe{%
\ifinner
  \vskip-\parskip \global\WF@floatfalse
  \let\pagetotal\maxdimen % kludge flag for "not top of page"
\else % outer page
  \@tempdima\pagedepth % save page depth
   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back u
   \penalty\interlinepenalty % update pg. parameters
   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
      \global\WF@floatfalse
      \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
   \else
      \ifdim\WF@size>\@tempdimb
         \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
         \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
         \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
         \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
         \advance\dimen@.5\baselineskip
         \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
            \global\WF@floatfalse \pagebreak
         \fi
      \else % \WF@info{Fits in \the\@tempdimb;}%
         \global\WF@floatfalse
   \fi\fi
   \vskip\@tempdima\relax % (return erased page depth)
\fi
\noindent
\ifWF@float
  \WF@fltmes
\else % putting here;
  \WF@info{Put \WF@wfname here:}%
  {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
```

```
    \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
    \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
  \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
   \@tempdima\wd\WF@box \@tempdimb\WF@ovh
   \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
   \@tempdimb\hsize \advance\@tempdimb-\@tempdima
   \xdef\WF@adjlw{\the\@tempdima}%
   \ifnum `l=\WF@place % fig on left
    \if@RTL%
     \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% position to left of the gap
     \else%
    \hss % figure overlaps space to the left
    \def\@tempa{\kern\columnsep}% position to left of the gap
    \fi%
   \else  %  fig on right
    \if@RTL%
     \hss
      \@tempdima\z@
      \def\@tempa{\kern\columnsep}
     \else%
    \@tempdima\z@ % no left indentation
    \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% figure overlaps space to the right
    \fi%
   \fi
   \ifdim\@tempdimb<\hsize
    \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
    \xdef\WF@adjtlm{\the\@tempdima}%
   \else
    \xdef\WF@wrapil{\z@ \the\hsize}%
    \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
   \fi
   \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
    \global\advance\WF@size-\intextsep
   \else % \WF@info{Putting \WF@wfname in middle of page}%
    \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
   \fi \dp\WF@box\z@ \box\WF@box \@tempa
  }% end \hbox to 0pt
  \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
\fi}
```

7.120 xcolor-xetex-bidi.def

```
\ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for
\long\def\color@b@x#1#2#3%
 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
  \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
  \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
  \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
```

```
  {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
\DeclareRobustCommand\color
 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@undeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\@declaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@declaredcolor\else
    \expandafter\XC@declaredc@lor\fi}
\def\XC@undeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\XC@declaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor
 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
```

```
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\XC@bidiundeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}}
\def\@bidideclaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@bidideclaredcolor\else
    \expandafter\XC@bidideclaredc@lor\fi}
\def\XC@bidideclaredcolor
 {\XC@split\XC@@tmp
  \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
  \expandafter\endgroup\@@tmp}
\def\XC@bidideclaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3#{\protect\color@fb@x{#1}{#2}{#3}}
\def\color@fb@x#1#2#3#4%
 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
   {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode
```

7.121 latex-xetex-bidi.def

```
\ProvidesFile{latex-xetex-bidi.def}[2016/09/11 v1.2.8 bidi adaptations  for `latex.ltx' for X
\newcommand{\TeXXeTOn}{\TeXXeTstate=1 }
\newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
\TeXXeTOn
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \@RTLtabtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \@RTLtabfalse
  \bgroup
```

```
  \aftergroup\egroup
 }\vbox}
\newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
\newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\let\@@LaTeX\LaTeX
\def\LaTeX{\@ensure@LTR{\@@LaTeX}}
\let\@@LaTeXe\LaTeXe
\def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}
  \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\def\bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
\@ifpackageloaded{array}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
  \leavevmode
  \hbox \bgroup $\left.\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                    \let\d@llarend\endgroup
  \@tabarray}
```

```
\def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
   \leavevmode \hbox \bgroup
   $\left.\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}

\def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup\right\rbrace $\egroup}}
\def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
    \ialign{$##\hfil$&\quad{##}\hfil\crcr#1\crcr}}\,\right\}}
\renewenvironment{RTLcases}{%
  \bidi@matrix@check\RTLcases\env@RTLcases
}{%
  \endbidi@tabular@RTLcases%
}
\def\env@RTLcases{%
  \let\@ifnextchar\bidi@new@ifnextchar
  \def\arraystretch{1.2}%
  \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
}
\def\SepMark#1{\gdef\@SepMark{#1}}
\SepMark{.}
\def\@thmcountersep{\@SepMark}
\def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
\def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
\def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
\def\list#1#2{%
  \ifnum \@listdepth >5\relax
    \@toodeep
  \else
    \global\advance\@listdepth\@ne
  \fi
  \rightmargin\z@
  \listparindent\z@
  \itemindent\z@
  \csname @list\romannumeral\the\@listdepth\endcsname
  \def\@itemlabel{#1}%
  \let\makelabel\@mklab
  \@nmbrlistfalse
  #2\relax
  \@trivlist
  \parskip\parsep
  \parindent\listparindent
  \advance\linewidth -\rightmargin
  \advance\linewidth -\leftmargin
  \if@bidi@list@minipage@parbox
  \if@RTL
  \advance\@totalleftmargin \leftmargin
```

```
  \else
  \advance\@totalleftmargin \rightmargin
  \fi
  \else
  \if@hboxRconstruct
  \if@bidi@list@minipage@parbox@not@nob
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi
  \else
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi\fi
  \else
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi\fi\fi
  \parshape \@ne \@totalleftmargin \linewidth
  \ignorespaces}
\long\def\@iiiparbox#1#2[#3]#4#5{%
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
  \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\f
  \setlength\@tempdima{#4}%
  \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@@par}%
    \ifx\relax#2\else
      \setlength\@tempdimb{#2}%
      \edef\@parboxto{to\the\@tempdimb}%
    \fi
    \if#1b\vbox
    \else\if #1t\vtop
    \else\ifmmode\vcenter
    \else\@pboxswtrue $\vcenter
    \fi\fi\fi
    \@parboxto{\let\hss\vss\let\unhbox\unvbox
       \csname bm@#3\endcsname}%
    \if@pboxsw \m@th$\fi
  \@end@tempboxa}
\def\bidi@lrbox#1{%
  \edef\reserved@a{%
    \endgroup
    \setbox#1\hbox{%
      \begingroup\aftergroup}%
```

```
        \def\noexpand\@currenvir{\@currenvir}%
        \def\noexpand\@currenvline{\on@line}}%
  \reserved@a
    \@endpefalse
    \color@begingroup
      \ignorespaces}
\def\endbidi@lrbox{\unskip\color@endgroup}
\newenvironment{LTRitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\
                  \ignorespaces}{\vskip\z@}
\newenvironment{LTRbibitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLbibitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\
                  \ignorespaces}{\vskip\z@}
\def\raggedright{%
  \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
  \leftskip\z@skip
  \parindent\z@\parfillskip\z@skip}
\let\bidi@orig@raggedleft\raggedleft
\let\bidi@orig@raggedright\raggedright
\renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRcon
```

```
\renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRcon
\newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\def\centerline#1{%
\if@RTL\@@line{\hss\beginR#1\endR\hss}
\else\@@line{\hss#1\hss}\fi}
\def\leftline#1{%
\if@RTL\@@line{\beginR#1\endR\hss}
\else\@@line{#1\hss}\fi}
\def\rightline#1{%
\if@RTL\@@line{\hss\beginR#1\endR}
\else\@@line{\hss#1}\fi}
\let\bidi@orig@leftline\leftline
\let\bidi@orig@rightline\rightline
\def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\i
\def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\
\def\bidirlap#1{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
\def\bidillap#1{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
\def\@hangfrom#1{\setbox\@tempboxa\hbox{{#1}}%
      \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
\def\narrower{%
  \advance\if@RTL\rightskip\else\leftskip\fi\parindent
  \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
\def\underline#1{%
  \relax
  \ifmmode\@@underline{#1}%
  \else
\if@RTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
\else
$\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
\if@compatibility
   \let\undertext=\underline
\fi
\def\@tabular{%
   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup $\if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endtabular*\endcsname = \endtabular
\def\@array[#1]#2{%
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
```

```
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\par\@empty
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
    \ifhmode \@preamerr\z@ \@@par\fi
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
\def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
  \let\@classiv\@arrayclassiv
  \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
    \ifnum \@lastchclass=3 5 \else
     \z@ \if #1c\@chnum \z@ \else
                               \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                               \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
          \@chclass \if #1|\@ne \else
                    \if #1@\tw@ \else
                    \if #1p3 \else \z@ \@preamerr 0\fi
  \fi  \fi  \fi  \fi  \fi  \fi
\fi}
\def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
\def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
\def\bm@t{\unhbox\@tempboxa\hss}
\def\bm@b{\hss\unhbox\@tempboxa}
\def\@dottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmar
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
     {#4}\nobreak
     \leaders\hbox{$\m@th
        \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
        mu$}\hfill
     \nobreak
     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
     \par}%
  \fi}


\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
```

```
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{\box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
```

```
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%


\renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
\newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
\newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
\def\LTRmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRxmpar\@LTRympar}
```

```
\long\def\@LTRxmpar[#1]#2{%
  \@LTRsavemarbox\@marbox{#1}%
  \@LTRsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRympar#1{%
  \@LTRsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLxmpar\@RTLympar}
\long\def\@RTLxmpar[#1]#2{%
  \@RTLsavemarbox\@marbox{#1}%
  \@RTLsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLympar#1{%
  \@RTLsavemarbox\@marbox{#1}%
```

```
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
    \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
    \if@twocolumn
        \if@firstcolumn \@tempcnta\m@ne \fi
    \else
      \if@mparswitch
         \ifodd\c@page \else\@tempcnta\m@ne \fi
      \fi
      \if@reversemargin \@tempcnta -\@tempcnta \fi
    \fi
    \ifnum\@tempcnta <\z@  \global\setbox\@marbox\box\@currbox \fi
    \@tempdima\@mparbottom
    \advance\@tempdima -\@pageht
    \advance\@tempdima\ht\@marbox
    \ifdim\@tempdima >\z@
      \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
    \else
      \@tempdima\z@
    \fi
    \global\@mparbottom\@pageht
    \global\advance\@mparbottom\@tempdima
    \global\advance\@mparbottom\dp\@marbox
    \global\advance\@mparbottom\marginparpush
    \advance\@tempdima -\ht\@marbox
    \global\setbox \@marbox
                   \vbox {\vskip \@tempdima
                          \box \@marbox}%
    \global \ht\@marbox \z@
    \global \dp\@marbox \z@
```

```
    \kern -\@pagedp
    \nointerlineskip
    \hb@xt@\columnwidth
      {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\
          \hskip\columnwidth \hskip\marginparsep
       \else
          \hskip -\marginparsep \hskip -\marginparwidth
       \fi
       \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\e
    \nointerlineskip
    \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
\long\def\@ympar#1{%
  \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpa
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
\def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
\def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
\def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
   \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
\hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
   \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
\fi}

\newcommand*{\bidi@font@@outputpage}{}

\def\@outputpage{%
\begingroup           % the \endgroup is put in by \aftergroup
  \let \protect \noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse
  \@parboxrestore
  \shipout \vbox{%
    \set@typeset@protect
    \aftergroup \endgroup
    \aftergroup \set@typeset@protect
                                % correct? or just restore by ending
                                % the group?
  \if@specialpage
    \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
  \fi
  \if@twoside
    \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
       \if@RTLmain
          \let\@themargin\evensidemargin
       \else
          \let\@themargin\oddsidemargin
```

```
      \fi
    \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
       \if@RTLmain
         \let\@themargin\oddsidemargin
       \else
         \let\@themargin\evensidemargin
       \fi
    \fi
    \ifx\@thehead\@empty \let\@thehead\hfil \fi
    \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
    \else %% not @twoside
    \ifx\@oddhead\@empty \let\@thehead\hfil \fi
    \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
  \fi
  \reset@font
  \normalsize
  \bidi@font@@outputpage
  \normalsfcodes
  \let\label\@gobble
  \let\index\@gobble
  \let\glossary\@gobble
  \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
    \@begindvi
    \vskip \topmargin
    \moveright\@themargin \vbox {%
      \setbox\@tempboxa \vbox to\headheight{%
        \vfil
        \color@hbox
          \normalcolor
          \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@
        \color@endbox
        }%                          %% 22 Feb 87
      \dp\@tempboxa \z@
      \box\@tempboxa
      \vskip \headsep
      \box\@outputbox
      \baselineskip \footskip
      \color@hbox
        \normalcolor
        \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RT
      \color@endbox
      }%
    }%
  \global\let\if@newlist\@@if@newlist
  \global \@colht \textheight
  \stepcounter{page}%
  \let\firstmark\botmark
}
\long\def\@makecaption#1#2{%
  \vskip\abovecaptionskip
```

```
  \sbox\@tempboxa{#1: #2}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
  \fi
  \vskip\belowcaptionskip}
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\@ifpackageloaded{amsmath}{}{
\def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
}
\input{footnote-xetex-bidi.def}
\if@twocolumn
  \let\autofootnoterule\relax
  \let\leftfootnoterule\relax
  \let\rightfootnoterule\relax
  \textwidthfootnoterule
\fi
\if@bidi@csundef{@idxitem}{}{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
}
\@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
\@ifclassloaded{article}{\@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}
\@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
\@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
\@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
\@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
\@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
\@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
\@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
\@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
\@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
\@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
\@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
\@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
\@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
\@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
\@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
\@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
\@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
\@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
\@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
\@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
\@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
\@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
\@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
```

```
\@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
\@ifpackageloaded{amsmath}{}{%
\@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
\@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
}
\@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
\@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
\@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
\@ifpackagewith{algorithm2e}{algonl}{%
\renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Al
}{}
\@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}
\@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
\@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
\@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
\@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
\@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
\@ifpackageloaded{animate}{\input{animate-xetex-bidi.def}}{}
\@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
\@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
\@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
\@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
\@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
\@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}
\@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
\@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
\@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
\@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
\@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
\@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}
\@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
\@ifpackageloaded{xltxtra}{\input{xltxtra-xetex-bidi.def}}{}
\@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
\@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
\@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
\@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
\@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
\@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
\@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
\@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
\@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
\@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
\@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
\@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
\@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
\@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
\@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
\@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
\@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
\@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
\@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
\@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
\@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
\@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
\@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
\@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
\@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
\@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
\@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
\@ifpackagewith{sidecap}{innercaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
}{}
\@ifpackagewith{sidecap}{rightcaption}{%
  \if@RTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\fi%
}{}
\@ifpackagewith{sidecap}{leftcaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\fi%
}{}
\@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
\@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
\@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
\@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
\@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
\@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
\@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
\@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
\@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
\@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
\@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
\@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
\@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
\@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
\@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
\@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
\@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
\@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}
\@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}
\@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
\@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
```

7.122 xltxtra-xetex-bidi.def

```
\ProvidesFile{xltxtra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxtra package fo
\let\@@XeTeX\XeTeX
\def\XeTeX{\@ensure@LTR{\@@XeTeX}}
\let\@@XeLaTeX\XeLaTeX
\def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}
```

8 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\# 2997, 3043, 3152, 3160
\% 10813
\' 10933, 12771, 14623, 14637
\(. 12872
\) 12873
\, ... 4711, 11059, 15201, 15244, 19164, 19175, 19555
\- 1882, 10932, 12770, 14622, 14636
\. 89, 298, 805, 936, 1198, 1447, 1881, 5901, 6088, 6399, 7782, 8055, 10051, 14056, 14770, 15163, 15359, 15561, 15968, 16547, 17229, 17869
\/ 2048
\: 12914, 12973
\; 180, 199
\< 17524
\= 10933, 12771, 14623, 14637
\> 17525
\@ 3067
\@@ 17703, 17705
\@@@bidi@AfterClass 3403, 3408
\@@@bidi@AfterPackage 3448, 3452
\@@LTR 14486, 14488, 19515, 19517
\@@LaTeX . . . 19520, 19521
\@@LaTeXe . 19522, 19523
\@@RTL 14485, 14488, 19514, 19517
\@@TeX 14489, 14490, 19518, 19519
\@@XeLaTeX 20255, 20256
\@@XeTeX . . 20253, 20254
\@@author 5324, 5327, 5330
\@@bidi@AfterClass 3402, 3419
\@@bidi@AfterPackage 3447, 3462
\@@bidi@PreventPackageFromLoading . . 3493, 3495, 3497
\@@clr . . 19359, 19364, 19367, 19369, 19370, 19372, 19402, 19407, 19410, 19412, 19413, 19415, 19434
\@@cls 19354, 19397
\@@date . 5325, 5328, 5331
\@@end 3241, 3242
\@@endpbox . . . 12654, 17600, 17638, 19746
\@@if@newlist . 10365, 10385, 20026, 20087
\@@input 3301, 3318
\@@italiccorr . 338, 6443
\@@line 8324, 8328, 15587, 15596, 15634, 15645, 19698, 19699, 19701, 19702, 19704, 19705
\@@makecaption 16010, 16089, 16111, 16589, 16668, 16690, 17271, 17350, 17372

\@@makefnmark . 15733, 15735, 16281, 16283, 16850, 16851, 16979, 16981
\@@math 6434
\@@mix 19358, 19401
\@@mod . 19359, 19363, 19364, 19367, 19368, 19369, 19372, 19402, 19406, 19407, 19410, 19411, 19412, 19415, 19434
\@@par . . 12769, 14621, 14635, 15196, 15239, 15716, 15723, 16264, 16271, 16836, 16841, 16962, 16969, 17795, 17797, 19625, 19752
\@@protect 2928
\@@startpbox . . 12653, 17600, 17638, 19746
\@@title 5323, 5326, 5329
\@@tmp 19363, 19364, 19369, 19370, 19372, 19373, 19406, 19407, 19412, 19413, 19415, 19416, 19434, 19435
\@@underline 19719, 19721, 19723
\@DEBUGfalse 2328
\@False 6422, 6424
\@LTRbibitemsfalse 19569, 19571
\@LTRbibitemstrue 19570
\@LTRbidituftesidenote@sidenote . . 4824, 4883, 4887
\@LTRbidituftesidenotemarginparreset 4462, 4469
\@LTRbidituftesidenotesavemarbox 4449, 4450, 4453, 4456
\@LTRbidituftesidenotexmpar 4447, 4448
\@LTRbidituftesidenoteympar 4447, 4452
\@LTRfootnotetext 62, 78, 151, 152, 153, 270, 287, 2184, 2306, 4755, 4836, 4843, 5559, 5570, 5783, 5797, 7374, 7375, 8134, 8190, 8197, 8339, 8488, 8630, 8779, 8928, 9077, 9226, 9375, 9524, 9715, 10605, 10611, 10653, 10678, 10733, 10758, 10764, 11549, 11577, 11656, 11675, 11869, 11873, 11893, 11894, 12714, 12827, 13948, 13949, 13950, 15698, 15704, 16016, 16017, 16027, 16246, 16252, 16595, 16596, 16606, 16944, 16950, 17277, 17278, 17288, 17669, 17686
\@LTRmarginparfalse 20009, 20011
\@LTRmarginparreset 19908, 19915
\@LTRmarginpartrue 20010
\@LTRsavemarbox 19895, 19896, 19899, 19902
\@LTRxmpar 19893, 19894
\@LTRympar 19893, 19898
\@M 6, 88, 101, 207, 231, 297, 781, 841, 842, 866, 969, 1092, 1147, 1148, 1220, 1340, 1341, 1347, 1469, 2111, 2116, 5055, 5823, 5824, 5830, 5943, 5999, 6000, 6006, 6119, 6169, 6364, 6372, 6438, 7750, 7763, 8019, 8028, 8324, 8328, 10018, 10026, 10338, 13813, 13825, 13837, 14561, 14669, 14670, 14694, 14803, 14942, 15065, 15118, 15119, 15179, 15180, 15533, 15541, 17694, 17781, 17822, 17955, 17986, 18009, 18026, 18043, 18060, 18077, 18094, 18112, 18131, 18151, 18186, 18519, 18980, 19094, 19777
\@MM . . 40, 53, 68, 249, 262, 276, 7372, 7393, 7440, 7447, 7492, 7499, 8277, 10627, 10643, 10658
\@Mi 6434, 12728
\@Mii 2259, 4390, 4434, 4478, 6905, 6914, 6924, 7069, 7078, 7088, 19880, 19924
\@Miii 2261, 4392, 4436, 4480, 19882, 19926
\@RTL@footnotefalse . . . 1856, 10448, 10615, 14469, 14474, 19498, 19503
\@RTL@footnotetrue . . . 1854, 10448, 10614, 14471, 14473, 19500, 19502
\@RTLbibitemsfalse 19570, 19571
\@RTLbibitemstrue 19569
\@RTLbidituftesidenote@sidenote . . 4853, 4884, 4888
\@RTLbidituftesidenotemarginparreset 4506, 4513
\@RTLbidituftesidenotesavemarbox 4493,

4494, 4497, 4500
\@RTLbidituftesidenotexmpar 4491, 4492
\@RTLbidituftesidenoteympar 4491, 4496
\@RTLcolumnfootnotesfalse 8204
\@RTLcolumnfootnotestrue 8203
\@RTLfalse 36, 64, 84, 245, 272, 293, 792, 926, 1188, 1437, 1814, 1820, 1838, 2554, 5891, 6078, 6386, 6404, 6416, 6429, 7772, 8042, 8104, 8136, 8151, 8164, 8350, 8360, 8395, 8407, 8499, 8508, 8541, 8552, 8641, 8651, 8686, 8698, 8790, 8800, 8835, 8847, 8939, 8949, 8983, 8995, 9088, 9098, 9132, 9144, 9237, 9247, 9282, 9294, 9386, 9396, 9431, 9443, 9535, 9545, 9580, 9592, 9690, 9701, 10041, 10623, 10654, 10695, 10708, 12276, 12299, 12303, 12310, 12319, 12760, 13571, 14048, 14185, 14233, 14431, 14465, 14469, 14474, 14510, 14760, 15153, 15346, 15548, 15947, 16526, 17208, 17856, 19456, 19491, 19498, 19503, 19652, 19670, 20006, 20073, 20083
\@RTLfootnotetext 47, 77, 155, 156, 157, 256, 286, 2185, 2307, 4772, 4865, 4872, 5560, 5571, 5784, 5798, 7395, 7396, 8118, 8191, 8198, 8340, 8489, 8631, 8780, 8929, 9078, 9227, 9376, 9525, 9716, 10596, 10602, 10638, 10677, 10734, 10773, 10779, 11548, 11566, 11641, 11676, 11868, 11872, 11890, 11891, 12715, 12828, 13952, 13953, 13954, 15699, 15708, 16018, 16019, 16029, 16247, 16256, 16597, 16598, 16608, 16945, 16954, 17279, 17280, 17290, 17670, 17687
\@RTLmainfalse 1793, 1797, 1928, 1932
\@RTLmaintrue 1796, 1931
\@RTLmarginparfalse 20010, 20011
\@RTLmarginparreset 19952, 19959
\@RTLmarginpartrue 20009
\@RTLsavemarbox 19939, 19940, 19943, 19946
\@RTLtabfalse . . 629, 1782, 1826, 19492, 19498, 19503, 19652, 19670, 19757
\@RTLtabtrue 1781, 1824, 19483, 19500, 19502, 19539, 19546, 19661, 19679
\@RTLtrue . . . 36, 49, 84, 245, 258, 293, 792, 926, 1188, 1437, 1812, 1818, 1836, 2554, 5891, 6078, 6386, 6443, 6445, 7772, 8042, 8104, 8120, 8151, 8177, 8350, 8370, 8395, 8420, 8499, 8517, 8541, 8564, 8641, 8661, 8686, 8711, 8790, 8810, 8835, 8860, 8939, 8959, 8983, 9008, 9088, 9108, 9132, 9157, 9237, 9257, 9282, 9307, 9386, 9406, 9431, 9456, 9535, 9555, 9580, 9605, 9690, 9701, 10041, 10623, 10639, 10682, 10708, 12276, 12299, 12310, 12319, 12763, 13571, 14048, 14432, 14457, 14471, 14473, 14760, 15153, 15346, 15548, 15947, 16526, 17208, 17856, 19457, 19482, 19500, 19502, 19661, 19679, 20006, 20073, 20083
\@RTLxmpar 19937, 19938
\@RTLympar . 19937, 19942
\@SepMark . . . 19, 20, 21, 22, 164, 220, 221, 222, 223, 336, 345, 766, 767, 768, 769, 919, 920, 921, 922, 1172, 1173, 1174, 1175, 1430, 1431, 1432, 1433, 5916, 5917, 5918, 5919, 5920, 5922, 5924, 5926, 6092,

6093, 6094, 6095, 6096, 6098, 6100, 6102, 6343, 6345, 6347, 6349, 6350, 6351, 6352, 6353, 7882, 7883, 7884, 7885, 7998, 8000, 8002, 8004, 8005, 8006, 8007, 8008, 10143, 10144, 10145, 10146, 10147, 10149, 10151, 10153, 10305, 10311, 10418, 10420, 10422, 10424, 10425, 10426, 10427, 10428, 10431, 10433, 10435, 10437, 10438, 10439, 10440, 10441, 12336, 13458, 13460, 13462, 13464, 13466, 13467, 13469, 13470, 13471, 14090, 14098, 14100, 14774, 14775, 14776, 14777, 14778, 14780, 14782, 14784, 15139, 15140, 15141, 15142, 15143, 15145, 15147, 15149, 15333, 15335, 15337, 15338, 15339, 15340, 15341, 15342, 15514, 15516, 15518, 15520, 15521, 15522, 15523, 15524, 15921, 15922, 15924, 15926, 15928, 16468, 16471, 16473, 16477, 16479, 16481, 16483, 16487, 16489, 16495, 16497, 16503, 16505, 17166, 17168, 17171, 17173, 17175, 17177, 17180, 17184, 17188, 17929, 18173, 19566, 19568, 20155

\@True . . 6417, 6423, 6455

\@Undottedtocline 13820

\@Undottedtoclinep 13832

\@acci 10933, 12771, 14623, 14637

\@accii 10933, 12771, 14623, 14637

\@acciii 10933, 12771, 14623, 14637

\@acol 1653, 1661, 2193, 12650, 17584, 19548, 19729, 19755

\@acolampacol . . 1651, 1653, 1659, 1661

\@addamp 1652, 1660

\@addfield 20015

\@addmarginpar . . 19965

\@address 2446, 7229, 7230, 7327, 7329

\@addresscolour 2415, 2432, 7228, 7326

\@addtofilelist 3301, 3317

\@addtopreamble 1624, 1687, 6516

\@addtoreset 334, 10308, 14088, 14094, 14096

\@addviper 6852

\@afterheading 788, 2094, 2104, 7760, 7768, 12783

\@afterindentfalse . 2094, 2104, 12782

\@afterindenttrue . 866, 1092, 1347, 5054, 5830, 6006, 13812, 13824, 13836, 14694, 15065, 17954, 17985, 18008, 18025, 18042, 18059, 18076, 18093, 18111, 18130, 18150, 18185, 18518, 18973, 19093, 19776

\@algocf@finish . . . 186

\@algocf@post@boxed 168

\@algocf@post@boxruled 170

\@algocf@pre@boxed 167

\@algocf@pre@boxruled 169

\@algocf@start 171

\@algoinsideskip 183, 187

\@algoskip 172, 195

\@ampacol . . . 1651, 1659

\@anim@@newframe . . 539

\@anim@animategraphics 491, 492

\@anim@animateinline 569, 570

\@anim@base 395, 399, 428, 461

\@anim@beginframe . 541

\@anim@bgcolour 438, 440, 483, 528, 530, 558

\@anim@box 431

\@anim@buildtmln 476, 555

\@anim@checkmultipage 399

\@anim@curframe 419, 453, 457, 461, 467

\@anim@curframe@zb 420, 456, 464, 468, 470, 522, 545, 547, 549

\@anim@draftbox . . . 433

\@anim@endframe . . . 545

\@anim@endsanitize . 356, 484, 500, 559

\@anim@every . . . 415, 467

\@anim@fgcolour 438, 440, 483, 528, 530, 558

\@anim@filebox . 425, 429

\@anim@first 396, 406, 413, 414, 419, 425, 428
\@anim@fps 450
\@anim@frames 470, 471, 549, 550
\@anim@ftype 399, 428, 462
\@anim@getkeyval 483, 558
\@anim@getpath . 428, 460
\@anim@insertwidgets 482, 557
\@anim@keytoaux 479, 562
\@anim@label . . . 389, 516
\@anim@last . . . 397, 406, 414, 417, 453
\@anim@makebuttons 439, 529
\@anim@maxframe . . . 473, 479, 552, 562
\@anim@missing 365, 368, 370
\@anim@mone . . . 478, 561
\@anim@multiframe . 540
\@anim@newkey . 440, 530
\@anim@nfps 443, 444, 445, 447, 450, 534
\@anim@num . 439, 440, 456, 464, 476, 479, 482, 488, 529, 530, 545, 555, 557, 562, 567
\@anim@numtemplate 413, 417, 461
\@anim@pad 461
\@anim@pathtofile . . 425, 429, 457, 465
\@anim@poster . . 478, 561
\@anim@processfpsarg 535
\@anim@relop 412, 416, 453
\@anim@reset . . 375, 502
\@anim@sanitizeColon 492, 570
\@anim@sanitizeJS 475, 554
\@anim@scale 431
\@anim@skipfram . . . 523
\@anim@tmpcnt 471, 472, 473, 550, 551, 552
\@anim@ximage . . 456, 464
\@arabic . . . 164, 766, 767, 768, 769, 793, 800, 919, 920, 921, 922, 927, 934, 1172, 1173, 1174, 1175, 1189, 1196, 1430, 1431, 1432, 1433, 1438, 1445, 2565, 5892, 5899, 5916, 5917, 5918, 5919, 5920, 5922, 5924, 5926, 6079, 6086, 6092, 6093, 6094, 6095, 6096, 6098, 6100, 6102, 6343, 6345, 6347, 6348, 6349, 6350, 6351, 6352, 6353, 6387, 6394, 7773, 7780, 7882, 7883, 7884, 7885, 7998, 8000, 8002, 8003, 8004, 8005, 8006, 8007, 8008, 8043, 8050, 10042, 10049, 10143, 10144, 10145, 10146, 10147, 10149, 10151, 10153, 10418, 10420, 10422, 10423, 10424, 10425, 10426, 10427, 10428, 10431, 10433, 10435, 10436, 10437, 10438, 10439, 10440, 10441, 12336, 12338, 13458, 13460, 13462, 13464, 13466, 13469, 13470, 13471, 14761, 14768, 14774, 14775, 14776, 14777, 14778, 14780, 14782, 14784, 15139, 15140, 15141, 15142, 15143, 15145, 15147, 15149, 15154, 15161, 15333, 15335, 15337, 15338, 15339, 15340, 15341, 15342, 15347, 15354, 15514, 15516, 15518, 15519, 15520, 15521, 15522, 15523, 15524, 15549, 15556, 15922, 15924, 15926, 15928, 15949, 15965, 16475, 16477, 16479, 16481, 16483, 16491, 16499, 16507, 16528, 16544, 17169, 17171, 17173, 17175, 17177, 17181, 17185, 17189, 17210, 17226, 17857, 17864
\@argdef 2888
\@array 604, 625, 1586, 1587, 17621, 19735
\@arrayacol 19755
\@arrayclassiv . . . 19756
\@arrayclassz 1651, 17625, 19755
\@arraycr 624, 12659, 19757
\@arrayleft 617
\@arrayparboxrestore 12717, 14618, 14632
\@arrayright 626
\@arrayrule 1606, 1607, 1608, 1644, 1645, 1646
\@arstdepth 17618, 17623, 17641
\@arstheight 17623, 17641
\@arstrut 614, 12673, 17599, 19745

\@arstrutbox . . . 607, 12661, 12718, 17592, 17633, 17637, 17641, 19738
\@author 648, 662, 698, 719, 980, 982, 1000, 1045, 1064, 1231, 1233, 1251, 1296, 1315, 1480, 1482, 1500, 1545, 1565, 1576, 1993, 5256, 5258, 5327, 5954, 5956, 5974, 6130, 6132, 6150, 6225, 6239, 6275, 6296, 7809, 7821, 7855, 7874, 7904, 7918, 7954, 7975, 10070, 10082, 10116, 10135, 13427, 14814, 14816, 14834, 14879, 14898, 14953, 14955, 14975, 15022, 15044, 15055, 15210, 15224, 15265, 15286, 15396, 15410, 15446, 15467, 15790, 15853, 15904, 16338, 16401, 16452, 17036, 17099, 17150
\@auxout 5730
\@badmath . 10270, 10284
\@begin@tempboxa . . . 11155, 11162, 19625
\@begindvi 10336, 20066
\@beginparpenalty 2107, 2116, 10273, 10287
\@bib@break 15942, 16521, 17203
\@biblabel . 85, 294, 793, 794, 927, 928, 1189, 1190, 1438, 1439, 5892, 5893, 6079, 6080, 6387, 6388, 7773, 7774, 8043, 8044, 10042, 10043, 14049, 14761, 14762, 15154, 15155, 15347, 15348, 15549, 15550, 15949, 15951, 16528, 16530, 17210, 17212, 17857, 17858
\@bibsetup 14049
\@bibtitlestyle . 81, 290
\@bidi@AfterClass 3403, 3424, 3429, 3436
\@bidi@AfterPackage 3448, 3467, 3471, 3478
\@bidi@PreventPackageFromLoading . . 3488, 3489, 3491
\@bidi@UnPreventPackageFromLoading . . 3580, 3581, 3584
\@bidi@emptytoks 2589, 2594, 2618
\@bidi@envbody 2588, 2590, 2592, 2593, 2594, 2614, 2616, 2617, 2618
\@bidi@info 1722, 1745, 1747, 1895, 1918, 1920
\@bidi@list@minipage@parbox@not@nobreak 10722, 19622
\@bidi@list@minipage@parbox@nobreak 10723, 19623
\@bidi@lst@makecaption 12273, 12289, 12290, 12321, 12322, 12323, 12327, 12329
\@bidi@mdf@RTLtrue 12759
\@bidi@removefromreset . . . 2715, 2716, 2718
\@bidi@replacefilewithext . . 3365, 3369, 3372
\@bidi@saveprimitive 2576
\@bidi@strip@v@bidiversion 1748, 1750, 1756, 1762
\@bidi@tabular@RTLcases 19537, 19539, 19546
\@bidi@todonotes@align 19140, 19141, 19173, 19214, 19217, 19220, 19223, 19248, 19253, 19254
\@bidi@todonotes@figposition@rightfalse 19155
\@bidi@todonotes@figposition@righttrue 19153
\@bidi@todonotes@textdirection . . 19142, 19146, 19149, 19253, 19254
\@bidi@todonotes@textdirection@RTLfalse 19148
\@bidi@todonotes@textdirection@RTLtrue 19145
\@bidi@unreplacefilewithext 3374, 3380, 3383
\@bidideclaredcolor 6568, 6575, 19394, 19423
\@biditufteLTRsidenote@normal@cite 4622, 4701, 4818, 4847, 4876, 4898, 4907, 4916
\@biditufteRTLsidenote@normal@cite 4641, 4702, 4819, 4848, 4877, 4899, 4908, 4917
\@bidituftefloat@caption 4001, 4034
\@bidituftefloat@caption@box 3993, 4052, 4063, 4064, 4087, 4322, 4327
\@bidituftefloat@caption@fill 3942, 3951, 3952, 4327
\@bidituftefloat@caption@font 3907, 3908, 3962, 4153, 4324, 4330, 4343
\@bidituftefloat@caption@justification . . 3849, 3965, 4153
\@bidituftefloat@caption@vertical@offset 3996,

3997, 4005, 4063, 4064, 4091
\@bidituftefloat@checkoddpage 3924, 4021
\@bidituftefloat@figure@box . . . 3992, 4045, 4063, 4064, 4086
\@bidituftefloat@float@contents@width 4013, 4043, 4044, 4046
\@bidituftefloat@float@debug . . . 3982, 3988, 3990, 3991, 4023, 4024, 4027, 4029, 4030, 4101, 4108, 4115, 4116, 4119, 4120
\@bidituftefloat@float@debug@info 3981, 3983, 3984, 3985, 4076, 4083
\@bidituftefloat@float@fullwidth 4063, 4111
\@bidituftefloat@float@textwidth 4064, 4093
\@bidituftefloat@fps 4011, 4026
\@bidituftefloat@fullwidth 3941, 3947, 3948, 3949, 4043
\@bidituftefloat@justification 3909
\@bidituftefloat@justification@autodetect 3849, 3979
\@bidituftefloat@label 4008, 4035
\@bidituftefloat@margin@floatbox . . 3957, 3960, 3971
\@bidituftefloat@margin@par 3879, 3966
\@bidituftefloat@marginfont 3906, 3907
\@bidituftefloat@orig@caption . . 4032, 4054, 4084
\@bidituftefloat@orig@endfloat . . 3995, 4067, 4318
\@bidituftefloat@orig@float . . 3994, 4041, 4317
\@bidituftefloat@orig@label 4033, 4039, 4055, 4085
\@bidituftefloat@overhang 3940, 3944, 3945, 4137, 4138, 4177, 4178
\@bidituftefloat@pkgname . . 3824, 3825, 3827
\@bidituftefloat@stored@caption . . . 3999, 4006, 4054, 4089
\@bidituftefloat@stored@label 4000, 4009, 4055, 4071, 4073, 4090
\@bidituftefloat@stored@shortcaption . . . 3998, 4003, 4004, 4054, 4088
\@bidituftegeneralstructure@reset@par 5100, 5106
\@bidituftheading@newlinetospace 4159, 4168
\@bidituftheading@newlinetospace@i 4160, 4162
\@bidituftheading@orig@cr 4167, 4171
\@bidituftesidenote@LTRcitation@font . . 4529, 4538, 4628
\@bidituftesidenote@LTRmarginfont 4520, 4523, 4526, 4529
\@bidituftesidenote@LTRmarginnote@font 4526, 4535, 4904
\@bidituftesidenote@LTRsidenote@font 4523, 4532
\@bidituftesidenote@RTLcitation@font 4530, 4539
\@bidituftesidenote@RTLmarginfont 4521, 4524, 4527, 4530
\@bidituftesidenote@RTLmarginnote@font . . 4527, 4536, 4913
\@bidituftesidenote@RTLsidenote@font 4524, 4533
\@bidituftesidenote@add@citation 4663, 4696
\@bidituftesidenote@check@multiple@sidenotes 4721, 4729
\@bidituftesidenote@citation@font . . . 4528, 4537, 4609, 4647, 4675
\@bidituftesidenote@citation@justification 4542, 4676
\@bidituftesidenote@citations 4662, 4664, 4665, 4667, 4672, 4681, 4797, 4826, 4855, 4894, 4903, 4912
\@bidituftesidenote@infootnote@cite 4695, 4796, 4825, 4854, 4893, 4902, 4911
\@bidituftesidenote@justification@autodetect 4540, 4541, 4542, 4543
\@bidituftesidenote@margin@par 4544, 4677, 4743, 4760, 4777, 4895, 4904, 4913
\@bidituftesidenote@marginfont 4519, 4522, 4525, 4528
\@bidituftesidenote@marginnote@font . . 4525, 4534, 4895
\@bidituftesidenote@marginnote@justification 4541, 4895, 4904, 4913
\@bidituftesidenote@normal@cite . . . 4603, 4700, 4817, 4846, 4875, 4897, 4906, 4915
\@bidituftesidenote@print@citations 4669, 4816, 4845, 4874, 4896, 4905, 4914
\@bidituftesidenote@sidenote . . 4795, 4882, 4886
\@bidituftesidenote@sidenote@citations 4694
\@bidituftesidenote@sidenote@font 4522, 4531, 4707, 4708, 4711
\@bidituftesidenote@sidenote@justification . . 4540, 4707, 4708
\@bidituftesidenote@sidenote@vertical@offset 4792, 4793, 4799, 4801, 4807, 4814, 4828, 4830, 4836, 4843, 4857, 4859, 4865, 4872

\@bidituftesidenote@trim@b 4573, 4580
\@bidituftesidenote@trim@c . . 4577, 4580, 4585
\@bidituftesidenote@trim@spaces 4562, 4565, 4614, 4616, 4633, 4635, 4652, 4654, 4684, 4686
\@bidituftesidenotemarginparreset 4418, 4425
\@bidituftesidenotesavemarbox 4405, 4406, 4409, 4412
\@bidituftesidenotexmpar 4403, 4404
\@bidituftesidenoteympar 4403, 4408
\@bidituftetoc@lof@line 5047, 5063
\@bidituftetoc@pkgname 4923, 4924
\@bidiundeclaredcolor . . . 6568, 6569, 19394, 19395, 19434
\@bscontmark 13450
\@bsmarkseries . . . 13431
\@bsmtitlempty . . . 13419
\@bsphack 2258, 4389, 4433, 4477, 19879, 19923
\@bsthanksheadpost 13433
\@bsthanksheadpre 13433
\@caption 4144, 13553, 13556
\@captionabovefalse 16129, 16708, 17390
\@captionabovetrue 16127, 16706, 17388
\@captype 2198, 2246, 2294, 3963, 13546, 13550, 13553, 15571, 15614
\@cclv 7407, 7464, 9930, 9931, 9954, 9964, 12732, 12737, 12749
\@cclvi 9730, 9732, 9847, 9849
\@centercr 5128, 14569, 14582, 14595, 17774, 17803, 19688
\@cftasnum . . . 17959, 17990, 18013, 18030, 18047, 18064, 18081, 18098, 18116, 18135, 18155, 18190
\@cftasnumb . . 17960, 17991, 18014, 18031, 18048, 18065, 18082, 18099, 18117, 18136, 18156, 18191
\@cftbsnum . . . 17958, 17989, 18012, 18029, 18046, 18063, 18080, 18097, 18115, 18134, 18154, 18189
\@cftdopartfalse . 17932
\@cftdoparttrue 17935, 17939
\@cftl@subfig 18123
\@cftl@subtab 18143
\@chapapp 6164, 6359, 8014, 10014, 15529
\@chapterlistsgap@off 14082
\@chapterlistsgap@on 14089, 14097
\@chclass . . 572, 584, 595, 1593, 1605, 1618, 1638, 1643, 17722, 17738, 17749, 19758, 19763
\@checkend . . . 2607, 2631, 3658, 3659
\@chnum 573, 580, 591, 1594, 1601, 1614, 1624, 1640, 1641, 1642, 1655, 1663, 1689, 6518, 17723, 17730, 17745, 19760, 19761, 19762
\@circlefnt 10172
\@classiv 2195, 12651, 17586, 19550, 19731, 19756
\@classx 1621, 1680, 6512
\@classz 1621, 1680, 1714, 1715, 2194, 6512, 12651, 17585, 17625, 19549, 19730, 19755
\@cleartopmattertags 125
\@cliptoboxdim . . . 17752
\@clsextension 3372, 3383, 3399, 3409, 3418, 3421, 3430
\@clubpenalty 803, 6397, 8053, 15357, 15559, 17867
\@colht 6929, 6930, 6940, 6941, 6948, 6963, 6997, 7000, 7022, 7023, 7082, 7094, 7095, 7105, 7106, 7113, 7130, 7134, 9920, 10359, 12743, 12744, 13593, 13596, 13598, 13600, 13605, 13606, 13607, 13626, 13627, 13628, 13632, 13691, 13694, 13696, 13698, 13703, 13704, 13705, 13724, 13725, 13726, 13730, 20088
\@colourfalse 2358
\@colourgreenfalse 7147, 7245
\@colourgreentrue 7148, 7246
\@colourgreyfalse 7151, 7249
\@colourgreytrue 7152, 7250
\@colourorangefalse 7145, 7243
\@colourorangetrue 7146, 7244
\@colourredfalse 7149, 7247

\@colourredtrue 7150, 7248
\@colourtrue 2357
\@colroom 6918, 6941, 6944, 6946, 6947, 7106, 7109, 7111, 7112, 7407, 7464, 12743, 12752
\@combinedblfloats . . . 6777, 6832, 10227, 10259, 10340, 10991, 11039, 13655, 13750, 19823, 19862
\@combinefloats . . 9915
\@compactenum@ 5110
\@cons 19965, 19966
\@contcshortstyle 13501
\@contcstyle 13506, 13512, 13517
\@contcwidth 13495, 13496
\@contdelim 13489, 13500, 13504, 13511, 13516
\@contfield 5747, 5762, 5794
\@contfinal 13489, 13501, 13507, 13513, 13517
\@contfmark 13488, 13491
\@contfnote 13487, 13490
\@contindw 13512
\@contnfont 13489, 13500, 13504, 13511, 13516
\@contpost 13521
\@contpre 13499, 13505, 13510, 13515
\@conttfont 13489, 13501, 13507, 13513, 13517
\@curfield 5746, 5761, 5781, 5795, 5805, 20015
\@curline 5744, 5759, 20015, 20017
\@currbox 2266, 2297, 2301, 4354, 4357, 4398, 4401, 4406, 4410, 4442, 4445, 4450, 4454, 4486, 4489, 4494, 4498, 19888, 19891, 19896, 19900, 19932, 19935, 19940, 19944, 19966, 19975, 20007
\@currentHlabel 11634, 11649, 11664
\@currentHref 11635, 11650, 11665, 11724, 11762, 11795, 11826, 11857, 12079, 12090, 12092
\@currentlabel . . 42, 55, 70, 251, 264, 278, 4745, 4762, 4779, 8110, 8126, 8142, 8155, 8168, 8181, 8354, 8364, 8374, 8400, 8413, 8425, 8452, 8465, 8503, 8512, 8521, 8546, 8558, 8569, 8595, 8607, 8645, 8655, 8665, 8691, 8704, 8716, 8743, 8756, 8794, 8804, 8814, 8840, 8853, 8865, 8892, 8905, 8943, 8953, 8963, 8989, 9002, 9014, 9041, 9054, 9092, 9102, 9112, 9138, 9151, 9163, 9190, 9203, 9241, 9251, 9261, 9287, 9300, 9312, 9339, 9352, 9390, 9400, 9410, 9436, 9449, 9461, 9488, 9501, 9539, 9549, 9559, 9585, 9598, 9610, 9637, 9650, 9742, 9754, 9766, 9792, 9806, 9820, 9860, 9874, 10629, 10645, 10660, 10687, 10700, 10713
\@currentlabelname 11636, 11651, 11666, 11725, 11763, 11796, 11827, 11858
\@currenvir 2593, 2596, 2597, 2617, 2620, 2621, 2648, 19644
\@currenvline 19645
\@currlist 19965
\@curtabmar 20014, 20017
\@cvtheme . . . 2438, 2441
\@cvthemeoptions 2439, 2441
\@date 651, 663, 699, 722, 988, 990, 1002, 1047, 1067, 1239, 1241, 1253, 1298, 1318, 1488, 1490, 1502, 1547, 1568, 1577, 1994, 5274, 5328, 5962, 5964, 5976, 6138, 6140, 6152, 6228, 6240, 6276, 6299, 7812, 7822, 7856, 7877, 7907, 7919, 7955, 7978, 8062, 8067, 10073, 10083, 10117, 10138, 12106, 12111, 13428, 14822, 14824, 14836, 14881, 14901, 14961, 14963, 14977, 15024, 15047, 15056, 15213, 15225, 15266, 15288, 15399, 15411, 15447, 15470, 15794, 15854, 15908, 16342, 16402, 16456, 16922, 16923, 16926, 16931, 17040, 17100, 17154
\@datefield 16862

\@dblarg 13553
\@dblfloatplacement . . . 6781, 6836, 10228, 10263, 10347, 10995, 11043, 13659, 13754, 19827, 19866
\@declaredcolor 6553, 6554, 19351, 19374
\@dedication 15810, 15812, 15863, 15911, 15913, 16358, 16360, 16411, 16459, 16461, 17056, 17058, 17109, 17157, 17159
\@dedicatory 325
\@defaultskiptotal 198
\@definitionfileextension 2662, 2665
\@depth . . 609, 12663, 17565, 17594, 17634, 19740, 20004
\@dgroup 6416
\@dischyph . . . 10932, 12770, 14622, 14636
\@displaypagenumbersfalse 2537
\@displaypagenumberstrue 2536
\@dmath 6404, 6433
\@docolbox 10398
\@dodynamicthefoot 10337
\@dodynamicthehead 10337
\@dofilelist 3669, 3670, 3672
\@dotsep 18991, 18992, 19100, 19783
\@dottedtocline 19106, 19107, 19109, 19127, 19772
\@dseries 6429
\@eha 2584, 18177
\@ehc 2687, 2689, 2695, 2697, 2703, 2705, 2711, 2713, 2904, 12242, 12249, 12730, 13795, 13801
\@ehd 13547
\@eightcol@footgroupv@r 9231
\@eightcolLTRfootfmt . . 9254, 9275, 9303
\@eightcolLTRfootnotetext 9226, 9247
\@eightcolRTLfootfmt . . 9264, 9278, 9315
\@eightcolRTLfootnotetext 9227, 9257
\@eightcolfootfmt . . . 9244, 9272, 9290
\@eightcolfootnotetext 9225, 9237
\@elt 2717, 2720, 4242, 4243, 4244, 4245, 4246, 4247, 4248, 4249, 4250, 4251, 4252, 4253, 4283, 4284, 4285, 4286, 4287, 4288, 4289, 4290, 4291, 4292, 4293, 4294, 4295, 4296, 4297, 4298, 4299, 4300, 6455, 7373, 7394, 7400, 7435, 7437, 7439, 7445, 7457, 7487, 7489, 7491, 7497, 17653, 17655
\@email 2450, 7235, 7333
\@emathdisplay . 184, 200
\@empty 83, 111, 130, 132, 292, 444, 624, 661, 662, 663, 664, 697, 698, 699, 700, 799, 933, 999, 1000, 1001, 1002, 1044, 1045, 1046, 1047, 1195, 1250, 1251, 1252, 1253, 1295, 1296, 1297, 1298, 1444, 1499, 1500, 1501, 1502, 1544, 1545, 1546, 1547, 1992, 1993, 1994, 1995, 2253, 2564, 2573, 2605, 2629, 3485, 3498, 3499, 3505, 3528, 3558, 3566, 3585, 3588, 3599, 3603, 3613, 3619, 3620, 3621, 3634, 3646, 3650, 3717, 3728, 4605, 4624, 4643, 4664, 4671, 5256, 5323, 5324, 5325, 5898, 5973, 5974, 5975, 5976, 6085, 6149, 6150, 6151, 6152, 6238, 6239, 6240, 6241, 6274, 6275, 6276, 6277, 6393, 6419, 6749, 6808, 7434, 7486, 7779, 7820, 7821, 7822, 7823, 7854, 7855, 7856, 7857, 7917, 7918, 7919, 7920, 7953, 7954, 7955, 7956, 8049, 8060, 8076, 8080, 9738, 9750, 9762, 9787, 9801, 9815, 9914, 10048, 10081, 10082, 10083, 10084, 10115, 10116, 10117, 10118, 10211, 10243, 10769, 10784, 10974, 11018, 11052, 11053, 11054, 11055, 11056, 11636, 11651, 11666, 11725, 11763, 11796, 11827, 11858, 12104, 12294, 12300, 12323, 12327, 12329, 12677, 13425, 13426, 13427, 13428, 13586, 13684, 14076, 14527, 14767, 14833, 14834, 14835,

14836, 14878, 14879, 14880, 14881, 14974, 14975, 14976, 14977, 15021, 15022, 15023, 15024, 15160, 15223, 15224, 15225, 15226, 15264, 15265, 15266, 15267, 15353, 15409, 15410, 15411, 15412, 15445, 15446, 15447, 15448, 15555, 15715, 15768, 15773, 15780, 15786, 15810, 15852, 15853, 15854, 15855, 15856, 15857, 15858, 15859, 15860, 15861, 15862, 15863, 15881, 15885, 15893, 15899, 15911, 15935, 15964, 15989, 15990, 16263, 16316, 16321, 16328, 16334, 16358, 16400, 16401, 16402, 16403, 16404, 16405, 16406, 16407, 16408, 16409, 16410, 16411, 16429, 16433, 16441, 16447, 16459, 16513, 16543, 16568, 16569, 16835, 16863, 16864, 16865, 16866, 16867, 16868, 16869, 16870, 16874, 16880, 16886, 16892, 16898, 16904, 16910, 16916, 16922, 16931, 16961, 17014, 17019, 17026, 17032, 17056, 17098, 17099, 17100, 17101, 17102, 17103, 17104, 17105, 17106, 17107, 17108, 17109, 17127, 17131, 17139, 17145, 17157, 17195, 17225, 17250, 17251, 17523, 17640, 17688, 17863, 18163, 18165, 19354, 19357, 19397, 19400, 19537, 19748, 19757, 19803, 19846, 20052, 20053, 20055, 20056

\@emptycol . . . 6933, 6936, 6952, 6955, 7098, 7101, 7117, 7120

\@emptytoks 6418

\@end@tempboxa 11160, 11177, 19638

\@endalgoln 180

\@endfloatbox 2318

\@endmodernpoem 5757, 5777

\@endparenv . . 5661, 5774, 14123, 14143

\@endparpenalty 2111, 2120, 10274, 10288

\@endpbox 1631, 1632, 1673, 1697, 1698, 1699, 6526, 6527, 6528, 12648, 12654, 17600, 17638, 19746

\@endpefalse 19647

\@endtraditionalpoem 5641, 5713

\@ensure@LR 14482, 19511

\@ensure@LTR . . 14480, 14482, 14490, 19509, 19511, 19519, 19521, 19523, 20254, 20256

\@ensure@RL 14481, 19510

\@ensure@RTL . . 14479, 14481, 19508, 19510

\@ensure@dir . . 14483, 14484, 19512, 19513

\@ensure@maindir 14484, 19513

\@enumctr 5111, 5112

\@eqnnum 10295, 12100, 20107

\@evenfoot 1956, 10330, 20045

\@evenhead 10329, 20045

\@expandtwoargs . . 3604

\@extrafootnotefeaturesfalse 1868

\@extrafootnotefeaturestrue 1866

\@extrainfo 2451, 7236, 7334

\@extratitle 15768, 15769, 15857, 15881, 15882, 16316, 16317, 16405, 16429, 16430, 17014, 17015, 17103, 17127, 17128

\@familyname . . 2383, 2385, 2386, 2444, 7210, 7300, 7321

\@familynamecolour 2413, 2430

\@fancyfoot 10193

\@fancyhead 10187

\@fancyvbox 10188, 10194

\@fax . . 2449, 7234, 7332

\@ff@do@allframes 10339, 10344

\@ff@fbox 10407

\@ff@setoffset . . . 10404

\@ffbackground . . . 10394

\@filebordercolor 11937, 11939

\@filecolor 11955

\@filef@und . 3301, 3318
\@finalstrut . . . 8115, 8131, 8147, 8161, 8174, 8187, 10634, 10650, 10665, 10691, 10704, 10717
\@firstampfalse 1653, 1661
\@firstcolfirstmark . . . 6748, 6749, 6753, 6807, 6808, 6812, 10210, 10211, 10215, 10242, 10243, 10247, 10973, 10974, 10978, 11017, 11018, 11022, 13585, 13586, 13590, 13683, 13684, 13688, 19802, 19803, 19807, 19845, 19846, 19850
\@firstcoltopmark 6746, 6754, 6805, 6813, 10208, 10216, 10240, 10248, 10971, 10979, 11015, 11023, 13583, 13591, 13681, 13689, 19800, 19808, 19843, 19851
\@firstcolumnfalse 6739, 6798, 7138, 10202, 10234, 10354, 10962, 11006, 13576, 13674, 19793, 19836
\@firstcolumntrue . 6757, 6816, 7092, 10218, 10251, 10318, 10983, 11027, 13635, 13733, 19811, 19854
\@firstdetailselementfalse 7315
\@firstdetailselementtrue 7312
\@firstfooterelementfalse 7231, 7232, 7233, 7234, 7235, 7236
\@firstfooterelementtrue 7216
\@firstname . . 2383, 2385, 2386, 2443, 7210, 7300, 7321
\@firstnamecolour 2412, 2429
\@firstofone . . . 3211, 3218, 3224, 3237, 3243, 3771, 12061, 12062, 12063, 12064, 13551, 16089, 16668, 17350
\@firstoftwo . . . 1751, 1757, 1763, 2726, 2734, 2738, 2746, 2750, 2758, 2764, 2768, 2781, 2789, 2795, 2799, 2807, 2813, 2816, 2819, 2833, 2840, 3013, 3031, 3037, 3061, 3088, 3118, 3178, 3188, 3309, 14057
\@fivecol@footgroupv@r 8784
\@fivecolLTRfootfmt . . 8807, 8828, 8856
\@fivecolLTRfootnotetext 8779, 8800
\@fivecolRTLfootfmt . . 8817, 8831, 8868
\@fivecolRTLfootnotetext 8780, 8810
\@fivecolfootfmt 8797, 8825, 8843
\@fivecolfootnotetext 8778, 8790
\@float 3994, 4317
\@floatboxreset . . 2316
\@floatpenalty 2259, 2261, 2264, 4390, 4392, 4396, 4400, 4434, 4436, 4440, 4444, 4478, 4480, 4484, 4488, 19880, 19882, 19886, 19890, 19924, 19926, 19930, 19934
\@fltovf 2299, 4401, 4445, 4489, 19891, 19935
\@flushglue . . 5543, 5544, 12776, 14629, 15322, 18521, 18525, 18529, 18575, 19688
\@fnsymbol 673, 963, 1022, 1214, 1273, 1463, 1522, 1980, 5937, 6113, 6250, 7832, 7929, 10093, 14797, 14856, 14936, 14997, 15192, 15235, 15421, 15765, 15829, 16313, 16377, 17011, 17075
\@footgroupv@r 8267, 8317, 8344, 8493, 8635, 8784, 8933, 9082, 9231, 9380, 9529, 9720
\@footnote 5205
\@footnotemark 2226, 2234, 2242, 4717, 4807, 4814, 4836, 4843, 4865, 4872, 5695, 5702, 5709, 10596, 10602, 10605, 10611, 11677, 11866, 11870, 11884, 11885
\@footnotetext . . 34, 76, 147, 148, 149, 243, 285, 2183, 2305, 4738, 4807, 4814, 5558, 5569, 5782, 5796, 7353, 7354, 8102, 8189, 8196, 8338, 8487, 8629, 8778, 8927, 9076, 9225, 9374, 9523, 9714, 10622, 10676,

10732, 11547, 11555, 11626, 11674, 11867, 11871, 11887, 11888, 12713, 12826, 13944, 13945, 13946, 15697, 15700, 16014, 16015, 16025, 16245, 16248, 16593, 16594, 16604, 16943, 16946, 17275, 17276, 17286, 17668, 17685
\@footstartv@r . . . 8267
\@for 3526, 3587, 3600, 3622, 3626, 4606, 4611, 4625, 4630, 4644, 4649, 4672, 4681, 6717
\@fourcol@footgroupv@r 8635
\@fourcolLTRfootfmt . . 8658, 8679, 8707
\@fourcolLTRfootnotetext 8630, 8651
\@fourcolRTLfootfmt . . 8668, 8682, 8719
\@fourcolRTLfootnotetext 8631, 8661
\@fourcolfootfmt 8648, 8676, 8694
\@fourcolfootnotetext 8629, 8641
\@fps 2247, 2248, 2250, 2253, 2270
\@fpsadddefault 2251, 2254
\@freelist . . . 2266, 4242, 4283, 4398, 4399, 4442, 4443, 4486, 4487, 9913, 19888, 19889, 19932, 19933, 19965, 19966
\@fs@capt 4331, 4344, 4352
\@fs@cfont . . . 4324, 4330, 4340, 4343, 4351, 10299, 10300
\@fs@iftopcapt 4335, 4348, 4361
\@fs@mid 4334, 4347, 4359
\@fs@post 4333, 4346, 4360
\@fs@pre 4332, 4345, 4353
\@g@tnextcol 10316
\@getcirc 10168
\@gnewline . . . 14571, 14584, 14597, 14608
\@gobble 1748, 2163, 2604, 2628, 2650, 2655, 3141, 3142, 3143, 3144, 3145, 3213, 3226, 3230, 3257, 3271, 3283, 3297, 3515, 3650, 3827, 5378, 5443, 10373, 10374, 10375, 13548, 16015, 16017, 16019, 16594, 16596, 16598, 17276, 17278, 17280, 19358, 19401, 20062, 20063, 20064
\@gobbletwo 2675, 2676, 2679, 2680, 12148
\@gtempa 2857, 2858
\@halignto . 613, 628, 17598, 17636, 19537, 19744, 19757
\@hangfrom . . . 16042, 16054, 16056, 16621, 16633, 16635, 17303, 17315, 17317, 19712
\@hboxRconstructfalse 14448, 19473
\@hboxRconstructtrue 624, 14438, 17605, 17644, 19463, 19753
\@height 608, 1711, 6540, 10913, 12662, 12718, 12796, 15743, 15750, 16291, 16298, 16989, 16996, 17565, 17593, 17634, 19739, 20004
\@highpenalty . 5844, 5860, 5867, 5877, 6020, 6036, 6043, 6053, 6306, 6321, 6331, 7985, 9982, 9997, 10007, 14708, 14724, 14731, 14741, 15079, 15095, 15102, 15112, 15294, 15308, 15318, 15477, 15492, 15502, 17945, 17980, 18369, 18389, 18477
\@hintcolour . 2420, 2436
\@holdpg . 6863, 6869, 6876, 6887, 6897, 6997, 6998, 7000, 7003, 7007, 7012, 7017, 7021, 7029, 7041, 7054, 7061
\@hyper@launch . . . 11960
\@idxitem 98, 103, 228, 233, 822, 837, 1085, 1336, 5169, 5176, 5819, 5995, 6205, 14665, 14919, 15377, 17925, 20117
\@ifclasslater 3813, 3818
\@ifclassloaded 3433, 3812, 3817, 3847, 5218, 5220, 6207, 8202, 10416, 10429, 20120, 20121, 20122, 20123, 20124, 20125, 20126, 20127, 20128, 20129, 20130, 20131, 20132, 20133, 20134, 20135, 20136, 20137, 20138, 20139, 20140, 20141, 20142,

20143, 20144, 20169, 20248, 20249
\@ifdefinable . 2845, 2848, 2851, 2860, 2891, 2906, 10519
\@ifdefinitionfileloaded 2665, 20250
\@ifempty 7, 208
\@ifl@aded 2664, 2665, 2666
\@ifnextchar . . . 159, 625, 2131, 2161, 2176, 2881, 3402, 3403, 3447, 3448, 3492, 4403, 4447, 4491, 6553, 6568, 10594, 10603, 10756, 10771, 11132, 11874, 11898, 13956, 14127, 14147, 19351, 19394, 19562, 19893, 19937
\@ifpackagelater 3811, 3816, 10465
\@ifpackageloaded 1670, 3074, 3475, 3535, 3770, 3788, 3810, 3815, 4310, 4315, 4368, 7685, 7686, 8321, 9688, 11671, 11691, 11769, 12068, 12316, 12439, 12690, 13527, 16097, 16676, 17358, 17850, 19538, 20106, 20119, 20132, 20142, 20145, 20149, 20150, 20151, 20152, 20153, 20160, 20161, 20162, 20163, 20164, 20165, 20166, 20167, 20168, 20169, 20170, 20171, 20172, 20173, 20174, 20175, 20176, 20177, 20178, 20179, 20180, 20181, 20182, 20183, 20184, 20185, 20186, 20187, 20188, 20189, 20190, 20191, 20192, 20193, 20194, 20195, 20196, 20197, 20198, 20199, 20200, 20201, 20204, 20205, 20206, 20207, 20230, 20231, 20232, 20233, 20234, 20235, 20236, 20237, 20238, 20239, 20240, 20241, 20242, 20243, 20244, 20245, 20246, 20247, 20248, 20249, 20251
\@ifpackagewith 6694, 17874, 20154, 20157, 20158, 20159, 20208, 20218, 20224
\@ifstar . 2998, 3401, 3446, 3488, 3580, 4160, 7689, 11135
\@iftagsloaded 2664, 20146, 20147
\@iftexfileloaded . . 2666, 20202, 20203
\@ifundefined . . 332, 333, 2540, 2685, 2688, 2693, 2696, 2701, 2704, 2709, 2712, 3390, 3394, 3544, 3637, 4552, 5032, 5040, 5155, 5157, 5162, 5252, 5269, 6555, 6562, 6570, 6576, 10302, 10512, 12071, 12072, 12252, 12263, 12326, 12328, 12333, 14204, 18164, 18168, 18244, 18266, 18267, 18315, 18316, 18399, 18421, 18422, 18650, 18673, 18701, 18761, 18810, 18827, 18857
\@ifundefinedmodel 19384, 19418
\@ifxempty 19444
\@ignoretrue 6440
\@iiiminipage 10719
\@iiiparbox 8304, 10750, 19619
\@indextitlestyle 96, 226
\@inlabelfalse . . . 6407
\@insertfalse 6854, 6962
\@inserttrue . 6927, 7091
\@iprintcites 14563
\@itemfudge 20014, 20016
\@itemlabel 19582
\@ixpt 5069
\@keywords 326
\@kludgeins 9917
\@komalongtablefalse 16097, 16676, 17358
\@lastchclass 573, 574, 575, 576, 578, 1594, 1595, 1596, 1597, 1599, 1638, 1639, 1651, 1659, 17723, 17724, 17725, 17726, 17728, 19758, 19759
\@lastvipertrue 6938, 6957, 7103, 7122
\@latex@error 2583, 3509, 13547, 13795, 13801
\@latex@warning 91, 300, 807, 938, 1200, 1449, 2569, 5903, 6090, 6401, 7784,

8057, 10053, 14772, 15165, 15361, 15563, 15972, 15979, 16551, 16558, 17233, 17240, 17871
\@latex@warning@no@line . . . 6931, 6949, 7096, 7114, 19980
\@latexbug 19966
\@leftcolumn . . 6740, 6764, 6799, 6819, 6970, 6998, 7004, 7013, 10203, 10222, 10235, 10254, 10963, 10986, 11007, 11034, 13577, 13636, 13648, 13675, 13734, 13742, 19794, 19818, 19837, 19857
\@let@token . 2641, 2644
\@lettrine 12126
\@listI 3864
\@listdepth 10578, 10735, 10937, 10941, 19573, 19576, 19581
\@listi 3864, 3872, 5073
\@loadwithoptions . . 3325, 3327, 3334
\@lowertitleback 15807, 15862, 16355, 16410, 17053, 17108
\@lowpenalty 2107, 18900
\@m 89, 298, 805, 936, 1198, 1447, 5901, 6088, 6399, 7782, 8055, 10051, 10964, 11008, 14056, 14770, 15163, 15359, 15561, 15968, 16547, 17229, 17869
\@mainmatterfalse 5405, 5435, 6382, 8038
\@mainmattertrue 5402, 5418
\@makecaption 4155, 6501, 13484, 13534, 13566, 16083, 16662, 17344, 20092
\@makechapterhead . 303, 6159, 6354, 8009, 10010, 14554, 15525, 17890
\@makecol 9973, 9974, 12738, 12750
\@makefnmark 674, 1023, 1523, 1981, 4713, 4724, 6251, 7358, 7379, 7833, 7930, 10094, 13432, 14857, 14998, 15193, 15236, 15422, 15766, 15767, 15830, 15831, 16314, 16315, 16378, 16379, 17012, 17013, 17076, 17077
\@makefntext 44, 57, 72, 253, 266, 280, 675, 960, 1025, 1211, 1274, 1460, 1525, 1982, 4711, 4749, 4766, 4783, 5934, 6110, 6252, 7834, 7931, 8113, 8129, 8145, 8159, 8172, 8185, 10095, 10633, 10649, 10664, 10690, 10703, 10716, 11057, 13434, 14794, 14859, 14933, 15000, 15195, 15238, 15423, 15713, 16261, 16834, 16959
\@makeother . . 2997, 3043, 3152, 3160
\@makeschapterhead 5815, 5991, 6179, 6200, 6368, 8024, 10022, 14661, 14915, 15372, 15537, 17896, 17901
\@makespecialcolbox 9918
\@maketitle 116, 318, 322, 680, 682, 687, 696, 706, 1029, 1031, 1036, 1043, 1053, 1280, 1282, 1287, 1294, 1304, 1529, 1531, 1536, 1543, 1553, 1985, 1991, 6257, 6259, 6264, 6273, 6283, 7839, 7841, 7846, 7853, 7863, 7936, 7938, 7943, 7952, 7962, 10100, 10102, 10107, 10114, 10124, 13437, 13439, 13446, 14863, 14865, 14870, 14877, 14887, 15004, 15006, 15011, 15020, 15030, 15247, 15249, 15254, 15263, 15273, 15428, 15430, 15435, 15444, 15454, 15834, 15836, 15841, 15851, 15876, 16382, 16384, 16389, 16399, 16424, 17080, 17082, 17087, 17097, 17122
\@maketitle@hook . . . 114
\@makewincaption . 14295
\@marbox . 4399, 4401, 4405, 4409, 4410, 4443, 4445, 4449, 4453, 4454, 4487, 4489, 4493, 4497, 4498, 19889, 19891, 19895,

19899, 19900, 19933, 19935, 19939, 19943, 19944, 19965, 19975, 19978, 19986, 19988, 19989, 19991, 19992, 19993, 20002, 20006, 20007
\@mathmargin . . 7641, 7648, 7656, 7663
\@mathsemicolon 180, 199
\@maxdepth 8265, 9929, 9942, 9961, 9972
\@memtempa . . . 13484, 13486, 13500, 13507, 13511, 13516
\@menubordercolor 12031, 12033
\@menucolor 12042
\@midlist . . . 9913, 9914
\@minipagefalse 2320, 4420, 4429, 4464, 4473, 4508, 4517, 8301, 10747, 12285, 13540, 16073, 16652, 17334, 19910, 19919, 19954, 19963, 20098
\@minipagerestore 10736
\@minipagetrue 4428, 4472, 4516, 19918, 19962
\@minus 2487, 2572, 3860, 3862, 3869, 3871, 3873, 3874, 5070, 5072, 5074, 5075, 10851, 10889, 14053, 16196, 16206, 16216, 16226, 16236, 16784, 16794, 16804, 16814, 16824, 17466, 17476, 17486, 17496, 17506, 17530
\@mkboth . . . 791, 818, 834, 925, 1082, 1187, 1333, 1436, 5816, 5890, 5992, 6077, 6201, 6385, 7771, 8041, 10040, 14662, 14759, 14916, 15152, 15345, 15373, 15547
\@mklab 19583
\@mkpream 612, 12667, 17596, 17628, 19742
\@mobile 2447, 7232, 7330
\@modernpoem . 5733, 5777
\@mpLTRfootnotetext 8163, 8193, 8200, 8346, 8495, 8637, 8786, 8935, 9084, 9233, 9382, 9531, 9722, 10693, 10733, 11577, 11592, 11615, 11679, 12827
\@mpRTLfootnotetext 8176, 8194, 8201, 8347, 8496, 8638, 8787, 8936, 9085, 9234, 9383, 9532, 9723, 10680, 10734, 11566, 11591, 11604, 11680, 12828
\@mparbottom 19976, 19984, 19985, 19986, 19987
\@mpargs 8304, 10725, 10750
\@mparswitchfalse 3843
\@mparswitchtrue . 3838
\@mpeightcol@footgroupv@r 9236
\@mpeightcolLTRfootnotetext 9233, 9293
\@mpeightcolRTLfootnotetext 9234, 9306
\@mpeightcolfootnotetext 9232, 9281
\@mpfivecol@footgroupv@r 8789
\@mpfivecolLTRfootnotetext 8786, 8846
\@mpfivecolRTLfootnotetext 8787, 8859
\@mpfivecolfootnotetext 8785, 8834
\@mpfn 2201, 2204, 2207, 2223, 2231, 2239, 4805, 4811, 4834, 4840, 4863, 4869, 5672, 5675, 5678, 5692, 5699, 5706, 10594, 10599, 10603, 10608, 10731, 10761, 10776, 11552, 11563, 11574, 11774, 11805, 11836, 11899, 12823, 17710, 17717
\@mpfootins . . . 8151, 8152, 8164, 8165, 8177, 8178, 8285, 8294, 8295, 8298, 10682, 10683, 10695, 10696, 10708, 10709, 10741, 10742, 10745, 12812, 12817
\@mpfootinsv@r 8284, 8318, 8395, 8396, 8407, 8408, 8420, 8421, 8541, 8542, 8552, 8553, 8564, 8565, 8686, 8687, 8698, 8699, 8711, 8712, 8835, 8836, 8847, 8848, 8860, 8861, 8984, 8985, 8996, 8997, 9009, 9010, 9133, 9134, 9145, 9146, 9158, 9159, 9282, 9283, 9294, 9295, 9307, 9308, 9431, 9432, 9443, 9444, 9456, 9457, 9580, 9581, 9592, 9593, 9605, 9606, 9786, 9789, 9800, 9803, 9814, 9817
\@mpfootnotetext . .

. . . . . 8150, 8192, 8199, 8345, 8494, 8636, 8785, 8934, 9083, 9232, 9381, 9530, 9721, 10706, 10732, 11555, 11590, 11593, 11678, 12826
\@mpfourcol@footgroupv@r 8640
\@mpfourcolLTRfootnotetext 8637, 8697
\@mpfourcolRTLfootnotetext 8638, 8710
\@mpfourcolfootnotetext 8636, 8685
\@mplistdepth 10578, 10735
\@mpninecol@footgroupv@r 9385
\@mpninecolLTRfootnotetext 9382, 9442
\@mpninecolRTLfootnotetext 9383, 9455
\@mpninecolfootnotetext 9381, 9430
\@mppara@footgroupv@r 9725
\@mpparaLTRfootnotetext 9722, 9799
\@mpparaRTLfootnotetext 9723, 9813
\@mpparafootnotetext 9721, 9785
\@mpsevencol@footgroupv@r 9087
\@mpsevencolLTRfootnotetext 9084, 9144
\@mpsevencolRTLfootnotetext 9085, 9157
\@mpsevencolfootnotetext 9083, 9132
\@mpsixcol@footgroupv@r 8938
\@mpsixcolLTRfootnotetext 8935, 8995
\@mpsixcolRTLfootnotetext 8936, 9008
\@mpsixcolfootnotetext 8934, 8983
\@mptencol@footgroupv@r 9534
\@mptencolLTRfootnotetext 9531, 9591
\@mptencolRTLfootnotetext 9532, 9604
\@mptencolfootnotetext 9530, 9579
\@mpthreecol@footgroupv@r 8498
\@mpthreecolLTRfootnotetext 8495, 8551
\@mpthreecolRTLfootnotetext 8496, 8563
\@mpthreecolfootnotetext 8494, 8540
\@mptwocol@footgroupv@r 8349
\@mptwocolLTRfootnotetext 8346, 8406
\@mptwocolRTLfootnotetext 8347, 8419
\@mptwocolfootnotetext 8345, 8394
\@namedef 3394, 3545, 5730, 8306, 8337, 8442, 8443, 8471, 8476, 8481, 8486, 8585, 8586, 8618, 8623, 8628, 8733, 8734, 8762, 8767, 8772, 8777, 8882, 8883, 8911, 8916, 8921, 8926, 9031, 9032, 9060, 9065, 9070, 9075, 9180, 9181, 9209, 9214, 9219, 9224, 9329, 9330, 9358, 9363, 9368, 9373, 9478, 9479, 9507, 9512, 9517, 9522, 9627, 9628, 9656, 9661, 9666, 9713, 9838, 9839, 9840, 9888, 9897, 9905, 18179, 18218, 18219, 18220, 18221, 18222, 18223, 18224, 18225, 18226, 18227, 18245, 18246, 18247, 18248, 18249, 18250, 18251, 18252, 18253, 18268, 18269, 18270, 18271, 18273, 18274, 18276, 18279, 18282, 18290, 18291, 18293, 18296, 18299, 18312, 18317, 18318, 18319, 18321, 18322, 18324, 18327, 18330, 18338, 18339, 18341, 18344, 18347, 18359, 18400, 18401, 18402, 18403, 18404, 18405, 18406, 18407, 18408, 18423, 18424, 18425, 18426, 18428, 18429, 18431, 18434, 18437, 18445, 18446, 18448, 18451, 18454, 18467, 18651, 18652, 18653, 18654, 18655, 18656, 18657, 18658, 18659, 18698, 18702, 18703, 18704, 18705, 18707, 18708, 18710, 18713, 18716, 18724, 18725, 18727, 18730, 18733, 18758, 18762, 18763, 18764, 18766, 18767, 18769, 18772, 18775, 18783, 18784,

18786, 18789, 18792, 18812, 18815, 18819, 18859, 18862, 18866
\@nameuse 3391, 5728, 7571, 7621, 7624, 7670, 8439, 8441, 8442, 8443, 8448, 8450, 8453, 8455, 8460, 8461, 8463, 8466, 8468, 8473, 8474, 8478, 8479, 8483, 8484, 8582, 8584, 8585, 8586, 8591, 8593, 8596, 8598, 8602, 8603, 8605, 8608, 8610, 8615, 8616, 8620, 8621, 8625, 8626, 8730, 8732, 8733, 8734, 8739, 8741, 8744, 8746, 8751, 8752, 8754, 8757, 8759, 8764, 8765, 8769, 8770, 8774, 8775, 8879, 8881, 8882, 8883, 8888, 8890, 8893, 8895, 8900, 8901, 8903, 8906, 8908, 8913, 8914, 8918, 8919, 8923, 8924, 9028, 9030, 9031, 9032, 9037, 9039, 9042, 9044, 9049, 9050, 9052, 9055, 9057, 9062, 9063, 9067, 9068, 9072, 9073, 9177, 9179, 9180, 9181, 9186, 9188, 9191, 9193, 9198, 9199, 9201, 9204, 9206, 9211, 9212, 9216, 9217, 9221, 9222, 9326, 9328, 9329, 9330, 9335, 9337, 9340, 9342, 9347, 9348, 9350, 9353, 9355, 9360, 9361, 9365, 9366, 9370, 9371, 9475, 9477, 9478, 9479, 9484, 9486, 9489, 9491, 9496, 9497, 9499, 9502, 9504, 9509, 9510, 9514, 9515, 9519, 9520, 9624, 9626, 9627, 9628, 9633, 9635, 9638, 9640, 9645, 9646, 9648, 9651, 9653, 9658, 9659, 9663, 9664, 9668, 9669, 9835, 9837, 9838, 9839, 9840, 9845, 9856, 9858, 9861, 9864, 9869, 9870, 9872, 9875, 9878, 9885, 9886, 9889, 9894, 9898, 9902, 9910, 10322, 16470, 16486, 16494, 16502, 17908, 18180, 18181, 18182, 18185, 18188, 18193, 18194, 18199, 18203, 18204, 18206, 18207, 18209, 18210, 18212, 18213, 18215, 18216, 18223, 18228, 18229, 18312, 18359, 18363, 18364, 18376, 18383, 18384, 18467, 18471, 18472, 18491, 18506, 18509, 18511, 18514, 18517, 18534, 18535, 18537, 18538, 18548, 18550, 18552, 18553, 18555, 18557, 18558, 18567, 18569, 18573, 18574, 18578, 18582, 18584, 18585, 18645, 18678, 18685, 18690, 18691, 18698, 18751, 18758, 18829, 19386, 19420, 20036
\@ne ... 133, 138, 468, 472, 488, 547, 551, 567, 573, 582, 585, 679, 1028, 1279, 1528, 1594, 1603, 1606, 1607, 1608, 1641, 1644, 1645, 1646, 1877, 1883, 1884, 2276, 3752, 3761, 6256, 6705, 7838, 7935, 10099, 10681, 10694, 10707, 10951, 11908, 11913, 12228, 12240, 12247, 12256, 12267, 12669, 13436, 13513, 13771, 14126, 14146, 14862, 15003, 15199, 15242, 15246, 15427, 15719, 15833, 16267, 16381, 16839, 16965, 17079, 17658, 17662, 17723, 17732, 17739, 18020, 18363, 18364, 18471, 18472, 18645, 19300, 19576, 19617, 19654, 19656, 19657, 19658, 19663, 19665, 19666, 19667, 19672, 19674, 19675, 19676, 19681, 19683, 19684, 19685,

19761, 19763, 19966
\@newlistfalse 10366, 20027
\@next 2266, 4398, 4399, 4442, 4443, 4486, 4487, 19888, 19889, 19932, 19933, 19965
\@nextchar 579, 581, 582, 583, 585, 586, 587, 588, 589, 592, 593, 594, 1600, 1602, 1603, 1604, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1615, 1616, 1617, 1629, 1631, 1632, 1697, 1698, 1699, 6526, 6527, 6528, 17729, 17731, 17732, 17733, 17734, 17735, 17736, 17737, 17739, 17740, 17741, 17742, 17743, 17746, 17747, 17748
\@nil 1682, 1683, 1685, 1686, 6515, 7401, 7458, 12074, 12083, 12085, 12097, 17824
\@ninecol@footgroupv@r 9380
\@ninecolLTRfootfmt . . 9403, 9424, 9452
\@ninecolLTRfootnotetext 9375, 9396
\@ninecolRTLfootfmt . . 9413, 9427, 9464
\@ninecolRTLfootnotetext 9376, 9406
\@ninecolfootfmt 9393, 9421, 9439
\@ninecolfootnotetext 9374, 9386
\@nmbrlistfalse . . 19584
\@nobreakfalse . 740, 891, 1134, 1372, 5854, 6030, 6316, 7994, 9992, 14718, 15089, 15303, 15487, 17967, 17971, 18499
\@nobreaktrue . . 739, 890, 1133, 1371, 5853, 6029, 6315, 7993, 9991, 14717, 15088, 15302, 15486, 17966, 17970, 18498
\@nocnterr 333
\@nocounterr 332
\@nodocument 2245
\@noitemerr 91, 300, 806, 937, 1199, 1448, 2569, 5902, 6089, 6400, 7783, 8056, 10052, 14063, 14771, 15164, 15360, 15562, 15971, 15978, 16550, 16557, 17232, 17239, 17870
\@nonlatinfalse 1777, 1830, 12274, 12318
\@nonlatintrue 1778, 1832, 12274, 12318
\@normalcr 12779
\@notprerr . . 3213, 3226
\@nx 120, 121, 336
\@nxtcol 10314, 10316, 10357
\@oddfoot 1951, 10327, 10334, 20039, 20056
\@oddhead 10326, 10333, 20039, 20055
\@oldmakefnmark 15766, 15767, 15830, 15831, 16314, 16315, 16378, 16379, 17012, 17013, 17076, 17077
\@onefilewithoptions . . 3341, 3342, 3349
\@onelevel@sanitize 2248
\@onlypreamble 3564, 3574, 3578
\@openbib@code 797, 931, 1193, 1442, 2562, 2573, 5896, 6083, 6391, 7777, 8047, 10046, 14765, 15158, 15351, 15553, 15954, 16533, 17215, 17861
\@otarlinesep 17618, 17624
\@outerparskip 5658, 5771
\@outputbox 6740, 6743, 6744, 6758, 6766, 6771, 6773, 6799, 6802, 6803, 6817, 6823, 6826, 6828, 8264, 8266, 9920, 9922, 9923, 9928, 9941, 9943, 9954, 9964, 10203, 10206, 10219, 10224, 10235, 10238, 10252, 10258, 10339, 10344, 10383, 10963, 10968, 10969, 10984, 10990, 11007, 11012, 11013, 11028, 11036, 13577, 13580, 13581, 13611, 13636, 13639, 13641, 13651, 13675, 13678, 13679, 13709, 13734, 13737, 13739, 13747, 19794, 19797, 19798, 19812, 19820, 19837, 19840, 19841, 19855, 19861, 20079
\@outputdblcol 10313, 19874, 19875, 19876
\@outputpage . . 6779,

6783, 6834, 6838, 10227, 10230, 10261, 10265, 10341, 10345, 10350, 10361, 10993, 10997, 11041, 11045, 12739, 12751, 13657, 13662, 13752, 13757, 19825, 19829, 19864, 19868, 20022
\@ovbtrue 10157
\@ovdx 10170, 10178
\@ovdy 10171, 10179
\@ovhorz . . . 10176, 10177
\@ovltrue 10157
\@ovri 10169
\@ovro 10169, 10178, 10179
\@ovrtrue 10157
\@ovttrue 10157
\@ovvert . . . 10174, 10175
\@ovxx 10159, 10160, 10163, 10170, 10175, 10176, 10180, 10181
\@ovyy . . 10161, 10162, 10163, 10171, 10177
\@pagedp . . 19994, 20004
\@pageht 6855, 6964, 19977, 19984
\@par 18588
\@para@footgroupv@r 9720
\@paraLTRfootfmt 9758, 9777, 9810
\@paraLTRfootnotetext 9715, 9749
\@paraRTLfootfmt 9770, 9781, 9824
\@paraRTLfootnotetext 9716, 9761
\@parafootRTLfalse 8101
\@parafootRTLtrue 8100
\@parafootfmt 9746, 9773, 9796
\@parafootnotetext 9714, 9737
\@parboxrestore . 41, 54, 69, 250, 263, 277, 2315, 4149, 4417, 4461, 4505, 6445, 8154, 8167, 8180, 8280, 8399, 8411, 8424, 8464, 8545, 8556, 8568, 8606, 8690, 8702, 8715, 8755, 8839, 8851, 8864, 8904, 8988, 9000, 9013, 9053, 9137, 9149, 9162, 9202, 9286, 9298, 9311, 9351, 9435, 9447, 9460, 9500, 9584, 9596, 9609, 9649, 9791, 9805, 9819, 9873, 9892, 10366, 10628, 10644, 10659, 10686, 10699, 10712, 10730, 13561, 13770, 19625, 19907, 19951, 20028
\@parboxto 19628, 19635
\@parmoderr . . 2264, 4395, 4439, 4483, 19885, 19929
\@part 770, 7742
\@pboxswfalse 10721, 19621
\@pboxswtrue 19633
\@pdfm@mark 11915, 11931, 11965, 11996, 12025
\@pdfremotestartview 11946
\@phone . 2448, 7233, 7331
\@photo . . 2453, 7206, 7208, 7337, 7339
\@photowidth . . 2452, 2453, 7208, 7304
\@pkgextension 3369, 3380, 3444, 3453, 3461, 3464, 3472
\@plus 24, 99, 229, 730, 747, 821, 836, 865, 868, 881, 899, 906, 1084, 1091, 1094, 1107, 1124, 1142, 1335, 1346, 1349, 1362, 1380, 1388, 2487, 2572, 3860, 3861, 3862, 3869, 3870, 3871, 3873, 3874, 5070, 5071, 5072, 5074, 5075, 5141, 5818, 5829, 5832, 5845, 5861, 5868, 5994, 6005, 6008, 6021, 6037, 6044, 6204, 6307, 6322, 7718, 7732, 7986, 9775, 9779, 9783, 9884, 9983, 9998, 10851, 10889, 13822, 13834, 14053, 14664, 14693, 14696, 14709, 14725, 14732, 14918, 15064, 15067, 15080, 15096, 15103, 15295, 15309, 15376, 15478, 15493, 15741, 15748, 15772, 15795, 15813, 15884, 15909, 15996, 16001, 16154, 16173, 16196, 16197, 16206, 16207, 16216, 16217, 16226, 16236, 16289, 16296, 16320, 16343, 16361, 16432, 16457, 16575, 16580, 16733, 16752, 16784, 16785, 16794, 16795, 16804, 16805, 16814, 16824, 16987, 16994, 17018, 17041, 17059, 17130, 17155, 17257, 17262, 17415,

17434, 17466, 17467, 17476, 17477, 17486, 17487, 17496, 17506, 17529, 17775, 17804, 17924, 18199, 18367, 18370, 18374, 18475, 18478, 18482, 18515, 18812, 18815, 18819, 18907, 19091, 19774
\@pnumwidth 13, 15, 214, 216, 733, 734, 736, 750, 751, 755, 884, 885, 887, 909, 910, 914, 1110, 1111, 1115, 1127, 1128, 1130, 1365, 1366, 1368, 1391, 1392, 1396, 5848, 5849, 5851, 5871, 5872, 5876, 6024, 6025, 6027, 6047, 6048, 6052, 6310, 6311, 6313, 6325, 6326, 6330, 6590, 6595, 6596, 7721, 7722, 7726, 7735, 7736, 7738, 7988, 7989, 7991, 9986, 9987, 9989, 10001, 10002, 10006, 13842, 14712, 14713, 14715, 14735, 14736, 14740, 15083, 15084, 15086, 15106, 15107, 15111, 15297, 15298, 15300, 15312, 15313, 15317, 15481, 15482, 15484, 15496, 15497, 15501, 17831, 17840, 17842, 18229, 18378, 18379, 18387, 18486, 18487, 18493, 18885, 18998, 19103, 19786
\@preamble 613, 614, 624, 626, 1654, 1662, 12673, 17597, 17599, 17606, 17636, 17637, 17645, 19743, 19745, 19754
\@preameightfmt 9267, 9273, 9276, 9279, 9359
\@preamerr 595, 1618, 1648, 17749, 19752, 19765
\@preamfivefmt 8820, 8826, 8829, 8832, 8912
\@preamfntext 8108, 8124, 8140, 8275, 8353, 8363, 8373, 8451, 8502, 8511, 8520, 8594, 8644, 8654, 8664, 8742, 8793, 8803, 8813, 8891, 8942, 8952, 8962, 9040, 9091, 9101, 9111, 9189, 9240, 9250, 9260, 9338, 9389, 9399, 9409, 9487, 9538, 9548, 9558, 9636, 9741, 9753, 9765, 9859
\@preamfourfmt 8671, 8677, 8680, 8683, 8763
\@preamninefmt 9416, 9422, 9425, 9428, 9508
\@preamsevenfmt 9118, 9124, 9127, 9130, 9210
\@preamsixfmt 8969, 8975, 8978, 8981, 9061
\@preamtenfmt 9565, 9571, 9574, 9577, 9657
\@preamthreefmt 8526, 8532, 8535, 8538, 8614
\@preamtwofmt 8380, 8386, 8389, 8392, 8472
\@printcites 14565
\@pstrickserr 14519
\@ptsize . 2351, 2352, 2353, 2354, 2361
\@publisher . 5233, 5286
\@publishers 15796, 15860, 15910, 16344, 16408, 16458, 17042, 17106, 17156
\@quote .. 2454, 7212, 7214, 7341, 7343
\@quotebox 14564
\@quotecolour 2416, 2433, 2543
\@r@m@msize 17631
\@raggedtwoe@everyselectfont 14578, 14591, 14604, 14615
\@raggedtwoe@gnewline 14571, 14584, 14597
\@raggedtwoe@raggedrightboxes@opt 14617, 14646
\@raggedtwoe@saved@gnewline 14608
\@raggedtwoe@savedcr 14568, 14581, 14594, 14607
\@raggedtwoe@spaceskipfalse 14614
\@raggedtwoe@spaceskiptrue 14577, 14590, 14603
\@rc@ifdefinable 2860, 2906
\@reffalse 16862
\@reftrue 16863, 16864, 16865, 16866, 16867, 16868, 16869, 16870
\@regtocline 862, 900, 917, 1088, 1118, 1143, 1343, 1381, 1399, 5826, 5862,

5880, 6002, 6038, 6056, 14690, 14726, 14744, 15061, 15097, 15115
\@rememsize 17628, 17631
\@removefromreset 14072, 14074
\@reqcolroom . . 6855, 6856, 6857, 6858, 6918, 6963, 6964, 6965, 6966, 6967, 6968, 7082
\@resetactivechars 10364, 20025
\@resetdyn@mics . 10352
\@resetst@tics . . . 10351
\@restonecolfalse 94, 224, 811, 827, 1075, 1326, 5809, 5985, 6194, 14655, 14909, 15366, 17882
\@restonecoltrue 94, 224, 813, 829, 1077, 1328, 5811, 5987, 6196, 14657, 14911, 15368, 17884
\@resumename . 2386, 2442
\@revlabeltrue . 961, 1212, 1461, 5935, 6111, 14795, 14934
\@rightcolumn . 13603, 13608, 13609, 13618, 13619, 13627, 13631, 13637, 13701, 13706, 13707, 13716, 13717, 13725, 13729, 13735
\@rightskip 12775, 14573, 14574, 14586, 14587, 14599, 14600, 14610, 14611, 14628, 19688
\@rjfieldfalse . . 20012
\@runbordercolor 11971, 11973
\@runcolor 11987
\@s@@size 17631
\@s@bidi@AfterClass 3401, 3410, 3422, 3431
\@s@bidi@AfterPackage 3446, 3454, 3465, 3473
\@sarray 17590
\@savemarbox 20006
\@secondoftwo 1753, 1759, 1765, 2728, 2732, 2740, 2744, 2752, 2756, 2762, 2770, 2783, 2792, 2801, 2810, 2816, 2819, 2830, 2835, 2842, 3004, 3014, 3015, 3016, 3017, 3023, 3032, 3038, 3062, 3090, 3118, 3167, 3179, 3180, 3189, 3306, 3434, 3476
\@secpenalty 5, 206, 729, 746, 880, 898, 905, 1106, 1123, 1141, 1361, 1379, 1387, 7717, 7731, 17816, 17947, 18002, 18366, 18373, 18474, 18481
\@sectiontitlecolour 2417, 2434
\@seesize . . 17628, 17631
\@setcol 10358
\@setcolbox 10319, 10355
\@setcopyright 108
\@setfontsize . 3859, 3868, 5069, 5079, 5080, 5081, 5082, 5083, 5084, 5085
\@setfpsbit 2280, 2283, 2286
\@setmarks . . . 6750, 6752, 6778, 6809, 6811, 6833, 10212, 10214, 10227, 10244, 10246, 10260, 10975, 10977, 10992, 11019, 11021, 11040, 13587, 13589, 13656, 13685, 13687, 13751, 19804, 19806, 19824, 19847, 19849, 19863
\@setminipage . . 4151, 10737, 10945, 13563
\@setpar 15196, 15239, 15716, 15723, 16264, 16271, 16836, 16841, 16962, 16969
\@settab 5738
\@sevencol@footgroupv@r 9082
\@sevencolLTRfootfmt . . 9105, 9126, 9154
\@sevencolLTRfootnotetext 9077, 9098
\@sevencolRTLfootfmt . . . 9115, 9129, 9166
\@sevencolRTLfootnotetext 9078, 9108
\@sevencolfootfmt . . . 9095, 9123, 9141
\@sevencolfootnotetext 9076, 9088
\@sharp 620, 1656, 1657, 1658, 1664, 1665, 1666, 12074, 12080, 12665, 17602, 17637, 17643, 19749
\@sixcol@footgroupv@r 8933
\@sixcolLTRfootfmt . . 8956, 8977, 9005
\@sixcolLTRfootnotetext 8928, 8949
\@sixcolRTLfootfmt . . 8966, 8980, 9017
\@sixcolRTLfootnotetext 8929, 8959
\@sixcolfootfmt 8946, 8974, 8992
\@sixcolfootnotetext 8927, 8939

\@skip@bove 17622, 17624
\@spaces 17660, 17701, 17706
\@spart 7761
\@specialpagefalse 10321, 20036
\@specialstyle 10322, 20036
\@stabarray 17586
\@stabular 17582
\@star@or@long 2855, 2876, 2900, 2911
\@startdblcolumn 6782, 6784, 6837, 6839, 10228, 10230, 10264, 10265, 10348, 10350, 10996, 10998, 11044, 11046, 13660, 13663, 13755, 13758, 19828, 19830, 19867, 19869
\@startfield 5780
\@startpbox . . . 1631, 1632, 1697, 1698, 1699, 6526, 6527, 6528, 12652, 12653, 12659, 17600, 17638, 19746
\@startsection 23
\@starttoc . . 5036, 5044
\@stopfield 5745, 5760, 5764, 5792, 20012
\@stopline . 5764, 20012
\@strip 13767
\@subjclass 326
\@subject 15780, 15781, 15859, 15893, 15894, 16328, 16329, 16407, 16441, 16442, 17026, 17027, 17105, 17139, 17140
\@subsectioncolour 2419, 2435
\@subtitle 15786, 15856, 15899, 16334, 16404, 16447, 17032, 17102, 17145
\@tabacol 2193, 12650, 17584, 19548, 19729
\@tabarray . 601, 625, 629, 2195, 12637, 12639, 19543, 19550, 19731, 19757
\@tabclassiv 2195, 12651, 17586, 19550, 19731
\@tabclassz . . 1659, 2194, 12651, 17585, 19549, 19730
\@tabcr 5741, 5751
\@tabminus 5739
\@tabplus 5738
\@tabular 597, 2181, 19727
\@tabularcr 2195, 12655, 17586, 19550, 19731
\@tagsextension 2661, 2664
\@tarlinesep . . 17624, 17625, 17626, 17627, 17630, 17632
\@temp@bibkey . 4606, 4625, 4644, 4672
\@temp@bibkeyx 4611, 4612, 4614, 4615, 4616, 4617, 4630, 4631, 4633, 4634, 4635, 4636, 4649, 4650, 4652, 4653, 4654, 4655, 4681, 4682, 4684, 4685, 4686, 4687
\@temp@last@bibkey 4605, 4606, 4612, 4624, 4625, 4631, 4643, 4644, 4650, 4671, 4672, 4682
\@tempa 119, 122, 129, 130, 131, 132, 1008, 1010, 1012, 1016, 1259, 1261, 1263, 1267, 1508, 1510, 1512, 1516, 2577, 2578, 2581, 2684, 2685, 2688, 2690, 2692, 2693, 2696, 2698, 2700, 2701, 2704, 2706, 2708, 2709, 2712, 2714, 10158, 11097, 11098, 11099, 11100, 11137, 11140, 11141, 11147, 11158, 11159, 11165, 11170, 11171, 11173, 11176, 11233, 11234, 11235, 11236, 11693, 11697, 11700, 11712, 11731, 11735, 11738, 11750, 12720, 12721, 12723, 12724, 14075, 14076, 14077, 14080, 14087, 14093, 14842, 14844, 14846, 14850, 14983, 14985, 14987, 14991, 15571, 15572, 15614, 15615, 15715, 15956, 15959, 16263, 16535, 16538, 16835, 16961, 17217, 17220, 17709, 17711, 17716, 17718, 19089, 19106, 19110, 19111, 19112, 19121, 19135, 19311, 19314, 19320, 19324, 19338
\@tempb 2577, 2578, 2580, 2581, 11097, 11098, 11138, 11140, 11168, 11170, 11171, 11173, 11176, 14079, 14080, 14086,

14087, 14092, 14093
\@tempboxa 4401, 4445, 4489, 6878, 6902, 6911, 6970, 7014, 7055, 7066, 7075, 7424, 7425, 7426, 7427, 7429, 7478, 7479, 7480, 7481, 7483, 8304, 10169, 10173, 10181, 10182, 10299, 10300, 10301, 10726, 10750, 10788, 10833, 10840, 10850, 10853, 10857, 10859, 10865, 10899, 10901, 10907, 10920, 10924, 10925, 11159, 11176, 11325, 11506, 11508, 12181, 12182, 12277, 12282, 12286, 12682, 12683, 12686, 13489, 13492, 13496, 13498, 13504, 13506, 13507, 13536, 13537, 13541, 14296, 14297, 14300, 16020, 16034, 16038, 16040, 16063, 16064, 16066, 16067, 16069, 16074, 16079, 16599, 16613, 16617, 16619, 16642, 16643, 16645, 16646, 16648, 16653, 16658, 17281, 17295, 17299, 17301, 17324, 17325, 17327, 17328, 17330, 17335, 17340, 17683, 17703, 19050, 19053, 19058, 19062, 19066, 19070, 19074, 19078, 19082, 19086, 19712, 19713, 19768, 19769, 19770, 19771, 19891, 19935, 20069, 20076, 20077, 20094, 20095, 20099
\@tempc . . 11139, 11141, 11147, 12158, 12163
\@tempcnta 1622, 1681, 1682, 1683, 1685, 1686, 2268, 2274, 2276, 2289, 2290, 2296, 2297, 6513, 6515, 7399, 7456, 12195, 12197, 12200, 12223, 12224, 12228, 14151, 14153, 14154, 14160, 14164, 14177, 14202, 14204, 14208, 14211, 14213, 15819, 15821, 16013, 16032, 16367, 16369, 16592, 16611, 17065, 17067, 17274, 17293, 17696, 18897, 18898, 18899, 18918, 18919, 18920, 18922, 18924, 19006, 19007, 19008, 19966, 19968, 19971, 19973, 19975, 19997
\@tempcntb . . . 2294, 2295, 2296, 14152, 14153, 14160, 14164, 14177, 16013, 16031, 16592, 16610, 17274, 17292
\@tempdima . 8, 10, 12, 14, 209, 211, 213, 215, 605, 606, 608, 731, 748, 753, 870, 883, 907, 912, 1096, 1097, 1108, 1113, 1126, 1351, 1364, 1389, 1394, 1676, 1677, 1709, 1710, 1711, 2348, 2350, 5057, 5058, 5834, 5847, 5869, 5874, 6010, 6023, 6045, 6050, 6308, 6323, 6328, 6538, 6539, 6540, 6588, 6593, 6859, 6928, 6929, 6943, 6944, 6948, 7025, 7093, 7094, 7108, 7109, 7113, 7129, 7130, 7370, 7371, 7372, 7373, 7391, 7392, 7393, 7394, 7400, 7402, 7403, 7407, 7408, 7409, 7410, 7411, 7419, 7423, 7426, 7427, 7428, 7442, 7443, 7444, 7457, 7459, 7460, 7464, 7465, 7466, 7467, 7468, 7474, 7477, 7480, 7481, 7482, 7494, 7495, 7496, 7521, 7523, 7524, 7525, 7529, 7536, 7538, 7540, 7547, 7571, 7572, 7577, 7578, 7579, 7580, 7581, 7696, 7698, 7700, 7719, 7724, 7734, 9729, 9730, 9733, 9734, 9846, 9847, 9850, 9851, 9930, 9932, 9985, 9999, 10004, 10170, 10171, 10174, 10175,

10724, 10728, 11156, 11158, 11163, 11165, 11166, 11168, 11181, 11186, 11191, 11195, 12173, 12179, 12180, 12186, 12187, 12192, 12193, 12198, 12647, 12657, 12662, 13606, 13610, 13704, 13708, 13767, 13792, 13815, 13827, 13828, 13839, 13840, 14155, 14698, 14711, 14733, 14738, 15069, 15082, 15104, 15109, 15197, 15198, 15199, 15240, 15241, 15242, 15310, 15315, 15479, 15494, 15499, 15616, 15617, 15717, 15718, 15719, 15724, 15725, 15728, 16037, 16038, 16063, 16064, 16065, 16067, 16265, 16266, 16267, 16272, 16273, 16276, 16616, 16617, 16642, 16643, 16644, 16646, 16837, 16838, 16839, 16842, 16843, 16846, 16963, 16964, 16965, 16970, 16971, 16974, 17298, 17299, 17324, 17325, 17326, 17328, 17629, 17632, 17634, 17697, 17756, 17757, 17758, 17957, 17961, 17988, 17992, 18011, 18015, 18028, 18032, 18045, 18049, 18062, 18066, 18079, 18083, 18096, 18100, 18114, 18118, 18133, 18137, 18153, 18157, 18188, 18192, 18376, 18382, 18484, 18534, 18537, 18538, 18542, 18914, 18916, 18945, 18948, 18955, 18958, 18962, 18967, 18970, 18982, 19015, 19017, 19018, 19021, 19024, 19028, 19035, 19037, 19096, 19097, 19110, 19112, 19120, 19127, 19273, 19274, 19293, 19304, 19305, 19306, 19307, 19319, 19322, 19328, 19329, 19624, 19625, 19779, 19780, 19976, 19977, 19978, 19979, 19982, 19985, 19988, 19990, 20013, 20014

\@tempdimb . . . 6507, 6861, 6864, 6865, 6866, 6867, 6870, 6871, 6872, 6873, 6874, 6875, 6876, 7027, 7030, 7031, 7033, 7035, 7038, 7042, 7045, 7048, 7052, 7054, 7370, 7371, 7391, 7392, 7443, 7445, 7448, 7495, 7497, 7500, 7527, 7529, 7542, 7543, 7544, 7545, 7547, 7574, 7577, 9731, 9732, 9733, 9848, 9849, 9850, 10163, 10164, 10165, 10166, 10168, 11157, 11158, 11164, 11165, 11167, 11168, 12193, 12194, 12196, 13767, 13792, 15726, 15727, 15728, 16274, 16275, 16276, 16844, 16845, 16846, 16972, 16973, 16974, 17629, 17632, 17634, 18915, 18921, 18923, 18928, 18930, 18933, 18937, 18941, 18949, 18951, 18952, 18965, 18971, 18973, 19276, 19277, 19279, 19281, 19284, 19285, 19287, 19290, 19304, 19305, 19306, 19310, 19323, 19327, 19328, 19627, 19628

\@tempdimc 6508, 15714, 15721, 15722, 15732, 16262, 16269, 16270, 16280, 16960, 16967, 16968, 16978

\@tempskipa . . 5657, 5658, 5659, 5770, 5771, 5772

\@tempswafalse 3581,

3628, 7411, 7468, 11104, 19358, 19401
\@tempswatrue . 3580, 3625, 7405, 7462
\@temptokena 117, 121, 14188
\@tempx 5672, 5673, 11771, 11783
\@tempxi 5675, 5676, 11802, 11814
\@tempxii 5678, 5679, 11833, 11845
\@tempy 2201, 2202
\@tempyi 2204, 2205
\@tempyii . . . 2207, 2208
\@tencol@footgroupv@r 9529
\@tencolLTRfootfmt . . 9552, 9573, 9601
\@tencolLTRfootnotetext 9524, 9545
\@tencolRTLfootfmt . . 9562, 9576, 9613
\@tencolRTLfootnotetext 9525, 9555
\@tencolfootfmt 9542, 9570, 9588
\@tencolfootnotetext 9523, 9535
\@testopt 2878, 2896, 12644, 12645
\@testpach 572, 1593, 1638, 17722, 19758
\@texfileextension 2663, 2666
\@textbottom 9925, 15741, 15748, 15996, 16001, 16289, 16296, 16575, 16580, 16987, 16994, 17257, 17262
\@textsuperscript 674, 677, 962, 1024, 1026, 1213, 1277, 1462, 1524, 1526, 1981, 1984, 4711, 4713, 5936, 6112, 6251, 6254, 7833, 7836, 7930, 7933, 10094, 10097, 13432, 14796, 14858, 14860, 14935, 14999, 15001, 15194, 15201, 15237, 15244, 15422, 15425
\@texttop 9921
\@tfor 2269, 10158
\@thanks 653, 661, 689, 697, 993, 999, 1038, 1044, 1244, 1250, 1289, 1295, 1493, 1499, 1538, 1544, 1986, 1992, 5967, 5973, 6143, 6149, 6230, 6238, 6266, 6274, 7814, 7820, 7848, 7854, 7909, 7917, 7945, 7953, 10075, 10081, 10109, 10115, 10752, 10766, 10769, 13425, 13448, 14827, 14833, 14872, 14878, 14966, 14974, 15013, 15021, 15215, 15223, 15256, 15264, 15401, 15409, 15437, 15445, 15799, 15843, 15852, 16347, 16391, 16400, 17045, 17089, 17098
\@thefnmark 43, 56, 71, 252, 265, 279, 674, 677, 962, 1024, 1026, 1213, 1277, 1462, 1524, 1526, 1981, 1984, 2224, 2232, 2240, 4711, 4713, 4746, 4763, 4780, 4806, 4812, 4835, 4841, 4864, 4870, 5693, 5700, 5707, 5936, 6112, 6251, 6254, 7833, 7836, 7930, 7933, 8111, 8127, 8143, 8156, 8169, 8182, 8224, 8228, 8230, 8236, 8240, 8242, 8248, 8252, 8254, 8355, 8365, 8375, 8401, 8414, 8426, 8504, 8513, 8522, 8547, 8559, 8570, 8646, 8656, 8666, 8692, 8705, 8717, 8795, 8805, 8815, 8841, 8854, 8866, 8944, 8954, 8964, 8990, 9003, 9015, 9093, 9103, 9113, 9139, 9152, 9164, 9242, 9252, 9262, 9288, 9301, 9313, 9391, 9401, 9411, 9437, 9450, 9462, 9540, 9550, 9560, 9586, 9599, 9611, 9743, 9755, 9767, 9793, 9807, 9821, 10094, 10097, 10595, 10600, 10604, 10609, 10630, 10646, 10661, 10688, 10701, 10714, 10757, 10762, 10772, 10777, 11059, 11553, 11564, 11575, 11586, 11704, 11742, 11775, 11806, 11837, 11900, 14796, 14858, 14860, 14935, 14999, 15001, 15194, 15201, 15237, 15244, 15422, 15425
\@thefoot 10327, 10330, 10334, 20039, 20045,

20053, 20056, 20083
\@thehead 10326, 10329, 10333, 20039, 20045, 20052, 20055, 20073
\@themargin .. 10379, 11201, 11203, 11208, 11210, 11214, 11216, 20041, 20043, 20047, 20049, 20068
\@thm 14108, 14129
\@thmcountersep 345, 19568
\@threecol@footgroupv@r 8493
\@threecolLTRfootfmt .. 8515, 8534, 8561
\@threecolLTRfootnotetext 8488, 8508
\@threecolRTLfootfmt .. 8524, 8537, 8572
\@threecolRTLfootnotetext 8489, 8517
\@threecolfootfmt . .. 8506, 8531, 8549
\@threecolfootnotetext 8487, 8499
\@title 322, 643, 664, 700, 714, 971, 973, 1001, 1046, 1059, 1222, 1224, 1252, 1297, 1310, 1471, 1473, 1501, 1546, 1560, 1571, 1995, 2384, 2445, 5241, 5326, 5945, 5947, 5975, 6121, 6123, 6151, 6220, 6241, 6277, 6291, 7322, 7804, 7823, 7857, 7869, 7899, 7920, 7956, 7970, 10065, 10084, 10118, 10130, 13426, 14805, 14807, 14835, 14880, 14893, 14944, 14946, 14976, 15023, 15039, 15050, 15205, 15226, 15267, 15281, 15391, 15412, 15448, 15462, 15784, 15855, 15897, 16332, 16403, 16445, 17030, 17101, 17143
\@titlecolour 2414, 2431
\@titlehead 15773, 15775, 15858, 15885, 15887, 16321, 16323, 16406, 16433, 16435, 17019, 17021, 17104, 17131, 17133
\@tocextra 17908, 17909, 17913, 17915, 17918
\@tocline 2, 203
\@tocpagenum 15, 216
\@tocrmarg ... 13811, 13823, 13835, 17952, 17983, 18006, 18023, 18040, 18057, 18074, 18091, 18109, 18128, 18148, 18183, 18234, 18512, 18975, 19092, 19775
\@todonotes@MissingFigureDown 19254
\@todonotes@MissingFigureText 19231
\@todonotes@MissingFigureUp 19253
\@todonotes@author 19164, 19175, 19200, 19218
\@todonotes@currentfigcolor 19235
\@todonotes@currentfigheight 19236
\@todonotes@currentfigwidth 19236, 19238, 19248, 19251
\@todonotes@drawInlineNote 19159
\@todonotes@drawLineToLeftMargin 19187, 19190
\@todonotes@drawLineToRightMargin 19187, 19190
\@todonotes@drawMarginNote . 19186, 19189, 19193
\@todonotes@drawMarginNoteWithLine 19181
\@todonotes@ifdisabled 19260
\@todonotes@sizecommand 19164, 19166, 19173, 19175, 19177, 19200, 19202, 19214, 19217, 19218, 19220, 19223
\@todonotes@text 19164, 19166, 19175, 19177, 19200, 19202, 19215, 19221, 19224
\@todonotes@textwidth 19198
\@toodeep 19574
\@topnum 107, 316, 686, 1035, 1286, 1535, 5319, 6263, 7845, 7942, 10106, 13445, 14869, 15010, 15253, 15434, 15840, 16388, 17086
\@topsep ... 14122, 14142
\@topsepadd 2112, 14123, 14143
\@totalleftmargin . .. 10935, 10939, 10942, 10951, 12774, 14125, 14126, 14145, 14146, 14627, 14641, 19593, 19595, 19601, 19603, 19607, 19609, 19613, 19615, 19617, 19654, 19656,

19657, 19658, 19663, 19665, 19666, 19667, 19672, 19674, 19675, 19676, 19681, 19683, 19684, 19685, 20013
\@traditionalpoem 5614, 5713
\@trivlist 14119, 14139, 19586
\@twocol@footgroupv@r 8344
\@twocolLTRfootfmt . . 8367, 8388, 8416
\@twocolLTRfootnotetext 8339, 8360
\@twocolRTLfootfmt . . 8377, 8391, 8428
\@twocolRTLfootnotetext 8340, 8370
\@twocolfootfmt 8357, 8385, 8403
\@twocolfootnotetext 8338, 8350
\@twosidefalse . . . 3843
\@twosidetrue 3838
\@typeset@protect 2140, 2146, 2152, 2167
\@undeclaredcolor 6553, 6561, 19351, 19352
\@undefined 2198, 12649, 13546
\@undottedtocline 13808
\@unexpandable@protect 2929, 3740
\@unrecurse 17619, 17622
\@uppertitleback 15803, 15861, 16351, 16409, 17049, 17107
\@urlbordercolor 12002, 12004
\@urlcolor 12016
\@viiipt 3868, 5079, 14163, 14176
\@viipt 5079, 14163, 14176
\@viper 6785, 6787, 6789, 6840, 6842, 6844, 6857, 6921, 6967, 7085, 7134, 13768, 13783, 13785, 13790
\@viperoutput 6791, 6846
\@vipt 5080
\@vpt 5080
\@whilenum 12224
\@whilesw 6783, 6838, 10229, 10265, 10349, 10997, 11045, 13661, 13756, 19829, 19868
\@wholewidth 10160, 10162, 10180
\@width 31, 241, 610, 760, 943, 1178, 1422, 1711, 5908, 6061, 6336, 6540, 6762, 6821, 6894, 7059, 7352, 7788, 8086, 8099, 10032, 10256, 10542, 10544, 10913, 10988, 11032, 12119, 12664, 12718, 12796, 13645, 13744, 13886, 13900, 13974, 14749, 15170, 15326, 15507, 15743, 15997, 16291, 16576, 16989, 17258, 17595, 17634, 19741, 19816, 19859, 20004
\@x 5730, 5731
\@x@sf 4720, 4725, 4731, 4734
\@xLTRfootnote 2189, 2311, 5564, 5575, 5788, 5802, 10603, 10606
\@xLTRfootnotenext 2188, 2310, 5563, 5574, 5787, 5801, 10756, 10759, 11572, 17669
\@xRTLfootnote 2191, 2313, 5566, 5577, 5790, 5804, 10594, 10597
\@xRTLfootnotenext 2190, 2312, 5565, 5576, 5789, 5803, 10771, 10774, 11561, 17670
\@xaddress 323
\@xauthor 323
\@xcolor@ . 19359, 19402
\@xcurraddr 324
\@xemail 324
\@xfloat 2244
\@xfootnote . . 2187, 2309, 5562, 5573, 5786, 5800, 11898
\@xfootnotemark . . 11583
\@xfootnotenext 2186, 2308, 5561, 5572, 5785, 5799, 11550, 17668
\@xiipt 5082
\@xipt 5081
\@xivpt 305, 5083
\@xmakefntext . 1025, 1525, 14859, 15000
\@xp 117, 310, 335, 336, 6454
\@xpt 3859
\@xthm 14127, 14147
\@xtitle 322
\@xxpt 5084
\@xxxii 2295
\@xympar 4407, 4411, 4451, 4455, 4495, 4499, 19897, 19901, 19941, 19945, 20008
\@yargdef 2898
\@ympar 20005
\@ythm 14127, 14147
\[. 5738, 10269
\\ 118, 624, 969, 1014, 1220, 1265, 1469, 1514, 2195, 2492, 2498, 2576, 4167, 4168, 4169,

4171, 5128, 5497, 5635, 5943, 6119, 7210, 7211, 7214, 7230, 7317, 7322, 7329, 7339, 7343, 8066, 8070, 8079, 11405, 11408, 11421, 11424, 11524, 11945, 11960, 11979, 12110, 12114, 12239, 12240, 12246, 12247, 12642, 12779, 14206, 14218, 14568, 14569, 14581, 14582, 14594, 14595, 14607, 14803, 14848, 14942, 14989, 16937, 17586, 17601, 17617, 17618, 17774, 17803, 19197, 19204, 19550, 19688, 19731, 19747, 19757
\{ ... 2057, 12916, 12960
\} ... 2058, 12916, 19555
\] . 184, 200, 5739, 10279
\^ 1894, 5514, 5515, 5517, 5518
\` 10933, 12771, 14623, 14637
\| ... 10812, 10813, 10928

Numbers

\0 1883
\1 ... 12858, 12909, 12961
\9 1883

\␣ 1801, 1936, 4613, 4617, 4632, 4636, 4651, 4655, 4683, 4687, 10805, 10807, 16931

A

\abovecaptionskip 12275, 12706, 12708, 13485, 13535, 16087, 16091, 16106, 16114, 16666, 16670, 16685, 16693, 17348, 17352, 17367, 17375, 20093
\abovedisplayshortskip .. 3861, 3870, 5071
\abovedisplayskip 3860, 3863, 3869, 3876, 3910, 5070, 5077
\abstractname .. 848, 854, 857, 1154, 1160, 1162, 1405, 1411, 1414, 5885, 6072, 14676, 14682, 14685, 15125, 15131, 15134
\Acrobatmenu 12021
\active 5514, 5515, 5517, 5518
\add@strip 13792
\addcontentsline .. 773, 775, 2489, 4146, 7745, 7747, 12306, 12311, 13558, 17891, 17898, 17915, 19231
\addfontfeature 2412, 2413, 2414, 2415, 2416, 2417, 2419, 2420
\addpenalty 5, 206, 729, 746, 880, 898, 905, 1106, 1123, 1141, 1361, 1379, 1387, 5844, 5860, 5867, 6020, 6036, 6043, 6306, 6321, 7717, 7731, 7985, 9982, 9997, 14708, 14724, 14731, 15079, 15095, 15102, 15294, 15308, 15477, 15492, 17816, 17818, 17945, 17947, 17980, 18002, 18366, 18369, 18373, 18474, 18477, 18481
\address 323, 2446
\addresscolour 2415, 7162, 7260, 7266, 7272, 7278, 7284
\addressfont .. 2424, 2432, 2543, 7200, 7228, 7292, 7326
\addresssymbol 2406, 7230, 7329
\addresstyle 2432
\addtocontents ... 18231
\addtocounter 11917, 12220, 12221
\addtolength ... 179, 2366, 2367, 2368, 2369, 2370, 2371, 2469, 2470, 2472, 2474, 2475, 2478, 3945, 3948, 3949, 3952, 5094, 7308, 7309, 7310, 7580, 11258, 11259, 12176, 12180, 12182, 12184, 12185, 12186, 12187, 12206, 12208, 12209, 12211, 12212, 12214, 12215, 12216, 12226, 12227, 15718, 15721, 15722, 15725, 15727, 16064, 16065, 16266, 16269, 16270, 16273, 16275, 16643, 16644, 16838, 16843, 16845, 16964, 16967, 16968, 16971, 16973, 17325, 17326, 17835, 17836, 18515, 18521, 18525, 18529

\addvspace 5, 206, 730, 747, 881, 899, 906, 1107, 1124, 1142, 1362, 1380, 1388, 5122, 5179, 5845, 5861, 6021, 6037, 6307, 7718, 7732, 7986, 9983, 14709, 14725, 15080, 15096, 15295, 15478, 17949, 18003, 18367, 18374, 18475, 18478, 18482, 18509, 18909
\adjmc@inner 130
\adjmc@outer 132
\adjmc@page@sofar@orig 160
\adjmult@cols 159
\adjmulticols 128
\adl@act@classz . . . 1714
\adl@act@CT@setup 1672, 1679
\adl@activate 1589, 1672
\adl@argarraydashrule 1608, 1646
\adl@array . . 1586, 1591
\adl@arraydashrule 1607, 1645
\adl@arrayinit . . . 1588
\adl@arrayrestore 1583
\adl@arrayrule 1606, 1644
\adl@box 1629, 1631, 1632
\adl@class@iiiorvii 1635, 1668
\adl@class@start 1634, 1667
\adl@CT@setup 1671, 1674, 1675
\adl@depth 1678
\adl@endarray 1583
\adl@endmbox 1630
\adl@everyvbox 1587, 1588
\adl@extract@arc . 1683
\adl@extract@dgc . 1686
\adl@extract@drsc 1684
\adl@height 1677
\adl@inactivate 1589, 1671
\adl@LT@array 12072
\adl@noalign 1590
\adl@org@activate 1672
\adl@org@classz . . . 1715
\adl@org@endpbox . 1673
\adl@org@inactivate 1671
\adl@putlrc 1626, 1627, 1628, 1656, 1657, 1658, 1664, 1665, 1666
\adl@startmbox . . . 1629
\advance 12, 86, 213, 295, 313, 467, 468, 472, 488, 547, 551, 567, 606, 753, 796, 912, 930, 1097, 1113, 1192, 1394, 1441, 1676, 1710, 1883, 1884, 1954, 1959, 2276, 2290, 2296, 2561, 3752, 4355, 5058, 5133, 5484, 5492, 5493, 5658, 5771, 5874, 5895, 6050, 6082, 6328, 6390, 6539, 6547, 6548, 6588, 6700, 6857, 6858, 6867, 6928, 6929, 6944, 6964, 6967, 6968, 6977, 6979, 6985, 6986, 6989, 6992, 6995, 7038, 7093, 7094, 7109, 7129, 7130, 7360, 7370, 7371, 7381, 7391, 7392, 7408, 7409, 7410, 7427, 7436, 7443, 7465, 7466, 7467, 7481, 7488, 7495, 7524, 7525, 7538, 7540, 7543, 7544, 7545, 7724, 7776, 8046, 8331, 8333, 10004, 10045, 10160, 10162, 10164, 10170, 10171, 10178, 10179, 10180, 10342, 10343, 10808, 10822, 10835, 10836, 10868, 10873, 10874, 10877, 10886, 10950, 12194, 12197, 12198, 12228, 12657, 12669, 12735, 13598, 13600, 13627, 13628, 13631, 13696, 13698, 13725, 13726, 13729, 13781, 13782, 13783, 13784, 13793, 13815, 13828, 13840, 13853, 14120, 14124, 14125, 14140, 14144, 14145, 14153, 14213, 14235, 14263, 14270, 14312, 14317, 14318, 14319, 14348, 14349, 14375, 14386, 14528, 14530, 14535, 14538, 14561, 14738, 14764, 15109, 15157, 15198, 15241, 15315, 15350, 15499, 15552, 15617, 15953, 16532, 16935, 17214, 17547, 17618, 17632, 17642, 17662, 17757, 17775, 17791, 17804, 17808, 17840, 17841, 17860, 17961, 17992, 18015, 18032, 18049, 18066, 18083,

18100, 18118, 18137, 18157, 18192, 18233, 18382, 18383, 18491, 18542, 18898, 18918, 18923, 18973, 18974, 18975, 18978, 18982, 19007, 19018, 19097, 19120, 19274, 19276, 19286, 19305, 19306, 19335, 19346, 19347, 19576, 19589, 19590, 19593, 19595, 19601, 19603, 19607, 19609, 19613, 19615, 19715, 19716, 19780, 19977, 19978, 19985, 19986, 19987, 19988, 20013
\afterassignment 1803, 1805, 1938, 1940, 2930, 4585, 17692, 17693
\aftergroup 2094, 2104, 3410, 3412, 3422, 3424, 3434, 3436, 3454, 3456, 3465, 3467, 3476, 3478, 4569, 4584, 6551, 6553, 6560, 6566, 6585, 10368, 10370, 14431, 14432, 14435, 14440, 14441, 14445, 14450, 14451, 14455, 14459, 14463, 14467, 17809, 18900, 19340, 19349, 19351, 19388, 19392, 19445, 19456, 19457, 19460, 19465, 19466, 19470, 19475, 19476, 19480, 19485, 19489, 19494, 19643, 20023, 20031, 20032
\AlFnt 181
\ALG@floatstyle 4370, 4371, 4372
\algocf@algobox . . . 173
\algocf@algoframe 167, 168, 169, 170
\algocf@endline . . . 184
\algocf@float . . . 20155
\algocf@makethealgo 194
\algocf@within 162, 164, 20157, 20158, 20159
\algomargin . . . 176, 179
\algowidth . 174, 176, 197
\alignL 6486
\alignR 6493
\allowbreak 7366, 7387, 8387, 8390, 8393, 8474, 8533, 8536, 8539, 8616, 8678, 8681, 8684, 8765, 8827, 8830, 8833, 8914, 8976, 8979, 8982, 9063, 9125, 9128, 9131, 9212, 9274, 9277, 9280, 9361, 9423, 9426, 9429, 9510, 9572, 9575, 9578, 9659
\Alph 13467
\AM@CheckAtEnd . . . 14226
\AM@ClearShipoutPicture 14228
\AM@currentdocname 14191, 14197
\AM@findfile 14195
\AM@output 14224
\AM@pagecount 14193
\AM@pageref 14208, 14211
\AM@pagestemp 14201, 14206, 14207, 14210, 14218, 14219, 14223
\AM@readlist 14223
\AM@split@options 14187
\AM@temp . . . 14188, 14189
\AM@threadname 14186, 14196, 14197
\AM@xrprefix 14204, 14208, 14211
\AND 392, 519
\and 668, 704, 980, 1006, 1009, 1051, 1231, 1257, 1260, 1302, 1480, 1506, 1509, 1551, 1573, 1999, 5954, 5980, 6130, 6156, 6245, 6281, 7827, 7861, 7924, 7960, 10088, 10122, 13423, 14190, 14814, 14840, 14843, 14885, 14953, 14981, 14984, 15028, 15052, 15230, 15271, 15416, 15452, 15874, 16422, 17120
\andify 112
\andname . 1014, 1265, 1514, 14848, 14989
\andnext 13424
\animategraphics 355, 403, 490, 491, 492
\animateinline 569, 570
\arabic 19, 20, 21, 22, 83, 220, 221, 222, 223, 292, 331, 10305, 10311, 18173, 20155
\array 627, 19755
\arraycolsep 627
\arraylinesep 17625
\arrayrulecolor . . 1683
\arrayrulewidth . . 17642
\arraystretch 608, 609, 2088, 2099, 12662, 12663, 17593, 17594, 17629, 19563, 19739, 19740

\aslice . 14355, 14356, 14358, 14360, 14361, 14363, 14376, 14377, 14379
\At@ViperColsBreak .. 7006, 7016, 7020
\AtBeginCaption .. 12317
\AtBeginDocument .. 1794, 2381, 2441, 2538, 3217, 3805, 3954, 4175, 4309, 4314, 4367, 5175, 5375, 5440, 7239, 7353, 7374, 7395, 7684, 10668, 11522, 12325, 12332, 12413, 17608, 19047
\AtBeginPackage . 13528
\AtEndDocument 2545, 3230, 3657, 5667, 5723, 12901, 12952, 12970
\AtEndOfClass 2380
\AtPageLowerLeft . 7514
\AtPageUpperLeft .. 7514, 7528, 7546
\AtTextUpperLeft .. 7518, 7534
\author ... 323, 666, 702, 1004, 1049, 1255, 1300, 1504, 1549, 1997, 5225, 5257, 5978, 6154, 6243, 6279, 7825, 7859, 7922, 7958, 10086, 10120, 14838, 14883, 14979, 15026, 15228, 15269, 15414, 15450, 15864, 16412, 17110
\auto@footnoterule 10558, 10569
\autodot 15921, 16468, 17166, 19110
\autofootnoterule . 1842, 7346, 8093, 10567, 11055, 20111

B

\backmatter 5429, 6376, 8032
\baselineskip .. 622, 942, 944, 948, 950, 1421, 1423, 1427, 1429, 2870, 3887, 3889, 3892, 3894, 3896, 3899, 4048, 4678, 4744, 4761, 4778, 4895, 4904, 4913, 4994, 5001, 5008, 5015, 5022, 5122, 5179, 5522, 5583, 5647, 5653, 5907, 5909, 5913, 5915, 6060, 6062, 6066, 6068, 6701, 6702, 6719, 6723, 6930, 7095, 10376, 10823, 12173, 12192, 12200, 12678, 12688, 12777, 12794, 14310, 14313, 14327, 14351, 14355, 14360, 14364, 14376, 14387, 14414, 14630, 14644, 14748, 14750, 14754, 14756, 15169, 15171, 15175, 15177, 16929, 16932, 16934, 16939, 17604, 17643, 19274, 19282, 19286, 19751, 20065, 20080
\baselinestretch .. 2396, 4741, 4758, 4775, 8105, 8121, 8137, 8153, 8166, 8179, 8351, 8361, 8371, 8397, 8409, 8422, 8449, 8462, 8477, 8482, 8500, 8509, 8518, 8543, 8554, 8566, 8592, 8604, 8619, 8624, 8642, 8652, 8662, 8688, 8700, 8713, 8740, 8753, 8768, 8773, 8791, 8801, 8811, 8837, 8849, 8862, 8889, 8902, 8917, 8922, 8940, 8950, 8960, 8986, 8998, 9011, 9038, 9051, 9066, 9071, 9089, 9099, 9109, 9135, 9147, 9160, 9187, 9200, 9215, 9220, 9238, 9248, 9258, 9284, 9296, 9309, 9336, 9349, 9364, 9369, 9387, 9397, 9407, 9433, 9445, 9458, 9485, 9498, 9513, 9518, 9536, 9546, 9556, 9582, 9594, 9607, 9634, 9647, 9662, 9667, 9727, 9739, 9751, 9763, 9788, 9802, 9816, 9844, 9857, 9871, 9893, 9901
\BCmd 2093
\BDefaboveskip 2108, 2123, 2126
\BDefbelowskip 2112, 2124, 2127
\BDefinlineskip ... 2117, 2125, 2128
\begin 167, 169, 173, 632, 642, 647, 710, 718, 954, 967, 978, 1057, 1063, 1205, 1218, 1229, 1308, 1314, 1454, 1467, 1478, 1558, 1564, 1573, 1575, 1576, 2087, 2089, 2098, 2100, 2103, 2496, 2500, 2502, 2504, 2506, 2510, 2518, 2521, 2555, 2600,

2604, 2624, 2628, 2655, 3250, 3256, 3278, 3282, 3514, 3960, 3961, 3974, 3977, 4045, 4046, 4052, 4053, 4060, 4061, 4086, 4087, 4124, 4127, 4130, 4133, 4137, 4138, 4322, 4323, 4938, 4994, 5001, 5008, 5015, 5022, 5035, 5043, 5165, 5170, 5303, 5350, 5373, 5755, 5928, 5941, 5952, 6104, 6117, 6128, 6172, 6184, 6209, 6219, 6224, 6287, 6295, 6604, 6614, 6627, 6637, 6650, 6660, 6673, 6683, 7214, 7320, 7325, 7343, 7603, 7669, 7795, 7803, 7808, 7867, 7873, 7888, 7898, 7903, 7966, 7974, 8065, 10056, 10064, 10069, 10128, 10134, 10272, 11273, 11278, 11296, 11399, 11401, 11415, 11417, 12109, 13572, 14160, 14788, 14801, 14812, 14891, 14897, 14925, 14940, 14951, 15035, 15043, 15052, 15054, 15055, 15184, 15204, 15209, 15285, 15380, 15390, 15395, 15458, 15466, 15754, 15774, 15779, 15789, 15802, 15806, 15886, 15892, 15903, 15945, 16302, 16322, 16327, 16337, 16350, 16354, 16434, 16440, 16451, 16524, 17000, 17020, 17025, 17035, 17048, 17052, 17132, 17138, 17149, 17206, 17854, 19161, 19168, 19171, 19182, 19195, 19198, 19205, 19211, 19234, 19238, 19244, 19251

\begin@bidi@stack 2594, 2604, 2605, 2618, 2628, 2629

\begingroup 6, 115, 207, 304, 317, 376, 503, 599, 611, 672, 732, 749, 882, 908, 1021, 1109, 1125, 1272, 1363, 1390, 1521, 1702, 1979, 2222, 2230, 2238, 2576, 2595, 2619, 2838, 2857, 2996, 3042, 3049, 3079, 3095, 3111, 3151, 3159, 3192, 3215, 3304, 3328, 3343, 3409, 3420, 3432, 3453, 3463, 3474, 3624, 3738, 3750, 3785, 4148, 4567, 4810, 4839, 4868, 5242, 5259, 5275, 5287, 5320, 5624, 5691, 5698, 5705, 5735, 5846, 5870, 6022, 6046, 6249, 6309, 6324, 6412, 6531, 6585, 6594, 6780, 6835, 7519, 7535, 7720, 7733, 7831, 7928, 7987, 9726, 9843, 9984, 10000, 10092, 10228, 10262, 10346, 10362, 10598, 10607, 10760, 10775, 10782, 10834, 10867, 10994, 11042, 11086, 11102, 11272, 11551, 11562, 11573, 11584, 11682, 11702, 11740, 11773, 11804, 11835, 12069, 12084, 12141, 12309, 12666, 13430, 13560, 13658, 13753, 13957, 13961, 13965, 14184, 14232, 14510, 14710, 14734, 14855, 14996, 15081, 15105, 15234, 15296, 15311, 15420, 15480, 15495, 15828, 15944, 16036, 16376, 16523, 16615, 17074, 17205, 17297, 17691, 17788, 17812, 17950, 18377, 18485, 18896, 19013, 19353, 19396, 19445, 19541, 19643, 19826, 19865, 20023

\beginL 377, 504, 1687, 2543, 4429, 4473, 6516, 6545, 6551, 6553, 6585, 8360, 8412, 8508, 8557, 8651, 8703, 8800, 8852, 8949, 9001, 9098,

9150, 9247, 9299, 9396, 9448, 9545, 9597, 9746, 9758, 9796, 9810, 10173, 10276, 10291, 10443, 11061, 11067, 11087, 11103, 11113, 11906, 12278, 13016, 13349, 14233, 14425, 14431, 14447, 14510, 15664, 15675, 15682, 15692, 17759, 19344, 19349, 19351, 19445, 19450, 19456, 19472, 19919, 19997, 20073, 20083
\beginR 338, 343, 599, 624, 1688, 2192, 4429, 4517, 6443, 6517, 6546, 6551, 6560, 6566, 6585, 7512, 8324, 8328, 9746, 9770, 9796, 9824, 10301, 11063, 11116, 11155, 11162, 11531, 11539, 11921, 11957, 11989, 12018, 12044, 12050, 12057, 12102, 12278, 12682, 12746, 12749, 12842, 12850, 13038, 13364, 13536, 13538, 14300, 14425, 14432, 14437, 14506, 14507, 14508, 15658, 15668, 15679, 15686, 16079, 16658, 17340, 17583, 17605, 17644, 17766, 19345, 19349, 19388, 19392, 19445, 19450, 19457, 19462, 19698, 19701, 19704, 19721, 19728, 19753, 19963, 19997, 20014, 20016, 20073, 20083, 20096, 20099, 20107
\belowcaptionskip 12288, 12706, 12708, 13526, 13543, 16085, 16093, 16104, 16116, 16664, 16672, 16683, 16695, 17346, 17354, 17365, 17377, 20101
\belowdisplayshortskip . . 3862, 3871, 5072
\belowdisplayskip 3863, 3876, 3911, 5077
\bf 14296, 14298
\bfseries 25, 305, 736, 752, 781, 784, 887, 911, 1112, 1130, 1368, 1393, 2043, 2513, 5302, 5851, 5873, 6027, 6049, 6173, 6185, 6313, 6327, 6359, 6365, 6373, 7723, 7738, 7753, 7756, 7765, 7991, 8014, 8020, 8029, 9989, 10003, 10014, 10019, 10027, 14715, 14737, 15086, 15108, 15281, 15300, 15314, 15484, 15498, 15529, 15534, 15542, 18381, 18490, 18839, 18843, 18848, 18877
\bgroup . 175, 176, 599, 614, 619, 624, 856, 1413, 1688, 1807, 1942, 2182, 2304, 5556, 5781, 5795, 6445, 6517, 10276, 10277, 10291, 10726, 10887, 12670, 12672, 12712, 12746, 12749, 12761, 13768, 14244, 14433, 14439, 14443, 14449, 14453, 14458, 14461, 14466, 14684, 15133, 17583, 17591, 17599, 17605, 17636, 17640, 17644, 19005, 19458, 19464, 19468, 19474, 19478, 19484, 19487, 19493, 19541, 19547, 19728, 19737, 19745, 19753
\bib@after@hook 15988, 15990, 16567, 16569, 17249, 17251
\bib@before@hook 15939, 15989, 16518, 16568, 17200, 17250
\bib@beginhook 15932, 15938, 16511, 16517, 17193, 17199
\bib@endhook 15992, 16571, 17253
\bib@heading 15934, 16516, 17198
\bibcleanup 14067
\bibentry 4615, 4617, 4634, 4636, 4653, 4655, 4685, 4687
\bibfont 14047
\bibindent . . 2547, 2548
\bibitem@fin 14061
\bibliofont 82, 291

\bibliographyitemlabel 2549, 2555
\bibname 5158, 5159, 5889, 5890, 6076, 6077, 6384, 6385, 8040, 8041, 10039, 10040, 14758, 14759, 15151, 15152, 15344, 15345, 15546, 15547
\bibpostamble 14062
\bibpreamble 14046, 15935, 15936, 16513, 16514, 17195, 17196
\bibsection 5153, 5156, 5158, 5159, 13570, 14044, 17851, 17853
\bidi@@convert@dimen@t@pt 2776
\bidi@@convert@dimen@t@unit 2773
\bidi@@end . . 3241, 3245
\bidi@@footnotetext@font . . 37, 246, 4742, 10618, 10624, 10710
\bidi@@loadwithoptions 3323, 3330, 3333, 3337
\bidi@@LTRfootnotetext@font . . 65, 273, 4759, 10619, 10655, 10697
\bidi@@onefilewithoptions . . 3345, 3348, 3351
\bidi@@patchcmd 3044, 3046
\bidi@@RTLfootnotetext@font . 50, 259, 4776, 10620, 10640, 10684
\bidi@addto@envbody . . 2590, 2608, 2610
\bidi@addto@long@envbody . . 2614, 2632, 2634
\bidi@AfterAtEndOfClass 3412, 3417
\bidi@AfterAtEndOfPackage 3456, 3460
\bidi@AfterClass . 3400
\bidi@AfterEndDocument . . 3232, 3237, 3243
\bidi@afterenddocumenthook 3232, 3233, 3238, 3244
\bidi@AfterEndEnvironment 3287, 3297
\bidi@AfterEndPreamble 3220, 3224, 3226, 3230, 3809, 5316, 5339
\bidi@afterendpreamblehook 3220, 3221, 3225, 3227
\bidi@AfterFile 3397, 16096, 16675, 17357
\bidi@AfterPackage 3445
\bidi@AfterPreamble 3217, 3218
\bidi@AfterReadingMainAux 3727, 3730
\bidi@append . 3153, 3203
\bidi@appto . . 2932, 2976, 3223, 3767
\bidi@apptocmd 3149, 3150
\bidi@AtBeginEnvironment 3247, 3257
\bidi@AtEndEnvironment 3261, 3271
\bidi@AtEndPreamble 3206, 3211, 3213, 3218, 3807, 4599, 12291
\bidi@autofootnoterulefalse 10546, 10550, 10553
\bidi@autofootnoteruletrue 10568
\bidi@BeforeBeginEnvironment 3275, 3283
\bidi@BeforeClass 3398
\bidi@BeforeClosingMainAux 3690, 3701, 3705, 3708, 3716, 3719
\bidi@BeforeFile . 3396
\bidi@BeforePackage 3443
\bidi@collect@@body 2596, 2603
\bidi@collect@body 2591
\bidi@collect@long@@body 2620, 2627
\bidi@collect@long@body 2615
\bidi@csappto 2976
\bidi@csdefcs 2844
\bidi@cseappto 2977, 2980
\bidi@csepreto 2986, 2989
\bidi@csgappto 2978, 3248, 3262, 3276, 3288
\bidi@csgpreto . . . 2987
\bidi@cslet 2850
\bidi@csletcs 2847
\bidi@cspreto 2985
\bidi@csuse 2919, 3252, 3266, 3279, 3292
\bidi@csxappto 2979, 2981
\bidi@csxpreto 2988, 2990
\bidi@dash@charclass 1880, 1882, 1887, 1888
\bidi@dbg@fail 3004, 3014, 3015, 3016, 3017, 3023, 3032, 3038, 3145, 3167, 3179, 3180, 3189
\bidi@dbg@info 3005, 3007, 3010, 3012, 3013, 3024, 3026, 3028, 3030, 3031, 3033, 3035, 3037, 3143, 3168, 3170, 3172, 3175, 3181, 3183
\bidi@dbg@init 3002, 3021, 3142, 3165
\bidi@dbg@succ 3048, 3144, 3176, 3184, 3186
\bidi@dbg@trce 2995, 3041, 3141, 3150, 3158
\bidi@digits 1876, 1883, 1884
\bidi@digits@charclass 1878, 1883, 1884, 1885, 1886, 1887, 1888

\bidi@dot@charclass 1879, 1881, 1885, 1886
\bidi@eappto 2936, 2949, 2977
\bidi@endpreamblehook 3206, 3207, 3212, 3214
\bidi@ensure@new@command 2855, 2856
\bidi@ensure@newcommand 2855, 8100, 8101, 8195, 8203, 8204, 8205, 8211, 8212, 8218, 8219, 8220, 8221, 8233, 8245, 8262, 8263, 8269, 8270, 8271, 8272, 8275, 8281, 8283, 8289, 8290, 8305, 8317, 8319, 8322, 8327, 8330, 8332, 8336, 8350, 8360, 8370, 8380, 8385, 8388, 8391, 8394, 8406, 8419, 8431, 8446, 8458, 8470, 8475, 8480, 8485, 8499, 8508, 8517, 8526, 8531, 8534, 8537, 8540, 8551, 8563, 8574, 8589, 8600, 8612, 8617, 8622, 8627, 8641, 8651, 8661, 8671, 8676, 8679, 8682, 8685, 8697, 8710, 8722, 8737, 8749, 8761, 8766, 8771, 8776, 8790, 8800, 8810, 8820, 8825, 8828, 8831, 8834, 8846, 8859, 8871, 8886, 8898, 8910, 8915, 8920, 8925, 8939, 8949, 8959, 8969, 8974, 8977, 8980, 8983, 8995, 9008, 9020, 9035, 9047, 9059, 9064, 9069, 9074, 9088, 9098, 9108, 9118, 9123, 9126, 9129, 9132, 9144, 9157, 9169, 9184, 9196, 9208, 9213, 9218, 9223, 9237, 9247, 9257, 9267, 9272, 9275, 9278, 9281, 9293, 9306, 9318, 9333, 9345, 9357, 9362, 9367, 9372, 9386, 9396, 9406, 9416, 9421, 9424, 9427, 9430, 9442, 9455, 9467, 9482, 9494, 9506, 9511, 9516, 9521, 9535, 9545, 9555, 9565, 9570, 9573, 9576, 9579, 9591, 9604, 9616, 9631, 9643, 9655, 9660, 9665, 9670, 9678, 9685, 9689, 9700, 9709, 9711, 9712, 9737, 9749, 9761, 9773, 9777, 9781, 9785, 9799, 9813, 9827, 9854, 9867, 9881, 9887, 9896, 9904, 9912, 9916, 9927, 9928
\bidi@ensure@newlength . . . 2862, 8215, 8216, 8217, 8273
\bidi@epreto 2958, 2971, 2986
\bidi@error . 2864, 2904
\bidi@everyjob 1746, 1747, 1919, 1920
\bidi@excludedpackages 3484, 3485, 3505, 3541, 3558, 3566, 3576, 3598, 3599, 3607, 3608, 3613, 3626
\bidi@expandonce 2924, 2935, 2939, 2943, 2947, 2957, 2961, 2965, 2969, 3187
\bidi@ff@box 10394, 10412
\bidi@font@@outputpage 20020, 20060
\bidi@footdir@footnote 76, 285, 10670, 10672, 10676
\bidi@gappto 2940, 2978, 3206, 3220, 3232
\bidi@gobbleopt 3647, 3656
\bidi@gpreto . 2962, 2987
\bidi@hook@acma 3671, 3715, 3728, 3729, 3734
\bidi@hook@bcma 3665, 3714, 3717, 3718, 3724
\bidi@hooktocmd 3153, 3161, 3163
\bidi@hooktocmd@i 3177, 3191
\bidi@ifblank@i 2816, 2817, 2819
\bidi@ifdefmacro 2822, 2824, 2825, 2826
\bidi@ifdefparam 3123, 3125, 3126, 3127
\bidi@ifdefprotected 3132, 3134, 3135, 3136
\bidi@ifhashcheck . . 3009, 3094, 3174
\bidi@ifhashcheck@i 3098, 3100
\bidi@ifhashcheck@ii 3102, 3105, 3106, 3107
\bidi@ifpatchable . . 2998, 3000, 3047
\bidi@ifpatchable@i 2998, 3019
\bidi@ifpattern 3011, 3110
\bidi@ifscanable 3008, 3029, 3078, 3173

\bidi@info 2866
\bidi@isloaded . . . .
. . . 3070, 12341, 12342, 12343, 12344, 12345, 12346, 12347, 12348, 12349, 12350, 12351, 12352, 12353, 12354, 12355, 12356, 12357, 12358, 12359, 12360, 12361, 12362, 12363, 12364, 12365, 12366, 12367, 12368, 12369, 12370, 12371, 12372, 12373, 12374, 12375, 12376, 12377, 12378, 12379, 12380, 12381, 12382, 12383, 12384, 12385, 12386, 12387, 12388, 12389, 12390, 12391, 12392, 12393, 12394, 12395, 12396, 12397, 12398, 12399, 12400, 12401, 12402, 12403, 12404, 12405, 12406, 12407, 12408, 12409, 12410, 12411, 12412, 12415, 12418, 12421, 12424, 12427, 12430, 12433, 12436, 12440, 12443, 12446, 12449, 12452, 12455, 12458, 12461, 12464, 12467, 12470, 12473, 12476, 12479, 12482, 12485, 12488, 12491, 12494, 12497, 12500, 12503, 12506, 12509, 12512, 12515, 12518, 12521, 12524, 12527, 12530, 12533, 12536, 12539, 12542, 12545, 12548, 12551, 12554, 12557, 12560, 12563, 12566, 12569, 12572, 12575, 12578, 12581, 12584, 12587, 12590, 12593, 12596, 12599, 12602, 12605, 12608, 12611, 12614, 12617, 12620, 12623
\bidi@leftskip . . . .
. . 18382, 18383, 18384, 18491, 18511, 18542, 18543, 18575, 19496
\bidi@load@hook 3316, 3319, 3352, 3389
\bidi@loadwithoptions
. . 3324, 3325, 3330
\bidi@lrbox 19639
\bidi@lst@caption@direction
. . . . . 12240, 12241, 12253, 12256
\bidi@lst@caption@script
. . . . . 12247, 12248, 12264, 12267
\bidi@lst@ensure@caption@direction 2641, 2643
. . . . . 12251, 12276, 12278, 12280, 12299, 12303, 12310, 12319
\bidi@lst@ensure@caption@script
12262, 12274, 12318
\bidi@makecolbf . . .
. . . . . 9962, 9974
\bidi@matrix@check
. . . . . 2647, 19557
\bidi@matrix@error
. . . . . 2649, 2653
\bidi@mopfn@bottom
. . . 8307, 9933, 9944, 9975, 9976
\bidi@mopfootnotebf
. . . . . 9940, 9968
\bidi@mpfootnoterule
. . . . . 10450, 10681, 10694, 10707, 10744, 12816
\bidi@multicol@align@columns
. . . . . 13868, 13922, 13925, 13927
\bidi@n@everypar . .
. . 14427, 14428, 14429, 14430, 19267, 19452, 19453, 19454, 19455
\bidi@namelongdef .
. . . . . 2853, 8438, 8440, 8447, 8459, 8581, 8583, 8590, 8601, 8613, 8729, 8731, 8738, 8750, 8878, 8880, 8887, 8899, 9027, 9029, 9036, 9048, 9176, 9178, 9185, 9197, 9325, 9327, 9334, 9346, 9474, 9476, 9483, 9495, 9623, 9625, 9632, 9644, 9834, 9836, 9855, 9868, 9882
\bidi@new@command .
. . . . . 2876, 2878, 2907, 2915
\bidi@new@ifnch . . .
\bidi@new@ifnextchar
. . . . . 2638, 19562
\bidi@newcommand . .
. . . . . 2878, 2880
\bidi@newrobustcmd
1802, 1804, 2875, 2876, 2900, 2911, 2932, 2936, 2940, 2944, 2949, 2950, 2954, 2958, 2962,

2966, 2971, 2972, 2976, 2977, 2978, 2979, 2980, 2981, 2985, 2986, 2987, 2988, 2989, 2990, 2994, 3040, 3139, 3149, 3157, 3206, 3217, 3220, 3232, 3247, 3261, 3275, 3287, 19530, 19532
\bidi@notblank 2818, 2826, 3127, 3136
\bidi@o@everypar 14426, 14428, 14429, 19451, 19453, 19454
\bidi@onefilewithoptions . . 3340, 3341, 3345
\bidi@orig@leftline 19706, 19708, 19709
\bidi@orig@raggedleft 19691, 19693, 19694
\bidi@orig@raggedright 19692, 19693, 19694
\bidi@orig@rightline 19707, 19708, 19709
\bidi@p@ftn . . 2136, 2199, 2201, 2202, 2204, 2205, 2207, 2208, 2212, 2215, 2218, 2323
\bidi@p@ftntext 2183, 2200, 2305
\bidi@p@LTRftntext . . 2184, 2203, 2306
\bidi@p@RTLftntext . . 2185, 2206, 2307
\bidi@p@xfootnote . . . 2187, 2221, 2309
\bidi@p@xftntext 2186, 2211, 2226, 2308
\bidi@p@xLTRfootnote . . 2189, 2229, 2311
\bidi@p@xLTRftntext 2188, 2214, 2234, 2310
\bidi@p@xRTLfootnote . . 2191, 2237, 2313
\bidi@p@xRTLftntext 2190, 2217, 2242, 2312
\bidi@patch@@AfterPackage 3779, 3784
\bidi@patch@Add 3766, 3795
\bidi@patch@AfterPackage . . . 3769, 3773, 3776, 4711, 4713, 4716, 4737, 4885, 4935, 4991, 5235
\bidi@patch@counter 3747, 3751, 3754, 3760, 3761, 3780
\bidi@patch@gtemp 3787, 3794
\bidi@patch@list 3765, 3767, 3805, 3807, 3814
\bidi@patch@OrgIfClassLater 3813, 3818
\bidi@patch@OrgIfClassLoaded 3812, 3817
\bidi@patch@OrgIfPackageLater 3811, 3816
\bidi@patch@OrgIfPackageLoaded 3810, 3815
\bidi@patch@stepcounter . . 3749, 3759, 3778
\bidi@patch@temp 3777, 3781
\bidi@patch@try 3796, 3799
\bidi@patchcmd 3040, 3041, 3235, 3250, 3264, 3290, 11199, 12292, 12305
\bidi@patchcmd@scantoks . . 3058, 3064, 3199
\bidi@prepend 3161, 3204
\bidi@preto 2954, 2985, 3209
\bidi@pretocmd 3157, 3158, 3278
\bidi@PreventPackageFromLoading 3487, 3501, 3531, 3564
\bidi@process@envbody . . . 2593, 2597, 2598, 2612, 2617, 2621, 2622, 2636
\bidi@protected 2927, 2949, 2950, 2971, 2972, 2980, 2981, 2989, 2990
\bidi@protected@cseappto 2980
\bidi@protected@csepreto 2989
\bidi@protected@csxappto 2981
\bidi@protected@csxpreto 2990
\bidi@protected@eappto 2949
\bidi@protected@epreto 2971
\bidi@protected@immediate@write . . 3720, 3731, 3737
\bidi@protected@xappto 2950
\bidi@protected@xpreto 2972
\bidi@provide@command 2911, 2913
\bidi@providerobustcmd 2911
\bidi@push@begins . . . 2600, 2601, 2604
\bidi@push@long@begins . . 2624, 2625, 2628
\bidi@raggedleft 2490, 2497, 2502, 2521, 7210, 7326, 10191, 10197, 11315, 19696
\bidi@raggedright . . . 10189, 10195, 13978, 13981, 13983, 13986, 13988, 13990, 13993, 13995, 13997, 13999, 14002, 14004, 14006, 14008, 14010, 14013, 14015, 14018, 14020, 14023, 14025, 14027,

14030, 14032, 14034, 14037, 14039, 14041, 19695
\bidi@redefine@newpage 3681, 3721
\bidi@reflect@box . . 14491, 14498, 19524, 19531, 19533
\bidi@renew@command . . 2900, 2902, 2916
\bidi@renewrobustcmd 2900
\bidi@ReplaceClass 3371
\bidi@replacefile@msg 3308, 3332, 3347, 3385
\bidi@ReplaceInput 3355
\bidi@ReplacePackage 3368
\bidi@RequirePackage . . 3507, 3567, 3618
\bidi@ResetPreventPackageFromLoading 3559, 3565, 3574, 3613
\bidi@resrvda . 3050, 3051, 3052, 3055, 3056, 3057, 3058, 3059, 3060, 3065, 3068, 3080, 3081, 3082, 3083, 3084, 3086, 3087, 3096, 3098, 3112, 3113, 3115, 3117, 3118, 3193, 3194, 3195, 3196, 3197, 3198, 3199, 3200, 3201
\bidi@resrvdb 3052, 3053
\bidi@restore@newpage . . 3666, 3683, 3713
\bidi@rightskip 18378, 18486, 18512, 18513, 18521, 18525, 18529, 19497
\bidi@RTL@everypar 9738, 9750, 9762, 9787, 9801, 9815, 14425, 14429, 17523, 19450, 19454
\bidi@s@tfftextcol 10391, 10395
\bidi@saved@checkend . . 3658, 3661, 3679
\bidi@saved@clearpage . . 3663, 3664, 3667
\bidi@saved@dofilelist 3669, 3672, 3673, 3680
\bidi@saved@eqno 14502, 14504, 14505, 20102, 20104, 20105
\bidi@saved@leqno 14503, 14504, 14505, 20103, 20104, 20105
\bidi@saved@newpage 3682, 3693
\bidi@saved@RequirePackage 3486, 3506, 3517, 3569, 3571, 3649
\bidi@set@load@hook 3393, 3396, 3397, 3399, 3418, 3430, 3444, 3461, 3472
\bidi@SOUL@ulleaders 17564, 17570
\bidi@StorePreventPackageFromLoading 3575, 3578
\bidi@tabular@RTLcases 19537, 19564
\bidi@tempa 1810, 1816, 1822, 1828, 1834, 1840, 1852, 1858, 1864
\bidi@tempb 1810, 1811, 1816, 1817, 1822, 1823, 1828, 1829, 1834, 1835, 1840, 1841, 1852, 1853, 1858, 1859, 1864, 1865
\bidi@todonotes@tempa 19143, 19151
\bidi@todonotes@tempb 19143, 19144, 19151, 19152
\bidi@undef . . 3060, 3139, 3201, 3214, 3227, 18237, 18238, 18394, 18395, 18596, 18597
\bidi@undefined . . 3139
\bidi@UnPreventPackageFromLoading 3579
\bidi@UnReplaceClass 3382
\bidi@UnReplaceInput 3359
\bidi@UnReplacePackage 3379
\bidi@warning 2865, 3255, 3269, 3281, 3295
\bidi@xappto 2944, 2950, 2979
\bidi@xargdef 2882, 2890
\bidi@xpreto 2966, 2972, 2988
\bidicolor 6511, 6567, 6582, 6584, 10392, 19393, 19440, 19443, 19444
\bididate . 1718, 1720, 1734, 1890, 1907
\bidiGscale@@box 11135, 11136
\bidiGscale@box . . . 11112, 11113, 11132
\bidiGscale@box@dd . 11144, 11148, 11154
\bidiGscale@box@dddd 11150, 11161
\bidillap 19711
\bidipoem@@hvlen 5480, 5486, 5489, 5492, 5501
\bidipoem@half@verses . . 5506, 5507, 5510
\bidipoem@half@verses@next . . 5506, 5507, 5508
\bidipoem@hvind 5480, 5483, 5484, 5492, 5493, 5496, 5499
\bidipoem@hvlen 5479, 5484, 5486, 5497, 5499

\bidipoem@hvsep 5479, 5492, 5493, 5500
\bidipoem@next 5485, 5486
\bidipoem@openbox 5524, 5529
\bidipoem@p@ftn 5531, 5541, 5672, 5673, 5675, 5676, 5678, 5679, 5682, 5685, 5688, 5793, 11772, 11782, 11803, 11813, 11834, 11844
\bidipoem@p@ftntext 5558, 5569, 5671, 5782, 5796, 11770
\bidipoem@p@LTRftntext 5559, 5570, 5674, 5783, 5797, 11801
\bidipoem@p@RTLftntext 5560, 5571, 5677, 5784, 5798, 11832
\bidipoem@p@xfootnote . . . 5562, 5573, 5690, 5786, 5800
\bidipoem@p@xftntext 5561, 5572, 5681, 5695, 5785, 5799
\bidipoem@p@xLTRfootnote . . . 5564, 5575, 5697, 5788, 5802
\bidipoem@p@xLTRftntext 5563, 5574, 5684, 5702, 5787, 5801
\bidipoem@p@xRTLfootnote . . . 5566, 5577, 5704, 5790, 5804
\bidipoem@p@xRTLftntext 5565, 5576, 5687, 5709, 5789, 5803
\bidipoem@set@@verse . . 5486, 5489, 5491
\bidipoem@set@verseI 5485, 5488
\bidipoem@spreadbox . . . 5475, 5497, 5499, 5500, 5501
\bidirlap 19710
\bidituftefloatDebugInfoNL . . . 3826, 3914, 3918, 4207, 4256
\bidituftefloatError 3825, 4302
\bidituftefloatInfoNL . . 3826, 3827, 4371
\bidituftefloatRecalculate 3943, 3954
\bidituftehyperrefLoadHyperref 5193, 5204
\bidituftesidenotemarginpar . . 4387, 4739, 4895
\bidituftetocError . . 4924, 4971, 4980
\bidiversion 1719, 1720, 1734, 1748, 1891, 1907
\bigskip 14553
\bigskipamount 8308, 8313, 9906
\bl 14331, 14332, 14335, 14336, 14337, 14341, 14396, 14403, 14407
\blacktriangleleft 10803, 10805
\blacktriangleright 10803, 10805
\bm@b 19771
\bm@l 19768
\bm@r 19769
\bm@t 19770
\bool . . . 12981, 12997, 13040, 13046, 13061, 13084, 13087, 13107, 13112, 13124, 13141, 13142, 13145, 13162, 13187, 13194, 13200, 13206, 13216, 13223, 13245, 13357, 13360, 13368, 13371
\boolean . . . 177, 182, 190, 383, 386, 392, 510, 513, 519, 3826, 3886, 3888, 3891, 3895, 3898, 3901, 3926, 4022, 4037, 4042, 4062, 4069, 4077, 4094, 4114, 4118, 4136, 4137, 4140, 4141, 4176, 4185, 4196, 4938, 4942, 4990, 5203, 5340, 5409, 5420, 10406, 14190
\bookmark . . 10388, 20090
\box 168, 170, 4357, 6418, 6482, 6550, 6707, 6710, 6727, 6731, 6764, 6766, 6772, 6773, 6819, 6823, 6827, 6828, 6884, 6887, 6892, 6897, 6921, 7057, 7061, 7085, 7367, 7388, 7404, 7461, 8322, 8327, 9682, 9697, 9707, 9954, 9964, 10222, 10224, 10254, 10258, 10301, 10383, 10409, 10414, 10901, 10908, 10911, 10925, 10986, 10990, 11034, 11036, 11080, 11083, 11126, 11129, 11159, 11176, 12286, 12686, 12740, 12746, 13057, 13315, 13325, 13330, 13365, 13366, 13367, 13368, 13507, 13541, 13648, 13651, 13742, 13747, 13884, 13890, 13908, 13916, 14300, 14304, 14320, 14354, 14358, 14363, 14367, 14379,

14390, 14404, 14407, 14411, 14416, 14495, 14540, 14543, 15589, 15598, 15636, 15647, 16069, 16079, 16648, 16658, 16878, 16884, 16890, 16896, 16902, 16908, 16914, 16920, 16926, 17330, 17340, 17766, 17792, 17810, 19337, 19338, 19348, 19528, 19713, 19818, 19820, 19857, 19861, 19975, 19991, 20002, 20015, 20017, 20077, 20079, 20099
\boxdef . . 2085, 2087, 2093, 2098, 2103
\boxmaxdepth . . 7359, 7364, 7380, 7385, 7412, 7469, 8265, 9929, 9942, 10156, 10854, 10856
\br 14331, 14333, 14335, 14336, 14337, 14341, 14397, 14403, 14411
\BR@b@bibitem 4592, 4593
\BR@bibitem . 4595, 4596
\BR@c@bibitem 4597
\bracetext 1806, 1941, 14431, 14432, 19456, 19457
\break 12643
\BreakBibliography 15941, 15973, 15975, 15981, 16520, 16552, 16554, 16560, 17202, 17234, 17236, 17242
\bs . . . 2053, 2054, 2056
\bslice 14351, 14352, 14354, 14364, 14365, 14367, 14387, 14388, 14390, 14414, 14415, 14416
\bx@A 4242, 4283
\bx@a . . . 4216, 4248, 4289
\bx@AA . 4255, 4257, 4295
\bx@B 4242, 4283
\bx@b . . . 4217, 4248, 4289
\bx@BB 4258, 4295
\bx@C 4242, 4283
\bx@c . . . 4218, 4248, 4289
\bx@CC 4259, 4295
\bx@D 4242, 4283
\bx@d . . . 4219, 4248, 4289
\bx@DD 4260, 4295
\bx@E 4242, 4283
\bx@e . . 4220, 4248, 4289
\bx@EE 4261, 4295
\bx@F 4243, 4284
\bx@f . . . 4221, 4249, 4290
\bx@FF 4262, 4296
\bx@G 4243, 4284
\bx@g . . 4222, 4249, 4290
\bx@GG 4263, 4296
\bx@H 4243, 4284
\bx@h . . 4223, 4249, 4290
\bx@HH 4264, 4296
\bx@I 4243, 4284
\bx@i . . 4224, 4249, 4290
\bx@II 4265, 4296
\bx@J 4243, 4284
\bx@j . . 4225, 4249, 4290
\bx@JJ 4266, 4296
\bx@K 4244, 4285
\bx@k . . . 4226, 4250, 4291
\bx@KK 4267, 4297
\bx@L 4244, 4285
\bx@l . . . 4227, 4250, 4291
\bx@LL 4268, 4297
\bx@M 4244, 4285
\bx@m . . . 4228, 4250, 4291
\bx@MM 4269, 4297
\bx@N 4244, 4285
\bx@n . . . 4229, 4250, 4291
\bx@NN 4270, 4297
\bx@O 4245, 4286
\bx@o . . . 4230, 4251, 4292
\bx@OO 4271, 4298
\bx@P 4245, 4286
\bx@p . . . 4231, 4251, 4292
\bx@PP 4272, 4298
\bx@Q 4245, 4286
\bx@q . . . 4232, 4251, 4292
\bx@QQ 4273, 4298
\bx@R 4245, 4286
\bx@r . . . 4233, 4251, 4292
\bx@RR 4274, 4298
\bx@S 4206, 4208, 4246, 4287
\bx@s . . 4234, 4252, 4293
\bx@SS 4275, 4299
\bx@T . . 4209, 4246, 4287
\bx@t . . 4235, 4252, 4293
\bx@TT 4276, 4299
\bx@U . . . 4210, 4246, 4287
\bx@u . . 4236, 4252, 4293
\bx@UU 4277, 4299
\bx@V . . . 4211, 4246, 4287
\bx@v . . 4237, 4252, 4293
\bx@VV 4278, 4299
\bx@W . . . 4212, 4247, 4288
\bx@w . . 4238, 4253, 4294
\bx@WW 4279, 4300
\bx@X . . . 4213, 4247, 4288
\bx@x . . 4239, 4253, 4294
\bx@XX 4280, 4300
\bx@Y . . . 4214, 4247, 4288
\bx@y . . 4240, 4253, 4294
\bx@YY 4281, 4300
\bx@Z . . . 4215, 4247, 4288
\bx@z . . . 4241, 4253, 4294
\bx@ZZ 4282, 4300

C

\c 13041, 13042, 13056, 13113, 13318, 13376, 13405
\c@abspage 10481
\c@addvipersep 13593, 13611, 13616, 13638, 13666, 13691, 13709, 13714, 13736, 13761
\c@algocf 164
\c@chapter . . . 5922, 5924, 5926, 6098, 6100, 6102, 6343, 6345, 6347, 6348,

7998, 8000, 8002, 8003, 10149, 10151, 10153, 10418, 10420, 10422, 10423, 10431, 10433, 10435, 10436, 12336, 13469, 14090, 14780, 14782, 14784, 15145, 15147, 15149, 15333, 15335, 15337, 15514, 15516, 15518, 15519
\c@colht 13593, 13605, 13631, 13632, 13691, 13703, 13729, 13730
\c@curpg 10315, 10342, 10343
\c@DFNsloppiness 7357, 7378
\c@enumiv 793, 800, 927, 934, 1189, 1196, 1438, 1445, 2565, 5892, 5899, 6079, 6086, 6387, 6394, 7773, 7780, 8043, 8050, 10042, 10049, 14761, 14768, 15154, 15161, 15347, 15354, 15549, 15556, 15949, 15958, 15965, 16528, 16537, 16544, 17210, 17219, 17226, 17857, 17864
\c@equation 5922, 6098, 6343, 7613, 7682, 7998, 10149, 10418, 10431, 13469, 14780, 15149, 15333, 15514, 16507, 17189
\c@figure 5924, 6100, 6345, 8000, 10151, 10420, 10433, 13470, 14782, 15145, 15335, 15516, 16491, 17181
\c@footnote . . . 124, 320, 673, 963, 1022, 1214, 1273, 1463, 1522, 1980, 5937, 6113, 6250, 7832, 7929, 10093, 10753, 10767, 11585, 11695, 11703, 11733, 11741, 12720, 12723, 14797, 14856, 14936, 14997, 15192, 15235, 15421, 15765, 15829, 16313, 16377, 17011, 17075
\c@L@depth 12221
\c@L@lines 12222, 12224
\c@ll@chapseci . . . 6592
\c@ll@chapsecii . . 6587
\c@lofdepth 18088, 18125
\c@lor@error 6556, 6563, 6571, 6577, 19385, 19419
\c@lotdepth 18106, 18145
\c@lstlisting 12336, 12338
\c@LT@chunks 12669
\c@mpfootnote 10681, 10694, 10707, 10731, 12825
\c@NAT@ctr 14049
\c@page . . 5347, 7520, 7537, 10315, 10342, 19300, 19971
\c@paragraph . . . 768, 921, 1174, 1432, 5919, 6095, 6352, 7884, 8007, 10146, 10427, 10440, 13464, 14777, 15142, 15341, 15523, 15926, 16481, 17175
\c@poem@no . . . 5616, 5666, 5717, 5728
\c@secnumdepth 306, 771, 780, 6162, 6357, 7743, 7752, 8012, 10013, 14557, 15528
\c@section . . . 5916, 6092, 6349, 8004, 10143, 10424, 10437, 13458, 14100, 14774, 15139, 15338, 15520, 16475, 17169
\c@subparagraph 769, 922, 1175, 1433, 5920, 6096, 6353, 7885, 8008, 10147, 10428, 10441, 13466, 14778, 15143, 15342, 15524, 15928, 16483, 17177
\c@subsection . . 766, 919, 1172, 1430, 5917, 6093, 6350, 7882, 8005, 10144, 10425, 10438, 13460, 14775, 15140, 15339, 15521, 15922, 16477, 17171
\c@subsubsection 767, 920, 1173, 1431, 5918, 6094, 6351, 7883, 8006, 10145, 10426, 10439, 13462, 14776, 15141, 15340, 15522, 15924, 16479, 17173
\c@table 5926, 6102, 6347, 8002, 10153, 10422, 10435, 13471, 14784, 15147, 15337, 15518, 16499, 17185
\c@thisframe 10314, 10319,

10355, 10357, 10358
\c@tocdepth . 3, 204, 728, 745, 863, 879, 897, 1089, 1122, 1140, 1344, 1360, 1378, 5827, 5843, 5859, 6003, 6019, 6035, 6305, 6320, 7716, 7730, 7984, 9981, 9996, 13809, 13821, 13833, 14691, 14707, 14723, 15062, 15078, 15094, 15293, 15307, 15476, 15491, 17933, 17937, 17979, 17998, 18020, 18037, 18054, 18071, 18363, 18471, 18506, 18894, 19090, 19773
\c@twb 6717
\c@twcompctr 6698
\c@twcompoddctr . . 6714
\c@twfirst 6699, 6705, 6712, 6716, 6725, 6728
\c@twlftside 6703
\c@twlspec 6717, 6720, 6724
\c@twprune . . . 6703, 6704, 6720, 6724
\c@twrounds . . 6715, 6718, 6721, 6733
\c@twrtside 6704
\c@twslicea 6701, 6703, 6707, 6710, 6719, 6720, 6727, 6731
\c@twsliceb 6702, 6704, 6707, 6710, 6723, 6724, 6727, 6731
\c@twwinlines 6700, 6713
\c@zabspage 10481
\cals@activate@rtl 6466
\cals@AtBeginTable 6483
\cals@AtEndTable . 6485
\cals@backup@row . 6482
\cals@borderB 6481
\cals@borderL 6478
\cals@borderR 6479
\cals@borderT 6480
\cals@current@context 6472
\cals@last@context 6471
\cals@paddingL 6488, 6490, 6495, 6497
\cals@paddingR 6492, 6499
\cals@set@tohsize 6475
\cals@setcellprevdepth 6475
\cals@setpadding . 6475
\cals@setup@alignment 6459, 6474
\cals@table@alignment 6464, 6465
\cals@tbreak@tokens 6469
\cals@tfoot@height 6470
\cals@tfoot@tokens 6468, 6485
\cals@thead@tokens 6467
\cals@vfillAdd 6460, 6462, 6488, 6497
\cals@vfillDrop . . . 6461, 6462, 6490, 6492, 6495, 6499
\CAny 2074
\cAny 2082
\cap@indent 16046, 16049, 16054, 16056, 16057, 16625, 16628, 16633, 16635, 16636, 17307, 17310, 17315, 17317, 17318
\cap@left 16068, 16079, 16647, 16658, 17329, 17340
\cap@margin 16011, 16590, 17272
\cap@right . . . 16070, 16079, 16649, 16658, 17331, 17340
\cap@width 16034, 16037, 16040, 16613, 16616, 16619, 17295, 17298, 17301
\capfont 16021, 16042, 16047, 16052, 16056, 16075, 16079, 16600, 16621, 16626, 16631, 16635, 16654, 16658, 17282, 17303, 17308, 17313, 17317, 17336, 17340
\caplabelfont . 16022, 16043, 16048, 16053, 16058, 16076, 16601, 16622, 16627, 16632, 16637, 16655, 17283, 17304, 17309, 17314, 17319, 17337
\caption 4031, 4032, 4034, 4084, 11288, 11306, 12646, 13545, 13547
\caption@@make . . . 12707
\caption@@par 6503
\caption@begin . . . 12703
\caption@end 12709
\caption@hangindent 6504
\caption@iftop 12706, 12708
\caption@LT@make 12692
\caption@LT@setup 12699
\caption@makecaption 6501, 12321
\caption@normalsize 12704
\caption@parindent 6504
\caption@prepare@stepcounter 12702
\caption@setautoposition 12700
\caption@setoptions 12697, 12698
\caption@settype 12693
\caption@starfalse 12322, 12701

\caption@startrue . 12323, 12329, 12701
\captionabove . 16127, 16132, 16706, 16711, 17388, 17393
\captionbelow . 16129, 16134, 16708, 16713, 17390, 17395
\captionformat 16022, 16043, 16048, 16053, 16058, 16076, 16601, 16622, 16627, 16632, 16637, 16655, 17283, 17304, 17309, 17314, 17319, 17337
\captionlabelfalse 12327
\catcode 1892, 1944, 3067, 4564, 4586, 5514, 5515, 5517, 5518, 10812, 10813, 10928
\Centering 14567
\centering 305, 7214, 7227, 7343, 10190, 10196, 11318, 11403, 11419, 13492, 13494, 13496, 15812, 16360, 17058
\CenteringLeftskip 14572
\CenteringParfillskip 14575
\CenteringParindent 14576
\CenteringRightskip 14573
\centerline 309, 10908, 10925, 14506, 19697
\cftbeforechapskip 17981
\cftbeforefigskip 18089
\cftbeforeparaskip 18055
\cftbeforepartskip 17949
\cftbeforesecskip 18000, 18003
\cftbeforesubfigskip 18126
\cftbeforesubparaskip 18072
\cftbeforesubsecskip 18021
\cftbeforesubsubsecskip 18038
\cftbeforesubtabskip 18146
\cftbeforetabskip 18107
\cftchapaftersnum 17990
\cftchapaftersnumb 17991
\cftchapfillnum . . 17994
\cftchapfont 17993
\cftchapindent 17982, 17985, 18232
\cftchapnumwidth 17988, 18233
\cftchappresnum . . 17989
\cftchapterprecistoc 18231
\cftdot 17929
\cftdotfill 18223
\cftdotsep 18222
\cftfigaftersnum 18098
\cftfigaftersnumb 18099
\cftfigfillnum . . . 18102
\cftfigfont 18101
\cftfigindent 18090, 18093
\cftfignumwidth . 18096
\cftfigpresnum . . . 18097
\cftparaaftersnum 18064
\cftparaaftersnumb 18065
\cftparafillnum . 18068
\cftparafont 18067
\cftparaindent 18056, 18059
\cftparanumwidth 18062
\cftparapresnum . 18063
\cftpartaftersnum 17959
\cftpartaftersnumb 17960
\cftpartfillnum . . 17963
\cftpartfont 17962
\cftpartindent 17951, 17954
\cftpartnumwidth . 17957
\cftpartpresnum 17958, 17962
\cftsecaftersnum . 18013
\cftsecaftersnumb 18014
\cftsecfillnum . . . 18017
\cftsecfont 18016
\cftsecindent 18005, 18008
\cftsecnumwidth . . 18011
\cftsecpresnum . . . 18012
\cftsubfigaftersnum 18135
\cftsubfigaftersnumb 18136
\cftsubfigfillnum 18139
\cftsubfigfont . . . 18138
\cftsubfigindent 18127, 18130
\cftsubfignumwidth 18133
\cftsubfigpresnum 18134
\cftsubparaaftersnum 18081
\cftsubparaaftersnumb 18082
\cftsubparafillnum 18085
\cftsubparafont . . 18084
\cftsubparaindent 18073, 18076
\cftsubparanumwidth 18079
\cftsubparapresnum 18080
\cftsubsecaftersnum 18030
\cftsubsecaftersnumb 18031
\cftsubsecfillnum 18034
\cftsubsecfont . . 18033
\cftsubsecindent 18022, 18025
\cftsubsecnumwidth 18028
\cftsubsecpresnum 18029
\cftsubsubsecaftersnum 18047
\cftsubsubsecaftersnumb 18048
\cftsubsubsecfillnum 18051
\cftsubsubsecfont 18050
\cftsubsubsecindent 18039, 18042
\cftsubsubsecnumwidth 18045
\cftsubsubsecpresnum 18046

\cftsubtabaftersnum 18155
\cftsubtabaftersnumb 18156
\cftsubtabfillnum 18159
\cftsubtabfont . . . 18158
\cftsubtabindent 18147, 18150
\cftsubtabnumwidth 18153
\cftsubtabpresnum 18154
\cfttabaftersnum . 18116
\cfttabaftersnumb 18117
\cfttabfillnum . . . 18120
\cfttabfont 18119
\cfttabindent 18108, 18111
\cfttabnumwidth . . 18114
\cfttabpresnum . . . 18115
\chapnumfont 14556
\chapter 4936, 4964, 5034, 5042, 5158, 5164, 5889, 6076, 6384, 8040, 10039, 14758, 15151, 15344, 15546
\chapterheadendvskip 14562
\chapterheadstartvskip 14554
\chaptermark 5421, 17892
\chaptername . 310, 13478
\chapterstyle 13473
\char . . . 1889, 2057, 2058
\chardef 10812, 12240, 12241, 12247, 12248
\check@floats 6942, 7107
\CheckCommand . 3299, 11692, 11730, 14618
\checkoddpage 3925
\CIIIAny 2075
\ciiiAny 2083
\circle 6606, 6609, 6616, 6619, 6629, 6632, 6639, 6642, 6652, 6655, 6662, 6665, 6675, 6678, 6685, 6688
\cite 4601, 4693, 4699, 4700, 4791, 4796, 4817, 4825, 4846, 4854, 4875, 4893, 4897, 4902, 4906, 4911, 4915, 14058, 14059
\citeasnoun 14059
\citeN 14058
\cites 4694
\cl@@ckpt 17654
\ClassInfo 5378, 5443, 16138, 16717, 17399
\ClassWarning 15822, 16370, 17068
\ClassWarningNoLine 13529
\clear 3704
\cleardoubleemptypage 15769, 15814, 16317, 16362, 17015, 17060
\cleardoublepage 5300, 5345, 5347, 5404, 5417, 5431, 6378, 8034
\clearpage 823, 839, 1087, 1338, 3663, 3664, 3667, 4303, 5312, 5347, 5433, 5821, 5997, 6206, 6380, 8036, 14667, 14921, 15378, 15877, 16425, 17123, 17926
\clipbox@@ 14542
\CloneTOCEntryStyle 16144, 16157, 16176, 16182, 16723, 16736, 16755, 16761, 17405, 17418, 17437, 17443
\closing . . . 8073, 16934
\clubpenalty 88, 297, 802, 803, 935, 1197, 1446, 2566, 5632, 5900, 6087, 6396, 6397, 7781, 8052, 8053, 10050, 14055, 14769, 15162, 15356, 15357, 15558, 15559, 15967, 16546, 17228, 17866, 17867
\coffeefont 13829
\col@number . . . 128, 133, 135, 138, 139, 146, 679, 1028, 1279, 1528, 6256, 7838, 7935, 10099, 13436, 13771, 13853, 13858, 13894, 13929, 13930, 13932, 13935, 13936, 13943, 14862, 15003, 15246, 15427, 15833, 16381, 17079
\col@sep 599, 627, 6507, 6508, 12658, 19541
\color 177, 2014, 2015, 2016, 2017, 2490, 6552, 6555, 6558, 6576, 6579, 7208, 7211, 7221, 7339, 12147, 12788, 19350
\color@ . . . 19390, 19437
\color@b@x . . . 6544, 6582, 6584, 19343, 19440, 19443
\color@begingroup . 4748, 4765, 4782, 5791, 5805, 8112, 8128, 8144, 8157, 8170, 8183, 8356, 8366, 8376, 8402, 8415, 8427, 8454, 8467, 8505, 8514, 8523, 8548, 8560, 8571, 8597, 8609, 8647, 8657, 8667, 8693, 8706, 8718, 8745, 8758, 8796, 8806, 8816, 8842, 8855, 8867, 8894, 8907, 8945, 8955, 8965, 8991, 9004, 9016, 9043, 9056, 9094, 9104, 9114, 9140, 9153, 9165,

9192, 9205, 9243, 9253, 9263, 9289, 9302, 9314, 9341, 9354, 9392, 9402, 9412, 9438, 9451, 9463, 9490, 9503, 9541, 9551, 9561, 9587, 9600, 9612, 9639, 9652, 9745, 9757, 9769, 9795, 9809, 9823, 9863, 9877, 9935, 9946, 10632, 10648, 10663, 10689, 10702, 10715, 10727, 12762, 19648
\color@block 6549, 19348
\color@box . 6582, 19440
\color@endbox . 2324, 4423, 4467, 4511, 15661, 15671, 15689, 19913, 19957, 20074, 20084
\color@endgroup 4752, 4769, 4786, 5793, 8116, 8132, 8148, 8162, 8175, 8188, 8302, 8358, 8368, 8378, 8404, 8417, 8429, 8456, 8469, 8507, 8516, 8525, 8550, 8562, 8573, 8599, 8611, 8649, 8659, 8669, 8695, 8708, 8720, 8747, 8760, 8798, 8808, 8818, 8844, 8857, 8869, 8896, 8909, 8947, 8957, 8967, 8993, 9006, 9018, 9045, 9058, 9096, 9106, 9116, 9142, 9155, 9167, 9194, 9207, 9245, 9255, 9265, 9291, 9304, 9316, 9343, 9356, 9394, 9404, 9414, 9440, 9453, 9465, 9492, 9505, 9543, 9553, 9563, 9589, 9602, 9614, 9641, 9654, 9747, 9759, 9771, 9797, 9811, 9825, 9865, 9879, 9939, 9950, 10635, 10651, 10666, 10692, 10705, 10718, 10748, 19650
\color@fb@x 19441, 19442
\color@fbox 6583, 19441
\color@hbox 15658, 15668, 15686, 20071, 20081
\color@setgroup 6585, 19445
\color@vbox 2302, 4414, 4458, 4502, 19904, 19948
\colorA . 6164, 6173, 6185
\colorB 6170, 6176, 6182, 6188
\colorblend . . 19357, 19358, 19400, 19401
\colorbox 2130, 2132, 2133
\columncolor . 1682, 6515
\columnsep 95, 225, 816, 832, 1080, 1331, 1963, 2399, 5814, 5990, 6199, 6767, 6888, 10225, 11037, 13653, 13768, 13861, 13910, 14660, 14914, 15371, 19305, 19310, 19314, 19320, 19323, 19821
\columnseprule . . 95, 225, 815, 831, 1079, 1330, 1964, 2400, 5813, 5989, 6198, 6762, 6821, 6882, 6894, 7059, 10221, 10256, 10988, 11032, 13645, 13744, 13886, 13900, 14659, 14913, 15370, 19816, 19859
\columnseprulecolor 13885, 13899
\columnwidth 28, 40, 53, 68, 238, 249, 262, 276, 760, 764, 949, 1183, 1428, 2314, 5914, 6067, 6336, 6340, 6447, 6760, 6764, 6766, 6768, 6819, 6823, 6881, 6883, 6886, 6889, 6891, 6896, 7057, 7061, 7357, 7378, 7788, 7792, 8086, 8090, 8099, 8109, 8125, 8141, 8154, 8167, 8180, 8399, 8411, 8424, 8464, 8545, 8556, 8568, 8606, 8690, 8702, 8715, 8755, 8839, 8851, 8864, 8904, 8988, 9000, 9013, 9053, 9137, 9149, 9162, 9202, 9286, 9298, 9311, 9351, 9435, 9447, 9460, 9500, 9584, 9596, 9609, 9649, 9731, 9791, 9805, 9819, 9848, 9873, 10032, 10036, 10220, 10222, 10224, 10226, 10254, 10258, 10539, 10542, 10544, 10628, 10644, 10659, 10685, 10698, 10711, 10729, 10943, 10950, 10986, 10990, 11030, 11034, 11036, 11038, 11260, 11261, 12119, 12123, 12765, 13643, 13647, 13650, 13652, 13741,

13746, 13768, 13797, 13803, 13959, 13963, 13967, 13971, 14755, 15176, 15326, 15330, 15507, 15511, 15750, 15997, 16002, 16298, 16576, 16581, 16856, 16860, 16996, 17258, 17263, 19814, 19818, 19820, 19822, 19857, 19861, 19996, 19998
\contentslabel 4995, 5002, 5009, 5016, 5023
\contentsline 11523
\contentsmargin . . 17832
\contentspush 17806
\convertcolorspec 19364, 19367, 19407, 19410
\Coord 2071
\coord 2076
\CoordIII 2073
\coordiii 2078
\Coordn 2072
\coordn 2077
\Coordx . . 2068, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2082, 2083
\coordx 2079
\Coordy . . 2069, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2082, 2083
\coordy 2080
\Coordz . . 2070, 2073, 2075, 2078, 2083
\coordz 2081
\copy 4410, 4454, 4498, 6451, 6740, 6799, 6863, 6869, 7029, 7041, 7368, 7389, 10203, 10235, 10963, 11007, 11071, 11117, 12737, 12749, 12753, 13577, 13675, 14424, 14494, 14564, 19527, 19794, 19837, 19900, 19944, 20007
\cor@height . 13600, 13601, 13628, 13629, 13666, 13698, 13699, 13726, 13727, 13761
\count 2297, 4399, 4443, 4487, 8314, 8342, 8445, 8491, 8588, 8633, 8736, 8782, 8885, 8931, 9034, 9080, 9183, 9229, 9332, 9378, 9481, 9527, 9630, 9718, 9842, 10325, 10964, 11008, 11200, 11206, 19889, 19933, 20039
\count@ . . 1622, 1681, 2668, 2673, 3751, 3752, 3754, 6513, 13848, 13849, 13851, 13853, 13860, 13881, 13882, 13884, 13904, 13905, 13908, 14156, 14164, 14177, 17693
\counterwithout 13474, 13475, 13476, 13477
\cr . 615, 5579, 5586, 5642, 8325, 8329, 8331, 12673, 17599, 17637, 19745
\crcr 626, 2196, 5582, 17587, 17617, 19552, 19555, 19732
\CROP@@llc 6648
\CROP@@lrc 6671
\CROP@@ulc 6602
\CROP@@urc 6625
\CROP@execopt 6695
\cs 12899, 12950, 12968, 13019, 13034, 13263, 13322, 13372, 13373, 13384
\csname 8, 43, 56, 71, 162, 164, 209, 252, 265, 279, 335, 336, 603, 1585, 2159, 2160, 2174, 2175, 2201, 2204, 2207, 2223, 2231, 2239, 2294, 2596, 2597, 2620, 2621, 2648, 2675, 2679, 2690, 2698, 2706, 2714, 2716, 2718, 2722, 2723, 2787, 2829, 2839, 2845, 2846, 2848, 2849, 2851, 2852, 2854, 2897, 2898, 2921, 2976, 2977, 2978, 2979, 2985, 2986, 2987, 2988, 3071, 3072, 3075, 3076, 3251, 3253, 3265, 3267, 3305, 3308, 3312, 3329, 3332, 3334, 3344, 3347, 3349, 3356, 3361, 3366, 3376, 3392, 3395, 3409, 3421, 3453, 3464, 3548, 3551, 3591, 3640, 3780, 3801, 4146, 4147, 4154, 4155, 4746, 4763, 4780, 4811, 4840, 4869, 5111, 5637, 5672, 5675, 5678, 5692, 5699, 5706, 5714, 5715, 5753, 5778, 5779, 6558, 6564, 6572, 6579, 7133, 8111, 8127, 8143, 8156, 8169, 8182, 8355, 8365, 8375, 8401, 8414, 8426, 8444,

8445, 8453, 8466, 8504, 8513, 8522, 8547, 8559, 8570, 8587, 8588, 8596, 8608, 8646, 8656, 8666, 8692, 8705, 8717, 8735, 8736, 8744, 8757, 8795, 8805, 8815, 8841, 8854, 8866, 8884, 8885, 8893, 8906, 8944, 8954, 8964, 8990, 9003, 9015, 9033, 9034, 9042, 9055, 9093, 9103, 9113, 9139, 9152, 9164, 9182, 9183, 9191, 9204, 9242, 9252, 9262, 9288, 9301, 9313, 9331, 9332, 9340, 9353, 9391, 9401, 9411, 9437, 9450, 9462, 9480, 9481, 9489, 9502, 9540, 9550, 9560, 9586, 9599, 9611, 9629, 9630, 9638, 9651, 9743, 9755, 9767, 9793, 9807, 9821, 9841, 9842, 9861, 9875, 10158, 10303, 10304, 10309, 10310, 10400, 10401, 10402, 10403, 10405, 10407, 10408, 10409, 10410, 10412, 10413, 10414, 10471, 10495, 10513, 10599, 10608, 10630, 10646, 10661, 10688, 10701, 10714, 10761, 10776, 11525, 11528, 11530, 11534, 11538, 11552, 11563, 11574, 11774, 11805, 11836, 12151, 12154, 12526, 12592, 13558, 13559, 13566, 15702, 15706, 15710, 16147, 16149, 16151, 16154, 16160, 16169, 16171, 16173, 16179, 16250, 16254, 16258, 16726, 16728, 16730, 16733, 16739, 16747, 16749, 16752, 16758, 16948, 16952, 16956, 17408, 17410, 17412, 17415, 17421, 17429, 17431, 17434, 17440, 17589, 17615, 17617, 17649, 17671, 17673, 17689, 17690, 17710, 17717, 17909, 18172, 18173, 18189, 18190, 18191, 18198, 18200, 18201, 18254, 18255, 18409, 18410, 18520, 18524, 18528, 18627, 18630, 18644, 18660, 18661, 18677, 18684, 18689, 18750, 18805, 18807, 18809, 18825, 18828, 18834, 18836, 18839, 18843, 18848, 18852, 18856, 18870, 18874, 18877, 18880, 18884, 18886, 18922, 18924, 18931, 18932, 18936, 18941, 18945, 18956, 18957, 18961, 18967, 19022, 19023, 19027, 19123, 19124, 19126, 19129, 19130, 19134, 19581, 19636, 19734, 20155

\CT@@do@color 6510
\CT@cell@color 1706, 6535
\CT@color 6509
\CT@column@color 1704, 6533
\CT@do@color 1707, 6510, 6536
\CT@extract . 1682, 6515
\CT@row@color 1705, 6534
\CT@setup . 1671, 1672, 1674, 1675, 1679, 1703, 6506, 6532
\cumpartcl 14328
\cumtcl 14328
\curraddr 324
\current@color 6551, 6557, 6564, 6572, 6578, 10790, 10795, 19349, 19386, 19387, 19391, 19420, 19421, 19438
\CurrentOption 5359, 5360, 5361, 5362, 5363, 5383, 5384, 5385, 5386, 5387, 7154, 7252
\customername 16894
\CustomFBox 10792
\cvcomputer 2522
\cvdoubleitem 2499, 2523
\cventry 2511
\cvlanguage 2520
\cvline 2494, 2495, 2500, 2504, 2506, 2512, 2521
\cvlistdoubleitem 2505
\cvlistitem 2503
\cvtheme 2437, 2440

D

\d 12869
\d@llarbegin 599, 628, 1626, 1627, 1628, 1691, 1694, 1695, 6520, 6523, 6524, 19541
\d@llarend 600, 628, 1626, 1627, 1628, 1693, 1694, 1695, 6522, 6523, 6524, 19542
\dashgapcolor 1686
\date 667, 703, 1005, 1050, 1256, 1301, 1505, 1550, 1998, 5225, 5273, 5979, 6155, 6244, 6280, 7826, 7860, 7923, 7959, 10087, 10121, 14839, 14884, 14980, 15027, 15229, 15270, 15415, 15451, 15873, 16421, 17119
\datename 16924
\deadcycles . 3236, 3239
\debugfootnotedirection 10458
\DeclareGraphicsRule 361
\DeclareOption 2329, 2332, 2335, 2338, 2341, 2344, 2347, 2352, 2353, 2354, 2355, 2356, 2358, 3830, 3832, 3834, 3837, 3842, 4930, 4931, 5189, 5190, 5215, 5216, 5359, 5360, 5361, 5362, 5363, 5383, 5384, 5385, 5386, 5387, 7144, 7146, 7148, 7150, 7152, 7153, 7242, 7244, 7246, 7248, 7250, 7251
\DeclareRobustCommand 2056, 2057, 2058, 2059, 2060, 2061, 2062, 4159, 4166, 6552, 6567, 19350, 19393
\DeclareSectionCommand 16184, 16192, 16202, 16212, 16222, 16232, 16763, 16772, 16780, 16790, 16800, 16810, 16820, 17445, 17454, 17462, 17472, 17482, 17492, 17502
\DeclareTOCEntryStyle 18239, 18396, 18598
\DecMargin 190
\dedication 15872, 16420, 17118
\dedicatory 325
\def 2, 23, 26, 30, 34, 47, 62, 91, 94, 103, 104, 105, 106, 118, 128, 129, 131, 167, 168, 169, 170, 180, 184, 203, 224, 233, 234, 235, 236, 240, 243, 256, 270, 300, 303, 315, 321, 338, 340, 345, 395, 396, 397, 412, 416, 492, 570, 572, 597, 602, 604, 625, 626, 627, 628, 674, 675, 706, 770, 806, 937, 960, 961, 969, 1008, 1009, 1011, 1016, 1018, 1023, 1025, 1053, 1199, 1211, 1212, 1220, 1259, 1260, 1262, 1267, 1269, 1274, 1275, 1304, 1448, 1460, 1461, 1469, 1508, 1509, 1511, 1516, 1518, 1523, 1525, 1553, 1573, 1583, 1584, 1587, 1593, 1621, 1634, 1635, 1638, 1651, 1659, 1667, 1668, 1671, 1672, 1675, 1680, 1718, 1719, 1803, 1805, 1806, 1890, 1891, 1929, 1937, 1938, 1939, 1940, 1941, 1951, 1956, 1981, 1982, 2064, 2065, 2066, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2088, 2099, 2130, 2131, 2132, 2133, 2140, 2146, 2152, 2160, 2165, 2167, 2175, 2180, 2181, 2196, 2200, 2203, 2206, 2211, 2214, 2217, 2221, 2229, 2237, 2244, 2246, 2247, 2249, 2318, 2412, 2413, 2414, 2415, 2416, 2417, 2419, 2420, 2438, 2439, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2569, 2590, 2591, 2594, 2600, 2603, 2614, 2615, 2618, 2624, 2627, 2638, 2640, 2643, 2647, 2653, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2674, 2675, 2679, 2684, 2692, 2700, 2708, 2715, 2717, 2817, 2825, 2846, 2854, 2855, 2856, 2862, 2864, 2865, 2866, 2876,

2878, 2880, 2886,
2890, 2893, 2902,
2913, 2915, 2916,
2927, 3000, 3019,
3051, 3052, 3053,
3064, 3078, 3081,
3082, 3094, 3106,
3110, 3113, 3126,
3135, 3163, 3191,
3194, 3195, 3203,
3204, 3213, 3226,
3242, 3330, 3333,
3342, 3345, 3497,
3508, 3547, 3660,
3670, 3683, 3737,
3747, 3749, 3754,
3759, 3765, 3766,
3769, 3776, 3784,
3799, 3872, 3963,
3984, 3988, 4001,
4075, 4144, 4162,
4168, 4205, 4330,
4332, 4333, 4334,
4343, 4345, 4346,
4347, 4351, 4353,
4359, 4360, 4387,
4401, 4404, 4408,
4412, 4425, 4431,
4445, 4448, 4452,
4456, 4469, 4475,
4489, 4492, 4496,
4500, 4513, 4565,
4580, 4585, 4711,
4713, 4741, 4758,
4775, 4795, 4824,
4853, 5073, 5110,
5118, 5347, 5485,
5486, 5488, 5506,
5507, 5510, 5520,
5521, 5522, 5523,
5529, 5532, 5543,
5544, 5545, 5555,
5581, 5585, 5592,
5614, 5633, 5634,
5635, 5641, 5671,
5674, 5677, 5681,
5684, 5687, 5690,
5697, 5704, 5714,
5715, 5716, 5726,
5730, 5733, 5738,
5739, 5740, 5742,
5751, 5757, 5778,
5779, 5902, 5934,
5935, 5943, 6089,
6110, 6111, 6119,
6159, 6179, 6251,
6252, 6283, 6354,
6368, 6400, 6404,
6416, 6429, 6436,
6440, 6443, 6506,
6509, 6512, 6544,
6551, 6554, 6561,
6569, 6575, 6582,
6583, 6585, 6699,
6712, 6715, 6716,
6721, 6728, 6733,
6737, 6796, 6852,
7351, 7355, 7358,
7376, 7379, 7397,
7454, 7512, 7554,
7581, 7583, 7588,
7619, 7620, 7693,
7742, 7761, 7783,
7833, 7834, 7863,
7930, 7931, 7962,
8009, 8024, 8056,
8098, 8105, 8121,
8137, 8153, 8166,
8179, 8206, 8207,
8208, 8218, 8219,
8220, 8291, 8351,
8361, 8371, 8397,
8409, 8422, 8449,
8462, 8477, 8482,
8500, 8509, 8518,
8543, 8554, 8566,
8592, 8604, 8619,
8624, 8642, 8652,
8662, 8688, 8700,
8713, 8740, 8753,
8768, 8773, 8791,
8801, 8811, 8837,
8849, 8862, 8889,
8902, 8917, 8922,
8940, 8950, 8960,
8986, 8998, 9011,
9038, 9051, 9066,
9071, 9089, 9099,
9109, 9135, 9147,
9160, 9187, 9200,
9215, 9220, 9238,
9248, 9258, 9284,
9296, 9309, 9336,
9349, 9364, 9369,
9387, 9397, 9407,
9433, 9445, 9458,
9485, 9498, 9513,
9518, 9536, 9546,
9556, 9582, 9594,
9607, 9634, 9647,
9662, 9667, 9727,
9739, 9751, 9763,
9788, 9802, 9816,
9844, 9857, 9871,
9893, 9901, 9975,
10010, 10022,
10052, 10094,
10095, 10124,
10155, 10187,
10193, 10200,
10232, 10302,
10313, 10361,
10450, 10537,
10541, 10543,
10545, 10547,
10549, 10551,
10552, 10554,
10558, 10567,
10569, 10576,
10577, 10594,
10597, 10603,
10606, 10614,
10615, 10616,
10622, 10638,
10653, 10680,
10693, 10706,
10719, 10725,
10731, 10738,
10751, 10755,
10759, 10765,
10770, 10774,
10786, 10800,
10802, 10804,
10806, 10814,
10919, 10929,
10960, 11004,
11057, 11061,
11067, 11069,
11085, 11096,
11097, 11099,

11112, 11113, 11115,
11131, 11133,
11136, 11138,
11139, 11154,
11161, 11221,
11222, 11223,
11224, 11233,
11235, 11271,
11523, 11550,
11561, 11572,
11583, 11593,
11604, 11615,
11626, 11641,
11656, 11673,
11699, 11716,
11724, 11737,
11754, 11762,
11770, 11787,
11795, 11801,
11818, 11826,
11832, 11849,
11857, 11865,
11879, 11883,
11897, 11905,
11912, 11920,
11923, 11926,
11960, 11992,
12021, 12048,
12051, 12053,
12056, 12065,
12066, 12070,
12072, 12073,
12074, 12076,
12085, 12087,
12126, 12147,
12149, 12150,
12157, 12162,
12222, 12273,
12289, 12290,
12322, 12323,
12327, 12329,
12627, 12639,
12643, 12644,
12645, 12652,
12680, 12711,
12719, 12722,
12727, 12757,
12823, 12824,
13432, 13434,
13484, 13486,
13534, 13545,
13556, 13574,
13672, 13767,
13775, 13808,
13820, 13832,
13846, 13879,
13893, 13929,
13957, 13961,
13965, 13969,
13973, 14063,
14077, 14079,
14086, 14092,
14172, 14193,
14197, 14201,
14203, 14219,
14231, 14245,
14295, 14302,
14421, 14422,
14424, 14425,
14431, 14432,
14433, 14443,
14453, 14461,
14469, 14470,
14471, 14472,
14473, 14474,
14479, 14480,
14483, 14485,
14486, 14487,
14488, 14490,
14491, 14497,
14504, 14505,
14506, 14507,
14508, 14510,
14511, 14650,
14651, 14771,
14794, 14795,
14803, 14842,
14843, 14845,
14850, 14852,
14857, 14859,
14887, 14933,
14934, 14942,
14983, 14984,
14986, 14991,
14993, 14998,
15000, 15030,
15052, 15164,
15193, 15195,
15236, 15238,
15273, 15360,
15422, 15423,
15454, 15525,
15537, 15562,
15566, 15609,
15656, 15659,
15666, 15669,
15677, 15684,
15687, 15713,
15715, 15735,
15919, 15920,
15971, 15978,
16127, 16129,
16261, 16263,
16283, 16467,
16550, 16557,
16706, 16708,
16834, 16851,
16855, 16858,
16862, 16934,
16959, 16961,
16981, 17165,
17232, 17239,
17388, 17390,
17522, 17526,
17543, 17564,
17567, 17582,
17587, 17590,
17613, 17617,
17621, 17631,
17647, 17653,
17661, 17682,
17691, 17692,
17708, 17712,
17715, 17719,
17722, 17752,
17777, 17811,
17833, 17839,
17842, 17844,
17847, 17870,
18523, 18547,
19089, 19110,
19112, 19268,
19311, 19314,
19320, 19324,
19343, 19349,
19352, 19374,
19383, 19389,
19395, 19417,
19423, 19432,
19436, 19440,

19441, 19442, 19445, 19450, 19456, 19457, 19458, 19468, 19478, 19487, 19498, 19499, 19500, 19501, 19502, 19503, 19508, 19509, 19512, 19514, 19515, 19516, 19517, 19519, 19521, 19523, 19524, 19537, 19539, 19544, 19546, 19552, 19554, 19561, 19563, 19566, 19568, 19569, 19570, 19571, 19572, 19582, 19619, 19639, 19644, 19645, 19650, 19687, 19697, 19700, 19703, 19708, 19709, 19710, 19711, 19712, 19714, 19717, 19727, 19732, 19735, 19755, 19758, 19768, 19769, 19770, 19771, 19772, 19791, 19834, 19877, 19891, 19894, 19898, 19902, 19915, 19921, 19935, 19938, 19942, 19946, 19959, 19965, 20005, 20009, 20010, 20011, 20012, 20022, 20092, 20104, 20105, 20107, 20220, 20222, 20226, 20228, 20254, 20256

\default@color 6551, 19349

\DefaultFindent . . 12133

\DefaultLhang 12129

\DefaultLoversize 12130

\DefaultLraise . . . 12131

\DefaultNindent . . 12134

\DefaultOptionsFile . 12139, 12142, 12145

\DefaultSlope 12135

\deffootnote . . 15712, 15737, 16260, 16285, 16833, 16853, 16958, 16983

\define@choicekey 1810, 1816, 1822, 1828, 1834, 1840, 1852, 1858, 1864, 19143, 19151

\define@key 19141

\definecolor . . 2005, 2006, 2007, 2008, 2009, 2411, 2418, 7158, 7163, 7166, 7167, 7168, 7170, 7171, 7174, 7175, 7177, 7178, 7181, 7182, 7184, 7185, 7188, 7189, 7191, 7192, 7195, 7196, 7261, 7262, 7267, 7268, 7273, 7274, 7279, 7280, 7285, 7286, 7686

\DefineTOCEntryCommandOption 18605, 18607, 18609, 18613, 18615, 18617, 18619, 18621

\DefineTOCEntryIfOption 18601, 18603, 18635

\DefineTOCEntryLengthOption . . 18240, 18242, 18397, 18599, 18611, 18637, 18639

\DefineTOCEntryOption 18623

\delimiter 10783

\DEPTH 17755, 17762

\depth 13367, 13378, 13380, 13405

\depthof 7561, 7566, 7575, 7576, 7580, 7585

\descriptionlabel . 5151

\detokenize 2823, 2825, 3051, 3053, 3054, 3081, 3096, 3113, 3116, 3124, 3126, 3194, 3195, 3543

\dfn@afteroutput 7446, 7449, 7498, 7501

\dfn@boxa 7355, 7360, 7363, 7367, 7368, 7369, 7376, 7381, 7384, 7388, 7389, 7390, 7403, 7410, 7413, 7415, 7422, 7430, 7460, 7467, 7470, 7472, 7476, 7484

\dfn@boxb 7369, 7390, 7407, 7408, 7415, 7420, 7464, 7465, 7472, 7475

\dfn@countins 7399, 7456

\dfn@dima 7360, 7361, 7362, 7373, 7381, 7382, 7383, 7394, 7398, 7415, 7435, 7455, 7472, 7487

\dfn@dimb 7435, 7436, 7438, 7439, 7441, 7487, 7488, 7490, 7491, 7493

\dfn@elt@adjust 7435, 7487

\dfn@elt@getht 7400, 7457

\dfn@fnht 7371, 7392, 7433, 7436, 7442, 7443, 7444, 7485, 7488, 7494, 7495, 7496

\dfn@fnmaxdp . . 7359, 7364, 7369, 7380, 7385, 7390, 7412, 7415, 7469, 7472

\dfn@footnoterule 7453, 7505

\dfn@footnotetext 7354
\dfn@gobble . 7356, 7377
\dfn@ins 7364, 7365, 7366, 7368, 7385, 7386, 7387, 7389, 7403, 7404, 7460, 7461
\dfn@latex@footnotetext 7353
\dfn@latex@LTRfootnotetext 7359, 7374
\dfn@latex@makecol 7452, 7504
\dfn@latex@RTLfootnotetext 7380, 7395
\dfn@list 7373, 7394, 7401, 7434, 7436, 7439, 7445, 7458, 7486, 7488, 7491, 7497
\dfn@LTRfootnotetext 7355, 7375
\dfn@LTRmakecol 7454, 7506, 7508
\dfn@makecol 7506, 7507, 7508
\dfn@makefnmark 7358, 7379
\dfn@RTLfootnotetext 7376, 7396
\dfn@RTLmakecol 7397, 7506, 7507
\dfn@split . . . 7369, 7390, 7403, 7415, 7460, 7472
\DFNalwaysdouble . 7509
\DFNcolumnsep 7418, 7431, 7475
\DFNcolumnwidth 7352, 7357, 7378, 7417, 7419, 7422, 7432, 7474, 7476
\DigitsDotDashInterCharToks 1885, 1886, 1887, 1888, 1889
\dim 13041, 13042, 13365, 13366, 13367
\dimen 8274, 8315, 8332, 8333, 8334, 8341, 8444, 8490, 8587, 8632, 8735, 8781, 8884, 8930, 9033, 9079, 9182, 9228, 9331, 9377, 9480, 9526, 9629, 9717, 9841, 13865, 13872, 13873, 13881, 13882, 13887, 13888, 13904, 13905, 13912, 13913, 20014, 20017
\dimen@ 6547, 6548, 9922, 9924, 10822, 10823, 10824, 10834, 10835, 10836, 10839, 10840, 10841, 10847, 10857, 10859, 10868, 10870, 10877, 10878, 10879, 10880, 12734, 12735, 12736, 17545, 17547, 17553, 17559, 19282, 19283, 19284, 19285, 19286, 19287, 19346, 19347
\dimen@i 17546, 17547, 17552, 17558
\dimen@ii 10872, 10873, 10874, 10880, 10882, 10885, 10886, 10887
\dimexpr 28, 238, 949, 1183, 1428, 2774, 2777, 2870, 5914, 6067, 12794, 12803, 13768, 13971, 14755, 15176, 15740, 15747, 15750, 16288, 16295, 16298, 16986, 16993, 16996, 18384, 18550, 18557, 18567, 18569, 19654, 19656, 19657, 19658, 19663, 19665, 19666, 19667, 19672, 19674, 19675, 19676, 19681, 19683, 19684, 19685
\DiscardVskip 12136
\display@setup 6405, 6430
\displayindent . . . 6446
\displaystyle 10276, 10292
\displaywidth . 6446, 7557, 7559, 7564, 10295, 12102
\divide 5493, 8333, 9732, 9733, 9849, 9850, 10170, 10171, 14336, 14337, 17627
\do . . . 321, 322, 323, 324, 325, 326, 2271, 3527, 3587, 3602, 3623, 3626, 4606, 4611, 4625, 4630, 4644, 4649, 4672, 4681, 6717, 10158, 12224, 18832
\do@@hvFloat 11221
\document . . . 3209, 3223
\documentclass 3510, 3513
\doubleitemmaincolumnwidth 2460, 2473, 2474, 2475, 2476, 2500, 2502
\doublerulesepcolor 1685
\dp . . 39, 52, 67, 248, 261, 275, 609, 1678, 6548, 6549, 6989, 7360, 7381, 7408, 7427, 7429, 7465, 7481, 7483, 7560, 7565, 7578, 7584, 7698, 7703, 7707, 7710, 8279, 9680, 9922, 9930, 10169, 10182, 10627, 10643, 10658, 11073, 11074, 11077,

11119, 11120, 11123, 12219, 12663, 12802, 12805, 13865, 13881, 13882, 13887, 13888, 13904, 13905, 13912, 13913, 14316, 14317, 14318, 14523, 15575, 15617, 15620, 15674, 15681, 16064, 16067, 16643, 16646, 17325, 17328, 17594, 17629, 17641, 17755, 17757, 19338, 19347, 19348, 19740, 19986, 19993, 20076
\dquad 6438, 6440
\draw 19162, 19169, 19173, 19196, 19206, 19214, 19217, 19220, 19223, 19235, 19240, 19247, 19253, 19254
\dseries@display@setup 6430

E

\edef 119, 413, 415, 417, 579, 1600, 1654, 1662, 1722, 1746, 1748, 1895, 1919, 2158, 2173, 2201, 2204, 2207, 2577, 2580, 2593, 2597, 2604, 2617, 2621, 2628, 2821, 2824, 2934, 2935, 2938, 2939, 2956, 2957, 2960, 2961, 3050, 3055, 3065, 3080, 3083, 3096, 3100, 3105, 3112, 3115, 3122, 3125, 3131, 3134, 3187, 3193, 3196, 3348, 3356, 3366, 3498, 3541, 3585, 3607, 3621, 3649, 3741, 3753, 3760, 3777, 4575, 4720, 4731, 5672, 5675, 5678, 7610, 7613, 10303, 10309, 10399, 10401, 10402, 10403, 10488, 10509, 10854, 11693, 11700, 11731, 11738, 11771, 11802, 11833, 12225, 12229, 12720, 12723, 14075, 14188, 14207, 14210, 14236, 15571, 15614, 15956, 16535, 16835, 17217, 17597, 17622, 17636, 17654, 17709, 17716, 17729, 18172, 18644, 18677, 18684, 18689, 18750, 18904, 19008, 19121, 19358, 19363, 19372, 19387, 19391, 19401, 19406, 19415, 19421, 19434, 19438, 19628, 19640, 19743
\EdefEscapeName . . 12024
\egroup . 188, 189, 192, 602, 626, 860, 1417, 1583, 1584, 1701, 2196, 2197, 2322, 5582, 5793, 6449, 6530, 8303, 10281, 10282, 10296, 10749, 10894, 10898, 12746, 12749, 13776, 14279, 14289, 14304, 14435, 14441, 14445, 14451, 14455, 14459, 14463, 14467, 14517, 14688, 15137, 17587, 17588, 17613, 17619, 19008, 19460, 19466, 19470, 19476, 19480, 19485, 19489, 19494, 19544, 19552, 19553, 19732, 19733
\eightcolumnfootnotes 9223
\eightcolumnfootstyle 9318
\eject 6999, 10825, 10894, 10914
\else 4, 12, 13, 25, 36, 84, 100, 112, 130, 132, 147, 151, 155, 163, 180, 205, 213, 214, 230, 245, 293, 307, 311, 358, 363, 366, 369, 389, 400, 426, 434, 438, 453, 458, 516, 524, 528, 533, 548, 573, 574, 575, 577, 578, 581, 582, 583, 585, 586, 587, 588, 589, 592, 593, 594, 618, 624, 670, 681, 684, 733, 750, 753, 754, 774, 777, 792, 812, 823, 828, 839, 843, 851, 855, 856, 860, 864, 867, 868, 873, 884, 895, 909, 912, 913, 916, 926, 972, 981,

989, 1013, 1017,
1019, 1030, 1033,
1076, 1087, 1090,
1093, 1094, 1100,
1110, 1113, 1114,
1117, 1127, 1138,
1149, 1157, 1161,
1170, 1188, 1223,
1232, 1240, 1264,
1268, 1270, 1281,
1284, 1327, 1338,
1342, 1345, 1348,
1349, 1354, 1365,
1376, 1391, 1394,
1395, 1398, 1408,
1412, 1413, 1417,
1437, 1472, 1481,
1489, 1513, 1517,
1519, 1530, 1533,
1570, 1575, 1576,
1589, 1594, 1595,
1596, 1598, 1599,
1602, 1603, 1604,
1606, 1607, 1608,
1609, 1610, 1611,
1612, 1615, 1616,
1617, 1637, 1638,
1639, 1640, 1641,
1642, 1644, 1645,
1646, 1647, 1648,
1752, 1758, 1764,
1795, 1797, 1806,
1930, 1932, 1941,
2142, 2148, 2154,
2169, 2252, 2260,
2265, 2275, 2514,
2515, 2516, 2518,
2554, 2579, 2582,
2601, 2609, 2625,
2633, 2649, 2719,
2727, 2733, 2739,
2745, 2751, 2757,
2763, 2769, 2782,
2790, 2794, 2800,
2808, 2812, 2834,
2841, 2885, 3089,
3307, 3331, 3346,
3411, 3423, 3455,
3466, 3504, 3516,
3517, 3534, 3543,
3588, 3603, 3606,
3633, 3634, 3648,
3929, 3935, 4124,
4127, 4130, 4133,
4163, 4391, 4397,
4429, 4435, 4441,
4479, 4485, 4664,
5058, 5059, 5347,
5432, 5485, 5498,
5507, 5597, 5618,
5643, 5655, 5723,
5743, 5744, 5759,
5764, 5768, 5810,
5821, 5825, 5828,
5831, 5832, 5837,
5848, 5857, 5871,
5874, 5875, 5879,
5891, 5946, 5955,
5963, 5986, 5997,
6001, 6004, 6007,
6008, 6013, 6024,
6033, 6047, 6050,
6051, 6055, 6078,
6122, 6131, 6139,
6161, 6172, 6174,
6195, 6206, 6247,
6258, 6261, 6310,
6325, 6328, 6329,
6356, 6370, 6379,
6386, 6408, 6438,
6464, 6489, 6496,
6545, 6550, 6588,
6589, 6595, 6613,
6636, 6659, 6682,
6707, 6708, 6710,
6722, 6727, 6729,
6731, 6751, 6756,
6770, 6786, 6810,
6815, 6825, 6841,
6859, 6867, 6890,
6908, 6935, 6939,
6954, 6961, 6980,
6990, 7002, 7011,
7025, 7037, 7072,
7100, 7104, 7119,
7128, 7220, 7302,
7316, 7361, 7365,
7367, 7382, 7386,
7388, 7397, 7402,
7411, 7422, 7426,
7434, 7454, 7459,
7468, 7476, 7480,
7486, 7506, 7515,
7522, 7539, 7563,
7568, 7582, 7599,
7639, 7640, 7645,
7646, 7647, 7654,
7655, 7660, 7661,
7662, 7675, 7676,
7677, 7678, 7705,
7721, 7724, 7725,
7735, 7746, 7749,
7762, 7772, 7829,
7840, 7843, 7926,
7937, 7940, 7988,
8011, 8026, 8035,
8042, 8062, 8063,
8065, 8070, 8076,
8078, 8082, 8104,
8151, 8226, 8229,
8238, 8241, 8250,
8253, 8267, 8284,
8294, 8350, 8395,
8499, 8541, 8641,
8686, 8790, 8835,
8939, 8983, 9088,
9132, 9237, 9282,
9386, 9431, 9535,
9580, 9690, 9701,
9746, 9796, 9919,
9955, 9967, 9986,
10001, 10004,
10005, 10012,
10024, 10041,
10090, 10101,
10104, 10163,
10213, 10218,
10245, 10250,
10271, 10284,
10301, 10328,
10332, 10353,
10444, 10448,
10474, 10498,
10580, 10583,
10623, 10671,
10707, 10708,
10723, 10741,
10785, 10803,
10805, 10821,
10826, 10846,

10875, 10881,
10897, 10904,
10909, 10922,
10952, 10976,
10981, 11020,
11025, 11061,
11063, 11066,
11067, 11075,
11081, 11084,
11087, 11094,
11101, 11103,
11109, 11113,
11116, 11121, 11127,
11130, 11143,
11146, 11149,
11155, 11162,
11172, 11185,
11194, 11202,
11209, 11212,
11215, 11234,
11237, 11243,
11244, 11247,
11254, 11256,
11262, 11273,
11281, 11283,
11284, 11285,
11288, 11293,
11299, 11301,
11302, 11303,
11306, 11316,
11318, 11331,
11337, 11340,
11344, 11350,
11353, 11356,
11362, 11367,
11370, 11374,
11376, 11379,
11383, 11385,
11387, 11391,
11396, 11400,
11407, 11412,
11416, 11423,
11428, 11432,
11436, 11438,
11441, 11445,
11447, 11449,
11453, 11457,
11461, 11467,
11470, 11474,
11480, 11483,
11486, 11492,
11507, 11517,
11526, 11537,
11557, 11568,
11579, 11597,
11608, 11619,
11630, 11645,
11660, 11720,
11758, 11791,
11822, 11853,
11906, 11918,
11921, 11938,
11947, 11957,
11972, 11980,
11989, 12003,
12018, 12032,
12044, 12106,
12107, 12109,
12114, 12137,
12138, 12140,
12153, 12169,
12178, 12201,
12222, 12225,
12229, 12255,
12266, 12284,
12294, 12300,
12337, 12414,
12417, 12420,
12423, 12426,
12429, 12432,
12435, 12438,
12442, 12445,
12448, 12451,
12454, 12457,
12460, 12463,
12466, 12469,
12472, 12475,
12478, 12481,
12484, 12487,
12490, 12493,
12496, 12499,
12502, 12505,
12508, 12511,
12514, 12517,
12520, 12523,
12526, 12529,
12532, 12535,
12538, 12541,
12544, 12547,
12550, 12553,
12556, 12559,
12562, 12565,
12568, 12571,
12574, 12577,
12580, 12583,
12586, 12589,
12592, 12595,
12598, 12601,
12604, 12607,
12610, 12613,
12616, 12619,
12622, 12630,
12631, 12632,
12633, 12656,
12685, 12694,
12700, 12731,
12746, 12748,
12812, 13438,
13441, 13452,
13453, 13454,
13455, 13456,
13457, 13486,
13502, 13508,
13514, 13539,
13549, 13571,
13588, 13604,
13617, 13630,
13634, 13686,
13702, 13715,
13728, 13732,
13786, 13794,
13800, 13809,
13811, 13815,
13816, 13821,
13823, 13828,
13833, 13835,
13840, 13850,
13863, 13896,
13928, 13944,
13948, 13952,
14048, 14052,
14085, 14091,
14099, 14102,
14126, 14146,
14161, 14209,
14233, 14291,
14299, 14333,
14359, 14397,
14398, 14399,
14425, 14479,

14480, 14483, 14487, 14488, 14504, 14505, 14510, 14518, 14527, 14537, 14543, 14546, 14553, 14555, 14561, 14572, 14574, 14585, 14587, 14598, 14600, 14609, 14611, 14628, 14650, 14651, 14656, 14667, 14671, 14679, 14683, 14684, 14688, 14692, 14695, 14696, 14701, 14712, 14721, 14735, 14738, 14739, 14743, 14760, 14806, 14815, 14823, 14847, 14851, 14853, 14864, 14867, 14910, 14921, 14945, 14954, 14962, 14988, 14992, 14994, 15005, 15008, 15049, 15054, 15055, 15063, 15066, 15067, 15072, 15083, 15092, 15106, 15109, 15110, 15114, 15120, 15128, 15132, 15133, 15137, 15153, 15181, 15232, 15248, 15251, 15297, 15312, 15315, 15316, 15321, 15322, 15346, 15367, 15378, 15418, 15429, 15432, 15481, 15496, 15499, 15500, 15527, 15539, 15548, 15579, 15624, 15658, 15660, 15664, 15668, 15670, 15675, 15679, 15682, 15686, 15688, 15692, 15719, 15720, 15728, 15741, 15748, 15768, 15773, 15780, 15786, 15810, 15817, 15821, 15835, 15838, 15881, 15885, 15893, 15899, 15911, 15919, 15920, 15933, 15935, 15947, 15961, 15977, 15987, 15996, 16001, 16004, 16005, 16006, 16008, 16033, 16045, 16050, 16055, 16072, 16086, 16092, 16105, 16115, 16133, 16163, 16267, 16268, 16276, 16289, 16296, 16316, 16321, 16328, 16334, 16358, 16365, 16369, 16383, 16386, 16429, 16433, 16441, 16447, 16459, 16467, 16472, 16488, 16496, 16504, 16512, 16513, 16526, 16540, 16556, 16566, 16575, 16580, 16583, 16584, 16585, 16587, 16612, 16624, 16629, 16634, 16651, 16665, 16671, 16684, 16694, 16712, 16742, 16839, 16840, 16846, 16863, 16864, 16865, 16866, 16867, 16868, 16869, 16870, 16874, 16877, 16880, 16883, 16886, 16889, 16892, 16895, 16898, 16901, 16904, 16907, 16910, 16913, 16916, 16919, 16922, 16925, 16930, 16931, 16937, 16965, 16966, 16974, 16987, 16994, 17014, 17019, 17026, 17032, 17056, 17063, 17067, 17081, 17084, 17127, 17131, 17139, 17145, 17157, 17165, 17194, 17195, 17208, 17222, 17238, 17248, 17257, 17262, 17265, 17266, 17267, 17269, 17294, 17306, 17311, 17316, 17333, 17347, 17353, 17366, 17376, 17394, 17424, 17516, 17519, 17555, 17572, 17605, 17618, 17626, 17639, 17644, 17723, 17724, 17725, 17727, 17728, 17731, 17732, 17733,

17734, 17735, 17736, 17737, 17739, 17740, 17741, 17742, 17743, 17746, 17747, 17748, 17791, 17808, 17815, 17817, 17822, 17827, 17828, 17831, 17836, 17840, 17841, 17856, 17879, 17883, 17893, 17899, 17905, 17910, 17916, 17926, 17938, 17946, 17951, 17952, 17953, 17961, 17968, 17982, 17983, 17984, 17992, 18001, 18005, 18006, 18007, 18015, 18022, 18023, 18024, 18032, 18039, 18040, 18041, 18049, 18056, 18057, 18058, 18066, 18073, 18074, 18075, 18083, 18090, 18091, 18092, 18100, 18108, 18109, 18110, 18118, 18127, 18128, 18129, 18137, 18147, 18148, 18149, 18157, 18167, 18182, 18183, 18184, 18192, 18214, 18232, 18233, 18234, 18372, 18480, 18497, 18507, 18522, 18526, 18629, 18894, 18908, 18912, 18935, 18950, 18960, 18964, 18974, 18975, 18976, 18977, 18982, 18984, 18985, 18993, 18999, 19016, 19026, 19032, 19038, 19041, 19052, 19090, 19092, 19097, 19106, 19111, 19113, 19120, 19127, 19158, 19165, 19170, 19176, 19187, 19190, 19201, 19208, 19222, 19272, 19279, 19280, 19282, 19290, 19298, 19300, 19301, 19312, 19316, 19321, 19330, 19336, 19344, 19348, 19357, 19376, 19381, 19400, 19425, 19430, 19450, 19496, 19497, 19508, 19509, 19512, 19516, 19517, 19575, 19594, 19597, 19602, 19605, 19608, 19611, 19614, 19623, 19626, 19631, 19632, 19633, 19655, 19656, 19658, 19664, 19665, 19667, 19673, 19674, 19676, 19682, 19683, 19685, 19693, 19694, 19695, 19696, 19699, 19702, 19705, 19708, 19709, 19710, 19711, 19713, 19715, 19716, 19720, 19722, 19736, 19753, 19758, 19759, 19760, 19761, 19762, 19763, 19764, 19765, 19768, 19769, 19773, 19775, 19780, 19805, 19810, 19848, 19853, 19874, 19881, 19887, 19925, 19931, 19969, 19971, 19981, 19997, 19999, 20002, 20006, 20015, 20042, 20045, 20048, 20054, 20073, 20083, 20097, 20104, 20105, 20212, 20220, 20226

\em 5151

\email 324, 2450

\emaillink 2532, 7235, 7333

\emailsymbol 2410, 7235, 7333

\empty 389, 516, 11234, 17525

\end 168, 170, 193, 649, 652, 655, 720, 723, 984, 992, 995, 1065, 1068, 1235, 1243, 1246, 1316, 1319, 1484, 1492, 1495, 1566, 1569, 1574, 1575, 1576, 2091, 2102, 2103, 2498, 2500, 2502, 2504, 2506, 2510, 2518, 2521, 2570, 2593, 2601, 2603, 2604, 2610, 2617, 2625, 2627, 2628, 2634, 3264, 3270, 3290, 3296, 3969, 3970,

3975, 3978, 4049, 4050, 4057, 4058, 4065, 4066, 4086, 4087, 4125, 4128, 4131, 4134, 4141, 4142, 4325, 4326, 4942, 4998, 5005, 5012, 5019, 5026, 5037, 5045, 5172, 5173, 5309, 5352, 5374, 5765, 5958, 5966, 5969, 6134, 6142, 6145, 6174, 6186, 6226, 6229, 6232, 6297, 6300, 6612, 6622, 6635, 6645, 6658, 6668, 6681, 6691, 7214, 7323, 7335, 7343, 7607, 7681, 7810, 7813, 7816, 7875, 7878, 7905, 7908, 7911, 7976, 7979, 8067, 10071, 10074, 10077, 10136, 10139, 10283, 11291, 11309, 11411, 11427, 11518, 12111, 13572, 14180, 14818, 14826, 14829, 14899, 14902, 14957, 14965, 14968, 15045, 15048, 15053, 15054, 15055, 15211, 15214, 15217, 15289, 15397, 15400, 15403, 15468, 15471, 15567, 15610, 15776, 15791, 15798, 15804, 15808, 15816, 15888, 15905, 15915, 15943, 16324, 16339, 16346, 16352, 16356, 16364, 16436, 16453, 16463, 16522, 17022, 17037, 17044, 17050, 17054, 17062, 17134, 17151, 17161, 17204, 17678, 17854, 19162, 19169, 19179, 19184, 19197, 19204, 19207, 19226, 19243, 19250, 19256, 19258

\end@dblfloat 15654

\end@float 3995, 4318, 15605

\end@rotdblfloat 15609

\end@rotfloat 15566, 15607, 15608

\endarray 602, 626, 1583, 1584, 17613, 17617, 19544

\endBCmd 2093

\endbidi@lrbox . . 19650

\endbidi@tabular@RTLcases 19544, 19552, 19559

\endcsname 8, 43, 56, 71, 162, 164, 209, 252, 265, 279, 335, 336, 378, 438, 506, 528, 603, 1585, 2159, 2160, 2174, 2175, 2201, 2204, 2207, 2223, 2231, 2239, 2294, 2596, 2597, 2620, 2621, 2648, 2676, 2680, 2690, 2698, 2706, 2714, 2716, 2718, 2722, 2723, 2780, 2786, 2787, 2829, 2839, 2845, 2846, 2848, 2849, 2851, 2852, 2854, 2897, 2898, 2920, 2921, 2976, 2977, 2978, 2979, 2985, 2986, 2987, 2988, 3071, 3072, 3075, 3076, 3251, 3253, 3265, 3267, 3305, 3308, 3313, 3329, 3332, 3334, 3344, 3347, 3349, 3356, 3360, 3361, 3366, 3375, 3376, 3392, 3395, 3409, 3421, 3453, 3464, 3549, 3551, 3589, 3591, 3597, 3640, 3780, 3801, 4146, 4147, 4154, 4155, 4746, 4763, 4780, 4811, 4840, 4869, 5111, 5637, 5672, 5675, 5678, 5692, 5699, 5706, 5714, 5715, 5753, 5778, 5779, 6558, 6564, 6572, 6579, 7133, 8111, 8127, 8143, 8156, 8169, 8182, 8355, 8365, 8375, 8401, 8414, 8426, 8444, 8445, 8453, 8466, 8504, 8513, 8522, 8547, 8559, 8570, 8587, 8588, 8596, 8608, 8646, 8656, 8666, 8692, 8705, 8717, 8735, 8736, 8744, 8757, 8795, 8805, 8815, 8841, 8854, 8866, 8884, 8885, 8893, 8906, 8944, 8954, 8964, 8990, 9003, 9015, 9033, 9034, 9042, 9055, 9093, 9103, 9113, 9139, 9152, 9164, 9182, 9183, 9191, 9204, 9242, 9252, 9262, 9288, 9301, 9313, 9331, 9332, 9340, 9353, 9391, 9401, 9411, 9437, 9450, 9462, 9480, 9481, 9489, 9502, 9540,

9550, 9560, 9586, 9599, 9611, 9629, 9630, 9638, 9651, 9743, 9755, 9767, 9793, 9807, 9821, 9841, 9842, 9861, 9875, 10158, 10303, 10305, 10309, 10311, 10400, 10401, 10402, 10403, 10405, 10407, 10408, 10409, 10410, 10412, 10413, 10414, 10471, 10495, 10513, 10599, 10608, 10630, 10646, 10661, 10688, 10701, 10714, 10761, 10776, 11525, 11528, 11530, 11534, 11538, 11552, 11563, 11574, 11774, 11805, 11836, 12151, 12154, 12526, 12592, 13558, 13559, 13566, 14071, 14081, 14095, 15702, 15706, 15710, 16147, 16149, 16151, 16154, 16160, 16169, 16171, 16173, 16179, 16250, 16254, 16258, 16726, 16728, 16730, 16733, 16739, 16747, 16749, 16752, 16758, 16948, 16952, 16956, 17408, 17410, 17412, 17415, 17421, 17429, 17431, 17434, 17440, 17589, 17615, 17617, 17649, 17671, 17673, 17689, 17690, 17710, 17717, 17909, 18172, 18173, 18189, 18190, 18191, 18198, 18200, 18201, 18254, 18255, 18409, 18410, 18520, 18524, 18528, 18627, 18630, 18644, 18660, 18661, 18677, 18684, 18689, 18750, 18805, 18807, 18809, 18825, 18828, 18834, 18836, 18839, 18843, 18848, 18852, 18856, 18870, 18874, 18877, 18880, 18884, 18886, 18919, 18920, 18922, 18924, 18929, 18931, 18933, 18937, 18940, 18941, 18944, 18945, 18954, 18956, 18958, 18962, 18966, 18967, 19020, 19022, 19024, 19028, 19048, 19049, 19057, 19061, 19065, 19069, 19073, 19077, 19081, 19085, 19123, 19124, 19126, 19129, 19130, 19134, 19581, 19636, 19734, 20155

\enddocument 3235

\endflushleft . 2113, 2121

\endgraf 12688, 12707, 16112, 16691, 17373

\endgroup . . . 17, 123, 218, 312, 319, 487, 566, 600, 616, 690, 742, 756, 893, 915, 1039, 1116, 1136, 1290, 1374, 1397, 1539, 1708, 1987, 2225, 2233, 2241, 2587, 2606, 2630, 2838, 2857, 3001, 3020, 3065, 3087, 3097, 3114, 3164, 3210, 3304, 3328, 3343, 3414, 3426, 3438, 3458, 3469, 3480, 3644, 3743, 3753, 3793, 4156, 4583, 4585, 4813, 4842, 4871, 5248, 5265, 5281, 5292, 5332, 5651, 5694, 5701, 5708, 5766, 5855, 5878, 6031, 6054, 6267, 6317, 6332, 6537, 6793, 6848, 7531, 7549, 7727, 7740, 7849, 7946, 7995, 9735, 9852, 9993, 10008, 10110, 10230, 10266, 10350, 10369, 10601, 10610, 10763, 10778, 10797, 10838, 10869, 10999, 11047, 11095, 11110, 11516, 11554, 11565, 11576, 11587, 11688, 11713, 11751, 11784, 11815, 11846, 12075, 12086, 12156, 12313, 12674, 13449, 13567, 13664, 13759, 13960, 13964,

13968, 14227, 14277, 14282, 14284, 14287, 14292, 14516, 14547, 14719, 14742, 14873, 15014, 15090, 15113, 15257, 15304, 15319, 15438, 15488, 15503, 15844, 15944, 16081, 16392, 16523, 16660, 17090, 17205, 17342, 17692, 17796, 17974, 18390, 18501, 18902, 19030, 19340, 19373, 19416, 19435, 19542, 19641, 19831, 19870, 20023, 20031
\endL . . 486, 565, 1712, 2543, 6541, 6550, 6551, 6560, 6566, 6585, 9746, 9758, 9796, 9810, 10177, 10282, 10296, 10443, 11066, 11084, 11094, 11109, 11130, 11918, 12280, 13338, 13409, 14291, 14431, 14450, 14546, 15664, 15675, 15682, 15692, 17767, 19348, 19349, 19388, 19392, 19445, 19456, 19475, 20002, 20073, 20083
\endlist 92, 301, 808, 939, 1170, 1201, 1450, 5136, 5144, 5149, 5904, 6091, 6402, 7785, 8058, 10054, 14066, 14773, 15166, 15362, 15564, 15985, 16564, 17246, 17872
\endLTR 14470, 19499
\endMakeFramed . . . 10811
\endmath 6435
\endmdf@lrbox 12797
\endminipage 8291, 10738
\endmodernpoem . . . 5779
\endNoHyper 546
\endpgfpicture . . . 14245
\endpspicture 14511
\endR . . 338, 343, 602, 626, 1583, 1584, 1701, 2196, 2197, 6443, 6530, 6546, 6551, 6553, 6585, 7512, 8325, 8329, 9746, 9770, 9796, 9824, 10301, 11063, 11116, 11155, 11162, 11531, 11539, 11921, 11957, 11989, 12018, 12044, 12054, 12057, 12102, 12280, 12682, 12746, 12749, 12842, 12850, 13038, 13364, 13536, 13538, 14300, 14432, 14440, 14506, 14507, 14508, 15660, 15670, 15679, 15688, 16079, 16658, 17340, 17587, 17588, 17613, 17619, 17766, 19345, 19349, 19351, 19445, 19457, 19465, 19552, 19698, 19701, 19704, 19721, 19732, 19733, 20002, 20015, 20017, 20073, 20083, 20096, 20099, 20107
\endrotate 15669
\endRTL 14472, 19501
\ends@math 6435
\endsideways 15687
\endsidewaysfigure 15607
\endsidewaystable 15608
\endstabular 17587, 17589
\endstrip 13775
\endtabular 602, 603, 1584, 1585, 2196, 17613, 17615, 17699, 19732, 19734
\endtabularx 17650, 17679, 17690
\endtitlepage . . 850, 1156, 1407, 5887, 6074, 14678, 15127
\endtraditionalpoem 5715
\endtrivlist 10297
\endturn 15659
\endwindow 14302
\enskip 19015, 19040
\enspace 310, 14296, 14298
\env@RTLcases 19557, 19561
\EQ . 7554, 7560, 7561, 7565, 7566, 7575, 7576, 7578, 7580, 7581, 7583, 7584, 7585, 7586, 7588, 7589, 7590, 7602, 7605, 7607, 7609, 7610, 7612, 7615, 7617, 7619, 7620, 7622, 7623, 7625, 7628, 7629, 7630, 7633, 7636, 7644, 7651, 7659, 7666, 7668, 7671, 7675, 7676, 7677, 7678, 7690, 7692, 7693
\eq@addpunct 6440
\EQ@box 6445, 6451
\eq@group . . . 6408, 6417
\eq@GRP@first@dmath 6417
\eq@if . . 2671, 2672, 2674
\eq@isIntertext . . 6455
\eq@prelim . . 6408, 6425
\eq@setnumber 6411

\eq@setup@a 6413
\eq@startup 6414
\eq@wdCond 6432
\eqnewif . 1774, 1775, 1779, 1790, 2667
\eqno 329, 14502, 14504, 20102, 20104
\eqnumform 6443
\eqstyle 6410
\equal 401, 2508, 2525, 2529, 2533, 3983, 4017, 4028, 4054, 4055, 4071, 4112, 4370, 4612, 4613, 4631, 4632, 4650, 4651, 4682, 4683, 7322, 10391
\errmessage 1807, 1942, 13863
\escapechar . . 2576, 2668, 2673, 2857
\ESO@isMEMOIR 7517
\evenpage 1948, 1951, 1952, 1953, 1955, 1956, 1957, 1958, 1960
\evensidemargin 1972, 7540, 11203, 11208, 11216, 20041, 20049
\everycr 12678
\everydisplay 6405
\everyhbox . . . 14434, 14436, 14444, 14446, 19459, 19461, 19469, 19471
\everyjob 1746, 1747, 1919, 1920
\everymath 341
\everypar . . 740, 891, 1134, 1372, 4429, 4473, 4517, 5854, 6030, 6316, 7994, 9992, 10185, 14426, 14430, 14625, 14639, 14718, 15089, 15303, 15487, 17967, 17971, 18499, 19451, 19455, 19919, 19963
\everyvbox . . . 1587, 1588, 14454, 14456, 14462, 14464, 19479, 19481, 19488, 19490
\ExecuteOptions . . . 2359, 3847, 5219, 5221, 7155, 7253
\exhyphenpenalty 842, 1148, 1341, 5824, 6000, 14670, 15119, 15180
\exp 12918, 12921, 12975, 13147, 13201
\expandafter 162, 444, 579, 603, 971, 980, 988, 1014, 1017, 1222, 1231, 1239, 1265, 1268, 1471, 1480, 1488, 1514, 1517, 1585, 1600, 1682, 1683, 1684, 1686, 1748, 1751, 1753, 1757, 1759, 1763, 1765, 2141, 2143, 2147, 2149, 2153, 2155, 2159, 2160, 2168, 2170, 2174, 2175, 2199, 2202, 2205, 2208, 2212, 2215, 2218, 2269, 2270, 2323, 2590, 2592, 2596, 2597, 2601, 2604, 2614, 2616, 2620, 2621, 2625, 2628, 2648, 2650, 2655, 2675, 2676, 2679, 2680, 2716, 2718, 2722, 2726, 2728, 2732, 2734, 2738, 2740, 2744, 2746, 2750, 2752, 2756, 2758, 2762, 2764, 2768, 2770, 2781, 2783, 2787, 2788, 2789, 2791, 2792, 2795, 2799, 2801, 2806, 2807, 2809, 2810, 2813, 2822, 2829, 2833, 2835, 2838, 2839, 2840, 2842, 2845, 2846, 2848, 2849, 2851, 2852, 2854, 2858, 2892, 2893, 2894, 2895, 2896, 2898, 2921, 2925, 2976, 2977, 2978, 2979, 2985, 2986, 2987, 2988, 3071, 3072, 3086, 3087, 3088, 3090, 3097, 3098, 3101, 3116, 3123, 3132, 3304, 3305, 3306, 3309, 3312, 3328, 3329, 3343, 3344, 3356, 3361, 3366, 3376, 3392, 3395, 3421, 3464, 3526, 3535, 3547, 3549, 3550, 3590, 3600, 3601, 3622, 3639, 3650, 3652, 3779, 3780, 4573, 5111, 5541, 5673, 5676, 5679, 5682, 5685, 5688, 5714, 5715, 5778, 5779, 5793, 5945, 5954, 5962, 6121, 6130, 6138, 6405, 6515, 6557, 6578, 6745, 6747, 6804, 6806, 8304, 8444, 8445, 8587, 8588, 8735, 8736, 8884, 8885, 9033, 9034, 9182, 9183, 9331, 9332, 9480, 9481, 9629, 9630, 9841, 9842, 10207, 10209, 10239, 10241, 10303, 10304, 10309, 10310, 10392, 10409, 10414, 10473, 10476,

10497, 10500, 10513, 10527, 10528, 10529, 10530, 10532, 10750, 10838, 10860, 10861, 10869, 10970, 10972, 11014, 11016, 11100, 11138, 11139, 11556, 11558, 11567, 11569, 11578, 11580, 11683, 11697, 11711, 11735, 11749, 11782, 11813, 11844, 12075, 12076, 12083, 12097, 12151, 12159, 12164, 12294, 12295, 12300, 12301, 12675, 12721, 12724, 13548, 13551, 13582, 13584, 13680, 13682, 14189, 14206, 14218, 14223, 14428, 14805, 14814, 14822, 14848, 14851, 14944, 14953, 14961, 14989, 14992, 15572, 15584, 15594, 15615, 15630, 15642, 16146, 16148, 16150, 16153, 16159, 16168, 16170, 16172, 16178, 16725, 16727, 16729, 16732, 16738, 16746, 16748, 16751, 16757, 17407, 17409, 17411, 17414, 17420, 17428, 17430, 17433, 17439, 17589, 17615, 17648, 17651, 17671, 17674, 17676, 17678, 17689, 17690, 17698, 17702, 17704, 17711, 17713, 17718, 17720, 17729, 18172, 18173, 18189, 18190, 18191, 18198, 18200, 18201, 18254, 18409, 18520, 18524, 18528, 18627, 18630, 18644, 18660, 18677, 18684, 18689, 18750, 18804, 18806, 18808, 18824, 18828, 18833, 18835, 18838, 18842, 18847, 18851, 18855, 18869, 18874, 18876, 18879, 18883, 18886, 18932, 18936, 18957, 18961, 19023, 19027, 19123, 19124, 19126, 19129, 19130, 19133, 19358, 19370, 19373, 19381, 19382, 19401, 19413, 19416, 19430, 19431, 19435, 19453, 19734, 19799, 19801, 19842, 19844, 20155

\extrafeetendmini 8283, 8290

\extrafeetendminihook 8288, 8289

\extrafeetins 8262, 8263

\extrafeetinshook 8268, 8269

\extrafeetminihook 8282

\extrainfo 2451

\extrarowheight 606, 12649, 12657

\extrarulesep 17642

\extratitle 15866, 16414, 17112

F

\f@size 342

\FamilyKeyState . 18625

\FamilyKeyStateProcessed 18625

\familyname 2444

\familynamecolour 2413, 7159, 7257

\familynamefont 2422, 2430, 7199, 7293

\familynamestyle 2430, 7210, 7300, 7321

\FamilySetBool . . . 18624

\fancy@@oval 10155

\fancy@reset 10187, 10193

\fancyfoot . . . 2543, 4197, 4198, 7225

\fancyhead 4186, 4187, 4188, 5410, 5411, 5422, 5423, 5424

\fancyhf 2392, 4184, 4193, 4203, 5408, 5419

\fancyhfoffset 4177, 4178

\fancypagestyle 2389, 2542, 4192, 4202, 7224

\FAX 2409

\fax 2449

\faxsymbol 2409, 7234, 7332

\fb@adjheight 10825, 10895, 10915

\fb@afterframe 10820, 10845, 10903

\FB@captype 10308, 10309, 10311

\fb@frh 10832, 10836, 10851, 10886, 10889

\fb@put@frame . 10814, 10825, 10896, 10916
\fb@putboxa . . 10819, 10844, 10902, 10919
\fb@resto@set 10854, 10894, 10898
\fb@sizeofframe 10827, 10849
\fbox 2093, 2103, 6584, 7694, 11330, 11336, 11343, 11349, 11355, 11361, 11369, 11373, 11378, 11382, 11386, 11390, 11405, 11406, 11421, 11422, 11431, 11435, 11440, 11444, 11448, 11452, 11460, 11466, 11473, 11479, 11485, 11491, 14545
\fboxrule 2041, 10788, 10794, 10800, 10802, 10804, 10806
\fboxsep 2042, 2109, 2118, 6546, 6547, 6548, 6584, 10788, 10800, 10802, 10804, 10806, 14544, 19345, 19346, 19347, 19443
\fcolorbox 2043
\FeetAboveFloat 9973, 9977
\FeetAtBottom 9975
\FeetBelowFloat . . 9974
\FeetBelowRagged 9976, 9978
\ff@backcol 10403
\ff@col 10401
\ff@frametype 10399, 10410
\ff@txtcol 10391, 10392, 10402
\fi . 12, 13, 18, 25, 36, 84, 94, 100, 103, 104, 105, 113, 130, 132, 138, 146, 150, 154, 158, 165, 180, 213, 214, 219, 224, 230, 233, 234, 235, 245, 293, 307, 311, 330, 338, 343, 362, 371, 372, 373, 374, 380, 391, 411, 418, 430, 441, 442, 449, 466, 476, 480, 485, 508, 518, 531, 532, 536, 537, 538, 546, 555, 563, 564, 582, 583, 595, 596, 599, 602, 618, 624, 626, 683, 688, 726, 733, 741, 743, 750, 753, 754, 757, 776, 777, 783, 792, 814, 823, 830, 839, 843, 856, 859, 860, 861, 867, 868, 873, 876, 884, 892, 894, 901, 902, 909, 912, 913, 918, 926, 964, 974, 983, 991, 1015, 1017, 1032, 1037, 1071, 1078, 1087, 1093, 1094, 1100, 1103, 1110, 1113, 1114, 1119, 1127, 1135, 1137, 1144, 1145, 1149, 1169, 1170, 1171, 1188, 1215, 1225, 1234, 1242, 1266, 1268, 1283, 1288, 1322, 1329, 1338, 1342, 1348, 1349, 1354, 1357, 1365, 1373, 1375, 1382, 1383, 1391, 1394, 1395, 1400, 1413, 1416, 1417, 1418, 1437, 1464, 1474, 1483, 1491, 1515, 1517, 1532, 1537, 1575, 1576, 1578, 1581, 1583, 1584, 1589, 1603, 1604, 1618, 1619, 1633, 1641, 1642, 1648, 1649, 1653, 1658, 1661, 1666, 1669, 1677, 1678, 1687, 1688, 1700, 1701, 1712, 1754, 1760, 1766, 1798, 1799, 1806, 1807, 1815, 1821, 1827, 1833, 1839, 1851, 1857, 1863, 1869, 1875, 1889, 1933, 1934, 1941, 1942, 2144, 2150, 2156, 2171, 2192, 2196, 2197, 2199, 2255, 2256, 2262, 2277, 2278, 2281, 2284, 2287, 2291, 2292, 2300, 2514, 2515, 2516, 2518, 2546, 2554, 2585, 2586, 2601, 2611, 2625, 2635, 2644, 2651, 2721, 2729, 2735, 2741, 2747, 2753, 2759, 2765, 2771, 2784, 2793, 2796, 2802, 2811, 2814, 2836, 2843, 2887, 2922, 3073, 3091, 3310, 3336, 3350, 3362, 3377, 3413, 3425, 3457, 3468, 3522, 3524, 3525, 3554, 3556, 3560, 3561, 3570, 3572, 3593, 3594, 3596, 3610, 3611, 3613, 3614, 3629, 3642, 3643, 3651, 3668, 3723, 3733, 3744,

3931, 3937, 4124,
4127, 4130, 4133,
4152, 4163, 4393,
4402, 4429, 4437,
4446, 4481, 4490,
4666, 4723, 4725,
4735, 5058, 5059,
5176, 5177, 5178,
5356, 5434, 5486,
5499, 5507, 5538,
5539, 5594, 5595,
5599, 5606, 5611,
5620, 5649, 5660,
5662, 5665, 5667,
5721, 5723, 5727,
5746, 5748, 5749,
5750, 5761, 5763,
5764, 5773, 5775,
5812, 5821, 5825,
5831, 5832, 5837,
5840, 5848, 5856,
5863, 5864, 5871,
5874, 5875, 5881,
5891, 5922, 5924,
5926, 5938, 5948,
5957, 5965, 5988,
5997, 6001, 6007,
6008, 6013, 6016,
6024, 6032, 6039,
6040, 6047, 6050,
6051, 6057, 6078,
6098, 6100, 6102,
6114, 6124, 6133,
6141, 6161, 6167,
6168, 6172, 6174,
6197, 6206, 6260,
6265, 6303, 6310,
6318, 6325, 6328,
6329, 6333, 6343,
6345, 6347, 6356,
6362, 6363, 6370,
6381, 6386, 6404,
6406, 6407, 6408,
6416, 6427, 6429,
6438, 6443, 6445,
6460, 6461, 6462,
6464, 6466, 6491,
6498, 6504, 6516,
6517, 6529, 6530,
6541, 6545, 6546,
6550, 6551, 6553,
6560, 6566, 6585,
6588, 6589, 6595,
6600, 6623, 6646,
6669, 6692, 6707,
6710, 6711, 6727,
6731, 6732, 6734,
6755, 6776, 6783,
6792, 6794, 6814,
6831, 6838, 6847,
6849, 6859, 6898,
6905, 6914, 6917,
6924, 6937, 6945,
6951, 6956, 6958,
6959, 6960, 6993,
6994, 7010, 7019,
7024, 7025, 7069,
7078, 7081, 7088,
7102, 7110, 7116,
7121, 7123, 7124,
7125, 7126, 7140,
7175, 7182, 7189,
7196, 7221, 7270,
7276, 7282, 7288,
7302, 7317, 7363,
7366, 7367, 7384,
7387, 7388, 7413,
7429, 7430, 7432,
7441, 7450, 7451,
7470, 7483, 7484,
7493, 7502, 7503,
7506, 7512, 7515,
7526, 7529, 7541,
7547, 7567, 7586,
7587, 7601, 7642,
7643, 7649, 7650,
7651, 7657, 7658,
7664, 7665, 7666,
7667, 7675, 7676,
7677, 7678, 7679,
7680, 7708, 7721,
7724, 7725, 7728,
7735, 7741, 7748,
7749, 7755, 7762,
7772, 7842, 7847,
7881, 7939, 7944,
7982, 7988, 7996,
7998, 8000, 8002,
8011, 8017, 8018,
8026, 8037, 8042,
8062, 8065, 8068,
8070, 8077, 8078,
8082, 8104, 8151,
8231, 8232, 8243,
8244, 8255, 8256,
8267, 8287, 8299,
8324, 8325, 8328,
8329, 8331, 8350,
8360, 8395, 8412,
8499, 8508, 8541,
8557, 8641, 8651,
8686, 8703, 8790,
8800, 8835, 8852,
8939, 8949, 8983,
9001, 9088, 9098,
9132, 9150, 9237,
9247, 9282, 9299,
9386, 9396, 9431,
9448, 9535, 9545,
9580, 9597, 9690,
9701, 9710, 9746,
9796, 9926, 9957,
9969, 9986, 9994,
10001, 10004,
10005, 10009,
10012, 10017,
10024, 10041,
10103, 10108,
10142, 10149,
10151, 10153,
10163, 10167,
10174, 10175,
10176, 10177,
10217, 10229,
10231, 10249,
10265, 10267,
10278, 10285,
10301, 10323,
10331, 10335,
10349, 10356,
10418, 10420,
10422, 10431,
10433, 10435,
10443, 10446,
10448, 10463,
10477, 10501,
10585, 10587,
10623, 10673,
10681, 10694,
10707, 10708,

10722, 10723,
10746, 10789,
10803, 10805,
10815, 10883,
10884, 10912,
10917, 10926,
10939, 10940,
10941, 10955,
10980, 10997,
11000, 11024,
11045, 11048,
11061, 11063,
11066, 11067,
11078, 11084,
11087, 11094,
11103, 11109, 11111,
11113, 11116, 11124,
11130, 11145,
11151, 11152,
11155, 11162,
11174, 11175,
11188, 11198,
11204, 11211,
11217, 11218,
11234, 11238,
11243, 11247,
11248, 11258,
11259, 11264,
11265, 11266,
11274, 11283,
11285, 11286,
11287, 11288,
11289, 11301,
11303, 11304,
11305, 11306,
11307, 11312,
11318, 11319,
11320, 11333,
11339, 11346,
11352, 11358,
11364, 11365,
11366, 11371,
11375, 11380,
11384, 11388,
11392, 11393,
11394, 11395,
11402, 11410,
11418, 11426,
11433, 11437,
11442, 11446,
11450, 11454,
11455, 11456,
11463, 11469,
11476, 11482,
11488, 11494,
11495, 11496,
11497, 11498,
11499, 11500,
11509, 11514,
11515, 11519,
11531, 11539,
11543, 11544,
11559, 11570,
11581, 11601,
11612, 11623,
11638, 11653,
11668, 11727,
11765, 11798,
11829, 11860,
11886, 11889,
11892, 11895,
11904, 11906,
11910, 11916,
11918, 11921,
11935, 11940,
11949, 11957,
11969, 11974,
11982, 11989,
12000, 12005,
12011, 12018,
12029, 12034,
12044, 12050,
12054, 12057,
12085, 12089,
12102, 12106,
12109, 12112,
12114, 12137,
12138, 12155,
12165, 12171,
12188, 12203,
12204, 12222,
12225, 12229,
12258, 12259,
12269, 12270,
12287, 12296,
12302, 12336,
12339, 12416,
12419, 12422,
12425, 12428,
12431, 12434,
12437, 12441,
12444, 12447,
12450, 12453,
12456, 12459,
12462, 12465,
12468, 12471,
12474, 12477,
12480, 12483,
12486, 12489,
12492, 12495,
12498, 12501,
12504, 12507,
12510, 12513,
12516, 12519,
12522, 12525,
12528, 12531,
12534, 12537,
12540, 12543,
12546, 12549,
12552, 12555,
12558, 12561,
12564, 12567,
12570, 12573,
12576, 12579,
12582, 12585,
12588, 12591,
12594, 12597,
12600, 12603,
12606, 12609,
12612, 12615,
12618, 12621,
12624, 12630,
12632, 12635,
12644, 12645,
12660, 12682,
12687, 12696,
12700, 12741,
12742, 12746,
12747, 12749,
12754, 12759,
12763, 12796,
12818, 12842,
12850, 13038,
13364, 13440,
13444, 13447,
13452, 13453,
13454, 13455,
13456, 13457,
13469, 13483,
13486, 13492,

13496, 13497,
13518, 13519,
13520, 13525,
13536, 13538,
13542, 13552,
13564, 13571,
13592, 13599,
13602, 13623,
13633, 13661,
13667, 13668,
13690, 13697,
13700, 13721,
13731, 13756,
13762, 13763,
13768, 13788,
13798, 13799,
13804, 13805,
13811, 13815,
13816, 13819,
13823, 13828,
13831, 13835,
13840, 13844,
13852, 13863,
13877, 13882,
13888, 13905,
13913, 13919,
13928, 13935,
13943, 13947,
13951, 13955,
14048, 14054,
14073, 14078,
14083, 14090,
14100, 14101,
14104, 14105,
14106, 14111,
14116, 14120,
14126, 14132,
14137, 14140,
14146, 14165,
14178, 14179,
14198, 14212,
14220, 14221,
14225, 14233,
14248, 14256,
14291, 14300,
14301, 14319,
14323, 14330,
14331, 14333,
14335, 14336,
14337, 14343,
14368, 14370,
14381, 14392,
14399, 14405,
14407, 14410,
14411, 14425,
14479, 14480,
14483, 14487,
14488, 14504,
14505, 14506,
14507, 14508,
14510, 14513,
14521, 14532,
14537, 14542,
14545, 14546,
14553, 14555,
14559, 14561,
14570, 14572,
14574, 14583,
14585, 14587,
14596, 14598,
14600, 14609,
14611, 14628,
14650, 14651,
14658, 14667,
14671, 14684,
14687, 14688,
14689, 14695,
14696, 14701,
14704, 14712,
14720, 14727,
14728, 14735,
14738, 14739,
14745, 14760,
14780, 14782,
14784, 14798,
14808, 14817,
14825, 14849,
14851, 14866,
14871, 14905,
14912, 14921,
14937, 14947,
14956, 14964,
14990, 14992,
15007, 15012,
15054, 15055,
15057, 15060,
15066, 15067,
15072, 15075,
15083, 15091,
15098, 15099,
15106, 15109,
15110, 15116,
15120, 15133,
15136, 15137,
15138, 15145,
15147, 15149,
15153, 15181,
15250, 15255,
15291, 15297,
15305, 15312,
15315, 15316,
15320, 15321,
15322, 15333,
15335, 15337,
15346, 15369,
15378, 15431,
15436, 15474,
15481, 15489,
15496, 15499,
15500, 15504,
15514, 15516,
15518, 15527,
15532, 15539,
15548, 15581,
15585, 15595,
15626, 15631,
15632, 15643,
15644, 15658,
15660, 15664,
15668, 15670,
15675, 15679,
15682, 15686,
15688, 15692,
15719, 15728,
15730, 15741,
15748, 15771,
15777, 15783,
15786, 15809,
15814, 15815,
15827, 15837,
15842, 15845,
15882, 15883,
15889, 15896,
15899, 15914,
15919, 15920,
15921, 15937,
15940, 15947,
15963, 15984,
15991, 15996,
16001, 16004,

16005, 16006, 16008, 16035, 16059, 16060, 16061, 16079, 16080, 16088, 16094, 16107, 16117, 16135, 16141, 16165, 16267, 16276, 16278, 16289, 16296, 16319, 16325, 16331, 16334, 16357, 16362, 16363, 16375, 16385, 16390, 16393, 16430, 16431, 16437, 16444, 16447, 16462, 16467, 16468, 16471, 16474, 16487, 16490, 16495, 16498, 16503, 16506, 16515, 16519, 16526, 16542, 16563, 16570, 16575, 16580, 16583, 16584, 16585, 16587, 16614, 16638, 16639, 16640, 16658, 16659, 16667, 16673, 16686, 16696, 16714, 16720, 16744, 16839, 16846, 16847, 16863, 16864, 16865, 16866, 16867, 16868, 16869, 16870, 16877, 16879, 16883, 16885, 16889, 16891, 16895, 16897, 16901, 16903, 16907, 16909, 16913, 16915, 16919, 16921, 16925, 16927, 16931, 16933, 16937, 16965, 16974, 16976, 16987, 16994, 17017, 17023, 17029, 17032, 17055, 17060, 17061, 17073, 17083, 17088, 17091, 17128, 17129, 17135, 17142, 17145, 17160, 17165, 17166, 17197, 17201, 17208, 17224, 17245, 17252, 17257, 17262, 17265, 17266, 17267, 17269, 17296, 17320, 17321, 17322, 17340, 17341, 17349, 17355, 17368, 17378, 17396, 17402, 17426, 17517, 17520, 17562, 17578, 17583, 17587, 17588, 17605, 17613, 17619, 17626, 17633, 17639, 17644, 17675, 17732, 17733, 17749, 17750, 17766, 17784, 17791, 17793, 17808, 17819, 17822, 17829, 17830, 17831, 17836, 17840, 17841, 17856, 17878, 17885, 17903, 17904, 17920, 17921, 17922, 17926, 17927, 17936, 17940, 17941, 17942, 17948, 17951, 17952, 17953, 17961, 17972, 17973, 17975, 17976, 17982, 17983, 17984, 17992, 17995, 17996, 18004, 18005, 18006, 18007, 18015, 18018, 18022, 18023, 18024, 18032, 18035, 18039, 18040, 18041, 18049, 18052, 18056, 18057, 18058, 18066, 18069, 18073, 18074, 18075, 18083, 18086, 18090, 18091, 18092, 18100, 18103, 18108, 18109, 18110, 18118, 18121, 18127, 18128, 18129, 18137, 18140, 18147, 18148, 18149, 18157, 18160, 18174, 18182, 18183, 18184, 18192, 18195, 18217, 18232, 18233, 18234, 18375, 18391, 18483, 18497, 18500, 18502, 18530, 18531, 18532, 18539, 18554, 18571, 18593, 18632, 18633, 18901, 18903, 18910, 18912, 18925, 18926, 18927, 18934, 18938, 18943, 18947, 18953, 18959, 18963,

18969, 18972, 18974, 18975, 18976, 18979, 18982, 18985, 18986, 18995, 19001, 19010, 19011, 19019, 19025, 19029, 19032, 19033, 19044, 19045, 19055, 19056, 19060, 19064, 19068, 19072, 19076, 19080, 19084, 19088, 19092, 19097, 19105, 19108, 19115, 19116, 19120, 19127, 19150, 19156, 19167, 19172, 19178, 19180, 19187, 19190, 19203, 19212, 19225, 19228, 19239, 19245, 19246, 19252, 19257, 19260, 19274, 19279, 19282, 19283, 19284, 19285, 19289, 19292, 19294, 19300, 19301, 19315, 19325, 19326, 19333, 19338, 19341, 19344, 19345, 19348, 19349, 19351, 19360, 19361, 19365, 19371, 19377, 19378, 19379, 19382, 19388, 19392, 19403, 19404, 19408, 19414, 19426, 19427, 19428, 19431, 19445, 19450, 19496, 19497, 19508, 19509, 19512, 19516, 19517, 19552, 19577, 19596, 19604, 19610, 19616, 19622, 19623, 19629, 19634, 19637, 19657, 19658, 19666, 19667, 19675, 19676, 19684, 19685, 19693, 19694, 19695, 19696, 19699, 19702, 19705, 19708, 19709, 19710, 19711, 19713, 19715, 19716, 19723, 19726, 19728, 19732, 19733, 19736, 19752, 19753, 19761, 19762, 19765, 19766, 19767, 19768, 19769, 19775, 19780, 19788, 19809, 19829, 19832, 19852, 19868, 19871, 19874, 19883, 19892, 19927, 19936, 19968, 19971, 19972, 19973, 19974, 19975, 19983, 19997, 20001, 20002, 20006, 20014, 20015, 20016, 20017, 20018, 20037, 20044, 20050, 20051, 20052, 20053, 20055, 20056, 20057, 20073, 20083, 20096, 20099, 20100, 20104, 20105, 20107, 20115, 20117, 20216, 20222, 20228

\figcaption 11283, 11301

\fill 5349, 5353, 11318, 11513, 12630, 12632, 12634

\filright . . 17771, 17800

\FirstFrameCommand 10802, 10848

\firstmark . . . 6753, 6812, 10215, 10247, 10388, 10978, 11022, 13590, 13688, 19807, 19850, 20090

\firstname 2443

\firstnamecolour 2412, 7160, 7256

\firstnamefont 2421, 2429, 7198, 7199, 7290, 7293

\firstnamestyle 2429, 7210, 7300, 7321

\fivecolumnfootnotes 8776

\fivecolumnfootstyle 8871

\flnew@within . . . 10308

\float@newx 10302

\floatalignment 3987, 3988, 4029, 4030, 4046, 4053, 4061, 4112, 4323

\FloatBarrier 3959, 4303

\floatc@bidituftefloatplain 4321, 4331, 4338, 4344, 4352

\floatc@bidituftefloatplaintop 4338

\floatc@bidituftefloatruled 4339

\floatc@plain . . . 10299

\floatingpenalty 40, 53, 68, 249, 262, 276, 7372, 7393, 7440, 7447, 7492, 7499, 8277, 10627, 10643, 10658

\floatstyle 4372

\flushleft . . . 2110, 2119

\FN@sf@@footnote 2137, 2141
\FN@sf@@footnotemark 2166, 2168
\FN@sf@@LTRfootnote 2138, 2147
\FN@sf@@RTLfootnote 2139, 2153
\FN@sf@gobble@bracket 2177, 2180
\FN@sf@gobble@opt 2143, 2149, 2155, 2158
\FN@sf@gobble@optonly 2170, 2173
\FN@sf@gobble@twobracket 2162, 2165
\fnch@everypar . . . 10185
\font 17529, 17530
\fontdimen 17529, 17530
\fontsize . 305, 5304, 5306, 5308, 7198, 7290, 14163, 14176
\foo 14203, 14205, 14215, 14217
\footdir@abspage 10488, 10491, 10492, 10495, 10496, 10499
\footdir@debug 10460, 10468, 10472, 10475, 10485, 10492, 10496, 10499
\footdir@debugfalse 1862
\footdir@debugtrue 1860, 10458
\footdir@fntext . . . 10506, 10523, 10525
\footdir@LeftRightElse 10466, 10482, 10559
\footdir@name 10509, 10512, 10513
\footdir@ORG@bidi@amsart@footnotetext 76
\footdir@ORG@bidi@amsart@LTRfootnotetext 78
\footdir@ORG@bidi@amsart@RTLfootnotetext 77
\footdir@ORG@bidi@amsbook@footnotetext 285
\footdir@ORG@bidi@amsbook@LTRfootnotetext 287
\footdir@ORG@bidi@amsbook@RTLfootnotetext 286
\footdir@ORG@bidi@footnotetext 10676
\footdir@ORG@bidi@LTRfootnotetext 10678
\footdir@ORG@bidi@RTLfootnotetext 10677
\footdir@temp 76, 77, 78, 285, 286, 287, 10518, 10676, 10677, 10678
\footdir@toks 10459, 10526, 10527, 10528, 10532
\footdir@write 10453, 10483, 10522
\footersymbol 7217, 7218, 7233, 7234, 7235, 7236
\footfootmark 8221, 8387, 8533, 8678, 8827, 8976, 9125, 9274, 9423, 9572, 9776
\footfudgefactor 9681, 9734, 9851
\footfudgefiddle . . 9711
\footins 35, 48, 63, 244, 257, 271, 7372, 7393, 7397, 7398, 7409, 7412, 7416, 7440, 7446, 7454, 7455, 7466, 7469, 7473, 7492, 7498, 8103, 8119, 8135, 8274, 9934, 9938, 9945, 9949, 9953, 9966, 10622, 10638, 10639, 10964, 10965, 11008, 11009
\footinsdim 8273, 8274, 8339, 8341, 8444, 8490, 8587, 8632, 8739, 8781, 8884, 8930, 9033, 9079, 9081, 9328, 9331, 9377, 9480, 9526, 9629, 9717, 9841
\footinsv@r . . 8267, 8312, 8313, 8314, 8315, 8341, 8342, 8350, 8360, 8370, 8490, 8491, 8499, 8508, 8517, 8632, 8633, 8641, 8651, 8661, 8781, 8782, 8790, 8800, 8810, 8930, 8931, 8939, 8949, 8959, 9079, 9080, 9088, 9098, 9108, 9228, 9229, 9237, 9247, 9257, 9377, 9378, 9386, 9396, 9406, 9526, 9527, 9535, 9545, 9555, 9717, 9718, 9737, 9749, 9761
\footmarksep 8216
\footmarkstyle 8218, 8257
\footmarkwidth 8215, 8222, 8223, 8225, 8227, 8230, 8234, 8235, 8237, 8239, 8242, 8246, 8247, 8249, 8251, 8254, 8260
\footnote . . 637, 711, 959, 1058, 1210, 1309, 1459, 1559, 2137, 2140, 4886, 5205, 5236, 5933, 6109, 6214, 6288, 7800, 7868, 7893, 7967, 10061, 10129, 13487, 13490, 14793, 14892, 14930, 15036, 15189, 15277, 15385, 15459, 15762, 15878, 16310, 16426, 17008, 17124
\footnotelayout 4707, 4708, 4711
\footnotemark . 2166,

2167, 10751, 10765, 13488, 13491
\footnoterule . 7351, 7413, 7419, 7424, 7452, 7453, 7470, 7474, 7478, 7504, 7505, 8098, 8286, 8297, 8311, 9911, 9937, 9948, 10450, 10547, 10551, 10554, 10569, 10574, 10575, 10577, 11056
\footnotes 4704
\footnotesep 29, 31, 39, 45, 52, 58, 67, 73, 239, 241, 248, 254, 261, 267, 275, 281, 7369, 7390, 7415, 7472, 8114, 8130, 8146, 8160, 8173, 8186, 8278, 10626, 10634, 10642, 10650, 10657, 10665, 10691, 10704, 10717
\footnotesize . . . 37, 50, 65, 102, 232, 246, 259, 273, 633, 955, 1206, 1455, 2521, 2543, 3867, 3868, 3906, 4519, 4520, 4521, 4713, 4742, 4759, 4776, 5929, 6105, 6210, 7796, 7889, 8270, 8271, 8272, 10057, 10618, 10619, 10620, 10624, 10640, 10655, 10684, 10697, 10710, 14296, 14298, 14789, 14926, 15185, 15381, 15758, 16306, 17004
\footnotetext . 2201, 2212, 5672, 5682
\footparindent 8217, 8261
\footrule 10194
\footrulewidth 2391, 4182
\footscript . . 8218, 8224, 8228, 8230
\footskip . 10194, 20080
\foottextfont 8107, 8114, 8154, 8160, 8270, 8337, 8352, 8387, 8398, 8486, 8501, 8533, 8544, 8628, 8643, 8678, 8689, 8777, 8792, 8827, 8838, 8926, 8941, 8976, 8987, 9075, 9090, 9125, 9136, 9224, 9239, 9274, 9285, 9373, 9388, 9423, 9434, 9522, 9537, 9572, 9583, 9686, 9713, 9728, 9740, 9776, 9790
\forcerectofloat . 3990
\forceversofloat . 3991
\fourcolumnfootnotes 8627
\fourcolumnfootstyle 8722
\fp 13136, 13137, 13138, 13139
\fps@figure 11271
\framebox 168, 170, 7208, 7339, 13797, 13803
\FrameCommand . . . 10800
\FrameHeightAdjust 10874
\FrameRestore 10808, 10812, 10928, 10929
\fromaddress 8060, 8066, 8076, 12104, 12110
\fromname 8081
\fromplace 16931
\fromsig 8080, 8082, 16938
\frontmatter 5403
\fs@bidituftefloatboxed 4350
\fs@bidituftefloatplain 4329, 4337
\fs@bidituftefloatplaintop 4337
\fs@bidituftefloatruled 4342
\fslice . 14313, 14314, 14316, 14317, 14320
\ftn@font 15733, 16281, 16979
\ftn@rule@height 15740, 15743, 15747, 15750, 16288, 16291, 16295, 16298, 16986, 16989, 16993, 16996
\ftn@rule@test@values 15739, 15746, 16287, 16294, 16985, 16992
\ftn@rule@width 15743, 15750, 16291, 16298, 16989, 16996
\ftnm@font 15735, 16283, 16981
\full@width 13855, 13867, 13918
\futurelet 1008, 1010, 1259, 1261, 1508, 1510, 2641, 14842, 14844, 14983, 14985

G

\g 7573, 7575, 7579, 7672, 12837, 12844, 12852, 12895, 12899, 12900, 12946, 12950, 12951, 12968, 12969, 13002, 13019, 13022, 13028, 13029, 13030, 13031, 13032, 13041, 13042, 13044, 13046, 13047, 13048, 13055, 13056, 13061, 13067, 13076,

13079, 13087, 13088, 13091, 13092, 13093, 13094, 13095, 13096, 13098, 13101, 13102, 13104, 13107, 13109, 13112, 13117, 13125, 13126, 13128, 13129, 13130, 13131, 13132, 13133, 13134, 13136, 13137, 13138, 13139, 13141, 13142, 13152, 13160, 13161, 13162, 13164, 13169, 13170, 13175, 13176, 13180, 13185, 13188, 13195, 13197, 13200, 13201, 13205, 13207, 13208, 13211, 13212, 13213, 13217, 13218, 13222, 13223, 13230, 13245, 13246, 13247, 13249, 13254, 13257, 13258, 13261, 13265, 13266, 13267, 13271, 13272, 13273, 13280, 13281, 13282, 13284, 13285, 13288, 13289, 13294, 13300, 13311, 13316, 13317, 13318, 13322, 13323, 13324, 13325, 13326, 13327, 13329, 13336, 13352, 13353, 13354, 13355, 13357, 13360, 13368, 13370, 13382, 13383, 13385, 13387, 13388, 13389, 13393, 13394, 13395, 13400, 13407

\g@addto@macro 3395, 3639, 3724, 3734, 3985, 4665, 4667, 7602, 7605, 7607, 18832, 19128

\g@mix@page@int . . 13274

\gdef 626, 628, 2040, 2412, 2413, 2414, 2415, 2416, 2417, 2419, 2420, 3718, 3729, 4003, 4004, 4006, 4009, 4083, 4088, 4089, 4090, 4242, 4283, 4662, 4797, 4826, 4855, 4894, 4903, 4912, 5241, 5258, 5274, 5286, 5326, 5327, 5328, 5515, 5518, 5780, 5792, 5794, 6752, 6811, 7556, 7569, 9951, 9962, 9973, 9974, 10214, 10246, 10513, 10573, 10977, 11021, 12152, 12335, 12338, 13589, 13687, 14108, 14129, 14487, 17527, 17772, 17773, 17778, 17801, 17802, 19125, 19516, 19566, 19806, 19849

\geometry 3889, 3892, 3896, 3899, 3903

\Gin@angle 14169

\Gin@bboxtrue 11088

\Gin@defaultbp 11089, 11090, 11091, 11092, 17754, 17755, 17758

\Gin@eheight 14171

\Gin@esetsize 11107

\Gin@ewidth 14170, 14171

\Gin@exclamation . . . 11137, 14170, 14173

\Gin@gridfalse . . . 14156

\Gin@ii 11096

\Gin@iii . . . 11085, 11099

\Gin@llx 11089

\Gin@lly 11090

\Gin@outer@scalex 14167

\Gin@outer@scaley 14168

\Gin@scalex 14172

\Gin@scaley 14173

\Gin@urx 11091

\Gin@ury 11092

\Ginclude@graphics 11093, 11105

\Ginput@path 379, 507, 13034

\global 303, 419, 420, 467, 468, 471, 472, 488, 522, 523, 547, 550, 551, 567, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 686, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 739, 740, 890, 891, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1035, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1133, 1134, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1286, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1371,

1372, 1497, 1498,
1499, 1500, 1501,
1502, 1503, 1504,
1505, 1506, 1535,
1541, 1542, 1543,
1544, 1545, 1546,
1547, 1548, 1549,
1550, 1551, 1677,
1678, 1989, 1990,
1991, 1992, 1993,
1994, 1995, 1996,
1997, 1998, 1999,
2199, 2202, 2205,
2208, 2212, 2215,
2218, 2297, 2301,
2323, 2578, 2590,
2614, 2698, 2714,
3854, 3988, 4032,
4033, 4039, 4399,
4410, 4413, 4443,
4454, 4457, 4487,
4498, 4501, 4555,
5319, 5516, 5519,
5537, 5541, 5557,
5568, 5594, 5595,
5622, 5635, 5636,
5664, 5673, 5676,
5679, 5682, 5685,
5688, 5720, 5730,
5744, 5746, 5751,
5752, 5758, 5759,
5761, 5781, 5793,
5795, 5853, 5854,
5971, 5972, 5973,
5974, 5975, 5976,
5977, 5978, 5979,
5980, 6029, 6030,
6147, 6148, 6149,
6150, 6151, 6152,
6153, 6154, 6155,
6156, 6234, 6235,
6236, 6237, 6238,
6239, 6240, 6241,
6242, 6243, 6244,
6245, 6263, 6269,
6270, 6271, 6272,
6273, 6274, 6275,
6276, 6277, 6278,
6279, 6280, 6281,
6315, 6316, 6407,
6417, 6418, 6419,
6420, 6421, 6422,
6423, 6424, 6432,
6445, 6450, 6454,
6510, 6739, 6740,
6750, 6757, 6787,
6798, 6799, 6809,
6816, 6842, 6901,
6909, 6919, 6929,
6938, 6940, 6941,
6944, 6947, 6957,
6971, 6972, 6974,
6976, 6977, 6979,
6985, 6986, 6989,
6991, 6992, 6995,
6998, 7003, 7012,
7020, 7065, 7073,
7083, 7092, 7094,
7103, 7105, 7106,
7109, 7112, 7122,
7130, 7131, 7138,
7364, 7371, 7385,
7392, 7404, 7412,
7416, 7433, 7436,
7444, 7449, 7461,
7469, 7473, 7485,
7488, 7496, 7501,
7682, 7818, 7819,
7820, 7821, 7822,
7823, 7824, 7825,
7826, 7827, 7845,
7851, 7852, 7853,
7854, 7855, 7856,
7857, 7858, 7859,
7860, 7861, 7913,
7914, 7915, 7916,
7917, 7918, 7919,
7920, 7921, 7922,
7923, 7924, 7942,
7948, 7949, 7950,
7951, 7952, 7953,
7954, 7955, 7956,
7957, 7958, 7959,
7960, 7993, 7994,
8151, 8164, 8177,
8331, 8395, 8407,
8420, 8460, 8541,
8552, 8564, 8602,
8686, 8698, 8711,
8751, 8835, 8847,
8860, 8900, 8984,
8996, 9009, 9049,
9133, 9145, 9158,
9198, 9282, 9294,
9307, 9347, 9431,
9443, 9456, 9496,
9580, 9592, 9605,
9645, 9672, 9686,
9786, 9800, 9814,
9869, 9914, 9961,
9972, 9991, 9992,
10079, 10080,
10081, 10082,
10083, 10084,
10085, 10086,
10087, 10088,
10106, 10112,
10113, 10114,
10115, 10116,
10117, 10118,
10119, 10120,
10121, 10122,
10202, 10203,
10212, 10218,
10234, 10235,
10244, 10251,
10318, 10321,
10354, 10357,
10359, 10365,
10366, 10385,
10681, 10682,
10694, 10695,
10707, 10708,
10962, 10963,
10964, 10965,
10975, 10983,
11006, 11007,
11008, 11009,
11019, 11027,
11697, 11711,
11735, 11749,
11782, 11813,
11844, 12285,
12669, 12670,
12721, 12724,
12743, 12744,
12752, 13420,
13421, 13422,
13423, 13424,
13425, 13426,

13427, 13428,
13445, 13540,
13576, 13577,
13587, 13593,
13596, 13598,
13600, 13601,
13603, 13608,
13616, 13618,
13626, 13627,
13628, 13629,
13631, 13632,
13635, 13636,
13665, 13666,
13674, 13675,
13685, 13691,
13694, 13696,
13698, 13699,
13701, 13706,
13714, 13716,
13724, 13725,
13726, 13727,
13729, 13730,
13733, 13734,
13760, 13761,
13767, 13768,
13780, 13781,
13782, 13783,
13784, 13785,
13787, 13793,
13865, 13882,
13888, 13905,
13913, 14049,
14235, 14252,
14253, 14254,
14255, 14263,
14270, 14303,
14327, 14328,
14329, 14515,
14565, 14717,
14718, 14831,
14832, 14833,
14834, 14835,
14836, 14837,
14838, 14839,
14840, 14869,
14875, 14876,
14877, 14878,
14879, 14880,
14881, 14882,
14883, 14884,
14885, 14970,
14971, 14972,
14973, 14974,
14975, 14976,
14977, 14978,
14979, 14980,
14981, 15010,
15016, 15017,
15018, 15019,
15020, 15021,
15022, 15023,
15024, 15025,
15026, 15027,
15028, 15088,
15089, 15219,
15220, 15221,
15222, 15223,
15224, 15225,
15226, 15227,
15228, 15229,
15230, 15253,
15259, 15260,
15261, 15262,
15263, 15264,
15265, 15266,
15267, 15268,
15269, 15270,
15271, 15302,
15303, 15405,
15406, 15407,
15408, 15409,
15410, 15411,
15412, 15413,
15414, 15415,
15416, 15434,
15440, 15441,
15442, 15443,
15444, 15445,
15446, 15447,
15448, 15449,
15450, 15451,
15452, 15486,
15487, 15840,
15852, 15853,
15854, 15855,
15856, 15857,
15858, 15859,
15860, 15861,
15862, 15863,
15864, 15865,
15866, 15867,
15868, 15869,
15870, 15871,
15872, 15873,
15874, 16073,
16127, 16129,
16388, 16400,
16401, 16402,
16403, 16404,
16405, 16406,
16407, 16408,
16409, 16410,
16411, 16412,
16413, 16414,
16415, 16416,
16417, 16418,
16419, 16420,
16421, 16422,
16652, 16706,
16708, 17086,
17098, 17099,
17100, 17101,
17102, 17103,
17104, 17105,
17106, 17107,
17108, 17109,
17110, 17111, 17112,
17113, 17114,
17115, 17116,
17117, 17118,
17119, 17120,
17334, 17388,
17390, 17618,
17622, 17623,
17624, 17641,
17653, 17658,
17662, 17674,
17711, 17713,
17718, 17720,
17966, 17967,
17970, 17971,
18498, 18499,
18549, 18553,
19122, 19270,
19278, 19288,
19291, 19335,
19576, 19793,
19794, 19804,
19811, 19836,
19837, 19847,

19854, 19889, 19900, 19903, 19933, 19944, 19947, 19975, 19984, 19985, 19986, 19987, 19989, 19992, 19993, 20007, 20012, 20026, 20027, 20036, 20087, 20088, 20098
\GlobalSetatBoolean 2707
\GlobalSetBoolean . 2691, 3990, 3991, 4018, 4019, 4023, 4024, 4311, 4312
\glossary . 10375, 20064
\glueexpr 18678, 18685, 18690, 18751, 18812, 18815, 18819, 18825
\Gm@pageframes . . . 11199
\Gm@vrule 11182, 11183, 11184, 11186, 11187, 11188, 11191, 11192, 11193, 11196, 11197, 11198
\Gm@vrules@mpi . . . 11179
\Gm@vrules@mpii . . 11189
\grid 14164, 14177
\Grot@box 11066, 15664, 15675, 15682, 15692
\Grot@box@std 11061
\Grot@setangle 11062, 15657, 15667, 15678, 15685
\Grot@x . 11064, 15662, 15672, 15680, 15690
\Grot@y . 11065, 15663, 15673, 15680, 15691
\group . . 13015, 13036, 13339, 13348, 13410
\grp@aligned 6423
\GRP@box 6418, 6450, 6452
\grp@eqs@numbered 6422
\grp@hasNumber . . . 6427
\GRP@label 6419
\grp@linewidth . . . 6421
\GRP@queue . . 6418, 6454
\grp@setnumber . . . 6427
\grp@shiftnumber . 6424
\grp@wdL 6420
\grp@wdNum 6421
\grp@wdR 6420
\grp@wdT 6420
\Gscale@box 11067, 11159, 11176
\Gscale@div 11158, 11165, 11168
\Gscale@end . 11071, 11117
\Gscale@start 11071, 11117
\Gscale@x . . 11069, 11115
\Gscale@y . . 11069, 11115
\gsetlength . . 3852, 4005, 4091, 4553, 4799, 4801, 4828, 4830, 4857, 4859

H

\H@@footnotemark 11588, 11677, 11870, 11884, 11901
\H@@footnotetext 11547, 11558, 11627, 11674, 11788, 11871, 11887, 11901
\H@@mpfootnotetext 11556, 11590, 11594, 11678
\H@refstepcounter 12077
\halign 5556, 12672
\hangafter . 6600, 13513
\hangindent . . . 103, 104, 105, 233, 234, 235, 866, 1092, 1347, 5176, 5177, 5178, 5830, 6006, 6504, 6600, 13506, 13512, 14694, 15065, 19713, 20117
\hb@xt@ 676, 736, 755, 887, 914, 1115, 1130, 1276, 1368, 1396, 1983, 5851, 5876, 6027, 6052, 6253, 6313, 6330, 6590, 6759, 6764, 6766, 6818, 6819, 6823, 6879, 6883, 6886, 6891, 6896, 7056, 7057, 7061, 7726, 7738, 7835, 7932, 7991, 8223, 8230, 8235, 8242, 8247, 8254, 9989, 10006, 10096, 10253, 10254, 10258, 10276, 10291, 10395, 10985, 10986, 10990, 11029, 11034, 11036, 11080, 11126, 11181, 11186, 11191, 11195, 12100, 12286, 13541, 13642, 13647, 13650, 13740, 13741, 13746, 13842, 14715, 14740, 15086, 15111, 15201, 15244, 15317, 15424, 15484, 15501, 16039, 16079, 16618, 16658, 17300, 17340, 17565, 18229, 18387, 18493, 18885, 18998, 19035, 19037, 19103, 19110, 19112, 19528, 19710, 19711, 19786, 19813, 19818, 19820, 19856, 19857, 19861, 19996, 20073, 20083, 20099
\hbadness 4354, 7357, 7378, 17694, 17696, 19209, 19210, 19227
\hbox . 15, 28, 176, 216, 238, 340, 599,

607, 624, 764, 873, 949, 1100, 1183, 1354, 1428, 1629, 1688, 2182, 3964, 4046, 4048, 4053, 4086, 4087, 4096, 4103, 4323, 4356, 4674, 4713, 4740, 4757, 4774, 4895, 4904, 4913, 5348, 5356, 5475, 5525, 5529, 5540, 5557, 5568, 5781, 5795, 5837, 5914, 6013, 6067, 6340, 6451, 6517, 6546, 6706, 6709, 6726, 6730, 7416, 7419, 7422, 7473, 7474, 7476, 7559, 7564, 7570, 7792, 8090, 9679, 9692, 9697, 9702, 9707, 9891, 9900, 10036, 10173, 10187, 10188, 10193, 10195, 10219, 10222, 10224, 10295, 10299, 10301, 10339, 10344, 10539, 11058, 11059, 11063, 11070, 11071, 11116, 11117, 11155, 11162, 12123, 12661, 12681, 12686, 12746, 12749, 12841, 12849, 13020, 13036, 13037, 13055, 13315, 13317, 13323, 13326, 13363, 13404, 13815, 13849, 13865, 13867, 13971, 14247, 14296, 14300, 14320, 14353, 14357, 14362, 14366, 14378, 14389, 14406, 14416, 14433, 14442, 14443, 14452, 14493, 14494, 14495, 14497, 14498, 14524, 14542, 14553, 14701, 14755, 15072, 15176, 15300, 15330, 15511, 15679, 15733, 15735, 15750, 16002, 16110, 16281, 16283, 16298, 16581, 16689, 16850, 16851, 16860, 16876, 16882, 16888, 16894, 16900, 16906, 16912, 16918, 16924, 16979, 16981, 16996, 17263, 17371, 17544, 17592, 17605, 17633, 17644, 17683, 17753, 18990, 18991, 19040, 19042, 19099, 19100, 19303, 19337, 19339, 19345, 19458, 19467, 19468, 19477, 19526, 19527, 19530, 19531, 19532, 19533, 19541, 19547, 19642, 19712, 19721, 19723, 19728, 19738, 19753, 19782, 19783, 20004, 20014, 20016

\hboxL 10908, 10925, 14443, 19468

\hboxR 14433, 19458

\head@style 840, 1146, 1339, 1571, 5822, 5998, 14668, 15050, 15117, 15178

\headheight 1965, 7544, 10188, 10381, 20069

\headrule 10191

\headrulewidth 2390, 4181

\headsep . 1973, 1976, 7545, 10382, 20078

\headwidth 2480, 10187, 10189, 10190, 10191, 10193, 10195, 10196, 10197

\height . 11135, 11343, 11345, 11349, 11351, 11378, 11379, 11382, 11383, 11440, 11441, 11444, 11445, 11473, 11475, 11479, 11481, 13366, 13378, 13380, 13405

\hfil 15, 216, 736, 755, 887, 914, 1115, 1130, 1277, 1368, 1396, 1625, 1626, 1627, 1628, 1656, 1657, 1658, 1664, 1665, 1666, 1955, 1960, 5526, 5528, 5633, 5851, 5876, 6027, 6052, 6313, 6330, 6590, 6707, 6710, 6727, 6731, 6761, 6763, 6820, 6822, 6882, 6893, 6895, 7058, 7060, 7726, 7738, 7991, 8330, 9989, 10006, 10221, 10255, 10257, 10281, 10294, 10301, 10987, 10989, 11031, 11033, 11188, 11193, 12286, 12686, 13541, 13644, 13646, 13743,

13745, 13842, 14300, 14354, 14358, 14363, 14367, 14379, 14390, 14416, 14715, 14740, 15086, 15111, 15300, 15317, 15484, 15501, 18229, 18387, 18493, 18885, 18998, 19035, 19037, 19103, 19110, 19112, 19555, 19786, 19815, 19817, 19858, 19860, 20015, 20017, 20052, 20053, 20055, 20056, 20099
\hfill . 176, 189, 1694, 1695, 2501, 2507, 2521, 4115, 4116, 4119, 4120, 5497, 5507, 6523, 6524, 7209, 10189, 10190, 10195, 10196, 13817, 13841, 13977, 13980, 13981, 13982, 13985, 13986, 13987, 13988, 13989, 13992, 13993, 13994, 13995, 13996, 13997, 13998, 14001, 14002, 14003, 14004, 14005, 14006, 14007, 14008, 14009, 14012, 14013, 14014, 14017, 14018, 14019, 14022, 14023, 14024, 14025, 14026, 14029, 14030, 14031, 14032, 14033, 14036, 14037, 14038, 14039, 14040, 14407, 14411, 15750, 16147, 16164, 16298, 16726, 16743, 16878, 16884, 16890, 16896, 16902, 16908, 16914, 16920, 16996, 17408, 17425, 17773, 17802, 18859, 18862, 18866, 18992, 19101, 19258, 19784
\hfilneg 8324, 8328
\hfuzz 7557, 17695, 17697
\hintcolour 2420
\hintfont 2428, 2436, 2490, 2497, 2502
\hintscolumnwidth 2456, 2470, 2474, 2482, 2490, 2496, 2502, 2558
\hintstyle 2436
\hline 12638, 12640, 12646
\HLOFF 2045
\HLON 2039
\HLTR@@LTRfootnotetext 11549, 11580, 11657, 11675, 11717, 11819, 11873, 11893
\HLTR@@mpLTRfootnotetext 11578, 11592, 11616, 11679
\hoffset 1969
\hold@viper 6769, 6772, 6824, 6827, 6859, 6900, 6901, 6909, 6910, 6919, 6920, 6928, 7025, 7064, 7065, 7073, 7074, 7083, 7084, 7093, 7129, 7131, 7132
\holder . 14310, 14313, 14322, 14332, 14333, 14351, 14355, 14360, 14364, 14376, 14380, 14387, 14391
\href 2526, 2527, 2530, 2531, 2534, 2535
\HRTL@@mpRTLfootnotetext 11567, 11591, 11605, 11680
\HRTL@@RTLfootnotetext 11548, 11569, 11642, 11676, 11755, 11850, 11872, 11890
\hrule 31, 241, 760, 943, 1178, 1422, 4345, 4346, 4356, 4357, 5527, 5908, 6061, 6170, 6176, 6182, 6188, 6336, 7352, 7788, 8086, 8099, 10032, 10542, 10544, 10576, 10913, 12119, 12796, 13974, 14408, 14749, 15170, 15326, 15507, 15743, 15750, 15997, 16291, 16298, 16576, 16856, 16989, 16996, 17258
\hrulefill 28, 238, 764, 949, 1183, 1428, 5914, 6067, 6340, 7792, 8090, 10036, 10539, 12123, 13971, 14755, 15176, 15330, 15511, 16002, 16581, 16860, 17263
\hsize 40, 53, 68, 168, 170, 174, 179, 197, 249, 262, 276, 843, 1149, 1342, 2314, 4355, 4356, 4416, 4460, 4504, 5098, 5825, 6001, 6447, 6707, 6710, 6727, 6731, 8109, 8125, 8141, 8154,

8167, 8180, 8323, 8381, 8399, 8411, 8424, 8464, 8527, 8545, 8556, 8568, 8606, 8672, 8690, 8702, 8715, 8755, 8821, 8839, 8851, 8864, 8904, 8970, 8988, 9000, 9013, 9053, 9119, 9137, 9149, 9162, 9202, 9268, 9286, 9298, 9311, 9351, 9417, 9435, 9447, 9460, 9500, 9566, 9584, 9596, 9609, 9649, 9691, 9744, 9756, 9768, 9791, 9794, 9805, 9808, 9819, 9822, 9862, 9873, 9876, 10300, 10301, 10628, 10644, 10659, 10685, 10698, 10711, 10728, 10729, 10808, 10913, 10943, 10946, 10950, 10953, 10954, 12282, 12286, 12672, 12683, 12686, 12716, 12765, 12766, 12773, 12796, 13537, 13541, 13769, 13849, 13851, 13859, 13898, 13902, 13906, 13909, 13914, 13917, 13958, 13962, 13966, 14469, 14471, 14626, 14640, 14671, 15120, 15181, 15197, 15240, 15717, 15724, 15726, 16039, 16040, 16079, 16265, 16272, 16274, 16618, 16619, 16658, 16837, 16842, 16844, 16963, 16970, 16972, 17300, 17301, 17340, 19050, 19053, 19058, 19062, 19066, 19070, 19074, 19078, 19082, 19086, 19306, 19327, 19331, 19498, 19500, 19625, 19906, 19950, 20095, 20099

\hskip 14, 28, 215, 238, 307, 311, 754, 764, 873, 874, 913, 949, 1100, 1101, 1114, 1162, 1183, 1354, 1355, 1395, 1428, 1574, 1627, 1628, 1666, 1690, 1693, 2572, 5059, 5499, 5543, 5544, 5547, 5549, 5550, 5553, 5837, 5838, 5875, 5914, 6013, 6014, 6051, 6067, 6329, 6340, 6519, 6522, 6589, 6760, 6765, 6767, 6768, 6881, 6885, 6888, 6889, 7417, 7418, 7421, 7431, 7432, 7475, 7725, 7792, 8090, 9677, 10005, 10036, 10220, 10223, 10225, 10226, 10277, 10293, 10539, 11030, 11035, 11037, 11038, 11181, 11183, 11184, 11187, 11192, 11195, 11197, 11198, 12102, 12123, 12233, 13643, 13649, 13652, 13653, 13816, 13828, 13840, 13898, 13902, 13906, 13909, 13910, 13914, 13917, 13918, 13971, 13977, 13980, 13982, 13985, 13987, 13989, 13992, 13994, 13996, 13998, 14001, 14003, 14005, 14007, 14009, 14012, 14014, 14017, 14019, 14022, 14024, 14026, 14029, 14031, 14033, 14036, 14038, 14040, 14053, 14264, 14271, 14701, 14702, 14739, 14755, 15053, 15072, 15073, 15110, 15176, 15316, 15330, 15500, 15511, 15588, 15590, 15597, 15599, 15635, 15637, 15646, 15648, 15750, 16002, 16298, 16581, 16860, 16996, 17263, 17553, 17559, 17571, 17576, 17772, 17801, 17961, 17992, 18015, 18032, 18049, 18066, 18083, 18100, 18118, 18137, 18157, 18192, 18384, 18543, 18575, 18985, 19032, 19042, 19097,

19780, 19814, 19819, 19821, 19822, 19998, 20000, 20014, 20017
\hspace 104, 105, 234, 235, 773, 2491, 2496, 2502, 4098, 4105, 4327, 5002, 5003, 5009, 5010, 5016, 5017, 5023, 5024, 5151, 5177, 5178, 7339, 7745, 8077, 8225, 8237, 8249, 11318, 11334, 11347, 11359, 11372, 11381, 11389, 11434, 11443, 11451, 11464, 11477, 11489, 11513, 16034, 16049, 16054, 16056, 16057, 16613, 16628, 16633, 16635, 16636, 16936, 17295, 17310, 17315, 17317, 17318, 17516, 17517, 17778, 17790, 20210, 20214, 20219, 20221, 20225, 20227
\hss 677, 736, 755, 887, 914, 1115, 1130, 1368, 1396, 1984, 5118, 5851, 5876, 6027, 6052, 6254, 6313, 6330, 6590, 6764, 6766, 6819, 6823, 6884, 6887, 6892, 6897, 7057, 7061, 7420, 7430, 7475, 7484, 7559, 7562, 7564, 7567, 7570, 7726, 7738, 7836, 7933, 7991, 8224, 8230, 8236, 8242, 8248, 8254, 9989, 10006, 10097, 10222, 10224, 10254, 10258, 10395, 10986, 10990, 11034, 11036, 11080, 11126, 11184, 11198, 12681, 12689, 13057, 13318, 13405, 13648, 13651, 13742, 13747, 13885, 13886, 13899, 13900, 14278, 14288, 14495, 14506, 14507, 14508, 14715, 14740, 15086, 15111, 15201, 15244, 15300, 15317, 15425, 15484, 15501, 15733, 16110, 16119, 16281, 16689, 16698, 16850, 16979, 17371, 17380, 17565, 18387, 18493, 19311, 19313, 19318, 19324, 19528, 19635, 19698, 19699, 19701, 19702, 19704, 19705, 19710, 19711, 19768, 19769, 19770, 19771, 19818, 19820, 19857, 19861, 20002
\ht . . 605, 1676, 1709, 6538, 6547, 6549, 6857, 6859, 6866, 6872, 6873, 6874, 6928, 6967, 6985, 6997, 7021, 7025, 7035, 7043, 7044, 7047, 7048, 7050, 7051, 7093, 7129, 7360, 7369, 7381, 7390, 7398, 7408, 7410, 7426, 7455, 7465, 7467, 7480, 7710, 8332, 8478, 8483, 8620, 8625, 8769, 8774, 8918, 8923, 9067, 9072, 9216, 9221, 9365, 9370, 9514, 9519, 9663, 9668, 9681, 10169, 10833, 10840, 10857, 10864, 10865, 10878, 10882, 10905, 11073, 11074, 11076, 11119, 11120, 11122, 11255, 12175, 12176, 12182, 12185, 12218, 12647, 12705, 12718, 12733, 12735, 12736, 12794, 12801, 12804, 13627, 13631, 13636, 13725, 13729, 13734, 13783, 13785, 14322, 14380, 14391, 14396, 14397, 14398, 14399, 14403, 14418, 14522, 14545, 15574, 15616, 15619, 15674, 15681, 16063, 16065, 16066, 16642, 16644, 16645, 17324, 17326, 17327, 17593, 17629, 17641, 17756, 19346, 19348, 19739, 19978, 19988, 19992
\ht@strip 13780, 13781, 13782, 13783, 13784, 13787, 13789
\ht@viper 6856, 6861,

6884, 6887, 6892, 6897, 6965, 6966, 7021, 7022, 7023, 7027, 7057, 7061
\httplink 2528
\Huge 5085, 6173, 6185, 6365, 6373, 8020, 8029, 10019, 10027, 15534, 15542
\huge 784, 4939, 4941, 5084, 6164, 6359, 7756, 7765, 8014, 10014, 15529, 15784, 15897, 16332, 16445, 17030, 17143
\hv@Bottom 11413
\hv@Center . . . 11317, 11328, 11368, 11430, 11458, 11511
\hv@figure . 11282, 11300
\hv@floatObject 11243, 11247
\hv@floatType . 11273, 11282, 11300, 11518
\hv@Height 11255
\hv@label 11224
\hv@Left . . . 11258, 11326
\hv@longCap 11223
\hv@Right . . 11259, 11315
\hv@shortCap 11222, 11288, 11306
\hv@Top . 11341, 11377, 11397, 11439, 11471
\hv@Width . . 11253, 11276
\hv@Zero . . . 11242, 11505
\hvAboveCaptionSkip 11421, 11424
\hvBelowCaptionSkip 11405, 11408
\hvCaptionBox . 11277, 11294, 11336, 11338, 11349, 11351, 11361, 11363, 11369, 11370, 11378, 11379, 11386, 11387, 11398, 11399, 11405, 11408, 11414, 11415, 11422, 11425, 11431, 11432, 11440, 11441, 11448, 11449, 11466, 11468, 11479, 11481, 11491, 11493
\hvCapWidth . . 11251, 11253, 11255, 11257, 11261, 11263, 11278, 11296
\hvFloat 11225
\hvMaxCapWidth 11236, 11237, 11258, 11259, 11260, 11263
\hvObjectBox 11240, 11243, 11245, 11249, 11255, 11330, 11332, 11343, 11345, 11355, 11357, 11373, 11374, 11382, 11383, 11390, 11391, 11398, 11401, 11406, 11409, 11414, 11417, 11421, 11424, 11435, 11436, 11444, 11445, 11452, 11453, 11460, 11462, 11473, 11475, 11485, 11487
\hvObjectWidth 11249, 11253, 11257, 11258, 11259
\hvOBox 11243, 11247
\hvSet@capAngle 11276, 11295
\hvSet@capPos 11258, 11259, 11326, 11397, 11413
\hvSet@capVPos 11328, 11341, 11368, 11377, 11430, 11439, 11458, 11471
\hvSet@capWidth 11253, 11255, 11260, 11261
\hvSet@floatCapSep 11334, 11347, 11359, 11372, 11381, 11389, 11434, 11443, 11451, 11464, 11477, 11489
\hvSet@floatPos . . 11271
\hvSet@objectAngle 11242, 11246
\hvSet@objectPos . . 11315, 11317, 11511
\hvSet@rotAngle . . . 11236, 11505, 11508
\Hy@Acrobatmenu . 12022
\Hy@backout 12049
\Hy@BeginAnnot 11905, 11925, 11962, 11994, 12023
\Hy@bidipoem@footnotetext 11778, 11787
\Hy@bidipoem@LTRfootnotetext 11809, 11818
\Hy@bidipoem@RTLfootnotetext 11840, 11849
\Hy@CleanupFile . . 11927
\Hy@colorlink . 11955, 11987, 12016, 12042
\Hy@EndAnnot 11912, 11958, 11990, 12019, 12045
\Hy@endcolorlink . 11914
\Hy@footnote@currentHlabel . 11634, 11649, 11664
\Hy@footnote@currentHref 11596, 11599, 11607, 11610, 11618, 11621, 11629, 11632, 11635, 11644, 11647, 11650, 11659, 11662, 11665, 11708, 11746, 11779, 11810, 11841
\Hy@gtemp . . 11684, 11689
\Hy@href@nextactionraw 11951, 11983, 12012, 12038
\Hy@href@page 11946

\Hy@linkcounter 7610, 7615
\Hy@linktoc 11527
\Hy@LT@currentHref 12079, 12090
\Hy@LT@LTRfootnotetext 11707, 11716
\Hy@LT@RTLfootnotetext 11745, 11754
\Hy@MakeRemoteAction 11930
\Hy@maketitle@end . . . 11876, 11881, 11883
\Hy@maketitle@optarg 11874, 11879
\Hy@pstringD 11929, 11948
\Hy@pstringdef 11928, 11929, 11963, 11964, 11995
\Hy@pstringF 11926, 11927, 11928, 11943, 11963, 11976, 11981
\Hy@pstringP 11964, 11981
\Hy@pstringURI 11995, 12008
\Hy@raisedlink 11598, 11609, 11620, 11631, 11646, 11661, 11721, 11759, 11792, 11823, 11854, 12091
\Hy@saved@footnotemark 11866, 11885
\Hy@saved@footnotetext 11867, 11888
\Hy@SetNewWindow 11950, 11978
\Hy@setpdfborder 11936, 11970, 12001, 12030
\Hy@tabularx@hook 11673, 11685
\Hy@temp@menu 12024, 12037
\Hy@xspace@end 11921, 11957, 11989, 12018, 12044
\HyLTR@saved@LTRfootnotetext 11869, 11894
\HyOrg@maketitle . . . 11864, 11875, 11880
\HyOrg@TX@endtabularx 11672
\hyper@@anchor 11596, 11599, 11607, 11610, 11618, 11621, 11629, 11632, 11644, 11647, 11659, 11662, 11719, 11722, 11757, 11760, 11790, 11793, 11821, 11824, 11852, 11855
\hyper@anchorend 12092
\hyper@anchorstart 12092
\hyper@link 11920
\hyper@linkend 11531, 11535, 11539, 11541, 11921, 12054, 12057
\hyper@linkfile . . 11923
\hyper@linkstart . . . 11531, 11535, 11539, 11541, 11921, 12050, 12057
\hyper@linkurl . . . 11992
\hyper@makecurrent 12078
\hyper@nat@current 12051
\hyper@natlinkbreak 12056
\hyper@natlinkend 12053
\hyper@natlinkstart 12048
\hypersetup 2374, 2382, 5195, 5254, 5271
\hyphenpenalty . . . 6, 101, 207, 231, 842, 1148, 1341, 5824, 6000, 14670, 15119, 15180, 15323
\HyRTL@saved@RTLfootnotetext 11868, 11891

I

\ialign . . 613, 17598, 17636, 19555, 19744
\if . . . 581, 582, 583, 585, 586, 587, 588, 589, 592, 593, 594, 618, 624, 1602, 1603, 1604, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1615, 1616, 1617, 1640, 1641, 1642, 1644, 1645, 1646, 1647, 1648, 2273, 2279, 2282, 2285, 2288, 3543, 6408, 6427, 6460, 6461, 6462, 7577, 7631, 7639, 7640, 7646, 7647, 7654, 7655, 7661, 7662, 7672, 7674, 10471, 10495, 10723, 12139, 12629, 12631, 12633, 14196, 17605, 17639, 17644, 17731, 17732, 17733, 17734, 17735, 17736, 17737, 17739, 17740, 17741, 17742, 17743, 17746, 17747, 17748, 19623, 19630, 19631, 19736, 19753, 19760, 19761, 19762, 19763, 19764, 19765
\if@allcaps . . . 970, 979, 987, 1221, 1230, 1238, 1470, 1479, 1487, 5944, 5953, 5961, 6120, 6129, 6137, 14804, 14813, 14821, 14943, 14952, 14960
\if@altsecnumformat 15921, 16468, 17166
\if@anim@controls 435, 526
\if@anim@draft . . . .

. . . . 422, 524, 548
\if@anim@dvipdfmx . 367
\if@anim@grxloaded 359
\if@anim@multipage
. . . . 400, 423, 454
\if@anim@step 533
\if@anim@timeline .
. . . . . 476, 555
\if@anim@xetex 360, 364
\if@bib@break@ 15931,
15955, 15970,
15986, 16510,
16534, 16549,
16565, 17192,
17216, 17231, 17247
\if@bibchapter . . . 17886
\if@bidi@amsmathloaded@
. 12414
\if@bidi@amstextloaded@
. 12417
\if@bidi@amsthmloaded@
. 12420
\if@bidi@animateloaded@
. 12423
\if@bidi@arabxetexloaded@
. 12616
\if@bidi@arrayloaded@
. 12550
\if@bidi@arydshlnloaded@
. 12574
\if@bidi@blank . . . .
. . . 2815, 3107, 3114
\if@bidi@breqnloaded@
. 12426
\if@bidi@calsloaded@
. 12429
\if@bidi@captionloaded@
. 12432
\if@bidi@colorloaded@
. 12438
\if@bidi@colortblloaded@
. 12454
\if@bidi@croploaded@
. 12435
\if@bidi@csdef 2779, 2828
\if@bidi@csmacro . 2827
\if@bidi@csprimitive
. 2837
\if@bidi@csundef . .
. . . 2785, 2858,
3748, 3800, 20116
\if@bidi@cutedloaded@
. 12445
\if@bidi@cutwinloaded@
. 12442
\if@bidi@dblfnoteloaded@
. 12448
\if@bidi@def 2797
\if@bidi@defmacro .
. 2820,
2821, 2829,
3006, 3025, 3169
\if@bidi@defparam .
. 3027,
3121, 3122, 3171
\if@bidi@defprimitive
. 2831
\if@bidi@defprotected
. 3034,
3130, 3131, 3182
\if@bidi@draftwatermarkloaded@
. 12508
\if@bidi@empheqloaded@
. 12511
\if@bidi@fancyboxloaded@
. 12502
\if@bidi@fancyhdrloaded@
. 12505
\if@bidi@fancyvrbloaded@
. 12622
\if@bidi@floatloaded@
. 12457
\if@bidi@floatrowloaded@
. 12460
\if@bidi@flowframloaded@
. 12463
\if@bidi@fontspecloaded@
. 12613
\if@bidi@framedloaded@
. 12466
\if@bidi@ftnrightloaded@
. 12469
\if@bidi@geometryloaded@
. 12484
\if@bidi@graphicxloaded@
. 12481
\if@bidi@hvfloatloaded@
. 12487
\if@bidi@hyperrefloaded@
. 12499
\if@bidi@lettrineloaded@
. 12520
\if@bidi@list@minipage@parbox
. 1791,
19591, 19653,
19662, 19671,
19680, 19693,
19694, 19708, 19709
\if@bidi@list@minipage@parbox@not@nob
. 1792,
19599, 19655,
19664, 19673, 19682
\if@bidi@listingsloaded@
. 12523
\if@bidi@longtableloaded@
. 12571
\if@bidi@mdf@RTL . .
. . . . . 12756, 12763
\if@bidi@mdframedloaded@
. 12490
\if@bidi@midfloatloaded@
. 12493
\if@bidi@minitocloaded@
. 12583
\if@bidi@multicolloaded@
. 12577
\if@bidi@multienumloaded@
. 12580
\if@bidi@natbibloaded@
. 12586
\if@bidi@newfloatloaded@
. 12589
\if@bidi@ntheoremloaded@
. 12496
\if@bidi@overpicloaded@
. 12514
\if@bidi@patchable
. . . . . 2994, 2995
\if@bidi@pdfpagesloaded@
. 12517
\if@bidi@pgfloaded@
. 12532
\if@bidi@picinparloaded@
. 12535
\if@bidi@polyglossialoaded@
. 12619
\if@bidi@pstricksloaded@
. 12529

\if@bidi@quotchaploaded@ 12538
\if@bidi@rotatingloaded@ 12595
\if@bidi@soulloaded@ 12556
\if@bidi@stabularloaded@ 12553
\if@bidi@subfigloaded@ 12559
\if@bidi@subfigureloaded@ 12562
\if@bidi@supertabularloaded@ 12565
\if@bidi@tablsloaded@ 12598
\if@bidi@tabularyloaded@ 12601
\if@bidi@tikzloaded@ 12541
\if@bidi@titlesecloaded@ 12544
\if@bidi@titletocloaded@ 12547
\if@bidi@tocbasicloaded@ 12604
\if@bidi@tocbibindloaded@ 12610
\if@bidi@tocstyleloaded@ 12607
\if@bidi@todonotes@figposition@right . . 19139, 19237, 19242, 19249, 19255
\if@bidi@todonotes@textdirectionRTL 19138, 19172, 19212, 19246
\if@bidi@undef 2803, 2862, 2903, 2914, 2933, 2937, 2941, 2945, 2955, 2959, 2963, 2967, 3003, 3022, 3166
\if@bidi@wrapfigloaded@ 12478
\if@bidi@xcolorloaded@ 12451
\if@bidi@xltxtraloaded@ 12472
\if@bidi@xtabloaded@ 12568
\if@bidi@xunicodeloaded@ 12475
\if@capbreak 16051, 16630, 17312
\if@captionabove 16084, 16090, 16103, 16113, 16663, 16669, 16682, 16692, 17345, 17351, 17364, 17374
\if@cftdopart 17943
\if@cfthaschapter 17934, 17938, 17944, 17965, 17977, 17999
\if@cfthaspart . . . 17930
\if@chapterentrywithdots 16740, 17422
\if@colour 2357
\if@colourgreen 7147, 7176, 7245, 7271
\if@colourgrey . 7151, 7190, 7249, 7283
\if@colourorange 7145, 7169, 7243, 7265
\if@colourred . 7149, 7183, 7247, 7277
\if@compatibility . 738, 889, 964, 1132, 1215, 1370, 1464, 5938, 6114, 6478, 14937, 17969, 18497, 19724
\if@contcw 13493, 13522
\if@conthang 13503
\if@contindent . . 13509
\if@DEBUG 2328
\if@displaypagenumbers 2536, 2539
\if@donumindex 17887, 17906
\if@dotocbib 17849
\if@dotocind 17894, 17911
\if@extrafootnotefeatures 1787, 1873
\if@fcolmade 6783, 6838, 10229, 10265, 10349, 10997, 11045, 13661, 13756, 19829, 19868
\if@ff@nwpg 10317
\if@firstcolumn 6738, 6797, 6853, 6934, 6953, 7099, 7118, 10201, 10233, 10961, 11005, 13575, 13673, 13777, 19792, 19835, 19968
\if@firstdetailselement 7312, 7314
\if@firstfooterelement 7216, 7219
\if@flushend@auto@baselineskip 6969
\if@hboxRconstruct 1780, 1925, 2749, 2755, 10722, 19598, 19622, 19655, 19664, 19673, 19682, 19693, 19694, 19708, 19709
\if@ignore . . 3291, 3293
\if@inlabel 6407
\if@inltxdoc 17879
\if@insert 7127
\if@komalongtable . 16100, 16679, 17361
\if@LTRbibitems . 84, 293, 792, 926, 1188, 1437, 1785, 2554, 5891, 6078, 6386, 7772, 8042, 10041, 13571, 14048, 14760, 15153, 15346, 15548, 15947, 16526, 17208, 17856
\if@LTRmarginpar 1784, 19997, 20002, 20006
\if@mainmatter 5402, 6163, 6358, 8013, 14558, 16471, 16487, 16495, 16503
\if@minipage 4150, 13562

\if@mparswitch . . . 19970
\if@newlist . . 10365, 10385, 20026, 20087
\if@nobreak 3744, 10930, 12767, 14619, 14633
\if@nonlatin 338, 343, 1776, 1889, 2761, 2767, 6443, 6445
\if@noparlist 5655, 5768
\if@noskipsec 6406, 10931, 12768, 14620, 14634
\if@oldtoc . 877, 903, 1104, 1120, 1358, 1385, 5841, 5865, 6017, 6041, 14705, 14729, 15076, 15100
\if@openright 5430, 6377, 8033
\if@ovb 10177
\if@ovl 10175
\if@ovr 10174
\if@ovt 10176
\if@parafootRTL . . . 1788, 9690, 9701
\if@pboxsw 19637
\if@ref 16873
\if@restonecol 823, 839, 1087, 1338, 5821, 5997, 6206, 14667, 14921, 15378, 17926
\if@reversemargin 19973
\if@rjfield 20012
\if@rl 1775
\if@rl@footnote . . 1790
\if@rlmain 1774
\if@rot@twoside 15578, 15583, 15593, 15623, 15629, 15641
\if@RTL 12, 13, 25, 84, 100, 103, 104, 105, 213, 214, 230, 233, 234, 235, 293, 307, 311, 733, 750, 753, 754, 777, 792, 843, 856, 867, 868, 873, 884, 909, 912, 913, 926, 1093, 1094, 1100, 1110, 1113, 1114, 1127, 1149, 1188, 1342, 1348, 1349, 1354, 1365, 1391, 1394, 1395, 1413, 1437, 1575, 1576, 1687, 1688, 1701, 1712, 1775, 1796, 1924, 1931, 2554, 2725, 2731, 5058, 5059, 5176, 5177, 5178, 5825, 5831, 5832, 5837, 5848, 5871, 5874, 5875, 5891, 6001, 6007, 6008, 6013, 6024, 6047, 6050, 6051, 6078, 6161, 6172, 6174, 6310, 6325, 6328, 6329, 6356, 6370, 6386, 6404, 6416, 6429, 6504, 6545, 6546, 6550, 6551, 6553, 6560, 6566, 6585, 6588, 6589, 6595, 6600, 6707, 6710, 6727, 6731, 7558, 7638, 7653, 7675, 7676, 7677, 7678, 7701, 7721, 7724, 7725, 7735, 7749, 7762, 7772, 7988, 8011, 8026, 8042, 8062, 8065, 8070, 8078, 9986, 10001, 10004, 10005, 10012, 10024, 10041, 10301, 10443, 10723, 10803, 10805, 11061, 11063, 11066, 11067, 11084, 11087, 11094, 11103, 11109, 11113, 11116, 11130, 11155, 11162, 11327, 11429, 11531, 11539, 11921, 11957, 11989, 12018, 12044, 12050, 12054, 12057, 12102, 12106, 12109, 12114, 12222, 12225, 12229, 12682, 12759, 12842, 12850, 13038, 13364, 13452, 13453, 13454, 13455, 13456, 13457, 13536, 13538, 13571, 13811, 13815, 13816, 13823, 13828, 13835, 13840, 14048, 14126, 14146, 14161, 14175, 14300, 14350, 14425, 14479, 14480, 14483, 14487, 14506, 14507, 14508, 14553, 14555, 14561, 14572, 14574, 14585, 14587, 14598, 14600, 14609, 14611, 14628, 14650, 14651, 14671, 14684, 14695, 14696, 14701, 14712, 14735, 14738, 14739, 14760, 15054, 15055, 15066, 15067, 15072, 15083, 15106, 15109, 15110, 15120, 15133, 15153, 15181, 15297, 15312, 15315, 15316, 15321,

15322, 15346, 15481, 15496, 15499, 15500, 15527, 15539, 15548, 15658, 15660, 15664, 15668, 15670, 15675, 15679, 15682, 15686, 15688, 15692, 15719, 15728, 15919, 15920, 15947, 16004, 16005, 16006, 16008, 16079, 16267, 16276, 16467, 16526, 16583, 16584, 16585, 16587, 16658, 16839, 16846, 16931, 16937, 16965, 16974, 17165, 17208, 17265, 17266, 17267, 17269, 17340, 17515, 17518, 17548, 17568, 17766, 17791, 17808, 17828, 17831, 17836, 17840, 17841, 17856, 17951, 17952, 17953, 17961, 17982, 17983, 17984, 17992, 18005, 18006, 18007, 18015, 18022, 18023, 18024, 18032, 18039, 18040, 18041, 18049, 18056, 18057, 18058, 18066, 18073, 18074, 18075, 18083, 18090, 18091, 18092, 18100, 18108, 18109, 18110, 18118, 18127, 18128, 18129, 18137, 18147, 18148, 18149, 18157, 18182, 18183, 18184, 18192, 18232, 18233, 18234, 18912, 18974, 18975, 18976, 18982, 18985, 19032, 19092, 19097, 19120, 19127, 19187, 19190, 19274, 19309, 19317, 19344, 19345, 19348, 19349, 19351, 19388, 19392, 19445, 19450, 19496, 19497, 19508, 19509, 19512, 19516, 19592, 19600, 19606, 19612, 19623, 19695, 19696, 19698, 19701, 19704, 19708, 19709, 19710, 19711, 19713, 19715, 19716, 19721, 19768, 19769, 19775, 19780, 19997, 20002, 20006, 20014, 20015, 20016, 20017, 20096, 20099, 20107, 20117, 20209, 20219, 20225

\if@RTL@footnote 36, 245, 1790, 1927, 4429, 8104, 8151, 8350, 8395, 8499, 8541, 8641, 8686, 8790, 8835, 8939, 8983, 9088, 9132, 9237, 9282, 9386, 9431, 9535, 9580, 9746, 9796, 10623, 10669, 10707, 10708

\if@RTLbibitems . 84, 293, 792, 926, 1188, 1437, 1786, 2554, 5891, 6078, 6386, 7772, 8042, 10041, 13571, 14048, 14760, 15153, 15346, 15548, 15947, 16526, 17208, 17856

\if@RTLcolumnfootnotes 1789, 8324, 8325, 8328, 8329, 8360, 8412, 8508, 8557, 8651, 8703, 8800, 8852, 8949, 9001, 9098, 9150, 9247, 9299, 9396, 9448, 9545, 9597

\if@RTLmain . . . 1774, 1795, 1923, 1930, 6603, 6626, 6649, 6672, 6880, 7506, 7512, 7515, 7529, 7547, 10448, 11180, 11190, 11207, 11213, 13768, 13928, 19874, 20040, 20046, 20073, 20083

\if@RTLmarginpar 1783, 19997, 20002, 20006

\if@RTLtab 582, 583, 599, 602, 624, 626, 1583, 1584, 1603, 1604, 1641, 1642, 1779, 2192, 2196, 2197, 2737, 2743, 6464, 6466, 6487, 6494, 6516, 6517, 6530, 6541, 12630, 12632, 12746, 12749, 17583, 17587, 17588, 17605, 17613,

17619, 17644, 17732, 17733, 19552, 19728, 19732, 19733, 19753, 19761, 19762
\if@sectionentrywithdots 16161
\if@sentdir 1926
\if@specialpage 10320, 20035
\if@star 14542
\if@tab@rl 1779
\if@tablecaptionabove . 16131, 16710, 17392
\if@tempswa 3586, 3631, 7414, 7471, 18626
\if@thmmarks . . 14109, 14113, 14130, 14134
\if@titlecentered 1557, 15034
\if@titlepage . . 631, 844, 951, 1150, 1202, 1401, 1451, 6208, 7794, 7887, 10055, 14672, 14785, 14922, 15121, 15183, 15379, 15753, 16301, 16999
\if@tocstyle@penalties 18895, 19004
\if@todonotes@authorgiven 19163, 19174, 19199, 19216
\if@todonotes@disabled 19157, 19158
\if@todonotes@dviStyle 19160, 19194
\if@ttb@rotate . . . 10442
\if@twocolumn 94, 224, 678, 810, 826, 853, 860, 1027, 1074, 1159, 1170, 1278, 1325, 1410, 1417, 1527, 5356, 5808, 5984, 6193, 6255, 7837, 7934, 10098, 13435, 14654, 14681, 14688, 14861, 14908, 15002, 15130, 15137, 15245, 15365, 15426, 15832, 16380, 17078, 17881, 19967, 20110
\if@twoside 5347, 10324, 15801, 15814, 15882, 16349, 16362, 16430, 17047, 17060, 17128, 19300, 20038
\if@vihproof 13796, 13802
\ifadl@inactive . . 1589
\ifadl@usingarypkg 1592
\ifAM@output 14222
\ifAM@survey 14200
\ifartopt 13472
\ifbidi@autofootnoterule 10449, 10681, 10694, 10707
\IfbidiPackageVersion 1761
\IfbidiPackageVersionBefore 1755
\IfbidiPackageVersionLater 1749
\ifblendcolors 19356, 19377, 19399, 19426
\ifbool 12781, 12790
\ifcase . . . 1624, 1651, 1655, 1659, 1663, 1689, 1811, 1817, 1823, 1829, 1835, 1841, 1853, 1859, 1865, 6518, 11527, 12700, 17822, 18202, 18964, 19034, 19144, 19152, 19376, 19425
\ifcat 1806, 1941
\ifconvertcolorsU 19362, 19378, 19405, 19427
\ifcpoddpage 3933
\ifcsname . . 378, 437, 506, 527, 2780, 2786, 2920, 3360, 3375, 3589, 3597, 14071, 14081, 14095, 18919, 18920, 18929, 18940, 18944, 18954, 18966, 19020, 19048, 19049, 19057, 19061, 19065, 19069, 19073, 19077, 19081, 19085
\ifdefined 538, 546, 2798, 2804
\ifdfn@allowcbreak 7367, 7388
\ifdfn@ruleboth 7425, 7479
\ifdfn@trysingle 7406, 7463
\ifdim 445, 1677, 1678, 1750, 1756, 1762, 4163, 4730, 5496, 5533, 5535, 5594, 5595, 5597, 5603, 5643, 5656, 5663, 5744, 5746, 5759, 5761, 5769, 6437, 6873, 6918, 6930, 6943, 6946, 6948, 6978, 6982, 6983, 6997, 7022, 7047, 7082, 7095, 7108, 7111, 7113, 7361, 7382, 7402, 7411, 7438, 7442, 7459, 7468, 7490, 7494, 8222, 8227, 8234, 8239, 8246, 8251, 10163, 10165, 10300, 10815, 10823, 10839, 10840, 10870, 10878, 10891, 10906, 10939, 10940, 11072, 11079, 11118, 11125, 11170, 11260, 11398, 11414, 12190, 12196,

12282, 12683, 12694, 12733, 12736, 13442, 13485, 13492, 13496, 13498, 13537, 13597, 13605, 13607, 13695, 13703, 13705, 13778, 13789, 13873, 13881, 13887, 13904, 13912, 14250, 14297, 14322, 14380, 14391, 14398, 14403, 14418, 14518, 14543, 16038, 16046, 16617, 16625, 16877, 16883, 16889, 16895, 16901, 16907, 16913, 16919, 16925, 17299, 17307, 17630, 18537, 18551, 18556, 18930, 18955, 19021, 19277, 19279, 19281, 19283, 19284, 19285, 19287, 19327, 19334, 19979, 20095
\ifdofullc@p 16041, 16620, 17302
\iffalse 2669, 2670, 2672, 10930, 10931, 12333, 12767, 12768, 14619, 14620, 14633, 14634
\IfFileExists 3300, 3315, 3913, 5376, 5441
\iffootdir@debug 10457, 10461
\ifGin@grid 14162, 14175
\ifGin@iso 11169
\ifhbox . 9696, 9706, 9710
\ifhmode . 2257, 4388, 4432, 4476, 4719, 4725, 6551, 6553, 6560, 6566, 6585, 17784, 19349, 19351, 19388, 19392, 19445, 19708, 19709, 19752, 19878, 19922
\ifhv@fbox . . . 11329, 11335, 11342, 11348, 11354, 11360, 11369, 11373, 11378, 11382, 11386, 11390, 11404, 11420, 11431, 11435, 11440, 11444, 11448, 11452, 11459, 11465, 11472, 11478, 11484, 11490
\ifhv@nonFloat 11272, 11279, 11297, 11318, 11510, 11512
\ifhv@onlyText 11280, 11298
\ifhv@useOBox 11243, 11247
\ifHy@href@ismap 12009
\ifHy@hyperfootnotes 11546
\ifHy@nesting 11595, 11606, 11617, 11628, 11643, 11658, 11718, 11756, 11789, 11820, 11851
\ifHy@pdfa . . . 11935, 11969, 12000, 12029
\ifin@ 3605
\ifinner 2263, 4394, 4438, 4482, 10818, 19269, 19884, 19928
\ifL@grid 12191
\ifL@image 12167
\iflatin 2760
\ifLettrineImage . 12137
\ifLettrineOnGrid 12138
\ifLtoR 2730
\ifLtoRhboxconstruct 2754
\ifLtoRtable 2742
\ifmaskcolors . 19366, 19377, 19409, 19426
\ifmmode 180, 6545, 6550, 10270, 10280, 11061, 11063, 11066, 11067, 11084, 11087, 11094, 11103, 11109, 11113, 11116, 11130, 11155, 11162, 11906, 11918, 11921, 11957, 11989, 12018, 12044, 14233, 14291, 14510, 14546, 15658, 15660, 15664, 15668, 15670, 15675, 15679, 15682, 15686, 15688, 15692, 19344, 19348, 19632, 19719
\ifNAT@openbib . . 14050
\ifnonlatin 2766
\ifnum . . . 3, 133, 139, 204, 306, 414, 453, 478, 561, 573, 574, 575, 576, 578, 679, 728, 745, 771, 780, 863, 879, 897, 1028, 1089, 1122, 1140, 1279, 1344, 1360, 1378, 1528, 1594, 1595, 1596, 1597, 1599, 1638, 1639, 1883, 1884, 2289, 5616, 5827, 5843, 5859, 5922, 5924, 5926, 6003, 6019, 6035, 6098, 6100, 6102, 6162, 6256, 6305, 6320, 6343, 6345, 6347, 6357, 6438,

6705, 6713, 6718, 6725, 6905, 6914, 6924, 7069, 7078, 7088, 7302, 7716, 7730, 7743, 7752, 7838, 7935, 7984, 7998, 8000, 8002, 8012, 8330, 9981, 9996, 10013, 10099, 10149, 10151, 10153, 10418, 10420, 10422, 10431, 10433, 10435, 10581, 10681, 10694, 10707, 10939, 10941, 11908, 11913, 12174, 12253, 12256, 12264, 12267, 12336, 12644, 12645, 12728, 12729, 13436, 13469, 13594, 13624, 13692, 13722, 13809, 13821, 13833, 13894, 13930, 13936, 14090, 14100, 14310, 14316, 14328, 14331, 14332, 14333, 14335, 14336, 14337, 14338, 14347, 14369, 14374, 14385, 14396, 14397, 14403, 14407, 14410, 14411, 14504, 14505, 14512, 14557, 14691, 14707, 14723, 14780, 14782, 14784, 14862, 15003, 15062, 15078, 15094, 15145, 15147, 15149, 15246, 15293, 15307, 15333, 15335, 15337, 15427, 15476, 15491, 15514, 15516, 15518, 15528, 15821, 15833, 16369, 16381, 16470, 16486, 16494, 16502, 17067, 17079, 17675, 17723, 17724, 17725, 17726, 17728, 17813, 17815, 17933, 17937, 17979, 17998, 18020, 18037, 18054, 18071, 18088, 18106, 18125, 18145, 18180, 18363, 18364, 18471, 18472, 18496, 18506, 18894, 18899, 18917, 19090, 19308, 19573, 19758, 19759, 19773, 19975, 19997, 20104, 20105

\ifodd 2274, 5347, 7520, 7537, 7597, 10325, 11200, 11206, 19300, 19971, 20039

\ifoddpage 3927

\ifonelinecaptions 16012, 16591, 17273

\ifpdf 358

\ifpgfrememberpicturepositiononpage 14246

\ifpoem@started 5590, 5596, 5743, 5750, 5764

\ifprimitive . 2832, 2839

\ifPst@shift@star 14534

\ifrot@messages 15628, 15640

\ifRtoL 2724

\ifRtoLhboxconstruct 2748

\ifRtoLtable 2736

\ifshowgrid 14512

\ifstr . . 18245, 18246, 18247, 18248, 18249, 18250, 18251, 18252, 18253, 18268, 18269, 18270, 18271, 18273, 18274, 18275, 18278, 18281, 18290, 18291, 18292, 18295, 18298, 18317, 18318, 18319, 18321, 18322, 18323, 18326, 18329, 18338, 18339, 18340, 18343, 18346, 18400, 18401, 18402, 18403, 18404, 18405, 18406, 18407, 18408, 18423, 18424, 18425, 18426, 18428, 18429, 18430, 18433, 18436, 18445, 18446, 18447, 18450, 18453, 18651, 18652, 18653, 18654, 18655, 18656, 18657, 18658, 18659, 18702, 18703, 18704, 18705, 18707, 18708, 18709, 18712, 18715, 18724, 18725, 18726, 18729, 18732, 18762, 18763, 18764, 18766, 18767, 18768, 18771, 18774, 18783, 18784,

18785, 18788, 18791, 18811, 18814, 18817, 18837, 18841, 18846, 18858, 18861, 18865, 18875
\ifstrstart 18642, 18674, 18748
\iftagsleft@ . . 330, 7555
\ifthenelse . . . 177, 182, 190, 383, 386, 392, 401, 406, 510, 513, 519, 2508, 2525, 2529, 2533, 2541, 3826, 3886, 3888, 3891, 3895, 3898, 3901, 3926, 3983, 4002, 4017, 4022, 4028, 4037, 4042, 4048, 4054, 4055, 4062, 4069, 4071, 4077, 4094, 4112, 4114, 4118, 4136, 4137, 4140, 4141, 4176, 4185, 4196, 4206, 4255, 4370, 4594, 4612, 4613, 4631, 4632, 4650, 4651, 4682, 4683, 4798, 4803, 4827, 4832, 4856, 4861, 4938, 4942, 4990, 5203, 5249, 5258, 5266, 5293, 5340, 5409, 5420, 7206, 7212, 7229, 7232, 7233, 7234, 7235, 7236, 7322, 7327, 7330, 7331, 7332, 7333, 7334, 7337, 7341, 10391, 10406, 14190, 15582, 15627
\iftocstyle@autolength 18939
\iftocstyle@indentnotnumbered 18984, 19031
\iftrue 2671, 4335, 4348, 4361
\ifttl@label 17789
\ifTX@ 17665
\ifvbox 9917
\ifvmode . 3744, 4124, 4127, 4130, 4133, 12796, 13863, 14120, 14140, 17617
\ifvoid . . 6769, 6785, 6824, 6840, 6859, 6867, 6900, 7025, 7036, 7064, 7365, 7386, 7397, 7422, 7454, 7476, 8267, 8284, 8294, 9953, 9966, 10741, 10899, 10920, 12085, 12089, 12746, 12812, 13848, 14425, 19450
\ifWF@float 19282, 19296
\ifx . 111, 130, 132, 147, 151, 155, 162, 389, 516, 1012, 1016, 1263, 1267, 1512, 1516, 2140, 2146, 2152, 2167, 2198, 2250, 2253, 2514, 2515, 2516, 2518, 2578, 2581, 2601, 2605, 2625, 2629, 2644, 2648, 2718, 2787, 2805, 2883, 3071, 3087, 3305, 3329, 3344, 3409, 3421, 3453, 3464, 3499, 3505, 3516, 3517, 3528, 3558, 3567, 3568, 3588, 3603, 3613, 3627, 3634, 3646, 3662, 3717, 3728, 4664, 5485, 5506, 5667, 5718, 5723, 5725, 6749, 6808, 7434, 7486, 8060, 8076, 8080, 10211, 10243, 10578, 10783, 10974, 11018, 11098, 11140, 11141, 11147, 11234, 11236, 11242, 11253, 11255, 11258, 11259, 11276, 11282, 11283, 11285, 11288, 11300, 11301, 11303, 11306, 11315, 11317, 11326, 11328, 11341, 11368, 11377, 11397, 11413, 11430, 11439, 11458, 11471, 11505, 11511, 11524, 11555, 11566, 11577, 11884, 11887, 11890, 11893, 11937, 11945, 11971, 11979, 12002, 12031, 12104, 12151, 12293, 12294, 12298, 12300, 12649, 13546, 13586, 13684, 13944, 13948, 13952, 14076, 14080, 14087, 14093, 14206, 14218, 14488, 14527, 14568, 14581, 14594, 14846, 14850, 14987, 14991, 15715, 15741, 15748, 15768, 15773, 15780, 15786, 15810, 15881, 15885, 15893, 15899, 15911, 15935, 15996, 16001, 16263, 16289, 16296, 16316, 16321, 16328, 16334, 16358, 16429, 16433, 16441, 16447,

16459, 16513, 16575, 16580, 16835, 16863, 16864, 16865, 16866, 16867, 16868, 16869, 16870, 16874, 16880, 16886, 16892, 16898, 16904, 16910, 16916, 16922, 16931, 16961, 16987, 16994, 17014, 17019, 17026, 17032, 17056, 17127, 17131, 17139, 17145, 17157, 17195, 17257, 17262, 17625, 17824, 18165, 18520, 18524, 18528, 18625, 18906, 18977, 18989, 18997, 19014, 19039, 19106, 19111, 19113, 19357, 19400, 19517, 19626, 19803, 19846, 20052, 20053, 20055, 20056
\ifXC@@tst 19380, 19429
\ignorespaces . . . 45, 58, 73, 118, 254, 267, 281, 338, 542, 849, 858, 1155, 1406, 1415, 3228, 4147, 4154, 4155, 4164, 4750, 4767, 4784, 4820, 4849, 4878, 5143, 5567, 5578, 5738, 5739, 5886, 6073, 6441, 6447, 6560, 6566, 6574, 6581, 8065, 8079, 8114, 8130, 8146, 8160, 8173, 8186, 10634, 10650, 10665, 10691, 10704, 10717, 11182, 11186, 11191, 11196, 12109, 13559, 13566, 14677, 14686, 15126, 15135, 15658, 15668, 15686, 16021, 16042, 16047, 16052, 16057, 16075, 16600, 16621, 16626, 16631, 16636, 16654, 16937, 17282, 17303, 17308, 17313, 17318, 17336, 19388, 19392, 19618, 19649, 19659, 19668, 19677, 19686
\ilg 14319, 14342
\immediate . . 3741, 5730
\in@ 3604
\includegraphics 2549, 7208, 7339, 14150, 14192
\includemedia 13013, 13341, 13342
\includepdf 14183
\IncMargin 182
\indentedwidth . . . 8078
\index 10374, 20063
\indexname . 817, 818, 819, 833, 834, 1081, 1082, 1332, 1333, 5163, 5164, 5815, 5816, 5991, 5992, 6200, 6201, 6202, 14661, 14662, 14915, 14916, 15372, 15373, 15374, 17890, 17891, 17892, 17896, 17897, 17898, 17901, 17902, 17908, 17909, 17913, 17914, 17915, 17918, 17919
\indexspace 5179
\input . . . 1808, 1809, 1874, 1921, 1943, 2361, 5377, 5442, 20109, 20119, 20120, 20121, 20122, 20123, 20124, 20125, 20126, 20127, 20128, 20129, 20130, 20131, 20132, 20133, 20134, 20135, 20136, 20137, 20138, 20139, 20140, 20141, 20142, 20143, 20144, 20146, 20147, 20153, 20160, 20161, 20162, 20163, 20164, 20165, 20166, 20167, 20168, 20169, 20170, 20171, 20172, 20173, 20174, 20175, 20176, 20177, 20178, 20179, 20180, 20181, 20182, 20183, 20184, 20185, 20186, 20187, 20188, 20189, 20190, 20191, 20192, 20193, 20194, 20195, 20196, 20197, 20198, 20199, 20200, 20202, 20203, 20204, 20205, 20206, 20207, 20230, 20231, 20232, 20233, 20234, 20235, 20236, 20237, 20238, 20239, 20240, 20241, 20242,

20243, 20244, 20245, 20246, 20247, 20248, 20249, 20250, 20251
\input@path 379, 507, 13034
\InputIfFileExists 3299, 3303, 3312, 12142
\insert 35, 48, 63, 244, 257, 271, 7356, 7372, 7377, 7393, 7440, 7446, 7492, 7498, 8103, 8119, 8135, 8350, 8360, 8370, 8448, 8499, 8508, 8517, 8591, 8641, 8651, 8661, 8739, 8790, 8800, 8810, 8888, 8939, 8949, 8959, 9037, 9088, 9098, 9108, 9186, 9237, 9247, 9257, 9335, 9386, 9396, 9406, 9484, 9535, 9545, 9555, 9633, 9737, 9749, 9761, 9856, 10622, 10638, 10653
\insert@column 1626, 1627, 1628, 1629, 1631, 1632, 1692, 1694, 1695, 1697, 1698, 1699, 6521, 6523, 6524, 6526, 6527, 6528
\insertpenalties 10586
\int 13067, 13114, 13115, 13119, 13197, 13285, 13288, 13289, 13300, 13336, 13382, 13407
\interfootnotelinepenalty . 38, 51, 66, 247, 260, 274, 8276, 10625, 10641, 10656
\interlinepenalty 38, 51, 66, 247, 260, 274, 778, 841, 866, 1092, 1147, 1340, 1347, 5055, 5823, 5830, 5999, 6006, 6169, 6364, 6372, 6903, 6912, 6922, 7067, 7076, 7086, 7750, 7763, 8019, 8028, 8276, 10018, 10026, 10625, 10641, 10656, 13813, 13825, 13837, 14561, 14669, 14694, 15065, 15118, 15179, 15533, 15541, 17781, 17822, 17955, 17986, 18009, 18026, 18043, 18060, 18077, 18094, 18112, 18131, 18151, 18186, 18519, 18980, 19094, 19275, 19777
\intermath@penalty 6440
\intextsep 19335, 19337
\InTheoType 7571, 14110, 14112, 14131, 14133
\invoicename 16900
\ior . . . 13117, 13118, 13122
\isempty 4002, 4594, 4798, 4803, 4827, 4832, 4856, 4861, 5249, 5258, 5266, 5293
\isodd 15582, 15627
\isSC@ODD 17516, 17517, 17519, 17520, 20210, 20212, 20214, 20216
\isundefined . . 4206, 4255, 7206, 7212, 7229, 7232, 7233, 7234, 7235, 7236, 7327, 7330, 7331, 7332, 7333, 7334, 7337, 7341
\item 98, 228, 822, 837, 1085, 1168, 1336, 5135, 5143, 5148, 5169, 5819, 5995, 6205, 10275, 10290, 14665, 14919, 15377, 17925
\itemindent . . 5130, 5131, 5139, 19580
\itemsep 3875, 5076, 5115, 5129
\itemx 13976
\itemxox 14011
\itemxoxx 14021
\itemxx 13979
\itemxxo 14016
\itemxxox 14028
\itemxxx 13984
\itemxxxo 14035
\itemxxxx 13991
\itemxxxxx 14000
\itshape 2048, 2521, 4939, 4941, 4945, 4952, 4959, 4994, 5001, 5008, 5015, 5022, 5326, 5327, 5328

J

\juo@ht 13613, 13620, 13711, 13718, 13785, 13792
\juo@pr 13596, 13626, 13694, 13724
\juo@sar 13595, 13625, 13665, 13693, 13723, 13760
\juo@sk . 13594, 13624, 13665, 13692, 13722, 13760, 13793
\justifying . . 3909, 3979, 4543, 14606
\JustifyingParfillskip 14612
\JustifyingParindent 3881, 4546, 5102, 14613

K

\keepthetitle 13418
\kern 27, 29, 30, 31, 237,

239, 240, 241, 759, 761, 763, 765, 941, 942, 944, 947, 948, 950, 962, 1177, 1179, 1182, 1184, 1213, 1420, 1421, 1423, 1426, 1427, 1429, 1462, 1690, 1695, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2082, 2083, 2130, 2132, 2133, 4345, 4346, 4356, 4357, 4359, 4821, 4822, 4850, 4851, 4879, 4880, 5906, 5907, 5909, 5912, 5913, 5915, 5936, 6059, 6060, 6062, 6065, 6066, 6068, 6112, 6335, 6337, 6339, 6341, 6519, 6524, 6546, 7351, 7352, 7641, 7648, 7656, 7663, 7702, 7706, 7787, 7789, 7791, 7793, 8085, 8087, 8089, 8091, 8098, 8099, 8213, 8214, 10031, 10033, 10035, 10037, 10174, 10175, 10176, 10395, 10538, 10540, 10541, 10542, 10543, 10544, 10576, 10788, 10852, 11080, 11126, 12118, 12120, 12122, 12124, 13872, 13970, 13972, 13973, 13974, 14495, 14498, 14525, 14541, 14747, 14748, 14750, 14753, 14754, 14756, 14796, 14935, 15168, 15169, 15171, 15174, 15175, 15177, 15325, 15327, 15329, 15331, 15506, 15508, 15510, 15512, 15740, 15744, 15747, 15750, 15751, 15995, 15998, 16000, 16003, 16288, 16292, 16295, 16298, 16299, 16574, 16577, 16579, 16582, 16855, 16857, 16859, 16861, 16986, 16990, 16993, 16996, 16997, 17256, 17259, 17261, 17264, 17552, 17558, 17795, 19310, 19314, 19320, 19323, 19345, 19528, 19531, 19533, 19994

\keys . . 12833, 13026, 13120, 13359, 13360

\keywords 326

\kill 12646

\KOMAClassName 15822, 16138, 16370, 16717, 17068, 17399

\KV@do 12159, 12164

\KV@prefix . 12157, 12162

L

\l . . 7597, 7613, 7616, 7622, 7625, 7627, 7628, 7631, 7632, 7635, 7638, 7639, 7640, 7645, 7646, 7647, 7653, 7654, 7655, 7660, 7661, 7662, 7671, 7674, 7682, 12841, 12842, 12843, 12849, 12850, 12851, 12857, 12858, 12859, 12860, 12861, 12862, 12863, 12864, 12865, 12866, 12867, 12869, 12870, 12872, 12873, 12874, 12881, 12882, 12883, 12885, 12887, 12890, 12891, 12898, 12908, 12909, 12910, 12911, 12912, 12913, 12914, 12915, 12916, 12917, 12918, 12919, 12920, 12921, 12922, 12926, 12927, 12928, 12930, 12932, 12935, 12936, 12938, 12939, 12940, 12949, 12959, 12960, 12961, 12962, 12963, 12964, 12965, 12966, 12967, 12973, 12975, 12976, 12977, 12980, 12982, 12983, 12988, 12989, 12990, 12992, 12994, 12998, 12999, 13000, 13008, 13020, 13021, 13036, 13037, 13038, 13039, 13057, 13077, 13085, 13090, 13104, 13109, 13113, 13114, 13115, 13117, 13118, 13119, 13122, 13126, 13128, 13129,

13130, 13131, 13132, 13133, 13134, 13136, 13137, 13138, 13139, 13141, 13142, 13143, 13145, 13146, 13147, 13150, 13151, 13152, 13155, 13188, 13190, 13193, 13218, 13220, 13252, 13256, 13268, 13269, 13315, 13323, 13324, 13330, 13341, 13342, 13363, 13364, 13365, 13366, 13367, 13368, 13369, 13412, 13413
\l@ 18196
\L@ante 12132, 12207, 12232
\l@chapter 5866, 5880, 6042, 6056, 6319, 9995, 14730, 14744, 15101, 15115, 15306, 15490, 17846, 17847, 17978, 19059
\l@color . . . 12147, 12148
\l@figure 5063, 5064, 18087, 19087
\L@Findent 12133, 12209, 12233
\L@first 12175, 12176, 12179, 12180, 12182, 12183, 12184, 12185, 12190, 12196, 12198, 12202, 12207, 12208, 12210, 12211, 12222
\L@gridfalse 12138
\L@gridtrue 12138
\L@hang 12129, 12206
\L@imagefalse 12137
\L@imagetrue 12137
\L@lbox 12160, 12161, 12168, 12170, 12175, 12185, 12205, 12206, 12217, 12218, 12219, 12232
\l@LOKeys 12152, 12154, 12159, 12164
\L@lraise 12177, 12183, 12184, 12186, 12187, 12232
\L@next 12213, 12214, 12225, 12227
\l@ngrel@x 2883, 2884, 2886
\L@Nindent . . . 12134, 12212, 12214, 12216, 12225, 12226
\L@novskip 12136, 12190, 12194
\L@oversize 12130
\l@paragraph 18053, 19075
\L@parshape . . 12222, 12225, 12229, 12231
\l@part 727, 878, 896, 1121, 1139, 1359, 1377, 5842, 5858, 6018, 6034, 6304, 7729, 7983, 9980, 14706, 14722, 15077, 15093, 15292, 15475, 17843, 17844, 17931, 19051, 19054
\L@Pindent . . . 12205, 12206, 12208, 12209, 12211, 12212, 12215, 12222
\L@raise . . . 12131, 12183
\l@section 744, 904, 917, 1105, 1118, 1386, 1399, 7715, 17997, 19063
\L@slope 12135, 12226, 12227
\l@subfigure 18124
\l@subparagraph 18070, 19079
\l@subsection 18019, 19067
\l@subsubsection 18036, 19071
\l@subtable 18144
\l@table 5064, 18105, 19083
\L@tbox 12172, 12176, 12234
\l@textcolor 12149, 12150
\label . . . 2545, 4031, 4033, 4035, 4039, 4085, 10373, 11290, 11308, 20062
\labelitemi 961, 1212, 1275, 1461, 5935, 6111, 14795, 14934
\labelname . . . 13977, 13980, 13982, 13985, 13987, 13989, 13992, 13994, 13996, 13998, 14001, 14003, 14005, 14007, 14009, 14012, 14014, 14017, 14019, 14022, 14024, 14026, 14029, 14031, 14033, 14036, 14038, 14040
\labelsep 82, 86, 291, 295, 796, 930, 1192, 1441, 2559, 2561, 5092, 5094, 5151, 5895, 6082, 6390, 7776, 8046, 10045, 13977, 13980, 13982, 13985, 13987, 13989, 13992, 13994, 13996, 13998, 14001, 14003, 14005, 14007, 14009, 14012, 14014, 14017, 14019, 14022, 14024, 14026, 14029, 14031, 14033, 14036, 14038, 14040, 14764, 15157, 15350, 15552, 15953, 16532, 17214, 17860

\labelwidth 85, 86, 294, 295, 794, 795, 928, 929, 1190, 1191, 1439, 1440, 2558, 2560, 5093, 5094, 5893, 5894, 6080, 6081, 6388, 6389, 7774, 7775, 8044, 8045, 10043, 10044, 10944, 13977, 13980, 13982, 13985, 13987, 13989, 13992, 13994, 13996, 13998, 14001, 14003, 14005, 14007, 14009, 14012, 14014, 14017, 14019, 14022, 14024, 14026, 14029, 14031, 14033, 14036, 14038, 14040, 14762, 14763, 15155, 15156, 15348, 15349, 15550, 15551, 15951, 15952, 16530, 16531, 17212, 17213, 17858, 17859
\langle 2049
\Larg 2048, 2049, 2050, 2051, 2052
\Larga 2049
\Largb 2050
\LARGE . 643, 714, 969, 1059, 1220, 1310, 1469, 1560, 1571, 4994, 5001, 5083, 5326, 5943, 6119, 6220, 6291, 7291, 7804, 7869, 7899, 7970, 10065, 10130, 14803, 14893, 14942, 15039, 15050, 15205, 15391, 15462
\Large 781, 4945, 5008, 5082, 5327, 5328, 7202, 7295, 7753, 15281, 15788, 15794, 15796, 15812, 15901, 15908, 15910, 15913, 16336, 16342, 16344, 16360, 16449, 16456, 16458, 16461, 17034, 17040, 17042, 17058, 17147, 17154, 17156, 17159
\large . . 645, 651, 716, 722, 736, 887, 976, 986, 1061, 1067, 1130, 1227, 1237, 1312, 1318, 1368, 1476, 1486, 1562, 1568, 1572, 1577, 4952, 5015, 5081, 5851, 5950, 5960, 6027, 6126, 6136, 6222, 6228, 6293, 6299, 6313, 7201, 7203, 7294, 7296, 7738, 7806, 7812, 7871, 7877, 7901, 7907, 7972, 7978, 7991, 9989, 10067, 10073, 10132, 10138, 14715, 14810, 14820, 14895, 14901, 14949, 14959, 15041, 15047, 15051, 15056, 15086, 15207, 15213, 15300, 15393, 15399, 15464, 15470, 15484, 18489, 18839, 18877
\Largr 2052
\Largs 2051
\lastbox 6984, 6988, 7014, 9672, 9695, 9705, 9709, 12793, 14425, 19450
\lastbox@a . . . 6984, 6985, 6988, 6989
\LastFrameCommand 10806, 10916
\lastkern . . 4730, 10891
\lastpenalty 6438, 18899
\lastrule 6485
\lastskip 4163, 5656, 5657, 5769, 5770, 6437, 6971, 6972, 6976, 6977, 6979, 6986, 6991
\lastskip@a 6974, 6978, 6982
\lastskip@b . . 6972, 6974, 6976, 6978, 6982, 6983
\lastskip@d . . 6971, 6977, 6979, 6985, 6986, 6989, 6991, 6992, 6995, 7005
\LastTOCLevelWasHigher 18809
\LastTOCLevelWasLower 18805
\LastTOCLevelWasSame 18807
\LaTeX 12066, 19520, 19521, 19533
\LaTeXe . . . 19522, 19523
\LBEG 2053
\lcb 2050, 2053, 2054, 2057
\lccode 19301, 19302
\Lcs 2064
\LcsStar 2065
\leaders 15750, 16298, 16996, 17565, 17837, 18990, 19099, 19782
\leavevmode . 14, 215, 307, 357, 501, 598, 735, 752, 872, 886, 911, 962, 1099, 1112, 1129, 1213, 1276, 1353, 1367, 1393, 1462, 2182, 2490, 4718, 5056, 5524, 5600, 5836, 5850, 5873, 5936, 6012,

6026, 6049, 6112, 6312, 6327, 6406, 6407, 6545, 6597, 7723, 7737, 7990, 8384, 8530, 8675, 8824, 8973, 9122, 9271, 9420, 9569, 9988, 10003, 10275, 10290, 10720, 11068, 11114, 11134, 11924, 11961, 11993, 12788, 13017, 13350, 13814, 13826, 13838, 14424, 14492, 14497, 14543, 14564, 14700, 14714, 14737, 14796, 14935, 15071, 15085, 15108, 15299, 15314, 15483, 15498, 15750, 16298, 16996, 17532, 17583, 17787, 17810, 17956, 17987, 18010, 18027, 18044, 18061, 18078, 18095, 18113, 18132, 18152, 18187, 18380, 18488, 18533, 18981, 19095, 19344, 19525, 19530, 19532, 19540, 19547, 19620, 19728, 19778

\left . 19541, 19548, 19554

\left@footnoterule 30, 240, 635, 758, 940, 957, 1176, 1208, 1419, 1457, 5905, 5931, 6058, 6107, 6212, 6334, 7786, 7798, 7891, 8084, 10030, 10059, 10541, 10547, 10560, 10562, 10694, 10707, 12117, 14746, 14791, 14928, 15167, 15187, 15324, 15383, 15505, 15738, 15760, 15994, 16286, 16308, 16573, 16855, 16984, 17006, 17255

\leftfootnoterule . 1844, 7348, 8095, 10545, 10548, 10780, 11052, 20112

\leftline 14507, 19700, 19706, 19708

\leftmargin 86, 295, 795, 796, 929, 930, 1165, 1191, 1192, 1440, 1441, 2560, 2561, 3872, 5073, 5132, 5133, 5140, 5146, 5894, 5895, 6081, 6082, 6389, 6390, 7775, 7776, 8045, 8046, 10044, 10045, 14561, 14763, 14764, 15156, 15157, 15349, 15350, 15551, 15552, 15952, 15953, 16531, 16532, 17213, 17214, 17859, 17860, 19590, 19593, 19603, 19607, 19615, 19654, 19656, 19657, 19658, 19663, 19665, 19666, 19667, 19672, 19674, 19675, 19676, 19681, 19683, 19684, 19685

\leftmargini . . 3872, 5073, 5086, 5093

\leftmarginii 5087

\leftmarginiii . . . 5088

\leftmarginiv 5089

\leftmarginv 5090

\leftmarginvi 5091

\leftmarginwidth . 15321

\leftmark 5423

\leftskip 12, 13, 213, 214, 307, 311, 733, 750, 753, 754, 843, 856, 867, 868, 873, 884, 909, 912, 913, 1093, 1094, 1100, 1110, 1113, 1114, 1127, 1149, 1342, 1348, 1349, 1354, 1365, 1391, 1394, 1395, 1413, 5050, 5058, 5059, 5630, 5825, 5831, 5832, 5837, 5848, 5871, 5874, 5875, 6001, 6007, 6008, 6013, 6024, 6047, 6050, 6051, 6310, 6325, 6328, 6329, 6460, 6461, 6462, 6588, 6589, 6595, 7721, 7724, 7725, 7735, 7988, 8309, 9907, 9986, 10001, 10004, 10005, 12775, 13452, 13453, 13811, 13815, 13816, 13823, 13828, 13835, 13840, 14572, 14574, 14585, 14587, 14598, 14600, 14609, 14611, 14628, 14671, 14684, 14695, 14696, 14701, 14712, 14735, 14738, 14739, 15066, 15067, 15072, 15083, 15106, 15109,

15110, 15120, 15133, 15181, 15297, 15312, 15315, 15316, 15321, 15322, 15481, 15496, 15499, 15500, 17779, 17791, 17808, 17829, 17831, 17836, 17840, 17841, 17951, 17952, 17953, 17961, 17982, 17983, 17984, 17992, 18005, 18006, 18007, 18015, 18022, 18023, 18024, 18032, 18039, 18040, 18041, 18049, 18056, 18057, 18058, 18066, 18073, 18074, 18075, 18083, 18090, 18091, 18092, 18100, 18108, 18109, 18110, 18118, 18127, 18128, 18129, 18137, 18147, 18148, 18149, 18157, 18182, 18183, 18184, 18192, 18232, 18233, 18234, 18912, 18974, 18975, 18976, 18982, 18985, 19032, 19092, 19097, 19120, 19127, 19496, 19497, 19689, 19715, 19716, 19775, 19780

\LEND 2054

\LenToUnit 7515, 7529, 7547

\leqno . . . 330, 14503, 14505, 20103, 20105

\let 83, 98, 111, 148, 149, 152, 153, 156, 157, 160, 180, 184, 199, 200, 228, 292, 321, 329, 330, 342, 379, 491, 507, 539, 540, 569, 599, 600, 603, 620, 624, 628, 633, 634, 635, 636, 637, 638, 639, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 711, 712, 713, 799, 822, 837, 933, 955, 956, 957, 958, 959, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1058, 1085, 1195, 1206, 1207, 1208, 1209, 1210, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1309, 1336, 1444, 1455, 1456, 1457, 1458, 1459, 1497, 1498, 1499, 1500, 1501, 1502, 1503, 1504, 1505, 1506, 1541, 1542, 1543, 1544, 1545, 1546, 1547, 1548, 1549, 1550, 1551, 1559, 1585, 1586, 1590, 1606, 1607, 1608, 1644, 1645, 1646, 1671, 1672, 1673, 1674, 1679, 1714, 1715, 1801, 1803, 1805, 1893, 1936, 1938, 1940, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2137, 2138, 2139, 2166, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2193, 2194, 2195, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2564, 2573, 2578, 2596, 2620, 2639, 2644, 2669, 2670, 2677, 2678, 2681, 2682, 2716, 2849, 2852, 2860, 2884, 2906, 2928, 2929, 3059, 3139, 3141, 3142, 3143, 3144, 3145, 3200, 3211, 3218, 3224, 3230, 3237, 3241, 3243, 3325, 3341, 3361, 3376, 3392, 3485, 3506, 3507, 3523, 3566, 3569, 3571, 3576, 3590, 3598, 3599, 3619, 3620, 3647, 3658, 3663, 3667, 3669, 3672, 3682, 3693, 3720, 3731, 3740, 3789, 3794, 3810, 3811, 3812, 3813, 3815, 3816, 3817, 3818, 3864, 3994, 3995, 4032, 4033, 4039, 4084, 4085, 4167, 4169, 4171, 4317, 4318,

4331, 4335, 4337,
4338, 4344, 4348,
4352, 4361, 4605,
4606, 4624, 4625,
4643, 4644, 4671,
4672, 4700, 4701,
4702, 4796, 4817,
4818, 4819, 4825,
4846, 4847, 4848,
4854, 4875, 4876,
4877, 4893, 4897,
4898, 4899, 4902,
4906, 4907, 4908,
4911, 4915, 4916,
4917, 5064, 5128,
5169, 5256, 5323,
5324, 5325, 5515,
5516, 5518, 5519,
5537, 5558, 5559,
5560, 5561, 5562,
5563, 5564, 5565,
5566, 5569, 5570,
5571, 5572, 5573,
5574, 5575, 5576,
5577, 5638, 5664,
5714, 5720, 5741,
5754, 5764, 5778,
5782, 5783, 5784,
5785, 5786, 5787,
5788, 5789, 5790,
5796, 5797, 5798,
5799, 5800, 5801,
5802, 5803, 5804,
5819, 5898, 5929,
5930, 5931, 5932,
5933, 5971, 5972,
5973, 5974, 5975,
5976, 5977, 5978,
5979, 5980, 5995,
6085, 6105, 6106,
6107, 6108, 6109,
6147, 6148, 6149,
6150, 6151, 6152,
6153, 6154, 6155,
6156, 6205, 6210,
6211, 6212, 6213,
6214, 6215, 6216,
6234, 6235, 6236,
6237, 6238, 6239,
6240, 6241, 6242,
6243, 6244, 6245,
6269, 6270, 6271,
6272, 6273, 6274,
6275, 6276, 6277,
6278, 6279, 6280,
6281, 6288, 6289,
6290, 6393, 6417,
6419, 6422, 6423,
6424, 6430, 6435,
6455, 6467, 6468,
6469, 6471, 6472,
6478, 6479, 6480,
6481, 6501, 6510,
6551, 6557, 6578,
6750, 6753, 6754,
6809, 6812, 6813,
7346, 7347, 7348,
7349, 7350, 7353,
7354, 7356, 7374,
7375, 7377, 7395,
7396, 7400, 7435,
7437, 7449, 7452,
7453, 7457, 7487,
7489, 7501, 7504,
7505, 7779, 7796,
7797, 7798, 7799,
7800, 7818, 7819,
7820, 7821, 7822,
7823, 7824, 7825,
7826, 7827, 7851,
7852, 7853, 7854,
7855, 7856, 7857,
7858, 7859, 7860,
7861, 7868, 7889,
7890, 7891, 7892,
7893, 7894, 7895,
7913, 7914, 7915,
7916, 7917, 7918,
7919, 7920, 7921,
7922, 7923, 7924,
7948, 7949, 7950,
7951, 7952, 7953,
7954, 7955, 7956,
7957, 7958, 7959,
7960, 7967, 7968,
7969, 8049, 8093,
8094, 8095, 8096,
8097, 8189, 8190,
8191, 8192, 8193,
8194, 8196, 8197,
8198, 8199, 8200,
8201, 8202, 8338,
8339, 8340, 8344,
8345, 8346, 8347,
8349, 8487, 8488,
8489, 8493, 8494,
8495, 8496, 8498,
8629, 8630, 8631,
8635, 8636, 8637,
8638, 8640, 8778,
8779, 8780, 8784,
8785, 8786, 8787,
8789, 8927, 8928,
8929, 8933, 8934,
8935, 8936, 8938,
9076, 9077, 9078,
9082, 9083, 9084,
9085, 9087, 9225,
9226, 9227, 9231,
9232, 9233, 9234,
9236, 9374, 9375,
9376, 9380, 9381,
9382, 9383, 9385,
9523, 9524, 9525,
9529, 9530, 9531,
9532, 9534, 9714,
9715, 9716, 9720,
9721, 9722, 9723,
9725, 9738, 9750,
9762, 9787, 9801,
9815, 9914, 9976,
10048, 10057,
10058, 10059,
10060, 10061,
10079, 10080,
10081, 10082,
10083, 10084,
10085, 10086,
10087, 10088,
10112, 10113,
10114, 10115,
10116, 10117,
10118, 10119,
10120, 10121,
10122, 10129,
10185, 10212,
10215, 10216,
10244, 10247,
10248, 10326,
10327, 10329,

10330, 10333,
10334, 10363,
10365, 10373,
10374, 10375,
10385, 10388,
10520, 10548,
10574, 10575,
10681, 10694,
10707, 10732,
10733, 10734,
10735, 10769,
10784, 10790,
10795, 10930,
10931, 10932,
10933, 10975,
10978, 10979,
11019, 11022,
11023, 11052,
11053, 11054,
11055, 11056,
11137, 11171, 11173,
11201, 11203,
11208, 11210,
11214, 11216,
11547, 11548,
11549, 11590,
11591, 11592,
11634, 11635,
11636, 11649,
11650, 11651,
11664, 11665,
11666, 11672,
11674, 11675,
11676, 11677,
11678, 11679,
11680, 11689,
11725, 11763,
11796, 11827,
11858, 11864,
11866, 11867,
11868, 11869,
11870, 11871,
11872, 11873,
11885, 11888,
11891, 11894,
12061, 12062,
12063, 12064,
12079, 12090,
12148, 12158,
12163, 12321,
12333, 12636,
12637, 12638,
12640, 12642,
12646, 12648,
12650, 12651,
12653, 12654,
12655, 12659,
12665, 12677,
12713, 12714,
12715, 12767,
12768, 12769,
12770, 12771,
12779, 12826,
12827, 12828,
13420, 13421,
13422, 13423,
13424, 13425,
13426, 13427,
13428, 13484,
13487, 13488,
13490, 13491,
13587, 13590,
13591, 13685,
13688, 13689,
13922, 13925,
13945, 13946,
13949, 13950,
13953, 13954,
14057, 14058,
14059, 14167,
14168, 14169,
14170, 14171,
14173, 14186,
14191, 14205,
14237, 14426,
14430, 14475,
14476, 14477,
14478, 14481,
14482, 14484,
14489, 14499,
14500, 14501,
14502, 14503,
14565, 14569,
14571, 14582,
14584, 14595,
14597, 14607,
14608, 14619,
14620, 14621,
14622, 14623,
14633, 14634,
14635, 14636,
14637, 14646,
14648, 14649,
14665, 14767,
14789, 14790,
14791, 14792,
14793, 14831,
14832, 14833,
14834, 14835,
14836, 14837,
14838, 14839,
14840, 14875,
14876, 14877,
14878, 14879,
14880, 14881,
14882, 14883,
14884, 14885,
14892, 14919,
14926, 14927,
14928, 14929,
14930, 14931,
14932, 14970,
14971, 14972,
14973, 14974,
14975, 14976,
14977, 14978,
14979, 14980,
14981, 15016,
15017, 15018,
15019, 15020,
15021, 15022,
15023, 15024,
15025, 15026,
15027, 15028,
15036, 15037,
15038, 15160,
15185, 15186,
15187, 15188,
15189, 15190,
15191, 15219,
15220, 15221,
15222, 15223,
15224, 15225,
15226, 15227,
15228, 15229,
15230, 15259,
15260, 15261,
15262, 15263,
15264, 15265,
15266, 15267,

15268, 15269, 15270, 15271, 15277, 15278, 15279, 15353, 15377, 15381, 15382, 15383, 15384, 15385, 15386, 15387, 15405, 15406, 15407, 15408, 15409, 15410, 15411, 15412, 15413, 15414, 15415, 15416, 15440, 15441, 15442, 15443, 15444, 15445, 15446, 15447, 15448, 15449, 15450, 15451, 15452, 15459, 15460, 15461, 15555, 15580, 15607, 15608, 15625, 15697, 15698, 15699, 15758, 15759, 15760, 15761, 15762, 15763, 15764, 15766, 15830, 15847, 15848, 15849, 15850, 15851, 15852, 15853, 15854, 15855, 15856, 15857, 15858, 15859, 15860, 15861, 15862, 15863, 15864, 15865, 15866, 15867, 15868, 15869, 15870, 15871, 15872, 15873, 15874, 15878, 15879, 15880, 15964, 15989, 15990, 16014, 16015, 16016, 16017, 16018, 16019, 16025, 16026, 16027, 16028, 16029, 16030, 16124, 16126, 16132, 16134, 16245, 16246, 16247, 16306, 16307, 16308, 16309, 16310, 16311, 16312, 16314, 16378, 16395, 16396, 16397, 16398, 16399, 16400, 16401, 16402, 16403, 16404, 16405, 16406, 16407, 16408, 16409, 16410, 16411, 16412, 16413, 16414, 16415, 16416, 16417, 16418, 16419, 16420, 16421, 16422, 16426, 16427, 16428, 16543, 16568, 16569, 16593, 16594, 16595, 16596, 16597, 16598, 16604, 16605, 16606, 16607, 16608, 16609, 16703, 16705, 16711, 16713, 16943, 16944, 16945, 17004, 17005, 17006, 17007, 17008, 17009, 17010, 17012, 17076, 17093, 17094, 17095, 17096, 17097, 17098, 17099, 17100, 17101, 17102, 17103, 17104, 17105, 17106, 17107, 17108, 17109, 17110, 17111, 17112, 17113, 17114, 17115, 17116, 17117, 17118, 17119, 17120, 17124, 17125, 17126, 17225, 17250, 17251, 17275, 17276, 17277, 17278, 17279, 17280, 17286, 17287, 17288, 17289, 17290, 17291, 17385, 17387, 17393, 17395, 17523, 17524, 17525, 17528, 17584, 17585, 17586, 17589, 17600, 17601, 17602, 17609, 17610, 17615, 17624, 17625, 17626, 17628, 17631, 17635, 17638, 17640, 17643, 17652, 17655, 17668, 17669, 17670, 17685, 17686, 17687, 17688, 17689, 17690, 17692, 17693, 17696, 17697, 17774, 17803, 17832, 17837, 17843, 17846, 17863, 17925, 17929, 17958, 17959, 17960, 17989, 17990, 17991, 18012, 18013, 18014, 18029, 18030, 18031, 18046, 18047, 18048, 18063, 18064, 18065, 18080,

18081, 18082, 18097, 18098, 18099, 18115, 18116, 18117, 18134, 18135, 18136, 18154, 18155, 18156, 18189, 18190, 18191, 18254, 18409, 18546, 18627, 18630, 18660, 18893, 19109, 19117, 19122, 19129, 19146, 19149, 19209, 19267, 19271, 19349, 19354, 19364, 19368, 19397, 19407, 19411, 19451, 19455, 19504, 19505, 19506, 19507, 19510, 19511, 19513, 19518, 19520, 19522, 19534, 19535, 19536, 19537, 19541, 19542, 19548, 19549, 19550, 19562, 19583, 19635, 19688, 19691, 19692, 19706, 19707, 19725, 19729, 19730, 19731, 19734, 19746, 19747, 19748, 19749, 19755, 19756, 19757, 19804, 19807, 19808, 19847, 19850, 19851, 20024, 20026, 20039, 20041, 20043, 20045, 20047, 20049, 20052, 20053, 20055, 20056, 20062, 20063, 20064, 20087, 20090, 20102, 20103, 20111, 20112, 20113, 20253, 20255

\Letter 2410
\lettergroup 5180
\LettrineDepth . . . 12219
\LettrineFont 12160, 12170
\LettrineFontEPS . 12168
\LettrineHeight . . 12218
\LettrineTextFont 12172, 12181
\LettrineWidth 12161, 12217
\lftside 14356, 14358, 14361, 14363, 14377, 14379
\line 6607, 6608, 6610, 6611, 6617, 6618, 6620, 6621, 6630, 6631, 6633, 6634, 6640, 6641, 6643, 6644, 6653, 6654, 6656, 6657, 6663, 6664, 6666, 6667, 6676, 6677, 6679, 6680, 6686, 6687, 6689, 6690, 14506, 14507, 14508
\lineskip 198, 621, 646, 717, 977, 1062, 1228, 1313, 1477, 1563, 1572, 2394, 5951, 6127, 6223, 6294, 7807, 7872, 7902, 7973, 10068, 10133, 10377, 12678, 12776, 14629, 14643, 14811, 14896, 14950, 15042, 15051, 15208, 15284, 15394, 15465, 15788, 15902, 16336, 16450, 17034, 17148, 17604, 17643, 19751, 20065
\lineskiplimit 10378, 20065
\linespacing 24
\linespread 2870
\linewidth . . . 2518, 4061, 10276, 10291, 10295, 10942, 10950, 10951, 10953, 10954, 11237, 12210, 12213, 12229, 12773, 13492, 13498, 14124, 14126, 14144, 14146, 14314, 14320, 14406, 14415, 14416, 14469, 14471, 14626, 14640, 16110, 16689, 17371, 19498, 19500, 19589, 19590, 19617, 19654, 19656, 19657, 19658, 19663, 19665, 19666, 19667, 19672, 19674, 19675, 19676, 19681, 19683, 19684, 19685, 20013, 20016
\link 2524
\list 85, 294, 793, 927, 1163, 1189, 1438, 5111, 5129, 5138, 5146, 5892, 6079, 6387, 7773, 8043, 10042, 14049, 14761, 15154, 15347, 15549, 15948, 16527, 17209, 17857, 19572
\listdoubleitemmaincolumnwidth 2464, 2477, 2478, 2479, 2506, 2510
\listfigurename 5033, 5034
\listitemmaincolumnwidth 2463,

2471, 2472, 2504
\listitemsymbol 2405, 2462, 2503, 2505, 7157, 7255
\listitemsymbolwidth 2461, 2462, 2472, 2478
\listoffigures . . . 5031
\listoftables 5039
\listparindent 1163, 5131, 5138, 5139, 19579, 19588
\listtablename 5041, 5042
\llap 5118, 7570, 8223, 8235, 8247, 10191, 10197, 11059, 11182, 11184, 11186, 11188, 11191, 11193, 11196, 11198, 12232, 17550, 17792, 17810
\LoadClass . . 5365, 5389
\long 34, 47, 62, 243, 256, 270, 675, 960, 1025, 1211, 1274, 1460, 1525, 1982, 2200, 2203, 2206, 2211, 2214, 2217, 2614, 2615, 2624, 2627, 2638, 2817, 2821, 2854, 2886, 2890, 3000, 3019, 3094, 3110, 3122, 3131, 3163, 3191, 3203, 3204, 3737, 4001, 4144, 4404, 4408, 4412, 4448, 4452, 4456, 4492, 4496, 4500, 4711, 4795, 4824, 4853, 5671, 5674, 5677, 5681, 5684, 5687, 5934, 6110, 6252, 6544, 7355, 7376, 7834, 7931, 10095, 10622, 10638, 10653, 10680, 10693, 10706, 11057, 11067, 11113, 11154, 11161, 11593, 11604, 11615, 11626, 11641, 11656, 11699, 11716, 11737, 11754, 11770, 11787, 11801, 11818, 11832, 11849, 12074, 12273, 13434, 13484, 13534, 13556, 13957, 13961, 13965, 14295, 14491, 14794, 14859, 14933, 15000, 15195, 15238, 15423, 15713, 16261, 16834, 16934, 16959, 17522, 17708, 17712, 17715, 17719, 19343, 19524, 19619, 19894, 19898, 19902, 19938, 19942, 19946, 20005, 20092
\longindentation . 8077
\longthickrule 15276, 15282
\loop 453, 1883, 1884, 6700, 6862, 6868, 6973, 7028, 7040, 9693, 9703, 12196, 14312, 14348, 14375, 14386, 14413, 17663
\lower 14497, 14531, 14539, 19337, 19530, 19532
\lowercase . . . 2684, 2692, 2700, 2708
\lowertitleback . . . 15871, 16419, 17117
\LR 12062, 14477, 14497, 19506, 19530, 19532
\lrb 2052, 2061
\LRE 1802, 1937, 12061, 14477, 14480, 19149, 19506, 19509
\LRfootnoterule . . . 7350, 8097, 10548
\lsb 2051, 2059
\lst@@caption . 12294, 12300, 12307, 12312
\lst@alloverstyle 2040, 2046
\lst@HRefStepCounter 12294, 12300
\lst@ifnumberbychapter 12333, 12334
\lst@Key . . . 12237, 12244
\lst@MakeCaption 12292, 12305
\lst@makecaption 12289, 12322
\lst@maketitle 12290, 12323, 12327, 12329
\lst@title@dropdelim 12290
\lstKV@SwitchCases 12238, 12245
\lstset 2010
\LT@@hl . . . 12638, 12640
\LT@@tabarray 12637, 12641
\LT@array 12070, 12627, 16124, 16125, 16703, 16704, 17385, 17386
\LT@bchunk 12668, 12675, 12679
\LT@caption . . 12646, 16126, 16132, 16134, 16705, 16711, 16713, 17387, 17393, 17395
\LT@cols 12681, 16109, 16688, 17370
\LT@end@pen 12729
\LT@endpbox 12648
\LT@err 12730
\LT@foot 12085, 12089, 12733, 12737, 12746, 12749
\LT@head . . . 12740, 12753
\LT@hline 12646
\LT@kill 12646

\LT@lastfoot 12733, 12735, 12746
\LT@LL@FM@cr 12655, 12659
\LT@make@row 12676
\LT@makecaption 12680, 12691, 16101, 16680, 17362
\LT@mcol 12636, 12681, 16109, 16688, 17370
\LT@no@pgbk 12644, 12645
\LT@nofcols 12675
\LT@output 12727
\LT@p@ftn 11694, 11697, 11701, 11711, 11732, 11735, 11739, 11749, 12720, 12721, 12723, 12724
\LT@p@ftntext 12713
\LT@p@LTRftntext 11692, 11699, 12714, 12719
\LT@p@RTLftntext 11730, 11737, 12715, 12722
\LT@rows . . 12670, 12700
\LT@setprevdepth . 12671
\LT@start . 12087, 12097
\LT@startpbox 12652, 12659, 12711
\LT@tabularcr 12642
\LTcaptype 12693, 12702, 12703
\LTcapwidth 12681, 12694, 12695
\LTleft 12630, 12632, 12634, 12672
\LTR 14469, 19498
\LTR@column@boxes 13879, 13895, 13926, 13928
\LTR@outputdblcol . . . 6796, 10232, 10960, 13672, 19834, 19874, 19876
\LTRbidituftesidenotemarginpar . . 4431, 4756, 4904
\LTRcite 4701, 4818, 4847, 4876, 4898, 4907, 4916
\LTRcolumnfootnotes 8204
\LTRdblcol 19876
\LTRdfnmakecol . . . 7508
\LTRfootfootmark 8233, 8390, 8536, 8681, 8830, 8979, 9128, 9277, 9426, 9575, 9780
\LTRfootmarkstyle 8219, 8258
\LTRfootnote . . . 638, 712, 2138, 2146, 4887, 5237, 6215, 6289, 7894, 7968, 10603, 14931, 15037, 15190, 15278, 15386, 15460, 15763, 15879, 16311, 16427, 17009, 17125
\LTRfootnotetext . . 2204, 2215, 5675, 5685, 10753, 10755, 11695, 12720, 17709, 17713
\LTRfootscript 8219, 8236, 8240, 8242
\LTRfoottextfont 8139, 8146, 8167, 8173, 8271, 8362, 8390, 8410, 8510, 8536, 8555, 8653, 8681, 8701, 8802, 8830, 8850, 8951, 8979, 8999, 9100, 9128, 9148, 9249, 9277, 9297, 9398, 9426, 9446, 9547, 9575, 9595, 9752, 9780, 9804
\LTright 12630, 12632, 12634, 12673
\LTRmarginnote . . . 4901
\LTRmarginpar 19877
\LTRmulticolcolumns 13924
\LTRsidenote . 4626, 4883
\LTRthanks 638, 658, 693, 712, 5237, 5245, 5262, 5278, 5289, 6215, 6235, 6270, 6289, 7894, 7914, 7949, 7968, 10751, 13421, 14931, 14971, 15017, 15037, 15190, 15220, 15260, 15278, 15386, 15406, 15441, 15460, 15763, 15848, 15879, 16311, 16396, 16427, 17009, 17094, 17125
\ltx@firstofthree 10473, 10497
\ltx@ifundefined 10467, 10491
\ltx@secondofthree 10476, 10500
\ltx@thirdofthree . 10469, 10486, 10493

M

\m@addvipersep 13616, 13714
\m@m@float@spacing 8208
\m@m@footnote@spacing 8105, 8121, 8137, 8153, 8166, 8179, 8207, 8351, 8361, 8371, 8397, 8409, 8422, 8449, 8462, 8477, 8482, 8500, 8509, 8518, 8543, 8554, 8566, 8592, 8604, 8619, 8624, 8642, 8652, 8662, 8688, 8700, 8713, 8740, 8753, 8768, 8773, 8791, 8801, 8811, 8837, 8849, 8862, 8889, 8902, 8917, 8922, 8940, 8950, 8960, 8986, 8998, 9011, 9038, 9051, 9066, 9071, 9089, 9099, 9109, 9135,

9147, 9160, 9187, 9200, 9215, 9220, 9238, 9248, 9258, 9284, 9296, 9309, 9336, 9349, 9364, 9369, 9387, 9397, 9407, 9433, 9445, 9458, 9485, 9498, 9513, 9518, 9536, 9546, 9556, 9582, 9594, 9607, 9634, 9647, 9662, 9667, 9727, 9739, 9751, 9763, 9788, 9802, 9816, 9844, 9857, 9871, 9893, 9901
\m@m@h 8320, 8322, 8324, 8327, 8328, 8333
\m@m@k 8320, 8322, 8327, 8330, 8331, 8333
\m@m@makecolfloats . . 9912, 9959, 9965
\m@m@makecolintro . . 9927, 9952, 9963
\m@m@makecoltext 9916, 9960, 9971
\m@m@singlespace . 8206
\m@make@eightcol@footgroup . . 9230, 9322, 9362
\m@make@eightcolfootfmt 9321, 9357
\m@make@eightcolfootnotetext 9319, 9333
\m@make@fivecol@footgroup . . 8783, 8875, 8915
\m@make@fivecolfootfmt 8874, 8910
\m@make@fivecolfootnotetext 8872, 8886
\m@make@footstart 8305, 8316, 8437, 8580, 8728, 8877, 9026, 9175, 9324, 9473, 9622
\m@make@fourcol@footgroup . . 8634, 8726, 8766
\m@make@fourcolfootfmt 8725, 8761
\m@make@fourcolfootnotetext 8723, 8737
\m@make@mpeightcol@footgroup . . 9235, 9323, 9367
\m@make@mpeightcolfootnotetext 9320, 9345
\m@make@mpfivecol@footgroup . . 8788, 8876, 8920
\m@make@mpfivecolfootnotetext 8873, 8898
\m@make@mpfourcol@footgroup . . 8639, 8727, 8771
\m@make@mpfourcolfootnotetext 8724, 8749
\m@make@mpninecol@footgroup . . 9384, 9472, 9516
\m@make@mpninecolfootnotetext 9469, 9494
\m@make@mppara@footgroup . . 9724, 9832, 9896
\m@make@mpparafootnotetext 9829, 9867
\m@make@mpsevencol@footgroup . . 9086, 9174, 9218
\m@make@mpsevencolfootnotetext 9171, 9196
\m@make@mpsixcol@footgroup . . 8937, 9025, 9069
\m@make@mpsixcolfootnotetext 9022, 9047
\m@make@mptencol@footgroup . . 9533, 9621, 9665
\m@make@mptencolfootnotetext 9618, 9643
\m@make@mpthreecol@footgroup . . 8497, 8579, 8622
\m@make@mpthreecolfootnotetext 8576, 8600
\m@make@mptwocol@footgroup . . 8348, 8436, 8480
\m@make@mptwocolfootnotetext 8433, 8458
\m@make@ninecol@footgroup . . . 9379, 9471, 9511
\m@make@ninecolfootfmt 9470, 9506
\m@make@ninecolfootnotetext 9468, 9482
\m@make@para@footgroup . . 9719, 9831, 9887
\m@make@para@footstart 9833, 9904
\m@make@parafootfmt 9830, 9881
\m@make@parafootnotetext 9828, 9854
\m@make@sevencol@footgroup . . 9081, 9173, 9213
\m@make@sevencolfootfmt 9172, 9208
\m@make@sevencolfootnotetext 9170, 9184
\m@make@sixcol@footgroup . . 8932, 9024, 9064
\m@make@sixcolfootfmt 9023, 9059
\m@make@sixcolfootnotetext 9021, 9035
\m@make@tencol@footgroup . . 9528, 9620, 9660
\m@make@tencolfootfmt 9619, 9655
\m@make@tencolfootnotetext 9617, 9631
\m@make@threecol@footgroup . . 8492, 8578, 8617
\m@make@threecolfootfmt 8577, 8612
\m@make@threecolfootnotetext 8575, 8589
\m@make@twocol@footgroup . . 8343, 8435, 8475
\m@make@twocolfootfmt 8434, 8470
\m@make@twocolfootnotetext 8432, 8446
\m@mdoextrafeet 8262, 9958, 9970
\m@mdoextrafeetendmini 8290, 8300
\m@mdoextrafeetmini 8281
\m@mdosplits . . 8325, 8329, 8330, 8331
\m@minterparanoteglue 9685, 9687
\m@mipn@skip 9677, 9684, 9686
\m@mmakehboxofhboxes 9689, 9700, 9890, 9899

\m@mmf@prepare 8117, 8133, 8149, 8212, 8359, 8369, 8379, 8405, 8418, 8430, 8457, 8469, 8507, 8516, 8525, 8550, 8562, 8573, 8599, 8611, 8650, 8660, 8670, 8696, 8709, 8721, 8748, 8760, 8799, 8809, 8819, 8845, 8858, 8870, 8897, 8909, 8948, 8958, 8968, 8994, 9007, 9019, 9046, 9058, 9097, 9107, 9117, 9143, 9156, 9168, 9195, 9207, 9246, 9256, 9266, 9292, 9305, 9317, 9344, 9356, 9395, 9405, 9415, 9441, 9454, 9466, 9493, 9505, 9544, 9554, 9564, 9590, 9603, 9615, 9642, 9654, 9748, 9760, 9772, 9798, 9812, 9826, 9866, 9880
\m@mold@footnotetext 8189, 8196
\m@mold@LTRfootnotetext 8190, 8197
\m@mold@mpfootnotetext 8192, 8199
\m@mold@mpLTRfootnotetext 8193, 8200
\m@mold@mpRTLfootnotetext 8194, 8201
\m@mold@RTLfootnotetext 8191, 8198
\m@mopfootnote 9928, 9956
\m@mremovehboxes 9709, 9710, 9891, 9900
\m@mrigidbalance 8322, 8327, 8479, 8484, 8621, 8626, 8770, 8775, 8919, 8924, 9068, 9073, 9217, 9222, 9366, 9371, 9515, 9520, 9664, 9669
\m@msplitoff . 8330, 8332
\m@mungebox . . 9678, 9748, 9760, 9772, 9798, 9812, 9826, 9866, 9880
\m@munvxh . . . 9670, 9679
\m@ne 306, 771, 780, 2668, 2857, 4399, 4443, 4487, 6162, 6320, 6357, 6700, 7743, 7752, 8012, 9996, 10013, 11917, 13853, 14557, 15307, 15491, 15528, 16188, 16765, 16768, 17447, 17450, 17937, 17979, 18918, 18989, 19933, 19968, 19971
\m@th 623, 7559, 7564, 7570, 10276, 10291, 12677, 18990, 19099, 19554, 19637, 19721, 19723, 19782
\maincolumnwidth 2459, 2468, 2469, 2470, 2471, 2473, 2477, 2492, 2496, 2521
\mainmatter 5416
\makeatletter 3066, 3085
\makebox 7558, 7563, 7632, 7635, 7638, 7645, 7653, 7660, 7701, 7705, 14161, 14179
\makefooter 7222, 7223, 7239
\MakeFramed 10808
\makelabel . . 5118, 19583
\maketag@@@ 338, 7556, 7569
\makethanksmark . . 13434
\maketitle 106, 315, 322, 632, 660, 671, 695, 953, 998, 1020, 1042, 1204, 1249, 1271, 1293, 1453, 1498, 1520, 1542, 1978, 1990, 2485, 5213, 5317, 5341, 5927, 5972, 6103, 6148, 6209, 6237, 6248, 6272, 7204, 7318, 7795, 7819, 7830, 7852, 7888, 7916, 7927, 7951, 10056, 10080, 10091, 10113, 11864, 11865, 13429, 14787, 14832, 14854, 14876, 14924, 14973, 14995, 15019, 15184, 15222, 15233, 15262, 15380, 15408, 15419, 15443, 15752, 15823, 15850, 16300, 16371, 16398, 16998, 17069, 17096
\maketitledetailsnewline 7313, 7328, 7330, 7331, 7332, 7333, 7334
\maketitledetailswidth 7305, 7307, 7308, 7309, 7310, 7325
\maketitlehookb . . 13479
\maketitlehookc . . 13481
\maketitlenamefullwidth . . 7299, 7300, 7302
\maketitlenamemaxwidth . . 7297, 7298, 7302
\maketitlenamewidth 7301, 7302, 7308, 7320
\maketitlepage 5299, 5341
\maketitlepicturewidth

. . . . . 7303, 7304, 7310, 7339
\MakeUppercase . . 121, 791, 818, 819, 834, 925, 1082, 1187, 1333, 1436, 5816, 5890, 5992, 6077, 6201, 6202, 6385, 7771, 8041, 10040, 14662, 14759, 14916, 15152, 15373, 15374, 15547
\marginline 16007, 16586, 17268
\marginnote 4892
\marginpar . . . 3971, 4673, 16008, 16587, 17269, 19185
\marginparpush 3904, 19987
\marginparsep 1968, 2370, 3945, 3948, 3952, 4098, 4105, 11181, 11183, 11187, 11192, 11195, 11197, 19998, 20000
\marginparwidth 1967, 2371, 3944, 3949, 3961, 4053, 4323, 4416, 4460, 4504, 11181, 11183, 11195, 11197, 19906, 19950, 20000
\markboth 120, 785, 5421, 7757
\mathindent 10277, 10293
\mathsurround 6434
\max@poem@no 5616, 5725, 5726
\maxdepth . . . 9961, 9972
\maxdimen 6741, 6742, 6744, 6800, 6801, 6803, 9744, 9756, 9768, 9794, 9808, 9822, 9862, 9876, 10156, 10204, 10205, 10206, 10236, 10237, 10238, 10815, 10966, 10967, 10969, 11010, 11011, 11013, 13578, 13579, 13581, 13676, 13677, 13679, 17656, 17695, 19050, 19053, 19058, 19062, 19066, 19070, 19074, 19078, 19082, 19086, 19271, 19795, 19796, 19798, 19838, 19839, 19841
\mbox . 11142, 12232, 16937
\mc@col@status@write 13883, 13907
\mc@gridwarn 13873
\mc@lastcol@status@write 13889, 13915
\mdf@footenotedistance@length 12814
\mdf@footnoteinput 12822
\mdf@footnoteoutput 12811
\mdf@frametitleaboveskip@length 12806
\mdf@frametitlealignment 12787
\mdf@frametitlebelowskip@length 12807
\mdf@frametitlebox . . 12786, 12799, 12800, 12801, 12802, 12804, 12805
\mdf@frametitlefont 12789
\mdf@frametitlefontcolor 12788
\mdf@horizontalmargin@equation 12764
\mdf@ignorevbadness 12798
\mdf@lrbox . 12757, 12786
\mdf@par@local . . . 12780
\mdf@patchamsthm . 12758
\mdfframedtitleenv 12785
\mdfframetitleboxdepth 12802
\mdfframetitleboxheight 12801
\mdfframetitleboxtotalheight 12803
\mdfframetitleboxwidth 12800
\mdseries 309, 7198, 7200, 7202, 7203, 7290, 7291, 7292, 7295, 7296
\meaning 2577, 2580, 2823, 3056, 3083, 3098, 3116, 3124, 3133, 3197
\mediabutton 13346, 13412, 13413
\medskip 5523
\medskipamount . . . 8079
\mem@makecol . 9951, 9973
\memRTLleftskip . . 13452
\memRTLraggedleft 13457
\memRTLraggedright 13456
\memRTLrightskip . 13453
\memRTLvleftskip . 13454
\memRTLvrightskip 13455
\message . 1918, 1920, 10816, 10824, 10828, 10833, 10841, 10847, 10857, 10862, 10864, 10871, 10879, 10892, 10900, 10905, 10910, 10923, 10934, 10942, 10954
\MessageBreak 144, 3256, 3270, 3282, 3296, 3501, 3512, 3519, 3531, 3537, 3635, 3688, 3689, 3690, 3704, 3705, 3707, 3985, 4075, 4302, 4303, 4371, 4972, 4973, 4974, 4976, 4977, 4981, 4982, 4983, 4985, 4986, 13530, 13531, 13856, 13875, 13941, 15824,

15974, 15981, 16372, 16553, 16560, 17070, 17235, 17242, 18562, 18564, 18567
\MH . 7572, 7578, 7591, 7606, 7618, 7626, 7673, 7689, 7691, 7695, 7696, 7698
\MHInternalSyntaxOff 7713
\MHInternalSyntaxOn 7553
\MidFrameCommand . . 10804, 10848, 10916
\minrowclearance 1676, 1710, 6539
\mintagvsep 7573
\missingfigure 19229, 19259
\mix 12843, 12844, 12851, 12852, 12878, 12895, 12918, 12921, 12923, 12946, 12978, 12985, 12994, 13002, 13014, 13021, 13022, 13024, 13025, 13027, 13039, 13048, 13051, 13052, 13053, 13063, 13073, 13074, 13076, 13077, 13082, 13083, 13099, 13101, 13103, 13108, 13147, 13154, 13155, 13158, 13176, 13178, 13181, 13183, 13186, 13193, 13201, 13203, 13256, 13261, 13272, 13273, 13276, 13307, 13312, 13314, 13321, 13322, 13323, 13324, 13342, 13347, 13358, 13361, 13369, 13370, 13378, 13380, 13403, 13413
\mkern 18991, 18992, 19100, 19783
\mobile 2447
\Mobilefone 2407
\mobilesymbol 2407, 7232, 7330
\modernpoem 5778
\modernpoem@obeylines 5518, 5778
\modernpoem@par 5518, 5519, 5742
\morefloats . 4205, 4302
\moreLRE 1803, 1938, 14431, 19456
\moreRLE 1805, 1940, 14432, 19457
\moveleft . . 4355, 13768
\moveright 10379, 13866, 20068
\mp@footgroupv@r . . 8286, 8319, 8349, 8498, 8640, 8789, 8938, 9087, 9236, 9385, 9534, 9725
\mpfootnoterule 10575, 10579
\msg 12898, 12901, 12949, 12952, 12967, 12970, 13008
\MT . . . 7592, 7598, 7600
\mult@cols 13956
\mult@footnotetext 147, 149, 13944, 13946, 13957
\mult@gfirstbox . . . 13880, 13897, 13903
\mult@info 13854
\mult@LTRfootnotetext 151, 153, 13948, 13950, 13961
\mult@rightbox 13847, 13887, 13888, 13890, 13912, 13913, 13916
\mult@RTLfootnotetext 155, 157, 13952, 13954, 13965
\multfootsep . 4715, 4733
\multicol@leftmargin 13857, 13866
\multicols 13929
\multicolumn 12636, 17630
\multiframe 540
\multiplefootnotemarker 4714, 4730, 4821, 4822, 4850, 4851, 4879, 4880, 8211, 8213, 8214
\multiply 1952, 1957, 2295, 9730, 9847, 14331, 14335
\myrefname 16888

N

\n@xt 1801, 1803, 1805, 1806, 1936, 1938, 1940, 1941
\na 14334, 14336, 14338, 14347, 14349, 14374, 14375
\narrower 19714
\NAT@bibitem@first@sw 14057
\nb 14334, 14337, 14338, 14347, 14348, 14369, 14385, 14386
\NC@find 17662
\NC@rewrite@X 17661
\NeedsTeXFormat 1717, 1945, 2001, 2134, 2326, 2574, 3820, 4380, 4919, 5065, 5181, 5208, 5357, 5381, 5446, 7142, 7240
\new@command . 2859, 2861
\new@poem@width 5533, 5534, 5535, 5536, 5621, 5663, 5666
\newblock 2572, 5633, 5740, 14051, 14053
\newboolean 3828, 3831, 3833, 3835, 3836,

3848, 3912, 3922, 3989, 4012, 4307, 4928, 5187, 5214
\newbox 5588, 5589
\newcommand . . 1749, 1755, 1761, 1777, 1778, 1781, 1782, 1889, 2039, 2045, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2351, 2437, 2442, 2443, 2444, 2446, 2447, 2448, 2450, 2451, 2453, 2454, 2465, 2466, 2486, 2493, 2495, 2499, 2503, 2505, 2511, 2520, 2522, 2524, 2528, 2532, 2537, 2549, 2572, 2683, 2691, 2699, 2707, 2724, 2730, 2736, 2742, 2748, 2754, 2760, 2766, 2773, 2776, 2779, 2785, 2797, 2803, 2815, 2818, 2820, 2827, 2831, 2837, 2844, 2847, 2850, 2853, 2869, 2875, 2919, 2924, 3046, 3070, 3121, 3130, 3207, 3221, 3233, 3323, 3324, 3340, 3355, 3359, 3365, 3368, 3371, 3374, 3379, 3382, 3385, 3389, 3393, 3396, 3397, 3398, 3400, 3408, 3417, 3419, 3429, 3431, 3443, 3445, 3452, 3460, 3462, 3471, 3473, 3484, 3486, 3487, 3491, 3495, 3565, 3575, 3579, 3584, 3618, 3656, 3679, 3680, 3681, 3713, 3714, 3715, 3716, 3727, 3824, 3825, 3826, 3827, 3849, 3852, 3879, 3906, 3907, 3908, 3909, 3924, 3943, 3979, 3981, 3982, 3987, 3988, 3990, 3991, 3998, 3999, 4000, 4008, 4011, 4093, 4111, 4321, 4329, 4339, 4342, 4350, 4519, 4520, 4521, 4522, 4523, 4524, 4525, 4526, 4527, 4528, 4529, 4530, 4531, 4532, 4533, 4534, 4535, 4536, 4537, 4538, 4539, 4540, 4541, 4542, 4543, 4544, 4553, 4603, 4622, 4641, 4663, 4669, 4694, 4695, 4729, 4882, 4883, 4884, 4892, 4901, 4910, 4923, 4924, 5047, 5100, 5180, 5193, 5227, 5228, 5229, 5230, 5231, 5232, 5233, 5234, 5285, 5299, 5475, 5482, 5491, 5495, 5505, 5524, 5728, 5729, 7313, 7507, 7508, 9940, 9973, 9974, 9975, 9976, 10391, 10394, 10453, 10458, 10460, 10466, 10482, 10506, 10518, 10572, 10618, 10619, 10620, 10670, 10672, 11225, 12251, 12262, 13921, 13924, 13927, 15695, 15696, 16243, 16244, 16941, 16942, 19140, 19142, 19447, 19448, 19496, 19497, 19695, 19696, 19875, 19876, 20020
\newcount 1876, 1948, 1949, 8320
\newcounter 4602, 5724, 10302, 10451, 18166, 18170, 18171
\newdimen 5479, 5480, 5530, 8320
\newenvironment 2086, 2097, 2106, 2115, 2550, 3958, 3973, 3976, 4014, 4135, 5713, 5777, 19651, 19660, 19669, 19678
\newfloat@@setwithin 14084, 14090, 14098, 14100
\newfloat@Error . . 14103
\newfloat@setwithin 14070
\newframe 539
\newif . . . 1776, 1780, 1783, 1784, 1785, 1786, 1787, 1788, 1789, 1791, 1792, 1923, 1924, 1925, 1926, 1927, 2328, 2357, 2536, 3072, 5402, 5590, 7145, 7147, 7149, 7151, 7216, 7243, 7245, 7247, 7249, 7312, 10449, 10457, 12756, 19138, 19139
\newinsert 4208, 4209, 4210, 4211, 4212, 4213, 4214, 4215, 4216, 4217, 4218, 4219, 4220, 4221, 4222, 4223, 4224, 4225, 4226, 4227, 4228, 4229, 4230, 4231, 4232, 4233, 4234, 4235, 4236, 4237, 4238, 4239, 4240, 4241, 4257, 4258, 4259, 4260,

4261, 4262, 4263, 4264, 4265, 4266, 4267, 4268, 4269, 4270, 4271, 4272, 4273, 4274, 4275, 4276, 4277, 4278, 4279, 4280, 4281, 4282, 8312, 8318
\newlength . . . 2455, 2456, 2457, 2459, 2460, 2461, 2463, 2464, 2547, 3940, 3941, 3942, 3996, 4013, 4792, 7297, 7299, 7301, 7303, 7305, 18198, 18200, 18201, 18828
\newline 2518, 4169
\newlinechar 1894
\newlinetospace 4166, 4186, 4187, 4188, 5422, 5423, 5424
\newlistentry 18163, 18230
\newpage 685, 707, 1034, 1054, 1285, 1305, 1534, 1554, 3682, 3684, 3688, 3693, 3694, 3697, 3701, 3703, 3706, 5318, 5355, 5356, 6262, 6284, 7139, 7844, 7864, 7941, 7963, 10105, 10125, 12643, 13443, 14868, 14888, 15009, 15031, 15252, 15274, 15433, 15455, 15839, 16387, 17085
\newpoem@tabcr 5741, 5750, 5751
\newsavebox . . 2085, 3957, 3992, 3993
\newskip . 2123, 2124, 2125, 2862, 9684
\newthought 5121
\newtoks 2136, 2588, 2589, 5531, 10459, 14427, 19452
\newXeTeXintercharclass . . . 1878, 1879, 1880
\next@tpage 15769, 15801, 15811, 15814, 15882, 16317, 16349, 16359, 16362, 16430, 17015, 17047, 17057, 17060, 17128
\ninecolumnfootnotes 9372
\ninecolumnfootstyle 9467
\nl 184
\no@bib@break 15960, 16539, 17221
\noalign . 1590, 5644, 8330, 12643, 12644, 12645, 16102, 16127, 16129, 16681, 16706, 16708, 17363, 17388, 17390
\nobibliography . . 4599
\nobreak 14, 16, 215, 217, 737, 755, 782, 786, 873, 874, 888, 914, 1100, 1101, 1115, 1131, 1354, 1355, 1369, 1396, 3744, 4722, 5059, 5060, 5544, 5546, 5552, 5837, 5838, 5852, 5876, 6013, 6014, 6028, 6052, 6165, 6173, 6185, 6314, 6330, 6360, 6365, 6373, 6590, 7726, 7739, 7754, 7758, 7766, 7992, 8015, 8020, 8029, 8072, 8073, 9990, 10006, 10015, 10019, 10027, 12116, 12753, 12813, 13817, 13828, 13829, 13840, 13841, 14560, 14562, 14701, 14702, 14716, 14740, 15072, 15073, 15087, 15111, 15301, 15317, 15485, 15501, 15530, 15534, 15542, 15936, 16934, 17797, 17814, 17821, 17961, 17964, 17992, 17993, 18015, 18016, 18032, 18033, 18049, 18050, 18066, 18067, 18083, 18084, 18100, 18101, 18118, 18119, 18137, 18138, 18157, 18158, 18192, 18193, 18228, 18386, 18387, 18493, 18495, 18543, 18575, 18580, 18583, 18983, 18988, 18996, 19097, 19098, 19102, 19780, 19781, 19785
\nobreakspace 781
\node . 19183, 19213, 19219
\noexpand 613, 2158, 2159, 2173, 2174, 2201, 2204, 2207, 2584, 2593, 2597, 2617, 2621, 2720, 2822, 2823, 2825, 3051, 3052, 3053, 3055, 3056, 3081, 3083, 3101, 3102, 3103, 3106, 3113, 3114, 3115, 3117, 3123, 3124, 3126, 3132, 3133, 3135, 3194, 3196, 3197, 3349, 3510, 3511, 3513, 3649, 3754, 3788,

3789, 4571, 4573, 4581, 4971, 4974, 4980, 4983, 5672, 5675, 5678, 5730, 6931, 7096, 7449, 7501, 10304, 10305, 10310, 10311, 10363, 11685, 11695, 11703, 11704, 11705, 11707, 11733, 11741, 11742, 11743, 11745, 11774, 11775, 11776, 11778, 11805, 11806, 11807, 11809, 11836, 11837, 11838, 11840, 12672, 12720, 12723, 13274, 13547, 15957, 15958, 16536, 16537, 17218, 17219, 17526, 17598, 17635, 17636, 17709, 17716, 18173, 18645, 18678, 18685, 18690, 18691, 18751, 19122, 19123, 19124, 19125, 19126, 19127, 19128, 19129, 19130, 19372, 19387, 19415, 19421, 19434, 19644, 19645, 19744, 20024

\NoHyper 538

\noindent 167, 169, 675, 849, 858, 1155, 1406, 1415, 1982, 3967, 4154, 4744, 4761, 4778, 4895, 4904, 4913, 5123, 5143, 5304, 5306, 5308, 5499, 5886, 6073, 6252, 6447, 7834, 7931, 8075, 9746, 9758, 9770, 9796, 9810, 9824, 9864, 9878, 9895, 9903, 10095, 11058, 12230, 13507, 14677, 14686, 15126, 15135, 15200, 15243, 15423, 15732, 15769, 15882, 15936, 16049, 16054, 16280, 16317, 16430, 16628, 16633, 16849, 16878, 16884, 16890, 16896, 16902, 16908, 16914, 16920, 16926, 16935, 16978, 17015, 17128, 17310, 17315, 19161, 19164, 19166, 19168, 19171, 19175, 19177, 19233, 19295, 19713

\nointerlineskip 7366, 7387, 10787, 12796, 13864, 19995, 20003

\nopagebreak 5598, 5608, 12645

\nopagenumbers . . . 2537

\normalbaselines . 19554

\normalbaselineskip 313, 3865, 9729, 9846, 12777, 14630, 14644

\normalcolor 2303, 6551, 6762, 6821, 7687, 8286, 8296, 9936, 9947, 10743, 10796, 10988, 11032, 12102, 12815, 13842, 18881, 19103, 19349, 19786, 19816, 19859, 20072, 20082, 20107

\normalfont . 25, 37, 50, 65, 82, 246, 259, 273, 291, 674, 677, 779, 1024, 1026, 1277, 1524, 1526, 1981, 1984, 2048, 2053, 2054, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 3906, 4519, 4520, 4521, 4609, 4628, 4647, 4713, 4945, 4952, 4959, 5151, 6161, 6181, 6251, 6254, 6356, 6371, 7559, 7564, 7570, 7751, 7764, 7833, 7836, 7930, 7933, 8011, 8027, 8224, 8228, 8230, 8236, 8240, 8242, 8248, 8252, 8254, 10012, 10025, 10094, 10097, 12102, 12789, 13433, 13842, 14163, 14176, 14858, 14860, 14999, 15001, 15194, 15201, 15237, 15244, 15422, 15425, 15527, 15540, 18218, 18223, 18224, 18582, 18881, 19103, 19786, 20107

\normalfootnotes 8195, 8202

\normallineskip 198, 2395, 12776, 14629, 14643

\normalparindent 41, 54, 69, 250, 263, 277

\normalsfcodes 10372, 20061

\normalsize . . . 309, 3858, 3859, 3866,

4427, 4471, 4515, 4609, 4628, 4647, 5022, 7200, 7292, 10372, 13565, 15283, 15739, 15746, 16287, 16294, 16985, 16992, 18582, 19917, 19961, 20059
\NOT . . 392, 519, 4054, 4055, 4094, 4114, 4118, 4798, 4827, 4856, 4938, 4942
\null . . 640, 654, 708, 847, 850, 965, 994, 1055, 1153, 1156, 1216, 1245, 1306, 1404, 1407, 1465, 1494, 1555, 5059, 5633, 5884, 5887, 5939, 5968, 6071, 6074, 6115, 6144, 6217, 6231, 6285, 7801, 7815, 7865, 7896, 7910, 7964, 10062, 10076, 10126, 13818, 13828, 13829, 13840, 13841, 14675, 14678, 14799, 14828, 14889, 14938, 14967, 15032, 15124, 15127, 15202, 15216, 15275, 15388, 15402, 15456, 15778, 15800, 15811, 15882, 15890, 16326, 16348, 16359, 16430, 16438, 17024, 17046, 17057, 17128, 17136, 17551, 17557, 17579, 17961, 17992, 18015, 18032, 18049, 18066, 18083, 18100, 18118, 18137, 18157, 18192, 18543, 18983, 19097, 19780
\number 8, 135, 209, 3067, 5616, 5717, 7373, 7394, 7439, 7445, 7448, 7491, 7497, 7500, 7610, 7613, 13932
\numberline 4147, 12307, 12312, 13559, 17891, 18893, 19111, 19114, 19117
\numberline@box 18546, 18547
\numberline@tempa 19113
\numberwithin 331
\numexpr . 2870, 3761, 18363, 18471, 18645
\nxLcs . 2064, 2065, 2066

O

\obeylines . . 5634, 5742
\ocgbase . . . 13329, 13331
\ocgxii@insert@OC . . 13263, 13372, 13373, 13374, 13384
\oddpage 1949, 1953, 1954, 1955, 1958, 1959, 1960
\oddsidemargin . 1971, 2366, 7538, 11201, 11210, 11214, 20043, 20047
\on@line 19645
\on@stripcols@break 7015
\onecolumn 823, 839, 1087, 1338, 2404, 5821, 5997, 6206, 14667, 14921, 15378, 17926
\opening . . . 8060, 12104
\OptArg 2065, 2131
\OptArg@i . . . 2131, 2132
\OptArg@ii . . 2131, 2133
\OptArgs 2130
\optparams . . . 4034, 4882, 4883, 4884, 4886, 4887, 4888
\OR 383, 386, 401, 406, 510, 513, 4028, 4094, 4114, 4118, 4370
\or 1626, 1627, 1628, 1630, 1631, 1651, 1652, 1653, 1657, 1658, 1659, 1660, 1661, 1665, 1666, 1694, 1695, 1696, 1698, 1699, 1813, 1819, 1825, 1831, 1837, 1843, 1845, 1847, 1849, 1855, 1861, 1867, 6522, 6523, 6524, 6526, 6527, 7631, 7634, 7637, 7652, 7675, 7676, 7677, 7678, 11529, 11533, 18205, 18208, 18211, 19036, 19147, 19154, 19376, 19425
\orig@footnotetext . . 148, 13945, 13960
\orig@LTRfootnotetext . . 152, 13949, 13964
\orig@RTLfootnotetext . . 156, 13953, 13968
\origin@RaggedLeft 14648, 14650, 14651
\origin@RaggedRight 14649, 14650, 14651
\originalHbadness 19209, 19227
\othermargin 1097
\outer@nobreak 2321, 4421, 4465, 4509, 19911, 19955
\outputpenalty 6905, 6906, 6914, 6915, 6924, 6925, 7069, 7070, 7078, 7079, 7088, 7089, 12728, 12729
\overfullrule 2355, 2356, 14543

\OVP@calc 14158

P

\p@ . . . 27, 29, 30, 31, 95, 99, 225, 229, 237, 239, 240, 241, 313, 445, 641, 730, 747, 759, 761, 763, 765, 816, 821, 832, 836, 865, 881, 899, 906, 941, 947, 966, 1080, 1084, 1091, 1107, 1124, 1142, 1177, 1179, 1182, 1184, 1217, 1331, 1335, 1346, 1362, 1380, 1388, 1420, 1426, 1466, 2394, 2395, 2399, 2400, 3860, 3861, 3862, 3869, 3870, 3871, 3873, 3874, 5070, 5071, 5072, 5074, 5075, 5141, 5814, 5818, 5829, 5845, 5861, 5868, 5906, 5912, 5940, 5990, 5994, 6005, 6021, 6037, 6044, 6059, 6065, 6116, 6160, 6166, 6171, 6175, 6177, 6180, 6183, 6187, 6189, 6199, 6204, 6218, 6307, 6322, 6335, 6337, 6339, 6341, 6355, 6361, 6366, 6369, 6374, 6605, 6615, 6628, 6638, 6651, 6661, 6674, 6684, 7038, 7351, 7352, 7718, 7732, 7787, 7789, 7791, 7793, 7802, 7897, 7986, 8010, 8016, 8021, 8025, 8030, 8085, 8087, 8089, 8091, 8098, 8099, 9983, 9998, 10011, 10016, 10020, 10023, 10028, 10031, 10033, 10035, 10037, 10063, 10164, 10538, 10540, 10541, 10542, 10543, 10544, 10576, 11072, 11079, 11118, 11125, 11170, 12100, 12118, 12120, 12122, 12124, 13485, 13810, 13822, 13834, 13970, 13972, 13973, 13974, 14660, 14664, 14693, 14709, 14725, 14732, 14747, 14753, 14800, 14914, 14918, 14939, 15064, 15080, 15096, 15103, 15168, 15174, 15203, 15295, 15309, 15325, 15327, 15329, 15331, 15371, 15376, 15389, 15478, 15493, 15506, 15508, 15510, 15512, 15526, 15531, 15535, 15538, 15543, 15740, 15744, 15747, 15751, 15995, 15998, 16000, 16003, 16154, 16173, 16288, 16292, 16295, 16299, 16574, 16577, 16579, 16582, 16733, 16752, 16855, 16857, 16859, 16861, 16986, 16990, 16993, 16997, 17256, 17259, 17261, 17264, 17415, 17434, 17924, 18199, 18367, 18370, 18374, 18475, 18478, 18482, 18812, 18815, 18819, 18825, 18907, 19091, 19774, 20117

\p@enumiv 83, 292, 799, 933, 1195, 1444, 2564, 5898, 6085, 6393, 7779, 8049, 10048, 14767, 15160, 15353, 15555, 15964, 16543, 17225, 17863

\p@subfigure 17609

\p@subtable 17610

\PackageError 140, 402, 407, 446, 2654, 2686, 2689, 2694, 2697, 2702, 2705, 2710, 2713, 2864, 3698, 3825, 4924, 12242, 12249, 12415, 12418, 12421, 12424, 12427, 12430, 12433, 12436, 12440, 12443, 12446, 12449, 12452, 12455, 12458, 12461, 12464, 12467, 12470, 12473, 12476, 12479, 12482, 12485, 12488, 12491, 12494, 12497, 12500, 12503, 12506, 12509, 12512, 12515, 12518, 12521, 12524, 12527, 12530, 12533,

12536, 12539, 12542, 12545, 12548, 12551, 12554, 12557, 12560, 12563, 12566, 12569, 12572, 12575, 12578, 12581, 12584, 12587, 12590, 12593, 12596, 12599, 12602, 12605, 12608, 12611, 12614, 12617, 12620, 12623, 13937, 17825, 18177
\PackageInfo . . 2866, 3386, 3488, 3635, 3827, 19133
\PackageWarning 134, 2865, 3489, 3518, 5719, 7154, 7252, 10306, 10921, 12144, 13874, 13931, 14064, 18168, 18559
\PackageWarningNoLine 3685
\page@sofar . 160, 13846
\pagebreak 12644, 19279, 19288
\pagedepth 19273
\pagefillstretch 19285
\pagefilstretch . . 19284
\pagefootnoterule 10574, 10582
\pagegoal 10815, 10817, 10822, 10829, 10870, 10872, 12734, 13780, 19276
\pageinwindow 6707
\pagenumbering 2402, 5406
\pageref 2541, 2543
\pageshrink . . 10831, 10835, 10851, 10877, 10889, 19279
\pagestretch . 10830, 10851, 10889, 19283
\pagestyle . . . 1947, 2393, 2401, 2544, 4174, 5407, 7238
\pagetotal . . . 10817, 10822, 10828, 13442, 13778, 13781, 13792, 19271, 19276, 19334
\paperheight . . 2330, 2333, 2336, 2339, 2342, 2345, 2348, 2349, 7515
\paperwidth . . 2331, 2334, 2337, 2340, 2343, 2346, 2349, 2350, 7515, 7523
\par 5, 15, 45, 58, 73, 103, 104, 105, 106, 168, 170, 206, 216, 233, 234, 235, 254, 267, 281, 312, 315, 624, 643, 649, 651, 652, 671, 714, 720, 724, 736, 755, 782, 785, 850, 860, 874, 887, 914, 974, 984, 991, 992, 1020, 1059, 1065, 1069, 1101, 1115, 1130, 1156, 1170, 1225, 1235, 1242, 1243, 1271, 1310, 1316, 1320, 1355, 1368, 1396, 1407, 1417, 1474, 1484, 1491, 1492, 1520, 1560, 1566, 1571, 1576, 1579, 1978, 2319, 4048, 4056, 4115, 4116, 4119, 4120, 4145, 4154, 4155, 4324, 4340, 5061, 5176, 5177, 5178, 5179, 5304, 5306, 5308, 5326, 5327, 5328, 5502, 5609, 5623, 5634, 5652, 5734, 5742, 5767, 5838, 5851, 5876, 5887, 5948, 5958, 5965, 5966, 6014, 6027, 6052, 6074, 6124, 6134, 6141, 6142, 6165, 6173, 6185, 6220, 6226, 6228, 6229, 6248, 6291, 6297, 6301, 6313, 6330, 6360, 6365, 6373, 6449, 6590, 6999, 7359, 7380, 7726, 7738, 7754, 7757, 7765, 7804, 7810, 7812, 7813, 7830, 7869, 7875, 7879, 7899, 7905, 7907, 7908, 7927, 7970, 7976, 7980, 7991, 8015, 8020, 8029, 8062, 8067, 8070, 8072, 8073, 8083, 8292, 8387, 8390, 8393, 8474, 8533, 8536, 8539, 8616, 8678, 8681, 8684, 8765, 8827, 8830, 8833, 8914, 8976, 8979, 8982, 9063, 9125, 9128, 9131, 9212, 9274, 9277, 9280, 9361, 9423, 9426, 9429, 9510, 9572, 9575, 9578, 9659, 9895, 9903, 9989, 10006, 10015, 10019, 10027, 10065, 10071, 10073, 10074, 10091, 10130, 10136, 10140, 10300, 10739, 12106, 12111, 12114, 12116, 12189, 12283, 12677, 12769, 12792, 12796, 13429, 13501, 13507, 13513, 13517, 13523, 13538,

13557, 13566, 13818, 13830, 13843, 13978, 13990, 14051, 14298, 14469, 14470, 14471, 14472, 14552, 14553, 14560, 14561, 14621, 14635, 14678, 14688, 14702, 14715, 14740, 14808, 14818, 14825, 14826, 14854, 14893, 14899, 14903, 14947, 14957, 14964, 14965, 14995, 15039, 15045, 15050, 15055, 15058, 15073, 15086, 15111, 15127, 15137, 15200, 15205, 15211, 15213, 15214, 15233, 15243, 15281, 15286, 15289, 15300, 15317, 15391, 15397, 15399, 15400, 15419, 15462, 15468, 15472, 15484, 15501, 15530, 15534, 15542, 15731, 15776, 15781, 15784, 15786, 15791, 15794, 15796, 15798, 15804, 15812, 15818, 15888, 15894, 15897, 15899, 15905, 15908, 15910, 15913, 15916, 15936, 16044, 16048, 16049, 16053, 16054, 16058, 16279, 16324, 16329, 16332, 16334, 16339, 16342, 16344, 16346, 16352, 16360, 16366, 16436, 16442, 16445, 16447, 16453, 16456, 16458, 16461, 16464, 16623, 16627, 16628, 16632, 16633, 16637, 16848, 16878, 16884, 16890, 16896, 16902, 16908, 16914, 16920, 16926, 16928, 16931, 16934, 16938, 16977, 17022, 17027, 17030, 17032, 17037, 17040, 17042, 17044, 17050, 17058, 17064, 17134, 17140, 17143, 17145, 17151, 17154, 17156, 17159, 17162, 17305, 17309, 17310, 17314, 17315, 17319, 17640, 18229, 18235, 18388, 18494, 18575, 19002, 19104, 19161, 19162, 19168, 19169, 19171, 19179, 19232, 19498, 19499, 19500, 19501, 19652, 19661, 19670, 19679, 19748, 19787, 20096, 20117

\par@updaterelative 15772, 15884, 16320, 16432, 17018, 17130

\paragraph 4957

\paragraphfootnotes 9712

\paragraphfootstyle 9827

\parbox 2490, 2492, 7226, 8078, 10189, 10190, 10191, 10195, 10196, 10197, 11330, 11332, 11336, 11338, 11369, 11370, 11373, 11374, 11431, 11432, 11435, 11436, 11460, 11462, 11466, 11468, 12681, 13495, 13524, 13976, 13978, 13979, 13981, 13983, 13984, 13986, 13988, 13990, 13991, 13993, 13995, 13996, 13997, 13998, 13999, 14000, 14002, 14003, 14004, 14005, 14006, 14007, 14008, 14009, 14010, 14011, 14013, 14014, 14015, 14016, 14018, 14019, 14020, 14021, 14023, 14024, 14025, 14026, 14027, 14028, 14030, 14031, 14032, 14033, 14034, 14035, 14037, 14038, 14039, 14040, 14041, 16110, 16689, 16878, 16884, 16890, 16896, 16902, 16908,

16914, 16920, 16926, 16937, 17371
\parfillskip 13, 214, 734, 751, 869, 885, 910, 1095, 1111, 1128, 1350, 1366, 1392, 5052, 5628, 5833, 5849, 5872, 6009, 6025, 6048, 6311, 6326, 6477, 6596, 7722, 7736, 7989, 9775, 9779, 9783, 9884, 9987, 10002, 12776, 13811, 13823, 13835, 14575, 14588, 14601, 14612, 14629, 14697, 14713, 14736, 15068, 15084, 15107, 15298, 15313, 15482, 15497, 17776, 17805, 17835, 17953, 17984, 18007, 18024, 18041, 18058, 18075, 18092, 18110, 18129, 18149, 18184, 18379, 18487, 18513, 18515, 18575, 18976, 18978, 19092, 19690, 19775
\parindent . . . 12, 41, 54, 69, 99, 213, 229, 250, 263, 277, 675, 733, 750, 777, 820, 835, 871, 884, 909, 960, 977, 1083, 1098, 1110, 1127, 1164, 1211, 1228, 1274, 1334, 1352, 1365, 1391, 1460, 1477, 1982, 2397, 3882, 4547, 5053, 5095, 5103, 5168, 5321, 5627, 5737, 5817, 5835, 5848, 5871, 5934, 5951, 5993, 6011, 6024, 6047, 6110, 6127, 6161, 6181, 6203, 6252, 6310, 6325, 6356, 6370, 6473, 6504, 6595, 7721, 7735, 7749, 7762, 7834, 7931, 7988, 8011, 8026, 8382, 8528, 8673, 8822, 8971, 9120, 9269, 9418, 9567, 9774, 9778, 9782, 9883, 9909, 9986, 10001, 10012, 10024, 10095, 11057, 12772, 13812, 13824, 13836, 14045, 14576, 14589, 14602, 14613, 14624, 14663, 14699, 14712, 14735, 14794, 14811, 14917, 14933, 14950, 15070, 15083, 15106, 15200, 15243, 15280, 15297, 15312, 15375, 15423, 15481, 15496, 15527, 15539, 15732, 16280, 16849, 16978, 17786, 17823, 17923, 17954, 17985, 18008, 18025, 18042, 18059, 18076, 18093, 18111, 18130, 18150, 18185, 18378, 18486, 18517, 18912, 18973, 18974, 19093, 19588, 19690, 19715, 19716, 19776
\parsep . . 1167, 3874, 3875, 5075, 5076, 5114, 5141, 19587
\parshape 6446, 10943, 10951, 12231, 14126, 14146, 14304, 14469, 14471, 15199, 15242, 15719, 15728, 16267, 16276, 16839, 16846, 16965, 16974, 19498, 19500, 19617, 19654, 19656, 19657, 19658, 19663, 19665, 19666, 19667, 19672, 19674, 19675, 19676, 19681, 19683, 19684, 19685
\parskip 99, 177, 229, 821, 836, 1084, 1335, 1975, 2398, 3883, 4548, 5096, 5104, 5167, 5322, 5626, 5658, 5736, 5771, 5818, 5994, 6204, 6905, 6914, 6924, 7069, 7078, 7088, 8066, 8069, 8071, 8073, 12110, 12113, 12115, 12772, 12781, 14304, 14624, 14638, 14664, 14918, 15280, 15376, 16871, 17924, 18912, 19270, 19274, 19587
\part 23
\partname 781, 7753
\partopsep 5117, 13480, 13482, 14120, 14140
\PassOptionsToClass 5359, 5360, 5361, 5362, 5363, 5383, 5384,

5385, 5386, 5387
\PassOptionsToPackage 4379, 5206
\pdfstringdefDisableCommands 12060
\penalty 969, 1220, 1469, 5548, 5877, 5943, 6053, 6119, 6331, 6434, 6440, 6903, 6912, 6922, 7067, 7076, 7086, 9683, 9776, 9780, 9784, 9886, 10007, 10852, 14741, 14803, 14942, 15112, 15318, 15502, 18389, 18900, 19008, 19275
\pgf@baseline 14259
\pgf@insertlayers 14281
\pgf@nodecallback 14237
\pgf@oldpicture . . 14244
\pgf@picmaxx . . 14238, 14250, 14252, 14270
\pgf@picmaxy 14240, 14254
\pgf@picminx 14239, 14253, 14263
\pgf@picminy 14241, 14255
\pgf@picture 14244
\pgf@picture@serial@count 14235, 14236
\pgf@process 14259, 14262, 14269
\pgf@relevantforpicturesizefalse 14258
\pgf@relevantforpicturesizetrue 14242
\pgf@remember@layerlist@globally 14276
\pgf@resetpathsizes 14243
\pgf@restore@layerlist@from@global 14280
\pgf@shift@baseline 14260
\pgf@trimleft 14262
\pgf@trimleft@final 14264, 14265, 14267
\pgf@trimright . . . 14269
\pgf@trimright@final 14271, 14272, 14274
\pgf@x 14263, 14267, 14270, 14274
\pgf@y 14260
\pgfpic 14290
\pgfpicture 14231
\pgfpictureid 14236, 14247
\pgfpicturetrue . . 14234
\pgfsys@discardpath 14283
\pgfsys@endpicture 14286
\pgfsys@endscope . 14285
\pgfsys@markposition 14247
\pgfsys@typesetpicturebox 14290
\pgfutil@gobble . . 14237
\pgfutil@ifnextchar 14244
\phantom . . 13020, 13869
\phantomsection . . 2488
\phone 2448
\phonesymbol 2408, 7233, 7331
\photo 2453
\picbox 14409
\picinwindow 6727
\picwd 14297, 14300, 14408, 14410
\plainauthor . . 4186, 5226, 5228, 5267, 5268, 5271
\plainfootnotes . . 8202
\plainpublisher . . . \plainpublisher . . 5229, 5294, 5295
\plaintitle 4187, 4188, 5226, 5227, 5250, 5251, 5254, 5422, 5424
\plitemsep 5115
\plparsep 5114
\plpartopsep 5117
\pLRE 1802, 1803, 1937, 1938
\pltopsep 5116
\poem@finish 5667, 5716, 5723
\poem@line 5586, 5592, 5643
\poem@linebegin 5543, 5601
\poem@lineend 5544, 5607
\poem@lineparsebegin . . 5555, 5612, 5639
\poem@lineparseend . . 5581, 5593, 5650
\poem@lineversesep 5545, 5604
\poem@needrun . 5537, 5664, 5718, 5720
\poem@obeylines 5638, 5714, 5754, 5778
\poem@prop . . 5619, 5728
\poem@startedfalse . . 5636, 5752, 5758
\poem@startedtrue 5594, 5595, 5635, 5744, 5746, 5751, 5759, 5761
\poem@verse 5532, 5602, 5605
\poem@width . . 5535, 5536, 5540, 5617, 5619, 5622, 5663
\poem@write@aux . . . 5666, 5717, 5729
\poemblocksep 5529, 5633, 5740
\poemcolsepskip 5520, 5549
\poemextrabaselineskip . . 5522, 5610, 5645
\poemmarginskip . . . 5521, 5543, 5544
\poemskip 5523, 5623, 5654
\postbibhook 13572
\postdisplaypenalty 10274, 10288
\postmath 6440
\PotEndMark 7562, 7567, 7570
\predisplaydirection 14504, 14505, 20104, 20105
\predisplaypenalty 10273, 10287
\premath 6436
\preparefootins 10982, 11026

\prepnext@tok 1623, 1633, 1681, 1713, 6514, 6542
\presetkeys 19261
\presig@skip 16937
\prevdepth . . . 4048, 4056, 7429, 7483, 13485, 13871
\pRLE 1804, 1805, 1939, 1940
\process@cols . 13847, 13880, 13897, 13903
\ProcessOptions 2360, 3850, 4932, 5191, 5223, 5364, 5388, 7156, 7254
\ProcessOptionsX . . 1871
\protect 403, 620, 1802, 1803, 1804, 1805, 1893, 1937, 1938, 1939, 1940, 2140, 2146, 2152, 2158, 2167, 2173, 2928, 2929, 3740, 4147, 10363, 10753, 10767, 12307, 12312, 12665, 13559, 17630, 17631, 17635, 17643, 17891, 18235, 19441, 20024
\protected . . . 1937, 1939, 2864, 2865, 2866, 2876, 2884, 2886, 2892, 3078, 3094, 3110, 3133, 3135, 3185, 3213, 3226, 14433, 14443, 14453, 14461, 19458, 19468, 19478, 19487
\protected@edef . 42, 55, 70, 251, 264, 278, 4745, 4762, 4779, 8110, 8126, 8142, 8155, 8168, 8181, 8354, 8364, 8374, 8400, 8413, 8425, 8452, 8465, 8503, 8512, 8521, 8546, 8558, 8569, 8595, 8607, 8645, 8655, 8665, 8691, 8704, 8716, 8743, 8756, 8794, 8804, 8814, 8840, 8853, 8865, 8892, 8905, 8943, 8953, 8963, 8989, 9002, 9014, 9041, 9054, 9092, 9102, 9112, 9138, 9151, 9163, 9190, 9203, 9241, 9251, 9261, 9287, 9300, 9312, 9339, 9352, 9390, 9400, 9410, 9436, 9449, 9461, 9488, 9501, 9539, 9549, 9559, 9585, 9598, 9610, 9637, 9650, 9742, 9754, 9766, 9792, 9806, 9820, 9860, 9874, 10629, 10645, 10660, 10687, 10700, 10713
\protected@write 3720, 3731
\protected@xdef 4806, 4835, 4864, 5247, 5264, 5280, 5291, 10595, 10604, 10752, 10757, 10766, 10772, 11704, 11742, 11775, 11806, 11837, 11900
\providecommand 2405, 2406, 2407, 2408, 2409, 2410, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2576, 4707, 4714, 4715, 5121, 7217, 7222, 10481
\ProvidesClass 2327, 5358, 5382
\ProvidesExplPackage 12830
\ProvidesFile 1, 127, 161, 202, 328, 339, 344, 346, 571, 630, 824, 1072, 1323, 1582, 5806, 5982, 6158, 6191, 6403, 6458, 6500, 6502, 6505, 6543, 6586, 6601, 6697, 6735, 7345, 7510, 7513, 7552, 7714, 7886, 8059, 8092, 9979, 10154, 10183, 10199, 10268, 10298, 10307, 10312, 10447, 10781, 10958, 11060, 11178, 11220, 11521, 12099, 12103, 12125, 12236, 12340, 12626, 12755, 13417, 13573, 13807, 13845, 13975, 14042, 14069, 14107, 14128, 14148, 14182, 14230, 14294, 14509, 14550, 14566, 14652, 14906, 15182, 15363, 15565, 15694, 16242, 16832, 16940, 17514, 17521, 17581, 17607, 17612, 17646, 17721, 17751, 17770, 17799, 17848, 17928, 18236, 18891, 19137, 19266, 19342, 19446, 20252
\ProvidesPackage 1720, 1946, 2002, 2135, 2575,

3821, 4381, 4920, 5066, 5182, 5209, 5447, 7143, 7241
\prune 14314, 14352, 14356, 14361, 14365, 14377, 14388, 14415
\prw@mkboth . . 17897, 17902, 17914, 17919
\psgrid 14513
\pspicture 14510
\psset 14548
\pst@dima 14525
\pst@dimb 14523, 14528, 14530, 14535, 14538
\pst@dimc 14541
\pst@dimd 14522, 14528, 14529, 14530, 14531, 14535, 14536, 14537, 14538, 14539
\pst@hbox 14518, 14522, 14523, 14524, 14540, 14542, 14543, 14545
\pst@ifstar 14510
\pst@killglue 14514
\pst@picture 14510
\pst@shift 14515, 14537, 14545
\pst@tempa . 14527, 14529
\publisher . . 5284, 5285
\publishers 15869, 16417, 17115
\put 6606, 6607, 6608, 6609, 6610, 6611, 6616, 6617, 6618, 6619, 6620, 6621, 6629, 6630, 6631, 6632, 6633, 6634, 6639, 6640, 6641, 6642, 6643, 6644, 6652, 6653, 6654, 6655, 6656, 6657, 6662, 6663, 6664, 6665, 6666, 6667, 6675, 6676, 6677, 6678, 6679, 6680, 6685, 6686, 6687, 6688, 6689, 6690, 7515, 7529, 7547, 14161, 14163, 14176, 14179

Q

\Q 4564, 4586
\q 12918, 12921, 13147, 13201
\qauthor 14551
\qquad 4997, 5004, 5011, 5018, 5025, 5060, 14553
\quad 4186, 4187, 4188, 5422, 5423, 5424, 5529, 19555, 19564
\quote 2454
\quotecolour 2416, 7161, 7259
\quotefont . . . 2425, 2433, 7201, 7294
\quotestyle 2433, 7214, 7343
\quotewidth . . 2455, 2467, 7214, 7343

R

\R@@page 15570, 15571, 15580, 15582, 15613, 15614, 15625, 15627
\raggedbottom 2403
\raggeddictum 16004, 16583, 17265
\raggeddictumauthor 16006, 16585, 17267
\raggeddictumtext . 16005, 16584, 17266
\RaggedLeft 14580, 14648, 14650, 17519, 17520, 20212, 20216, 20220, 20228
\raggedleft . 25, 100, 230, 777, 6161, 6356, 6370, 7749, 7762, 8011, 8026, 8062, 8065, 8070, 8078, 10012, 10024, 12106, 12109, 12114, 13456, 13457, 14553, 14555, 14561, 15527, 15539, 15919, 15920, 16004, 16005, 16006, 16008, 16467, 16583, 16584, 16585, 16587, 16931, 16937, 17165, 17265, 17266, 17267, 17269, 19691, 19693, 19695, 19696
\RaggedLeftLeftskip 14585
\RaggedLeftParfillskip 14588
\RaggedLeftParindent 14589
\RaggedLeftRightskip 14586
\raggedpart 15920
\RaggedRight . . 14593, 14642, 14649, 14651, 17519, 17520, 20212, 20216, 20222, 20226
\raggedright 25, 100, 181, 230, 777, 6161, 6181, 6356, 6370, 7749, 7762, 8011, 8026, 8062, 8065, 8070, 8078, 10012, 10024, 12106, 12109, 12114, 13456, 13457, 14553, 14555, 14561, 15527, 15539, 15919, 15920, 16004, 16005, 16006, 16008, 16467, 16583, 16584, 16585, 16587, 16931, 16937, 17165, 17265, 17266, 17267, 17269, 18520, 18523, 18527, 18628,

19687, 19692, 19694, 19695, 19696
\RaggedRightLeftskip 14598
\RaggedRightParfillskip 14601
\RaggedRightParindent 3880, 4545, 5101, 14602
\RaggedRightRightskip 5098, 14599
\raggedsection 15919, 16467, 17165
\raise 10177
\raisebox 4099, 4104, 4115, 4116, 4119, 4120, 7560, 7565, 7581, 7584, 7700, 11343, 11345, 11349, 11351, 11378, 11379, 11382, 11383, 11440, 11441, 11444, 11445, 11473, 11475, 11479, 11481, 12232
\rangle 2049
\rawtext 14304, 14310, 14332, 14333, 14414, 14418
\rbrace 19544, 19553
\rcb 2050, 2053, 2054, 2058
\rcol@footinsskip 10965, 11009
\realfootnote 11897
\recomputelengths 2466, 2483
\recomputethemelengths 2465, 2481, 7306, 7311
\reflectbox 11112
\refname 790, 791, 924, 925, 1186, 1187, 1435, 1436, 2552, 5156, 7770, 7771
\refstepcounter 772, 7744, 10289, 12074, 12295, 12301, 12628, 13550, 14117, 14138, 17888
\refvskip 16872
\regex 12858, 12863, 12866, 12869, 12872, 12873, 12909, 12914, 12916, 12960, 12961, 12973
\relax . 2, 8, 10, 12, 14, 28, 82, 99, 128, 162, 203, 209, 211, 213, 215, 229, 238, 291, 303, 321, 414, 453, 478, 561, 620, 634, 635, 636, 657, 658, 659, 660, 665, 666, 667, 668, 692, 693, 694, 695, 696, 701, 702, 703, 704, 728, 821, 836, 843, 873, 879, 897, 949, 956, 957, 958, 962, 971, 980, 997, 998, 1003, 1004, 1005, 1006, 1009, 1012, 1016, 1041, 1042, 1043, 1048, 1049, 1050, 1051, 1084, 1100, 1122, 1140, 1149, 1183, 1207, 1208, 1209, 1213, 1222, 1231, 1248, 1249, 1254, 1255, 1256, 1257, 1260, 1263, 1267, 1292, 1293, 1294, 1299, 1300, 1301, 1302, 1335, 1342, 1354, 1360, 1378, 1428, 1456, 1457, 1458, 1462, 1471, 1480, 1497, 1498, 1503, 1504, 1505, 1506, 1509, 1512, 1516, 1541, 1542, 1543, 1548, 1549, 1550, 1551, 1638, 1639, 1656, 1657, 1658, 1811, 1817, 1823, 1829, 1835, 1841, 1853, 1859, 1865, 1893, 1989, 1990, 1991, 1996, 1997, 1998, 1999, 2223, 2231, 2239, 2290, 2360, 2576, 2774, 2777, 2787, 2805, 2859, 2870, 2883, 3067, 3071, 3305, 3329, 3344, 3361, 3376, 3392, 3409, 3421, 3453, 3464, 3543, 3751, 3752, 3761, 3789, 3854, 4346, 4555, 4663, 4726, 4730, 4734, 4811, 4822, 4840, 4851, 4869, 4880, 4938, 5135, 5143, 5148, 5179, 5364, 5388, 5484, 5489, 5492, 5499, 5537, 5543, 5638, 5664, 5692, 5699, 5706, 5718, 5754, 5818, 5825, 5837, 5843, 5859, 5914, 5930, 5931, 5932, 5936, 5945, 5954, 5971, 5972, 5977, 5978, 5979, 5980, 5994, 6001, 6013, 6019, 6035, 6067, 6106, 6107, 6108, 6112, 6121, 6130, 6147, 6148, 6153, 6154, 6155, 6156, 6204, 6211, 6212, 6213, 6234, 6235, 6236, 6237, 6242, 6243, 6244, 6245, 6269, 6270, 6271, 6272, 6273, 6278, 6279, 6280, 6281, 6305, 6446, 6460, 6461,

6462, 6467, 6468, 6469, 6470, 6473, 6477, 6478, 6479, 6480, 6481, 6482, 6582, 6600, 6750, 6809, 7156, 7254, 7346, 7347, 7348, 7349, 7350, 7362, 7383, 7437, 7449, 7452, 7489, 7501, 7504, 7536, 7542, 7603, 7682, 7730, 7797, 7798, 7799, 7818, 7819, 7824, 7825, 7826, 7827, 7851, 7852, 7853, 7858, 7859, 7860, 7861, 7890, 7891, 7892, 7913, 7914, 7915, 7916, 7921, 7922, 7923, 7924, 7948, 7949, 7950, 7951, 7952, 7957, 7958, 7959, 7960, 7984, 8093, 8094, 8095, 8096, 8097, 8214, 8342, 8383, 8445, 8491, 8529, 8588, 8633, 8674, 8736, 8782, 8823, 8885, 8931, 8972, 9034, 9080, 9121, 9183, 9229, 9270, 9332, 9378, 9419, 9481, 9527, 9568, 9630, 9686, 9718, 9842, 9975, 9976, 9981, 10058, 10059, 10060, 10079, 10080, 10085, 10086, 10087, 10088, 10112, 10113, 10114, 10119, 10120, 10121, 10122, 10159, 10161, 10165, 10212, 10244, 10269, 10279, 10322, 10342, 10343, 10358, 10445, 10577, 10599, 10608, 10761, 10776, 10814, 10836, 10874, 10975, 11019, 11283, 11285, 11288, 11301, 11303, 11306, 11552, 11563, 11574, 11585, 11599, 11610, 11621, 11632, 11647, 11662, 11703, 11722, 11741, 11760, 11774, 11793, 11805, 11824, 11836, 11855, 11937, 11971, 12002, 12031, 12139, 12151, 12158, 12159, 12163, 12164, 12231, 12665, 12794, 12797, 12800, 12801, 12802, 12808, 13420, 13421, 13422, 13423, 13424, 13484, 13587, 13685, 13809, 13811, 13812, 13815, 13821, 13823, 13824, 13827, 13833, 13835, 13836, 13839, 13929, 13971, 14167, 14168, 14169, 14186, 14191, 14196, 14205, 14213, 14235, 14238, 14239, 14240, 14241, 14250, 14252, 14253, 14254, 14255, 14424, 14488, 14565, 14646, 14664, 14671, 14701, 14707, 14723, 14755, 14790, 14791, 14792, 14796, 14805, 14814, 14831, 14832, 14837, 14838, 14839, 14840, 14843, 14846, 14850, 14875, 14876, 14877, 14882, 14883, 14884, 14885, 14918, 14927, 14928, 14929, 14935, 14944, 14953, 14970, 14971, 14972, 14973, 14978, 14979, 14980, 14981, 14984, 14987, 14991, 15016, 15017, 15018, 15019, 15020, 15025, 15026, 15027, 15028, 15072, 15078, 15094, 15120, 15176, 15181, 15186, 15187, 15188, 15219, 15220, 15221, 15222, 15227, 15228, 15229, 15230, 15259, 15260, 15261, 15262, 15263, 15268, 15269, 15270, 15271, 15293, 15376, 15382, 15383, 15384, 15405, 15406, 15407, 15408, 15413, 15414, 15415, 15416, 15440, 15441, 15442, 15443, 15444,

15449, 15450, 15451, 15452, 15476, 15740, 15741, 15747, 15748, 15750, 15759, 15760, 15761, 15821, 15847, 15848, 15849, 15850, 15851, 15864, 15865, 15866, 15867, 15868, 15869, 15870, 15871, 15872, 15873, 15874, 15935, 15996, 16001, 16162, 16179, 16288, 16289, 16295, 16296, 16298, 16307, 16308, 16309, 16369, 16395, 16396, 16397, 16398, 16399, 16412, 16413, 16414, 16415, 16416, 16417, 16418, 16419, 16420, 16421, 16422, 16470, 16486, 16494, 16502, 16513, 16575, 16580, 16741, 16758, 16986, 16987, 16993, 16994, 16996, 17005, 17006, 17007, 17067, 17093, 17094, 17095, 17096, 17097, 17110, 17111, 17112, 17113, 17114, 17115, 17116, 17117, 17118, 17119, 17120, 17195, 17257, 17262, 17423, 17440, 17528, 17565, 17628, 17643, 17653, 17655, 17684, 17822, 17840, 17841, 17924, 17933, 17951, 17954, 17957, 17982, 17985, 17988, 18005, 18008, 18011, 18022, 18025, 18028, 18039, 18042, 18045, 18054, 18056, 18059, 18062, 18071, 18073, 18076, 18079, 18090, 18093, 18096, 18108, 18111, 18114, 18127, 18130, 18133, 18147, 18150, 18153, 18165, 18180, 18182, 18185, 18188, 18202, 18232, 18233, 18234, 18363, 18384, 18471, 18497, 18509, 18511, 18517, 18534, 18538, 18550, 18552, 18558, 18567, 18569, 18631, 18645, 18679, 18686, 18692, 18753, 18812, 18815, 18819, 18825, 18870, 18906, 18914, 18915, 18917, 18918, 18931, 18942, 18946, 18951, 18956, 18964, 18968, 18977, 18978, 18989, 18997, 19008, 19014, 19018, 19022, 19039, 19043, 19092, 19093, 19096, 19144, 19152, 19293, 19376, 19425, 19440, 19517, 19573, 19585, 19626, 19718, 19721, 19723, 19775, 19776, 19779, 19804, 19847, 20111, 20112, 20113

\remainx 13978

\remainxox . 14013, 14020

\remainxoxx 14023, 14032, 14041

\remainxx . . 13981, 13983

\remainxxx 13986, 13988, 13990, 14015, 14018

\remainxxxx . . 13993, 13995, 13997, 13999, 14025, 14027, 14030, 14034, 14037, 14039

\remainxxxxx 14002, 14004, 14006, 14008, 14010

\remove@strip . 13595, 13625, 13693, 13723

\renewcommand 19, 20, 21, 22, 83, 164, 171, 186, 220, 221, 222, 223, 292, 331, 355, 632, 671, 673, 727, 744, 758, 762, 766, 767, 768, 769, 800, 840, 862, 878, 896, 904, 917, 919, 920, 921, 922, 934, 940, 946, 952, 953, 963, 1020, 1022, 1088, 1105, 1118, 1121, 1139, 1146, 1172, 1173, 1174, 1175, 1176, 1181, 1196, 1203, 1204, 1214,

1271, 1273, 1339,
1343, 1359, 1377,
1386, 1399, 1419,
1425, 1430, 1431,
1432, 1433, 1445,
1452, 1453, 1463,
1520, 1522, 1978,
1980, 2352, 2353,
2354, 2390, 2391,
2396, 2445, 2449,
2480, 2485, 2565,
3303, 3327, 3659,
3664, 3684, 3697,
3719, 3730, 3858,
3867, 3908, 4026,
4029, 4030, 4034,
4035, 4181, 4182,
4531, 4532, 4533,
4534, 4535, 4536,
4537, 4538, 4539,
4593, 4708, 4717,
4738, 4755, 4772,
4886, 4887, 4888,
4970, 4979, 5031,
5039, 5063, 5068,
5079, 5080, 5081,
5082, 5083, 5084,
5085, 5151, 5156,
5158, 5159, 5176,
5177, 5178, 5179,
5236, 5237, 5238,
5240, 5244, 5245,
5246, 5250, 5251,
5257, 5261, 5262,
5263, 5267, 5268,
5273, 5277, 5278,
5279, 5288, 5289,
5290, 5294, 5295,
5317, 5341, 5403,
5416, 5421, 5429,
5822, 5826, 5842,
5858, 5866, 5880,
5899, 5905, 5911,
5916, 5917, 5918,
5919, 5920, 5921,
5923, 5925, 5927,
5937, 5998, 6002,
6018, 6034, 6042,
6056, 6058, 6064,
6086, 6092, 6093,
6094, 6095, 6096,
6097, 6099, 6101,
6103, 6113, 6209,
6248, 6250, 6304,
6319, 6334, 6338,
6342, 6344, 6346,
6348, 6349, 6350,
6351, 6352, 6353,
6376, 6394, 6459,
6464, 6486, 6493,
6503, 6587, 6592,
6602, 6625, 6648,
6671, 6698, 6714,
7157, 7197, 7198,
7199, 7200, 7201,
7202, 7203, 7204,
7218, 7223, 7255,
7289, 7290, 7291,
7292, 7293, 7294,
7295, 7296, 7306,
7318, 7506, 7507,
7508, 7511, 7514,
7518, 7534, 7687,
7688, 7715, 7729,
7780, 7786, 7790,
7795, 7830, 7832,
7882, 7883, 7884,
7885, 7888, 7927,
7929, 7983, 7997,
7999, 8001, 8003,
8004, 8005, 8006,
8007, 8008, 8032,
8050, 8060, 8073,
8084, 8088, 8102,
8118, 8134, 8150,
8163, 8176, 9980,
9995, 10030,
10034, 10049,
10056, 10091,
10093, 10143,
10144, 10145,
10146, 10147,
10148, 10150,
10152, 10269,
10279, 10299,
10308, 10398,
10417, 10419,
10421, 10423,
10424, 10425,
10426, 10427,
10428, 10430,
10432, 10434,
10436, 10437,
10438, 10439,
10440, 10441,
10442, 10452,
10521, 10782,
11179, 11189,
12100, 12104,
12117, 12121,
12129, 12130,
12131, 12132,
12691, 13418,
13429, 13452,
13453, 13454,
13455, 13456,
13457, 13458,
13459, 13461,
13463, 13465,
13467, 13468,
13470, 13471,
13478, 13479,
13481, 13487,
13488, 13976,
13979, 13984,
13991, 14000,
14011, 14016,
14021, 14028,
14035, 14051,
14053, 14070,
14112, 14133,
14183, 14192,
14551, 14554,
14563, 14567,
14580, 14593,
14606, 14617,
14632, 14668,
14690, 14706,
14722, 14730,
14744, 14746,
14752, 14768,
14774, 14775,
14776, 14777,
14778, 14779,
14781, 14783,
14786, 14787,
14797, 14854,
14856, 14923,
14924, 14936,
14995, 14997,

15061, 15077, 15093, 15101, 15115, 15117, 15139, 15140, 15141, 15142, 15143, 15144, 15146, 15148, 15161, 15167, 15173, 15178, 15184, 15192, 15233, 15235, 15292, 15306, 15321, 15324, 15328, 15332, 15334, 15336, 15338, 15339, 15340, 15341, 15342, 15354, 15380, 15419, 15421, 15475, 15490, 15505, 15509, 15513, 15515, 15517, 15519, 15520, 15521, 15522, 15523, 15524, 15556, 15700, 15704, 15708, 15712, 15738, 15745, 15752, 15765, 15767, 15829, 15831, 15876, 15921, 15922, 15923, 15926, 15927, 15941, 15965, 15994, 15999, 16004, 16005, 16006, 16007, 16010, 16083, 16101, 16123, 16125, 16146, 16148, 16150, 16153, 16159, 16168, 16170, 16172, 16178, 16248, 16252, 16256, 16260, 16286, 16293, 16300, 16313, 16315, 16377, 16379, 16424, 16468, 16469, 16477, 16478, 16481, 16482, 16485, 16493, 16501, 16520, 16544, 16573, 16578, 16583, 16584, 16585, 16586, 16589, 16662, 16680, 16702, 16704, 16725, 16727, 16729, 16732, 16738, 16746, 16748, 16751, 16757, 16833, 16946, 16950, 16954, 16958, 16984, 16991, 16998, 17011, 17013, 17075, 17077, 17122, 17166, 17167, 17171, 17172, 17175, 17176, 17179, 17183, 17187, 17202, 17226, 17255, 17260, 17265, 17266, 17267, 17268, 17271, 17344, 17362, 17384, 17386, 17407, 17409, 17411, 17414, 17420, 17428, 17430, 17433, 17439, 17515, 17518, 17771, 17800, 17806, 17838, 17851, 17864, 17875, 17931, 17978, 17997, 18019, 18036, 18053, 18070, 18087, 18105, 18123, 18124, 18143, 18144, 18163, 18231, 18505, 18527, 18804, 18806, 18808, 18824, 18831, 18833, 18835, 18838, 18842, 18847, 18851, 18855, 18869, 18874, 18876, 18879, 18883, 18886, 18892, 19012, 19119, 19141, 19159, 19181, 19193, 19229, 19693, 19694, 19874, 19875, 19876, 20117, 20155, 20157, 20158, 20159, 20209, 20211, 20213, 20215, 20219, 20221, 20225, 20227

`\RenewDocumentCommand` 13013, 13346

`\renewenvironment` 80, 289, 499, 789, 809, 825, 845, 852, 923, 1073, 1151, 1158, 1185, 1324, 1402, 1409, 1434, 4123, 4126, 4129, 4132, 5127, 5137, 5145, 5161, 5372, 5807, 5882, 5888, 5983, 6069, 6075, 6192, 6383, 6444, 6465, 6599, 7769, 8039, 10038, 10286, 10799, 13569, 14043, 14149, 14653, 14673, 14680, 14757, 14907, 15122, 15129, 15150, 15343, 15364, 15545, 15930, 16509,

17191, 17852, 17855, 17880, 19556
\renewrobustcmd . . . 12785, 12811, 12822
\repeat . . . 469, 1883, 1884, 6713, 6867, 6873, 6981, 7039, 7049, 9698, 9708, 12199, 14322, 14369, 14380, 14391, 14419, 17667
\RequirePackage 1767, 1769, 1770, 1771, 1772, 1773, 2003, 2004, 2362, 2363, 2364, 2365, 2372, 2373, 2388, 2441, 3506, 3507, 3523, 3567, 3568, 3571, 3823, 3885, 3887, 3894, 3915, 3919, 3955, 3956, 4173, 4383, 4384, 4385, 4386, 4590, 4591, 4706, 4922, 5097, 5108, 5160, 5186, 5194, 5211, 5366, 5367, 5368, 5369, 5370, 5371, 5390, 5391, 5392, 5393, 5394, 5395, 20149, 20150, 20151, 20152, 20201
\RequireXeTeX 1768, 1922
\reserved@a . . 2269, 2273, 2279, 2282, 2285, 2288, 2640, 2644, 2915, 2916, 2917, 3508, 3516, 3526, 3528, 3535, 3537, 3542, 3544, 3545, 3548, 3551, 3587, 3588, 3589, 3591, 3598, 3601, 3626, 3627, 3647, 3649, 3653, 3660, 3662, 3741, 3742, 18523, 18524, 18527, 18528, 19008, 19009, 19640, 19646
\reserved@b . . 2249, 2250, 2640, 2644, 2645, 3498, 3499, 3527, 3585, 3587, 3604, 3621, 3622, 3627, 3632, 3634, 3635, 3637, 3640, 3660, 3662
\reserved@c 3600, 3603, 3604, 3608, 3619, 3632, 3646, 3650
\reserved@d 2639, 2644, 3620, 3639, 3652
\reset@dir . 14488, 19517
\reset@font 4426, 4470, 4514, 4742, 4759, 4776, 8106, 8122, 8138, 8158, 8171, 8184, 8352, 8362, 8372, 8398, 8410, 8423, 8450, 8463, 8501, 8510, 8519, 8544, 8555, 8567, 8593, 8605, 8643, 8653, 8663, 8689, 8701, 8714, 8741, 8754, 8792, 8802, 8812, 8838, 8850, 8863, 8890, 8903, 8941, 8951, 8961, 8987, 8999, 9012, 9039, 9052, 9090, 9100, 9110, 9136, 9148, 9161, 9188, 9201, 9239, 9249, 9259, 9285, 9297, 9310, 9337, 9350, 9388, 9398, 9408, 9434, 9446, 9459, 9486, 9499, 9537, 9547, 9557, 9583, 9595, 9608, 9635, 9648, 9740, 9752, 9764, 9790, 9804, 9818, 9858, 9872, 10372, 10618, 10619, 10620, 10624, 10640, 10655, 10684, 10697, 10710, 19916, 19960, 20058
\resizebox 11133
\restore@protect . 2930
\restoreCaptionSkip 11314
\restorecounters@ 7614
\restylefloat 4373
\resumename 2442
\righskip 18233
\right 19544, 19553, 19555
\right@cor . . . 13597, 13598, 13695, 13696
\right@footnoterule 26, 236, 634, 762, 946, 956, 1181, 1207, 1425, 1456, 5911, 5930, 6064, 6106, 6211, 6338, 7790, 7797, 7890, 8088, 10034, 10058, 10537, 10551, 10561, 10681, 10707, 12121, 13969, 14752, 14790, 14927, 15173, 15186, 15328, 15382, 15509, 15745, 15759, 15999, 16293, 16307, 16578, 16858, 16991, 17005, 17260
\rightfootnoterule 1846, 7347, 8094, 10549, 11053, 20113
\rightline . . . 14508, 19703, 19707, 19709
\rightmargin . . . 1166, 5113, 5132, 5140, 5146, 10936, 10940, 12215, 12216, 12229, 14561, 19578, 19589, 19595, 19601, 19609, 19613

\rightskip 12, 13, 213, 214, 307, 311, 733, 750, 753, 754, 843, 856, 867, 868, 873, 884, 909, 912, 913, 1093, 1094, 1100, 1110, 1113, 1114, 1127, 1149, 1342, 1348, 1349, 1354, 1365, 1391, 1394, 1395, 1413, 5051, 5058, 5059, 5629, 5825, 5831, 5832, 5837, 5848, 5871, 5874, 5875, 6001, 6007, 6008, 6013, 6024, 6047, 6050, 6051, 6310, 6325, 6328, 6329, 6460, 6461, 6462, 6588, 6589, 6595, 7721, 7724, 7725, 7735, 7988, 8310, 9908, 9986, 10001, 10004, 10005, 12775, 13452, 13453, 13811, 13815, 13816, 13823, 13828, 13835, 13840, 14572, 14574, 14585, 14587, 14598, 14600, 14609, 14611, 14628, 14671, 14684, 14695, 14696, 14701, 14712, 14735, 14738, 14739, 15066, 15067, 15072, 15083, 15106, 15109, 15110, 15120, 15133, 15181, 15297, 15312, 15315, 15316, 15321, 15322, 15481, 15496, 15499, 15500, 17775, 17780, 17791, 17804, 17808, 17828, 17831, 17836, 17840, 17841, 17951, 17952, 17953, 17961, 17982, 17983, 17984, 17992, 18005, 18006, 18007, 18015, 18022, 18023, 18024, 18032, 18039, 18040, 18041, 18049, 18056, 18057, 18058, 18066, 18073, 18074, 18075, 18083, 18090, 18091, 18092, 18100, 18108, 18109, 18110, 18118, 18127, 18128, 18129, 18137, 18147, 18148, 18149, 18157, 18182, 18183, 18184, 18192, 18232, 18234, 18912, 18974, 18975, 18976, 18982, 18985, 19032, 19092, 19097, 19120, 19127, 19496, 19497, 19688, 19715, 19716, 19775, 19780

\RL . . 12064, 14478, 19507

\rlap 308, 674, 1023, 1523, 1981, 6251, 7833, 7930, 10094, 10189, 10195, 10788, 11071, 11117, 11183, 11184, 11197, 11198, 12101, 13869, 14494, 14857, 14998, 15194, 15237, 15422, 15767, 15831, 16315, 16379, 17013, 17077, 17556, 19527

\RLE 1804, 1939, 12063, 14478, 14479, 14483, 19146, 19507, 19508, 19512

\rmfamily 952, 1203, 1452, 4941, 4994, 4997, 5001, 5004, 5008, 5011, 5015, 5018, 5022, 5025, 14786, 14923

\romannumeral 5666, 5728, 7622, 7625, 7671, 10400, 10401, 10402, 10403, 10405, 10406, 10407, 10408, 10409, 10412, 10413, 10414, 19581

\rot@float@box 15573, 15574, 15575, 15589, 15598, 15616, 15617, 15618, 15619, 15620, 15636, 15647

\rot@label . 15569, 15612

\rot@LR . . . 15580, 15625

\rot@mess@toks 15572, 15584, 15594, 15603, 15615, 15630, 15642, 15652

\rot@message 15603, 15652

\rot@pageref 15570, 15613

\rotate 15666

\rotatebox . . . 10443, 11246, 11295, 11508, 15589, 15598, 15636, 15647

\rotateframe 10405, 10442

\rotFPbot 15590, 15597, 15637, 15646

\rotFPtop 15588, 15599, 15635, 15648

\rrb 2052, 2062

\rsb 2051, 2060

\RTL 14471, 19500
\RTL@column@boxes . 13893, 13923, 13928
\RTL@outputdblcol . . . 6737, 10200, 11004, 13574, 19791, 19874, 19875
\RTLbidituftesidenotemarginpar 13921
. . 4475, 4773, 4913
\RTLcases . . 19554, 19557
\RTLcite 4702, 4819, 4848, 4877, 4899, 4908, 4917
\RTLcolumnfootnotes 8203
\RTLdblcol 19875
\RTLdfnmakecol . . . 7507
\RTLfootfootmark 8245, 8393, 8539, 8684, 8833, 8982, 9131, 9280, 9429, 9578, 9784
\RTLfootmarkstyle 8220, 8259
\RTLfootnote . . . 639, 713, 2139, 2152, 4888, 5238, 6216, 6290, 7895, 7969, 10594, 14932, 15038, 15191, 15279, 15387, 15461, 15764, 15880, 16312, 16428, 17010, 17126
\RTLfootnotetext . . 2207, 2218, 5678, 5688, 10767, 10770, 11733, 12723, 17716, 17720
\RTLfootscript 8220, 8248, 8252, 8254
\RTLfoottextfont 8123, 8130, 8180, 8186, 8272, 8372, 8393, 8423, 8519, 8539, 8567, 8663, 8684, 8714, 8812, 8833, 8863, 8961, 8982, 9012, 9110, 9131, 9161, 9259, 9280, 9310, 9408, 9429, 9459, 9557, 9578, 9608, 9764, 9784, 9818
\RTLmarginnote . . . 4910
\RTLmarginpar 19921
\RTLmulticolcolumns 13921
\RTLsidenote . 4645, 4884
\RTLthanks 639, 659, 694, 713, 5238, 5246, 5263, 5279, 5290, 6216, 6236, 6271, 6290, 7895, 7915, 7950, 7969, 10765, 13422, 14932, 14972, 15018, 15038, 15191, 15221, 15261, 15279, 15387, 15407, 15442, 15461, 15764, 15849, 15880, 16312, 16397, 16428, 17010, 17095, 17126
\rtside 14352, 14354, 14365, 14367, 14388, 14390
\rule 45, 58, 73, 254, 267, 281, 2490, 7211, 7703, 7707, 7710, 8114, 8130, 8146, 8160, 8173, 8186, 10634, 10650, 10665, 10691, 10704, 10717, 13020, 14545

S

\s 12872, 12873
\save@dir . . 14487, 19516
\savebox 7628, 11243, 11245, 11325
\saveCaptionSkip . 11275
\savecounters@ 7611
\saved@@dir . . 14487, 14488, 19516, 19517
\sbox 7694, 11277, 11294, 12160, 12168, 12170, 12172, 12181, 12277, 12682, 12842, 12850, 13038, 13324, 13364, 13489, 13504, 13536, 14150, 16020, 16034, 16074, 16599, 16613, 16653, 17281, 17295, 17335, 17790, 17807, 18548, 20094
\sc@@temp 16877, 16878, 16883, 16884, 16889, 16890, 16895, 16896, 16901, 16902, 16907, 16908, 16913, 16914, 16919, 16920, 16925, 16926
\SC@FLOAT 17515, 20209, 20213, 20219, 20221, 20225, 20227
\SC@justify@caption . . 17518, 20211, 20215, 20220, 20222, 20226, 20228
\sc@temp 16875, 16877, 16881, 16883, 16887, 16889, 16893, 16895, 16899, 16901, 16905, 16907, 16911, 16913, 16917, 16919, 16923, 16925, 16935, 16937
\sc@wm@text 7512
\scalebox 11131
\scantokens . 3066, 3086
\scr@caption 16126, 16128, 16130, 16705, 16707, 16709, 17387, 17389, 17391
\scr@caption@before@longtable@warning 16098, 16677, 17359
\scr@compatibility

. . . . . 16470, 16486, 16494, 16502
\scr@dte@current 18627, 18630
\scr@dte@def@l@largetocline 18394
\scr@dte@def@l@tocline 18596
\scr@dte@def@l@undottedtocline 18237
\scr@dte@donumwidth 18831, 18832
\scr@dte@largetocline@init 18395
\scr@dte@nosub 18643, 18645, 18675, 18676, 18678, 18683, 18685, 18690, 18691, 18749, 18751
\scr@dte@numberline@box 18546, 18573
\scr@dte@tocline 18505, 18888
\scr@dte@tocline@init 18597
\scr@dte@tocline@numberwidth 18549, 18551, 18553, 18556
\scr@dte@tocline@numbox 18548, 18550, 18564
\scr@dte@undottedtocline@init 18238
\scr@ifundefinedorrelax . . 18272, 18320, 18365, 18427, 18473, 18497, 18536, 18641, 18643, 18672, 18675, 18676, 18683, 18706, 18746, 18747, 18749, 18765, 18818, 18845, 18864
\scr@LT@array . 12073, 16123, 16124, 16136, 16702, 16703, 16715, 17384, 17385, 17397
\scr@parindent 16235, 16823, 17505
\scr@saved@footnotetext 15697, 15701, 16245, 16249, 16943, 16947
\scr@saved@LTRfootnotetext . . 15695, 15698, 15705, 16243, 16246, 16253, 16941, 16944, 16951
\scr@saved@RTLfootnotetext . . 15696, 15699, 15709, 16244, 16247, 16257, 16942, 16945, 16955
\scr@smashdp . . 16042, 16056, 16057, 16075, 16621, 16635, 16636, 16654, 17303, 17317, 17318, 17336
\scr@tmp@footnotetext . . 16014, 16025, 16026, 16593, 16604, 16605, 17275, 17286, 17287
\scr@tmp@LTRfootnotetext . . 16016, 16027, 16028, 16595, 16606, 16607, 17277, 17288, 17289
\scr@tmp@RTLfootnotetext . . 16018, 16029, 16030, 16597, 16608, 16609, 17279, 17290, 17291
\scriptsize . . 5079, 16876, 16882, 16888, 16894, 16900, 16906, 16912, 16918, 16924
\scshape 6164
\secshape . . 15280, 15321
\SectFont 848, 857, 1154, 1162, 1405, 1414, 5885, 6072, 14676, 14685, 15125, 15134
\sectfont 14555
\section 790, 817, 833, 848, 854, 857, 924, 1081, 1154, 1160, 1162, 1186, 1332, 1405, 1411, 1414, 1435, 2486, 2552, 4943, 4965, 5033, 5041, 5156, 5159, 5163, 5885, 6072, 7770, 14676, 14682, 14685, 15125, 15131, 15134
\sectionbib 17875
\sectionfont . . 2426, 2434, 7202, 7295
\sectionstyle 2434, 2492
\sectiontitlecolour 2417, 7164, 7172, 7179, 7186, 7193, 7263, 7269, 7275, 7281, 7287
\selectfont . . . 342, 2871, 5304, 5306, 5308, 14163, 14176
\separatorcolumnwidth 2457, 2458, 2469, 2475, 2491, 2496, 2502, 2559, 7309, 7339
\SepMark . . 19566, 19567
\seq 13101, 13102
\set@color . . . 6546, 6551, 6559, 6565, 6573, 6580, 6585, 10795, 19345, 19349, 19445
\set@typeset@protect 10367, 10371, 17603, 19750, 20030, 20032
\SetatBoolean 2699
\setbaselineskip . 2869
\SetBoolean 2683
\setboolean . . . 384, 387, 390, 393, 511, 514, 517, 520, 3829, 3830, 3832, 3834, 3839, 3840, 3844, 3845, 3916,

3920, 3923, 3928, 3930, 3934, 3936, 4308, 4929, 4930, 4931, 5188, 5189, 5190, 5215, 5216
\setbox . . . 607, 1629, 1631, 1632, 1688, 2301, 4354, 4410, 4413, 4454, 4457, 4498, 4501, 5557, 5568, 5781, 5795, 6418, 6445, 6450, 6482, 6517, 6546, 6701, 6702, 6706, 6709, 6719, 6723, 6726, 6730, 6740, 6743, 6744, 6758, 6771, 6787, 6799, 6802, 6803, 6817, 6826, 6842, 6863, 6864, 6869, 6870, 6875, 6878, 6901, 6909, 6919, 6970, 6984, 6988, 6998, 7003, 7012, 7014, 7029, 7030, 7041, 7042, 7054, 7055, 7065, 7073, 7083, 7131, 7355, 7363, 7364, 7368, 7376, 7384, 7385, 7389, 7404, 7407, 7412, 7416, 7424, 7461, 7464, 7469, 7473, 7478, 8151, 8164, 8177, 8264, 8322, 8327, 8334, 8395, 8407, 8420, 8460, 8541, 8552, 8564, 8602, 8686, 8698, 8711, 8751, 8835, 8847, 8860, 8900, 8984, 8996, 9009, 9049, 9133, 9145, 9158, 9198, 9282, 9294, 9307, 9347, 9431, 9443, 9456, 9496, 9580, 9592, 9605, 9645, 9671, 9672, 9679, 9692, 9695, 9697, 9702, 9705, 9707, 9709, 9744, 9756, 9768, 9786, 9794, 9800, 9808, 9814, 9822, 9862, 9869, 9876, 9891, 9900, 9920, 9928, 9941, 9954, 9964, 10173, 10203, 10206, 10219, 10235, 10238, 10252, 10299, 10339, 10344, 10682, 10695, 10708, 10726, 10850, 10859, 10863, 10887, 10901, 10963, 10968, 10969, 10984, 11007, 11012, 11013, 11028, 11063, 11070, 11071, 11116, 11117, 12661, 12670, 12732, 12737, 12740, 12749, 12761, 12793, 12799, 13577, 13580, 13581, 13603, 13608, 13618, 13636, 13641, 13675, 13678, 13679, 13701, 13706, 13716, 13734, 13739, 13768, 13849, 13865, 14296, 14310, 14313, 14332, 14333, 14339, 14340, 14351, 14353, 14355, 14357, 14360, 14362, 14364, 14366, 14376, 14378, 14387, 14389, 14404, 14406, 14414, 14416, 14425, 14493, 14494, 14524, 14542, 15658, 15668, 15679, 15686, 16040, 16619, 16876, 16882, 16888, 16894, 16900, 16906, 16912, 16918, 16924, 17301, 17544, 17592, 17633, 17683, 17753, 19050, 19053, 19058, 19062, 19066, 19070, 19074, 19078, 19082, 19086, 19337, 19345, 19450, 19526, 19527, 19642, 19712, 19738, 19794, 19797, 19798, 19812, 19837, 19840, 19841, 19855, 19900, 19903, 19944, 19947, 19975, 19989, 20007, 20069
\setcaptionfont . . 3908
\setcaptionwidth 12695
\setchapterpreamble 16514, 17196
\setcitationfont . 4537
\setcounter . . . 656, 691, 964, 996, 1040, 1215, 1247, 1291, 1464, 1496, 1540, 1988, 4610, 4629, 4648, 4680, 4927, 5439, 5724, 5938, 5970, 6114, 6146, 6233, 6268, 7817, 7850, 7912, 7947, 10078, 10111, 10387, 12127, 12128, 13450, 14115, 14136, 14798, 14830, 14874,

14937, 14969, 15015, 15218, 15258, 15404, 15439, 15755, 15846, 15958, 16031, 16032, 16303, 16394, 16537, 16610, 16611, 17001, 17092, 17219, 17292, 17293, 18175
\setdefaultbibitems 19571
\setdefaultmarginpar 20011
\setDefaults 11232
\setfloatalignment 3988
\setfootnoteLR . . . 10616
\setfootnoteRL . . . 10614
\setkeys 382, 509, 6409, 6426, 7592, 7598, 7600, 11106, 11234, 12166, 14156, 14189, 15577, 15622, 19230
\setlatin 1777
\setlength 174, 197, 198, 731, 748, 883, 907, 1108, 1126, 1163, 1164, 1165, 1166, 1167, 1364, 1389, 2126, 2127, 2128, 2330, 2331, 2333, 2334, 2336, 2337, 2339, 2340, 2342, 2343, 2345, 2346, 2348, 2349, 2350, 2355, 2356, 2394, 2395, 2397, 2398, 2399, 2400, 2458, 2467, 2468, 2471, 2473, 2476, 2477, 2479, 2482, 2548, 2557, 2558, 2559, 3853, 3880, 3881, 3882, 3883, 3904, 3910, 3911, 3944, 3947, 3951, 3997, 4043, 4044, 4545, 4546, 4547, 4548, 4554, 4793, 5086, 5087, 5088, 5089, 5090, 5091, 5092, 5093, 5095, 5096, 5098, 5101, 5102, 5103, 5104, 5321, 5322, 5847, 5869, 6023, 6045, 6308, 6323, 6593, 7298, 7302, 7304, 7307, 7574, 7719, 7734, 8260, 8261, 8274, 9985, 9999, 10724, 11156, 11157, 11163, 11164, 11166, 11167, 11236, 11237, 11249, 11253, 11255, 11257, 11261, 11263, 12133, 12134, 12135, 12136, 12161, 12175, 12177, 12179, 12183, 12205, 12210, 12213, 12217, 12218, 12219, 12716, 14155, 14711, 14733, 15082, 15104, 15310, 15479, 15494, 15714, 16037, 16063, 16262, 16616, 16642, 16960, 17298, 17324, 17779, 17780, 17828, 17829, 17831, 18199, 18203, 18204, 18206, 18207, 18209, 18210, 18212, 18213, 18215, 18216, 18376, 18484, 18829, 19624, 19627
\setLR 14500, 19535
\setLTR 14474, 14475, 14488, 14500, 14501, 19503, 19504, 19517, 19535, 19536
\setLTRbibitems . . 19570
\setLTRcitationfont 4538
\setLTRmarginnotefont 4535
\setLTRmarginpar 20010
\setLTRparagraphfootnotes 8101
\setLTRsidenotefont 4532
\setLTRtable 1782
\setmarginnotefont 4534
\setnonlatin 1778
\setparsizes . . 15772, 15884, 16320, 16432, 17018, 17130
\setRL 14499, 19534
\setRTL . 14473, 14476, 14488, 14499, 19172, 19212, 19246, 19502, 19505, 19517, 19534
\setRTLbibitems . 19569
\setRTLcitationfont 4539
\setRTLmain 1929
\setRTLmarginnotefont 4536
\setRTLmarginpar 20009
\setRTLparagraphfootnotes 8100
\setRTLsidenotefont 4533
\setRTLtable 1781
\setsidenotefont . 4531
\setSingleSpace 8205, 8210
\setspace@singlespace . . 4741, 4758, 4775
\setthesection . . . 13467
\settodepth 14151
\settoheight . 7571, 14152
\settowidth 85, 294, 794, 928, 1190, 1439, 2462,

5893, 6080, 6388, 7300, 7616, 7774, 8044, 10043, 12207, 14154, 14762, 15155, 15348, 15550, 15951, 16530, 16875, 16881, 16887, 16893, 16899, 16905, 16911, 16917, 16923, 17212, 17858, 19015, 19017
\Setversedim 5452, 5456, 5482
\SetWatermarkText . 7511
\sevencolumnfootnotes 9074
\sevencolumnfootstyle 9169
\sf 16876, 16882, 16888, 16894, 16900, 16906, 16912, 16918, 16924
\sfcode 89, 298, 805, 936, 1198, 1447, 5901, 6088, 6399, 7782, 8055, 10051, 14056, 14770, 15163, 15359, 15561, 15968, 16547, 17229, 17869
\sh@wgridXunit . . . 14513
\sh@wgridYunit . . . 14513
\shadowbox 7688
\shadowsize . . 7698, 7702, 7703, 7706, 7707, 7710
\shipout . . 10367, 20029
\shortauthors 111, 112, 117
\shortcite 14058
\shorttitle . 110, 111, 117
\showbox 10924
\showgridp@s 14512
\showoutput 10924
\sidecaptionsep 17516, 17517, 20210, 20214, 20219, 20221, 20225, 20227
\sidenote 4607, 4661, 4699, 4791, 4882
\sidenotes 4704
\sideways 15684
\sigindent 16936
\sixcolumnfootnotes 8925
\sixcolumnfootstyle 9020
\sixt@@n 2268, 2290
\size@chapter 14555
\skip 5645, 5646, 7409, 7466, 8285, 8295, 8313, 9910, 9934, 9945, 10742, 10965, 11009
\skip@ 313, 314
\skipalgocfslide 182, 190
\skiptotal 198
\sloppy 41, 54, 69, 88, 250, 263, 277, 297, 801, 935, 1197, 1446, 2566, 5900, 6087, 6395, 7781, 8051, 10050, 10956, 12778, 14055, 14631, 14645, 14769, 15162, 15355, 15557, 15967, 16546, 17228, 17865
\slshape . . 874, 1101, 1355, 2514, 5838, 6014, 7200, 7201, 7291, 7292, 7294, 14702, 15073, 15286
\small 633, 857, 955, 1162, 1206, 1414, 1455, 2013, 2428, 2518, 2523, 2553, 5068, 5069, 5134, 5142, 5147, 5166, 5929, 6105, 6210, 7796, 7889, 10057, 14685, 14789, 14926, 15134, 15185, 15381, 15758, 16306, 17004
\smallcaps 5422, 5423, 5424
\smallskip 13978, 13983, 13990, 13999, 14010, 14015, 14020, 14027, 14034, 14041, 14552
\smash 4099, 4104, 4115, 4116, 4119, 4120, 4327, 7358, 7379, 10788, 12232, 14497, 19530, 19532
\SOUL@apo 17538
\SOUL@comma 17537
\SOUL@do 17540
\SOUL@eventuallyexhyphen 17527
\SOUL@grave 17539
\SOUL@ignorespacesfalse 17531
\SOUL@lasttoken . . 17534
\SOUL@lowerthan . . 17524
\SOUL@minus 17536
\SOUL@postamble . . 17541
\SOUL@preamble . . . 17533
\SOUL@soeventuallyskip 17528
\SOUL@spaceskip . . 17529
\SOUL@start 17522
\SOUL@ulcolor . 17553, 17559, 17565, 17573
\SOUL@uldp 17565
\SOUL@uleveryspace 17567
\SOUL@ulht 17565
\SOUL@ulleaders . . . 17553, 17559, 17575
\SOUL@uloverlap . . 17546
\SOUL@ulunderline 17543
\SOUL@word 17535
\soulomit 17526
\space 403, 443, 1720, 3052, 3195, 3501, 3688, 3690, 3701, 3703, 3706, 4163, 4168, 4169, 4302, 4303, 6164, 6359, 6866, 6872, 7035, 7043, 7044, 8014, 10014,

10824, 10832, 10833, 10857, 10865, 12145, 13146, 13855, 13857, 13858, 13859, 13860, 14520, 15529, 15571, 15614, 15823, 15973, 16371, 16552, 17069, 17234, 17703, 17705, 17762, 18566, 18568, 19134, 19980
\spacefactor .. 4720, 4725, 4731, 4734
\spaceskip . 17571, 17576
\special 1977, 14494, 17759, 17760, 17764, 17765, 17767, 19527
\spinemargin . 7521, 7525
\split@prev 10573, 10581, 10586
\splitbotmark 10861
\splitfirstmark 6747, 6806, 10209, 10241, 10860, 10972, 11016, 13584, 13682, 19801, 19844
\SplitFootnoteRule 1848, 10572
\splitfootnoterule 10576, 10584
\splitmaxdepth 39, 52, 67, 248, 261, 275, 6741, 6800, 8279, 10204, 10236, 10627, 10643, 10658, 10966, 11010, 13578, 13676, 19795, 19838
\splittopskip ... 39, 52, 67, 248, 261, 275, 8278, 8324, 8328, 8478, 8479, 8483, 8484, 8620, 8621, 8625, 8626, 8769, 8770, 8774, 8775, 8918, 8919, 8923, 8924, 9067, 9068, 9072, 9073, 9216, 9217, 9221, 9222, 9365, 9366, 9370, 9371, 9514, 9515, 9519, 9520, 9663, 9664, 9668, 9669, 10626, 10642, 10657, 10855, 10856, 14306
\stepcounter 4618, 4637, 4656, 4688, 4805, 4834, 4863, 5615, 10386, 10454, 10524, 10594, 10603, 11899, 11907, 12628, 14110, 14114, 14131, 14135, 15568, 15611, 20089
\stopbreaks 8074, 16935
\str 12861, 12912, 12983, 12999, 13061, 13085, 13090, 13164, 13195, 13208, 13230, 13284, 13316
\stretch 1690, 1693, 6519, 6522
\string ... 579, 1600, 2577, 2583, 2655, 2657, 2675, 2676, 2679, 2680, 2857, 2897, 2898, 2904, 3052, 3082, 3103, 3106, 3133, 3135, 3195, 3256, 3257, 3270, 3271, 3282, 3283, 3296, 3297, 3501, 3510, 3514, 3520, 3531, 3688, 3690, 3701, 3703, 3704, 3705, 3706, 3708, 4302, 4303, 6555, 6558, 6576, 6579, 10828, 10829, 10830, 10831, 10832, 10954, 11138, 11139, 15823, 15973, 15975, 15981, 16371, 16552, 16554, 16560, 17069, 17234, 17236, 17242, 17729, 19133, 19390, 19437
\strip@prefix 3103, 3116
\strip@pt 2774, 2870, 9734, 9851
\stripsep 6788, 6843, 6858, 6904, 6913, 6923, 6968, 7068, 7077, 7087, 13612, 13614, 13621, 13710, 13712, 13719, 13779, 13782, 13784, 13791
\strut 45, 58, 73, 254, 267, 281, 2043, 8082, 8387, 8390, 8393, 8473, 8474, 8533, 8536, 8539, 8615, 8616, 8678, 8681, 8684, 8764, 8765, 8827, 8830, 8833, 8913, 8914, 8976, 8979, 8982, 9062, 9063, 9125, 9128, 9131, 9211, 9212, 9274, 9277, 9280, 9360, 9361, 9423, 9426, 9429, 9509, 9510, 9572, 9575, 9578, 9658, 9659, 9776, 9780, 9784, 9885, 12792, 16021, 16023, 16042, 16044, 16047, 16049, 16052, 16056, 16058, 16068, 16070, 16075, 16079, 16600, 16602, 16621, 16623, 16626, 16628,

16631, 16635, 16637, 16647, 16649, 16654, 16658, 16938, 17282, 17284, 17303, 17305, 17308, 17310, 17313, 17317, 17319, 17329, 17331, 17336, 17340, 17790, 17795
\strutbox 39, 52, 67, 248, 261, 275, 605, 609, 8115, 8131, 8147, 8161, 8174, 8187, 8279, 8478, 8483, 8620, 8625, 8769, 8774, 8918, 8923, 9067, 9072, 9216, 9221, 9365, 9370, 9514, 9519, 9663, 9668, 10627, 10634, 10643, 10650, 10658, 10665, 10691, 10704, 10717, 12647, 12663, 12705, 12794, 16065, 16066, 16644, 16645, 17326, 17327, 17593, 17594, 17629, 19739, 19740
\subfigure 4038
\subitem . . 104, 234, 5177
\subjclass 326
\subject 15868, 16416, 17114
\subject@font . 15781, 15894, 16329, 16442, 17027, 17140
\subparagraph 4979, 4980, 4983
\subsection 2493, 4950, 4966
\subsectioncolour 2419, 7165, 7173, 7180, 7187, 7194, 7264, 7270, 7276, 7282, 7288
\subsectionfont 2427, 2435, 7203, 7296
\subsectionstyle 2435, 2494
\subsubitem 105, 235, 5178
\subsubsection 4970, 4971, 4974
\subtable 4038
\symbol 2056, 2066
\sys 13079

T

\t@cb@bchapsec . . . 17851
\tabcaption 11285, 11303
\tabcolsep 599, 1572, 12658, 15051, 19541
\tablinesep 17626
\tabskip . . 615, 5625, 12672, 12673, 17599, 17637, 19745
\tabular 17698
\tabularnewline 624, 12642, 17601, 19747
\tabularx 17689
\tabularxcolumn . . 17651
\tagform@ 338
\tamark 13433
\tcd . . 14303, 14310, 14311
\tcdsav 14303
\tcl . . 14327, 14328, 14334
\tcn 14311, 14312, 14334, 14335, 14336, 14337
\Telefon 2408
\tencolumnfootnotes 9521
\tencolumnfootstyle 9616
\TeX 12065, 14489, 14490, 14498, 19518, 19519, 19531
\textbf 2521, 5123, 10801, 10803, 10805, 10807
\textbullet . . 2405, 7157, 7221, 7255
\textcolor . . . 7687, 7702, 7706, 7709, 10791, 12149
\textdef@ 340
\textendash 961, 1212, 1275, 1461, 5935, 6111, 14795, 14934
\textheight 1962, 2369, 6771, 6826, 11236, 15576, 15621, 20088
\textit 18235
\textsl . 4186, 4187, 4188
\textsuperscript 4733, 8257, 8258, 8259, 15737, 16285, 16854, 16983
\texttt 2066, 2130, 2132, 2133
\textwidth 1961, 2367, 2458, 2467, 2468, 2480, 2482, 3947, 3951, 4044, 4345, 4346, 5483, 6759, 6765, 6818, 6879, 6885, 7056, 7211, 7226, 7298, 7307, 7421, 7524, 8323, 9691, 10219, 10223, 10253, 10339, 10344, 10729, 10985, 11029, 11035, 11184, 11187, 11192, 11198, 12766, 13642, 13649, 13740, 13769, 13958, 13959, 13962, 13963, 13966, 13967, 13971, 13974, 15774, 15802, 15806, 15886, 16322, 16350, 16354, 16434, 16935, 17020, 17048, 17052, 17132, 19813, 19819, 19856, 20073, 20083
\textwidth@footnoterule . 636, 958, 1209, 1458, 5932, 6108,

6213, 7799, 7892, 10060, 10543, 10554, 13973, 14792, 14929, 15188, 15384, 15761, 16309, 17007
\textwidthfootnoterule 1850, 7349, 8096, 10552, 11054, 20114
\TeXXeTOff . 14422, 19448
\TeXXeTOn 14421, 14423, 19447, 19449
\TeXXeTstate .. 14421, 14422, 19447, 19448
\TF@conlab 10784, 10786, 10793
\TF@savecolor 10790, 10795
\TF@Title 10793
\thanklessauthor 5231, 5264, 5267, 5304
\thanklesspublisher 5232, 5291, 5294, 5308
\thanklesstitle 5230, 5247, 5250, 5306
\thanks 325, 637, 657, 692, 711, 959, 971, 997, 1008, 1009, 1018, 1041, 1058, 1210, 1222, 1248, 1259, 1260, 1269, 1292, 1309, 1459, 1471, 1497, 1508, 1509, 1518, 1541, 1559, 1989, 5230, 5231, 5232, 5233, 5236, 5243, 5244, 5260, 5261, 5276, 5277, 5288, 5933, 5945, 5971, 6109, 6121, 6147, 6214, 6234, 6269, 6288, 7800, 7818, 7851, 7868, 7893, 7913, 7948, 7967, 10061, 10079, 10112, 10129, 13420, 14793, 14805, 14831, 14842, 14843, 14852, 14875, 14892, 14930, 14944, 14970, 14983, 14984, 14993, 15016, 15036, 15189, 15219, 15259, 15277, 15385, 15405, 15440, 15459, 15762, 15847, 15878, 16310, 16395, 16426, 17008, 17093, 17124
\thankses 325
\the 120, 121, 439, 440, 456, 457, 461, 464, 470, 473, 476, 479, 482, 529, 530, 545, 549, 552, 555, 557, 562, 1588, 1682, 1683, 1685, 1686, 1746, 1919, 1953, 1955, 1958, 1960, 2199, 2201, 2204, 2207, 2212, 2215, 2218, 2323, 2590, 2592, 2593, 2614, 2616, 2617, 3067, 3754, 3761, 3790, 4575, 4585, 4720, 4731, 5534, 5541, 5672, 5675, 5678, 5682, 5685, 5688, 5793, 6405, 6410, 6454, 6515, 6746, 6748, 6805, 6807, 6866, 6872, 6873, 6874, 7006, 7016, 7035, 7043, 7044, 7045, 7048, 7050, 7051, 7052, 10208, 10210, 10240, 10242, 10452, 10467, 10468, 10471, 10472, 10475, 10528, 10532, 10586, 10753, 10767, 10817, 10824, 10828, 10829, 10830, 10831, 10832, 10833, 10841, 10847, 10854, 10855, 10857, 10862, 10864, 10865, 10879, 10905, 10935, 10936, 10937, 10942, 10943, 10944, 10954, 10971, 10973, 11015, 11017, 11108, 11153, 11686, 11694, 11695, 11701, 11703, 11732, 11733, 11739, 11741, 11772, 11774, 11803, 11805, 11834, 11836, 12221, 12222, 12225, 12229, 12233, 12720, 12723, 13274, 13583, 13585, 13596, 13613, 13620, 13626, 13681, 13683, 13694, 13711, 13718, 13724, 13792, 13855, 13857, 13858, 13859, 13860, 13861, 14049, 14188, 14204, 14208, 14211, 14236, 14260, 14267, 14274, 14428, 14429, 15584, 15594, 15603, 15630, 15642, 15652, 15958, 16537, 17219, 17622, 17623,

17653, 17672, 17674, 17698, 17703, 17705, 17706, 17709, 17710, 17713, 17716, 17717, 17720, 17808, 18564, 18567, 18569, 18645, 18916, 18919, 18920, 18922, 18924, 18928, 18933, 18937, 18948, 18949, 18952, 18958, 18962, 18970, 18971, 19008, 19024, 19028, 19127, 19290, 19302, 19307, 19328, 19329, 19331, 19453, 19454, 19581, 19628, 19800, 19802, 19843, 19845
\the@cornersize 10165, 10166
\thealgocf 164
\theAlgoLine 20155
\thechapter . . . 310, 4939, 5916, 5922, 5924, 5926, 6092, 6098, 6100, 6102, 6164, 6343, 6345, 6347, 6348, 6349, 6359, 7998, 8000, 8002, 8003, 8004, 8014, 10014, 10143, 10149, 10151, 10153, 10418, 10420, 10422, 10423, 10424, 10431, 10433, 10435, 10436, 10437, 12336, 13458, 13467, 13469, 13470, 13471, 14090, 14558, 14774, 14780, 14782, 14784, 15139, 15145, 15147, 15149, 15333, 15335, 15337, 15338, 15514, 15516, 15518, 15519, 15520, 15529, 16471, 16473, 16487, 16489, 16495, 16497, 16503, 16505, 17168, 17180, 17184, 17188, 17891
\thecontentspage 4997, 5004, 5011, 5018, 5025
\thedate 5226, 5234, 5280
\theDefaultDepth . 12128
\theDefaultLines . 12127
\theenumiv . . 83, 85, 292, 294, 800, 934, 1196, 1445, 2565, 5899, 6086, 6394, 7780, 8050, 10049, 14768, 15161, 15354, 15556, 15965, 16544, 17226, 17864
\theequation . . 5921, 6097, 6342, 7997, 10148, 10417, 10430, 12102, 13468, 14779, 15148, 15332, 15513, 16501, 17187, 20107
\thefigure . . . 5923, 6099, 6344, 7999, 10150, 10419, 10432, 13470, 14781, 15144, 15334, 15515, 16485, 17179, 17609
\thefootdir@label . . 10452, 10455, 10484, 10489, 10507, 10510, 10530
\thefootnote . . . 673, 963, 1022, 1214, 1273, 1463, 1522, 1980, 5937, 6113, 6250, 7832, 7929, 10093, 11586, 14797, 14856, 14936, 14997, 15192, 15235, 15421, 15765, 15829, 16313, 16377, 17011, 17075
\thefootnotemark 15737, 16285, 16854, 16983
\theHchapter 14090
\theHsection 14098, 14100
\theindex 94, 224
\theL@lines 12174, 12179, 12186
\thelstlisting 12307, 12312, 12335, 12338
\thempfn 2224, 2232, 2240, 4806, 4812, 4835, 4841, 4864, 4870, 5693, 5700, 5707, 10595, 10600, 10604, 10609, 10731, 10757, 10762, 10772, 10777, 11553, 11564, 11575, 11705, 11743, 11776, 11807, 11838, 11900, 12824
\thempfootnote 10731, 12824
\theorem@indent 14124, 14125, 14144, 14145
\theorem@prework . 14118
\theorempostskipamount 14119, 14139
\theorempreskipamount 14122, 14142
\thepage . 1951, 1956, 2543, 4074, 4186, 4187, 4188, 4197, 4198, 5410, 5411, 5422, 5423, 5424, 6932, 6950, 7097, 7115, 19334, 19980

\theparagraph . . . 21, 22, 222, 223, 768, 769, 921, 922, 1174, 1175, 1432, 1433, 4960, 5919, 5920, 6095, 6096, 6352, 6353, 7884, 7885, 8007, 8008, 10146, 10147, 10427, 10428, 10440, 10441, 13463, 13466, 14777, 14778, 15142, 15143, 15341, 15342, 15523, 15524, 15926, 15928, 16481, 16483, 17175, 17177
\thepart 773, 781, 7745, 7753
\ther@tfl@t . . 15569, 15570, 15612, 15613
\thesection 19, 220, 766, 919, 1172, 1430, 4946, 5916, 5917, 6092, 6093, 6349, 6350, 7882, 8004, 8005, 10143, 10144, 10424, 10425, 10437, 10438, 13458, 13460, 14098, 14100, 14774, 14775, 15139, 15140, 15338, 15339, 15520, 15521, 15922, 16469, 16477, 17167, 17171
\thesubparagraph 22, 223, 769, 922, 1175, 1433, 5920, 6096, 6353, 7885, 8008, 10147, 10428, 10441, 13465, 14778, 15143, 15342, 15524, 15927, 16482, 17176
\thesubsection . . 19, 20, 220, 221, 766, 767, 919, 920, 1172, 1173, 1430, 1431, 4953, 5917, 5918, 6093, 6094, 6350, 6351, 7882, 7883, 8005, 8006, 10144, 10145, 10425, 10426, 10438, 10439, 13459, 13462, 14775, 14776, 15140, 15141, 15339, 15340, 15521, 15522, 15922, 15924, 16477, 16479, 17171, 17173
\thesubsubsection 20, 21, 221, 222, 767, 768, 920, 921, 1173, 1174, 1431, 1432, 5918, 5919, 6094, 6095, 6351, 6352, 7883, 7884, 8006, 8007, 10145, 10146, 10426, 10427, 10439, 10440, 13461, 13464, 14776, 14777, 15141, 15142, 15340, 15341, 15522, 15523, 15923, 15926, 16478, 16481, 17172, 17175
\thetable 5925, 6101, 6346, 8001, 10152, 10421, 10434, 13471, 14783, 15146, 15336, 15517, 16493, 17183, 17610
\thinlines 6605, 6615, 6628, 6638, 6651, 6661, 6674, 6684
\thispagestyle . . 97, 109, 227, 689, 820, 835, 1038, 1083, 1289, 1334, 1538, 5311, 5333, 5354, 5817, 5993, 6203, 6266, 7848, 7945, 8061, 8064, 10109, 12105, 12108, 13448, 14663, 14872, 14917, 15013, 15256, 15375, 15437, 15770, 15843, 16318, 16391, 17016, 17089, 17923
\thm@topsepadd 14119, 14120, 14123, 14139, 14140, 14143
\thr@@ 576, 592, 1597, 1615, 1639, 1648, 8621, 8626, 17529, 17726, 17746
\threecolumnfootnotes 8485
\threecolumnfootstyle 8574
\tiny . . . 2026, 4711, 5080
\title 322, 665, 701, 1003, 1048, 1254, 1299, 1503, 1548, 1996, 2445, 2484, 5225, 5240, 5977, 6153, 6242, 6278, 7824, 7858, 7921, 7957, 10085, 10119, 14837, 14882, 14978, 15025, 15227, 15268, 15413, 15449, 15865, 16413, 17111
\TitleBarFrame 10782, 10801, 10803, 10805, 10807
\titlecolour . 2414, 7258
\titlecontents 4992, 4999, 5006, 5013, 5020
\TitleFont 952, 968, 1059, 1061, 1067,

1203, 1219, 1310, 1312, 1318, 1452, 1468, 1560, 1562, 1568, 1571, 1572, 1577, 5942, 6118, 14786, 14802, 14893, 14895, 14901, 14923, 14941, 15039, 15041, 15047, 15050, 15051, 15056
\titlefont ... 2423, 2431, 7291, 15784, 15897, 16332, 16445, 17030, 17143
\titleformat .. 4936, 4943, 4950, 4957
\titlehead 15867, 16415, 17113
\titlepage 846, 1152, 1403, 5883, 6070, 14674, 15123
\titlepagestyle ... 15843, 16391, 17089
\titlespacing 4964, 4965, 4966
\titlestyle . 2431, 7322
\tl 12844, 12852, 12857, 12859, 12860, 12861, 12862, 12864, 12865, 12867, 12870, 12874, 12883, 12887, 12890, 12895, 12900, 12908, 12910, 12911, 12912, 12913, 12915, 12917, 12919, 12920, 12922, 12928, 12932, 12935, 12936, 12939, 12946, 12951, 12959, 12962, 12963, 12964, 12965, 12966, 12969, 12975, 12976, 12977, 12982, 12983, 12990, 12994, 12998, 12999, 13000, 13002, 13022, 13028, 13029, 13030, 13031, 13032, 13044, 13047, 13050, 13052, 13076, 13077, 13079, 13088, 13091, 13092, 13093, 13094, 13095, 13096, 13098, 13104, 13109, 13112, 13113, 13126, 13128, 13129, 13130, 13131, 13132, 13133, 13134, 13143, 13146, 13150, 13151, 13152, 13155, 13169, 13175, 13188, 13193, 13197, 13218, 13226, 13227, 13252, 13256, 13257, 13258, 13271, 13341, 13342, 13352, 13353, 13354, 13355, 13365, 13366, 13367, 13370, 13372, 13374, 13383, 13385, 13388, 13389, 13394, 13395, 13400, 13412, 13413
\toaddress .. 8070, 12114
\toc@headstar 17913, 17918
\tocbasic@DependOnPenaltyAndTOCLevel 18508
\tocbasic@SetPenaltyByTOCLevel 18592
\TOCEntryStyleStartInitCode .. 16145, 16158, 16177, 16724, 16737, 16756, 17406, 17419, 17438
\toclevel@subfigure 18125
\toclevel@subtable 18145
\TOCLineLeaderFill 16162, 16179, 16741, 16758, 17423, 17440, 18609, 18870
\tocstyle@@numberline 19015, 19017, 19035, 19037, 19040, 19042
\tocstyle@activate@all@l 19128
\tocstyle@activate@features 18905
\tocstyle@dottedtocline 18892
\tocstyle@feature@dothook 18991
\tocstyle@feature@entryhook 18987
\tocstyle@feature@entryvskip 18906, 18909
\tocstyle@feature@leaders 18989, 18994
\tocstyle@feature@pagenumberbox 18997, 19000
\tocstyle@feature@pagenumberhook 18998, 19000
\tocstyle@feature@parfillskip 18977, 18978
\tocstyle@feature@raggedhook 18913
\tocstyle@feature@spaceafternumber 19014, 19018, 19039, 19043
\tocstyle@indentstyle 18964, 19034
\tocstyle@l@define 19051, 19054, 19059, 19063, 19067, 19071, 19075, 19079, 19083, 19087, 19119
\tocstyle@macrochangewarning 19107, 19114
\tocstyle@numberline 18893, 19012

\tocstyle@saved@dottedtocline 19109
\tocstyle@saved@numberline 19117
\tocstyledepth 18904, 18916, 18928, 18948, 18949, 18952, 18970, 18971, 19020, 19022, 19024, 19028
\tocstyleTOC 18916, 18919, 18920, 18922, 18924, 18928, 18929, 18931, 18932, 18936, 18940, 18941, 18944, 18945, 18948, 18949, 18952, 18954, 18956, 18957, 18961, 18966, 18967, 18970, 18971, 19020, 19022, 19023, 19027
\today 5234
\toks 118, 120, 1682, 1683, 1685, 1686, 4568, 4569, 4575, 6515, 10860, 10861, 10862
\toks@ 117, 121, 3786, 3790, 6745, 6746, 6747, 6748, 6804, 6805, 6806, 6807, 10207, 10208, 10209, 10210, 10239, 10240, 10241, 10242, 10970, 10971, 10972, 10973, 11014, 11015, 11016, 11017, 11105, 11108, 11142, 11144, 11148, 11150, 11153, 11683, 11686, 13582, 13583, 13584, 13585, 13680, 13681, 13682, 13683, 17672, 17692, 17698, 19799, 19800, 19801, 19802, 19842, 19843, 19844, 19845
\tolerance . . . 8383, 8529, 8674, 8823, 8972, 9121, 9270, 9419, 9568
\toname 8070, 12114
\topheight 14315, 14317, 14318, 14319, 14321, 14327, 14329, 14331, 14332, 14333, 14396, 14397, 14398, 14399, 14403, 14404, 14408
\topmargin 1966, 2368, 7543, 10379, 20067
\topmark 6745, 6754, 6804, 6813, 10207, 10216, 10239, 10248, 10970, 10979, 11014, 11023, 13582, 13591, 13680, 13689, 19799, 19808, 19842, 19851
\topsep . . 2108, 2117, 2557, 3873, 5074, 5116, 13480, 13482
\topskip 303, 1974, 6992, 6995, 10866, 10868, 10873, 13486, 13772, 17889, 17895, 17900, 17907, 17912, 17917
\TOTALHEIGHT 17758, 17762
\totalheight 11135
\traditionalconnverses . . 5472, 5495, 5511
\traditionalhalfverses 5461, 5465, 5472, 5505
\traditionalpoem . 5714
\traditionalpoem@cr . . 5585, 5634, 5635
\traditionalpoem@obeylines 5515, 5714
\traditionalpoem@par . . 5515, 5516, 5634
\trimb 4570, 4577
\trimc 4579
\trivlist 10290, 14121, 14141
\ttdefault . . 7197, 7289
\ttfamily 2013, 2053, 2054, 2056, 2057, 2058, 2059, 2060, 2061, 2062
\ttl@a 17813, 17815
\ttl@b 17808, 17809, 17813, 17815
\ttl@beginlongest 17783
\ttl@calc . . 17778, 17790
\ttl@changecentercr 17782
\ttl@contentsstretch 17820
\ttl@corr 17835, 17836, 17839
\ttl@endlongest . . 17798
\ttl@filleft 17772, 17801
\ttl@filright 17773, 17802
\ttl@glcmds 17785
\ttl@hmode@error . 17784
\ttl@leaders 17837
\ttl@lselect 17844, 17847
\ttl@makeline 17778, 17833
\ttl@margin 17832, 17838
\ttl@midlongest . . 17797
\ttl@outnoblock . . 17811
\ttl@savel@chapter 17846
\ttl@savel@part . . 17843
\ttlh@hang 17777
\turn 15656
\turnbox 15677
\tw@ 575, 583, 1596, 1604, 1638, 1642, 1647, 2280, 2898, 8479, 8484, 10170,

10171, 10859, 10863, 10864, 10878, 10882, 10887, 10890, 10901, 10905, 10906, 10907, 10908, 10911, 11071, 11073, 11074, 11076, 11077, 11080, 11082, 11083, 11117, 11119, 11120, 11122, 11123, 11126, 11128, 11129, 12223, 13865, 13872, 13873, 13881, 13882, 13887, 13888, 13894, 13904, 13905, 13912, 13913, 13930, 13935, 14494, 14495, 15728, 16276, 16846, 16974, 17529, 17627, 17725, 17733, 18037, 19527, 19528, 19758, 19762, 19764
\twocolumn 682, 817, 833, 1031, 1081, 1282, 1332, 1531, 1950, 5815, 5991, 6200, 6259, 6931, 7096, 7841, 7938, 10102, 13439, 14661, 14865, 14915, 15006, 15249, 15372, 15430, 15836, 16384, 17082, 17889, 17895, 17900, 17907, 17912, 17917
\twocolumnfootnotes 8336
\twocolumnfootstyle 8431
\TX@ 17649, 17650, 17678, 17679
\TX@align .. 17702, 17704
\TX@arith 17664
\TX@ckpt ... 17654, 17700
\TX@col@width . 17651, 17657, 17662, 17705
\TX@cols 17658, 17662, 17706
\TX@endtabularx 11672, 11683, 11689, 17647
\TX@find@endtabularxa 17649, 17650
\TX@find@endtabularxb 17679
\TX@find@endtabularxbb 17677
\TX@ftn . 17674, 17709, 17711, 17713, 17716, 17718, 17720
\TX@ftntext 17668
\TX@LTRftntext 17669, 17708
\TX@newcol 17651
\TX@old@table 17656
\TX@RTLftntext 17670, 17715
\TX@target . 17657, 17671
\TX@trial 17661, 17666, 17682
\TX@trial@ftn 17685, 17686, 17687
\TX@typeout@ 17659, 17701
\TX@verb 17652
\TX@vwarn 17688
\TX@xftntext 17668
\TX@xLTRftntext 17669, 17712
\TX@xRTLftntext 17670, 17719
\typeout 1745, 1747, 4070, 4072, 4073, 4074, 4076, 4078, 4079, 4080, 10462, 14534, 18916, 18928, 18948, 18949, 18952, 18970, 18971

U

\uc@authornothanks 980, 1009, 1014, 1231, 1260, 1265, 1480, 1509, 1514, 5954, 6130, 14814, 14843, 14848, 14953, 14984, 14989
\uc@ax 1010, 1011, 1261, 1262, 1510, 1511, 14844, 14845, 14985, 14986
\uc@nothanks ... 971, 1008, 1009, 1018, 1222, 1259, 1260, 1269, 1471, 1508, 1509, 1518, 5945, 6121, 14805, 14842, 14843, 14852, 14944, 14983, 14984, 14993
\uc@tx 1008, 1016, 1259, 1267, 1508, 1516, 14842, 14850, 14983, 14991
\uc@ty 1017, 1018, 1268, 1269, 1517, 1518, 14851, 14852, 14992, 14993
\undefined 3592, 5667, 5720, 5723, 5725, 16026, 16028, 16030, 16605, 16607, 16609, 17287, 17289, 17291
\underline . 19717, 19725
\undertext 19725
\unexpanded 2925, 2934, 2935, 2942, 2943, 2956, 2957, 2964, 2965, 3066, 3187
\unhbox 1712, 5540, 5805, 6541, 9673, 9697, 9707, 9710, 9891, 9895, 9900, 9903, 19635, 19768, 19769, 19770, 19771
\unhcopy 17549, 17561, 17637
\unitindent ... 856, 867, 868, 870,

943, 949, 1093, 1094, 1096, 1162, 1163, 1165, 1166, 1178, 1183, 1276, 1348, 1349, 1351, 1413, 1422, 1428, 5831, 5832, 5834, 5908, 5914, 6007, 6008, 6010, 6061, 6067, 14684, 14695, 14696, 14698, 14749, 14755, 15066, 15067, 15069, 15133, 15170, 15176
\unitlength . . 6605, 6615, 6628, 6638, 6651, 6661, 6674, 6684, 14155
\unkern 4732
\unpenalty . . . 6440, 6975, 6987, 6998, 7004, 9676, 9694, 9704, 10890
\unrestored@protected@xdef . . . 2224, 2232, 2240, 4812, 4841, 4870, 5693, 5700, 5707, 10600, 10609, 10762, 10777, 11553, 11564, 11575, 11586
\unsetfootnoteRL 10615, 10616
\unsetLTR . . 14476, 19505
\unsetRL . . . 14501, 19536
\unsetRTL . . 14475, 19504
\unskip 45, 58, 73, 254, 267, 281, 338, 544, 1664, 1665, 1666, 4124, 4127, 4130, 4133, 4820, 4849, 4878, 5567, 5578, 6437, 6743, 6802, 6975, 6987, 6998, 7000, 7004, 7008, 8293, 9674, 9675, 10740, 10968, 11012, 12793, 12796, 13580, 13678, 15661, 15671, 15689, 16023, 16044, 16049, 16058, 16602, 16623, 16628, 16637, 17284, 17305, 17310, 17319, 19650, 19797, 19840, 20012
\unvbox 6451, 6452, 6706, 6709, 6726, 6730, 6743, 6789, 6802, 6844, 6902, 6910, 6911, 6920, 6998, 7000, 7004, 7007, 7013, 7017, 7066, 7074, 7075, 7084, 7132, 7363, 7366, 7367, 7384, 7387, 7388, 7413, 7420, 7425, 7430, 7470, 7475, 7479, 7484, 8152, 8165, 8178, 8266, 8298, 8304, 8335, 8396, 8408, 8421, 8461, 8542, 8553, 8565, 8603, 8687, 8699, 8712, 8752, 8836, 8848, 8861, 8901, 8985, 8997, 9010, 9050, 9134, 9146, 9159, 9199, 9283, 9295, 9308, 9348, 9432, 9444, 9457, 9497, 9581, 9593, 9606, 9646, 9671, 9789, 9803, 9817, 9870, 9889, 9898, 9923, 9931, 9938, 9943, 9949, 10683, 10696, 10709, 10745, 10750, 10853, 10863, 10890, 10968, 11012, 12732, 12737, 12746, 12749, 12799, 12817, 13580, 13609, 13611, 13619, 13637, 13639, 13678, 13707, 13709, 13717, 13735, 13737, 13790, 14353, 14357, 14362, 14366, 14378, 14389, 14409, 14412, 14417, 19635, 19797, 19840
\unvcopy 6970, 7407, 7464
\uppercase . 310, 988, 1008, 1239, 1259, 1488, 1508, 5962, 6138, 14822, 14842, 14961, 14983
\uppercasenonmath . 110
\uppermargin 7527
\uppertitleback 15870, 16418, 17116
\upshape 4997, 5004, 5011, 5018, 5025, 7198, 7202, 7203, 7290, 7295, 7296, 14553
\urlstyle 2387
\use 12975
\usebox 2093, 2103, 3971, 4097, 4099, 4104, 4106, 4115, 4116, 4119, 4120, 4327, 7633, 7636, 7644, 7651, 7659, 7666, 7709, 11243, 11247, 11330, 11332, 11336, 11338, 11343, 11345, 11349, 11351, 11355, 11357, 11361, 11363, 11369, 11370, 11373, 11374, 11378, 11379, 11382, 11383, 11386, 11387, 11390, 11391, 11405,

11406, 11408, 11409, 11421, 11422, 11424, 11425, 11431, 11432, 11435, 11436, 11440, 11441, 11444, 11445, 11448, 11449, 11452, 11453, 11460, 11462, 11466, 11468, 11473, 11475, 11479, 11481, 11485, 11487, 11491, 11493, 11506, 11508, 12232, 12234, 14151, 14152, 14154, 14161, 14179, 14424, 14425, 19450
\usecounter 87, 296, 798, 932, 1194, 1443, 2563, 5112, 5897, 6084, 6392, 7778, 8048, 10047, 14766, 15159, 15352, 15554, 15957, 15962, 16536, 16541, 17218, 17223, 17862
\usekomafont .. 15742, 15749, 15786, 15899, 16149, 16152, 16169, 16171, 16290, 16297, 16334, 16447, 16728, 16731, 16747, 16750, 16988, 16995, 17032, 17145, 17410, 17413, 17429, 17432
\usepackage 3510, 3511, 3516, 3517, 3520, 3523, 3568, 3569
\usetocbasicnumberline 18545

V

\v@aaa ... 6863, 6865, 6866, 6867, 6869, 6871, 6872, 6873, 6874, 7029, 7031, 7033, 7035, 7036, 7041, 7042, 7044, 7047, 7048, 7051
\v@ccc 6864, 6870, 6872, 6873, 6874, 6875, 6884, 6892, 7030, 7042, 7043, 7047, 7050, 7054, 7057
\vadjust 5543, 5544, 5551
\valign 8325, 8329
\value 4613, 4632, 4651, 4683, 10452, 10467, 10468, 10471, 10472, 10475, 11908, 11913, 16013, 16592, 17274, 17653
\varcustomer .. 16866, 16892, 16893, 16896
\varinvoice .. 16867, 16898, 16899, 16902
\varmyref 16865, 16886, 16887, 16890
\varrefitemi .. 16868, 16904, 16905, 16908
\varrefitemii . 16869, 16910, 16911, 16914
\varrefitemiii 16870, 16916, 16917, 16920
\varrefitemnamei 16906
\varrefitemnameii 16912
\varrefitemnameiii 16918
\varyourmail .. 16864, 16880, 16881, 16884
\varyourref .. 16863, 16874, 16875, 16878
\vbadness 6742, 6801, 8324, 8328, 10205, 10237, 10338, 10967, 11011, 13579, 13677, 14305, 19796, 19839
\vbox .. 175, 308, 618, 624, 1632, 1699, 2304, 4354, 4355, 4357, 5527, 6445, 6450, 6528, 6706, 6709, 6726, 6730, 6743, 6758, 6771, 6787, 6802, 6817, 6826, 6842, 6864, 6870, 6875, 6878, 6884, 6887, 6892, 6897, 6901, 6909, 6919, 6970, 6998, 7000, 7003, 7012, 7030, 7042, 7054, 7055, 7057, 7061, 7065, 7073, 7083, 7131, 7137, 7355, 7363, 7364, 7372, 7376, 7384, 7385, 7393, 7407, 7412, 7416, 7419, 7423, 7424, 7441, 7448, 7464, 7469, 7473, 7474, 7477, 7478, 7493, 7500, 8151, 8164, 8177, 8264, 8395, 8407, 8420, 8460, 8541, 8552, 8564, 8602, 8686, 8698, 8711, 8751, 8835, 8847, 8860, 8900, 8984, 8996, 9009, 9049, 9133, 9145, 9158, 9198, 9282, 9294, 9307, 9347, 9431, 9443, 9456, 9496, 9580, 9592, 9605, 9645, 9671, 9744, 9756, 9768, 9786, 9794, 9800, 9808, 9814, 9822, 9862, 9869, 9876, 9920, 9928, 9941, 10219, 10252, 10339, 10344, 10367, 10380, 10394, 10682, 10695, 10708, 10726,

10850, 10863, 10887, 10968, 10984, 11012, 11028, 12670, 12732, 12737, 12740, 12745, 12746, 12749, 12761, 12799, 13327, 13486, 13580, 13603, 13608, 13610, 13618, 13636, 13641, 13678, 13701, 13706, 13708, 13716, 13734, 13739, 13768, 14339, 14340, 14353, 14357, 14362, 14366, 14378, 14389, 14404, 14406, 14408, 14411, 14416, 14453, 14460, 14461, 14468, 14564, 16040, 16619, 17301, 17605, 17639, 17644, 19050, 19053, 19058, 19062, 19066, 19070, 19074, 19078, 19082, 19086, 19478, 19486, 19487, 19495, 19625, 19630, 19736, 19753, 19797, 19812, 19840, 19855, 19990, 20029, 20068, 20069

\vboxL 14461, 15576, 15621, 19487

\vboxR 14453, 19478

\vcenter 618, 1696, 6525, 17639, 19554, 19632, 19633, 19736

\veqno 329, 330

\verb 17652

\VerbBox 7690, 7692

\verse@i . 5557, 5588, 5594, 5602, 5643

\verse@ii 5568, 5589, 5595, 5597, 5603, 5605, 5643

\versewidth 5520, 5530, 5622

\vfil 640, 654, 847, 850, 965, 994, 1153, 1156, 1216, 1245, 1404, 1407, 1465, 1494, 5527, 5884, 5887, 5939, 5968, 6071, 6074, 6115, 6144, 6217, 6231, 7363, 7384, 7801, 7815, 7896, 7910, 10062, 10076, 14675, 14678, 14799, 14828, 14938, 14967, 15124, 15127, 15202, 15216, 15388, 15402, 20070

\vfill 5307, 8325, 8329, 9975, 14404, 14409, 14410, 15586, 15601, 15633, 15650, 15778, 15800, 15805, 15811, 16326, 16348, 16353, 16359, 17024, 17046, 17051, 17057

\vfuzz . . 4581, 4584, 4585

\vleftskip . 13454, 13455

\voffset 1970

\voidb@x 6418, 6482

\vphantom 19213

\vpic . 14329, 14339, 14340

\vrightskip 13454, 13455

\vrule 607, 1711, 4356, 4357, 5526, 5528, 6540, 6762, 6821, 6882, 6894, 7059, 10221, 10256, 10988, 11032, 12661, 12718, 13056, 13318, 13405, 13613, 13620, 13645, 13711, 13718, 13744, 13772, 13885, 13899, 17565, 17593, 17634, 19739, 19816, 19859, 20004

\vsize . . . 6940, 7105, 10359, 10815, 10866, 12744, 12752

\vskip 311, 314, 641, 644, 650, 709, 715, 721, 725, 787, 865, 966, 975, 985, 1056, 1060, 1066, 1070, 1091, 1217, 1226, 1236, 1307, 1311, 1317, 1321, 1346, 1466, 1475, 1485, 1556, 1561, 1567, 1571, 1577, 1580, 2319, 5583, 5610, 5646, 5647, 5653, 5657, 5659, 5770, 5772, 5829, 5868, 5940, 5949, 5959, 6005, 6044, 6116, 6125, 6135, 6166, 6171, 6175, 6177, 6183, 6187, 6189, 6218, 6221, 6227, 6286, 6292, 6298, 6302, 6322, 6361, 6366, 6374, 6788, 6843, 6904, 6905, 6913, 6914, 6923, 6924, 7005, 7068, 7069, 7077, 7078, 7087, 7088, 7428, 7482, 7759, 7767, 7802, 7805, 7811, 7866, 7870, 7876, 7880, 7897, 7900, 7906, 7965, 7971, 7977, 7981, 8016, 8021, 8030,

8285, 8295, 8308,
9906, 9910, 9924,
9932, 9934, 9945,
9998, 10016,
10020, 10028,
10063, 10066,
10072, 10127,
10131, 10137,
10141, 10379,
10381, 10382,
10742, 10851,
10889, 10894,
12200, 12202,
12275, 12288,
12688, 12705,
12706, 12708,
12814, 13480,
13482, 13485,
13526, 13535,
13543, 13611,
13612, 13614,
13621, 13638,
13709, 13710,
13712, 13719,
13736, 13779,
13791, 13810,
13822, 13834,
14304, 14321,
14342, 14408,
14693, 14732,
14800, 14809,
14819, 14890,
14894, 14900,
14904, 14939,
14948, 14958,
15033, 15040,
15046, 15050,
15056, 15059,
15064, 15103,
15203, 15206,
15212, 15276,
15282, 15287,
15290, 15309,
15389, 15392,
15398, 15457,
15463, 15469,
15473, 15493,
15531, 15535,
15543, 15741,
15748, 15782,
15785, 15787,
15793, 15795,
15797, 15813,
15891, 15895,
15898, 15900,
15907, 15909,
15912, 15917,
15996, 16001,
16085, 16087,
16091, 16093,
16104, 16106,
16114, 16116,
16289, 16296,
16330, 16333,
16335, 16341,
16343, 16345,
16361, 16439,
16443, 16446,
16448, 16455,
16457, 16460,
16465, 16575,
16580, 16664,
16666, 16670,
16672, 16683,
16685, 16693,
16695, 16871,
16872, 16987,
16994, 17028,
17031, 17033,
17039, 17041,
17043, 17059,
17137, 17141,
17144, 17146,
17153, 17155,
17158, 17163,
17257, 17262,
17346, 17348,
17352, 17354,
17365, 17367,
17375, 17377,
17981, 18000,
18021, 18038,
18055, 18072,
18089, 18107,
18126, 18146,
18181, 18370,
18907, 19091,
19270, 19274,
19293, 19659,
19668, 19677,
19686, 19774,
19990, 20067,
20078, 20093, 20101
\vspace 2487,
3964, 4048, 4056,
4674, 4678, 4740,
4744, 4757, 4761,
4774, 4778, 4895,
4904, 4913, 4994,
5001, 5008, 5015,
5022, 5305, 5349,
5353, 6160, 6180,
6355, 6369, 8010,
8025, 8069, 8071,
8073, 10011,
10023, 12113,
12115, 12781,
12794, 15526,
15538, 16929,
16932, 16934,
16939, 17889,
17895, 17900,
17907, 17912, 17917
\vsplit . . 6701, 6702,
6719, 6723, 6744,
6803, 6865, 6871,
6876, 7031, 7033,
7042, 7054, 7134,
8334, 10206,
10238, 10859,
10969, 11013,
13581, 13679,
14310, 14313,
14332, 14333,
14351, 14355,
14360, 14364,
14376, 14387,
14414, 19798, 19841
\vss 308, 6774,
6829, 6865, 6871,
6876, 6884, 6887,
6892, 6897, 7032,
7042, 7054, 7057,
7061, 7135, 7420,
7430, 7475, 7484,
10395, 12737,
12749, 13328,
14339, 14340,
14411, 14564, 19635
\vtop 176,

618, 624, 1631, 1698, 4415, 4459, 4503, 6451, 6527, 12652, 17605, 17639, 17644, 19631, 19736, 19753, 19905, 19949

W

\waslice 14339, 14357, 14362, 14378, 14397, 14398, 14407
\wbslice 14340, 14353, 14366, 14389, 14396, 14398, 14399, 14403, 14404, 14411, 14416, 14417
\wd 5533, 5534, 5594, 5595, 5597, 5603, 5643, 5744, 5746, 5759, 5761, 6549, 7703, 7707, 9681, 10181, 10300, 10788, 10906, 10907, 11080, 11082, 11126, 11128, 11249, 11330, 11332, 11336, 11338, 11369, 11370, 11373, 11374, 11398, 11399, 11401, 11414, 11415, 11417, 11431, 11432, 11435, 11436, 11460, 11462, 11466, 11468, 12161, 12205, 12206, 12217, 12282, 12683, 12800, 13492, 13496, 13498, 13506, 13537, 13851, 14297, 14495, 14518, 14545, 15573, 15618, 15674, 15681, 16038, 16617, 16877, 16883, 16889, 16895, 16901, 16907, 16913, 16919, 16925, 17299, 17545, 17703, 17754, 17791, 17808, 18550, 18564, 19304, 19348, 19528, 19713, 20095
\WF@@everypar 19267
\WF@adjlw . 19307, 19332
\WF@adjtlm 19329, 19332
\WF@box 19304, 19337, 19338
\WF@floatfalse 19270, 19278, 19288, 19291
\WF@fltmes 19297
\WF@info 19277, 19287, 19290, 19299, 19334, 19336
\WF@ovh 19304
\WF@place . 19302, 19308
\WF@putfigmaybe . 19268
\WF@size . . . 19281, 19335
\WF@startwrapping 19340
\WF@wfname 19299, 19334, 19336
\WF@wrapil . 19328, 19331
\whiledo 10343
\widowpenalty 88, 297, 804, 935, 1197, 1446, 2566, 5631, 5900, 6087, 6398, 7781, 8054, 10050, 14055, 14769, 15162, 15358, 15560, 15967, 16546, 17228, 17868
\WIDTH 17754, 17762
\width . . 10809, 11148, 11150, 13365, 13378, 13380, 13404
\widthof 7558, 7563
\windowbox . 14406, 14412
\wlog 6866, 6872, 6874, 7035, 7043, 7050
\write . . . 3741, 5516, 5519, 5730, 17691
\wstrutbox . 14316, 14318

X

\x . 3753, 3756, 12074, 12083, 12085, 12097
\XC@@tmp 19375, 19376, 19390, 19424, 19425, 19433, 19437
\XC@@tstfalse 19375, 19424
\XC@@tsttrue . . 19376, 19377, 19378, 19425, 19426, 19427
\XC@bidideclaredc@lor 19431, 19436
\XC@bidideclaredcolor 19430, 19432
\XC@bidiundeclaredcolor 19415, 19417
\XC@coremodel 19359, 19402
\XC@current@color 19387, 19390, 19391, 19421, 19437, 19438
\XC@declaredc@lor 19382, 19389
\XC@declaredcolor 19381
\XC@display . . 19388, 19392, 19422, 19439
\XC@edef . . . 19375, 19424
\XC@fbox 19443
\XC@getmodclr 19355, 19398
\XC@inflate 19369, 19412
\XC@let@Nc 19390, 19437
\XC@mclr . . . 19369, 19412
\XC@mmod 19367, 19368, 19410, 19411
\XC@mul 19370, 19413
\XC@split 19433
\XC@tgt@mod 19363, 19406
\XC@type . . . 19376, 19425
\XC@undeclaredcolor 19372, 19383
\xcolor@ . . . 19387, 19421
\xdef . . 335, 443, 444, 450, 470, 473, 534, 549, 552, 613, 2046, 2722,

2857, 2942, 2943, 2946, 2947, 2964, 2965, 2968, 2969, 3632, 3787, 5534, 5536, 5617, 5619, 5621, 6746, 6748, 6805, 6807, 7373, 7394, 7439, 7445, 7446, 7491, 7497, 7498, 9734, 9851, 9913, 10208, 10210, 10240, 10242, 10586, 10971, 10973, 11015, 11017, 11684, 12154, 12668, 13583, 13585, 13681, 13683, 14260, 14267, 14274, 17808, 18932, 18936, 18957, 18961, 19023, 19027, 19302, 19307, 19328, 19329, 19331, 19332, 19800, 19802, 19843, 19845
\XeLaTeX 12066, 19532, 20255, 20256
\XeTeX . . 12065, 14497, 19530, 20253, 20254
\XeTeXcharclass 1881, 1882, 1883, 1884
\XeTeXinterchartokenstate 1877
\XeTeXinterchartoks 1885, 1886, 1887, 1888
\xyzzy 4562

Y

\y 12070, 12072, 12073, 12076, 12083
\yourmailname . . . 16882
\yourrefname 16876

Z

\z@ . . . 12, 24, 45, 58, 73, 95, 99, 107, 124, 130, 132, 213, 225, 229, 254, 267, 281, 308, 316, 320, 406, 420, 445, 522, 523, 577, 581, 584, 595, 610, 615, 621, 622, 686, 733, 745, 750, 777, 815, 820, 821, 831, 835, 836, 865, 866, 869, 871, 884, 909, 960, 977, 1035, 1079, 1083, 1084, 1091, 1092, 1095, 1098, 1110, 1127, 1164, 1167, 1211, 1228, 1274, 1286, 1330, 1334, 1335, 1346, 1347, 1350, 1352, 1365, 1391, 1460, 1477, 1535, 1572, 1598, 1602, 1605, 1618, 1640, 1648, 1666, 1676, 1678, 1688, 1690, 1695, 1709, 1711, 1712, 2264, 2319, 3861, 3870, 4163, 4396, 4400, 4440, 4444, 4484, 4488, 5071, 5098, 5129, 5141, 5319, 5547, 5550, 5553, 5594, 5595, 5597, 5603, 5617, 5621, 5625, 5626, 5627, 5628, 5629, 5630, 5643, 5656, 5724, 5736, 5737, 5744, 5746, 5759, 5761, 5769, 5813, 5817, 5818, 5829, 5830, 5833, 5835, 5848, 5871, 5922, 5924, 5926, 5934, 5951, 5989, 5993, 5994, 6005, 6006, 6009, 6011, 6024, 6047, 6098, 6100, 6102, 6110, 6127, 6161, 6181, 6198, 6203, 6204, 6263, 6310, 6325, 6343, 6345, 6347, 6356, 6370, 6420, 6421, 6432, 6434, 6517, 6519, 6524, 6538, 6540, 6541, 6546, 6547, 6548, 6549, 6550, 6584, 6595, 6713, 6859, 6906, 6915, 6925, 6943, 6946, 6983, 7025, 7070, 7079, 7089, 7108, 7111, 7361, 7382, 7399, 7400, 7402, 7403, 7411, 7433, 7435, 7438, 7456, 7457, 7459, 7460, 7468, 7485, 7487, 7490, 7672, 7694, 7696, 7698, 7701, 7703, 7705, 7707, 7709, 7710, 7716, 7721, 7735, 7749, 7762, 7845, 7942, 7988, 7998, 8000, 8002, 8011, 8026, 8114, 8130, 8146, 8160, 8173, 8186, 8222, 8227, 8234, 8239, 8246, 8251, 8309, 8310, 8382, 8528, 8673, 8822, 8971, 9120, 9269, 9418, 9567, 9680, 9774, 9778, 9782, 9883, 9907, 9908, 9909, 9986, 10001, 10012, 10024, 10106, 10149, 10151, 10153, 10182, 10325, 10378, 10395, 10418, 10420, 10422, 10431, 10433, 10435, 10581,

10634, 10650,
10665, 10691,
10704, 10717,
10731, 10735,
10856, 10906,
10913, 10939,
10940, 10941,
11063, 11064,
11065, 11070,
11071, 11072,
11073, 11074,
11076, 11077,
11079, 11080,
11082, 11116,
11117, 11118, 11119,
11120, 11122,
11123, 11125,
11126, 11128,
11200, 11206,
12177, 12241,
12248, 12253,
12264, 12336,
12630, 12632,
12664, 12670,
12673, 12678,
12681, 12718,
12732, 12736,
12737, 12740,
12746, 12772,
12774, 12796,
12825, 13442,
13445, 13469,
13593, 13597,
13607, 13666,
13691, 13695,
13705, 13761,
13778, 13787,
13789, 13810,
13822, 13834,
13854, 13865,
13871, 14045,
14049, 14090,
14100, 14150,
14151, 14152,
14154, 14156,
14161, 14179,
14425, 14469,
14471, 14493,
14494, 14495,
14504, 14505,
14518, 14542,
14543, 14564,
14609, 14610,
14624, 14627,
14641, 14659,
14663, 14664,
14693, 14694,
14697, 14699,
14712, 14735,
14780, 14782,
14784, 14794,
14811, 14869,
14913, 14917,
14918, 14933,
14950, 15010,
15051, 15064,
15065, 15068,
15070, 15083,
15106, 15145,
15147, 15149,
15201, 15244,
15253, 15280,
15297, 15312,
15333, 15335,
15337, 15370,
15375, 15376,
15434, 15481,
15496, 15514,
15516, 15518,
15527, 15539,
15573, 15574,
15575, 15618,
15619, 15620,
15658, 15662,
15663, 15668,
15672, 15673,
15674, 15679,
15680, 15681,
15686, 15690,
15691, 15733,
15741, 15748,
15750, 15772,
15795, 15813,
15840, 15884,
15909, 15996,
16001, 16046,
16110, 16186,
16189, 16195,
16205, 16215,
16225, 16281,
16289, 16296,
16298, 16320,
16343, 16361,
16388, 16432,
16457, 16575,
16580, 16625,
16689, 16769,
16774, 16777,
16783, 16793,
16803, 16813,
16850, 16979,
16987, 16994,
16996, 17018,
17041, 17059,
17086, 17130,
17155, 17257,
17262, 17307,
17371, 17451,
17456, 17459,
17465, 17475,
17485, 17495,
17536, 17537,
17538, 17539,
17544, 17545,
17549, 17561,
17595, 17618,
17630, 17634,
17727, 17731,
17738, 17749,
17775, 17776,
17786, 17790,
17791, 17792,
17795, 17804,
17805, 17807,
17808, 17810,
17818, 17823,
17838, 17923,
17924, 17998,
18088, 18106,
18199, 18378,
18486, 18515,
18825, 18829,
18907, 18912,
18917, 18965,
19091, 19277,
19284, 19285,
19303, 19319,
19322, 19331,
19332, 19334,
19338, 19345,

19346, 19347, 19348, 19443, 19450, 19498, 19500, 19526, 19527, 19528, 19578, 19579, 19580, 19659, 19668, 19677, 19686, 19690, 19710, 19711, 19741, 19752, 19760, 19765, 19774, 19886, 19890, 19930, 19934, 19975, 19979, 19982, 19992, 19993, 19997, 20004, 20039, 20065, 20076, 20104, 20105

\z@skip . 2319, 10376, 10377, 12772, 12775, 14624, 14628, 14638, 17599, 17604, 17637, 17643, 19689, 19690, 19745, 19751, 20065

\zap@space 444, 3498, 3585, 3621

\zifrefundefined 10484, 10507

\zref@extractdefault 10489, 10510

\zref@labelbyprops 10455, 10530

\ 1884

\ 1884

9 Change History

v13.9

General: Added implementaion of the package. 0

v14.2

General: Fixed the wrong order of toc, lot, lof, etc with multicol package. 308

v14.3

General: Removed \leavevmode to avoid extra \par. 141