Даталогическая модель: каталог и допуски

PK — первичный ключ; FK — внешний ключ; NN — NOT NULL. Стрелка направлена от FK к родителю. Все FK: RESTRICT / RESTRICT.



Все FK листа (включая внешние): user_role.user_id → app_user.id; user_role.role_code → app_role.id; type_capability.type_id → equipment_type.id; type_capability.capability_id → capability.id; equipment.type_id → equipment_type.id; admission.user_id → app_user.id; admission.type_id → equipment_type.id; admission.granted_by → app_user.id.

Даталогическая модель: бронирование и использование

PK — первичный ключ; FK — внешний ключ; NN — NOT NULL. Стрелка направлена от FK к родителю. Все FK: RESTRICT / RESTRICT.



Все FK листа (включая внешние): notification.user_id → app_user.id; notification.booking_id → booking.id; conflict_event.user_id → app_user.id; conflict_event.equipment_id → equipment.id; booking.user_id → app_user.id; booking.equipment_id → equipment.id; booking.capability_id → capability.id; alternative.booking_id → booking.id; alternative.equipment_id → equipment.id; use_session.booking_id → booking.id.

Даталогическая модель: технические работы и аудит

PK — первичный ключ; FK — внешний ключ; NN — NOT NULL. Стрелка направлена от FK к родителю. Все FK: RESTRICT / RESTRICT.



Все FK листа (включая внешние): audit_event.actor_id → app_user.id; fault_report.equipment_id → equipment.id; fault_report.reported_by → app_user.id; unavailability.equipment_id → equipment.id; unavailability.fault_report_id → fault_report.id; unavailability.created_by → app_user.id; unavailability.resolved_by → app_user.id; repair.unavailability_id → unavailability.id; repair.performed_by → app_user.id.