CS 434: Implementation Assignment 1

Daniel Kato

Linear Regression

1. The learned weight vector of the test data is:

```
[3.95843212e+01 -1.01137046e-01 4.58935299e-02 -2.73038670e-03 3.07201340e+00 -1.72254072e+01 3.71125235e+00 7.15862492e-03 -1.59900210e+00 3.73623375e-01 -1.57564197e-02 -1.02417703e+00 9.69321451e-03 -5.85969273e-01]
```

Here is the learned weight vector next to the features that each weight describes:

```
3.95843212e+01
                    Dummy
-1.01137046e-01
                    per capita crime rate by town
4.58935299e-02
                    proportion of residential land zoned for lots over 25,000sq.ft.
-2.73038670e-03
                    proportion of non-retail business acres per town
3.07201340e+00
                    Charles River dummy variable
-1.72254072e+01
                    nitric oxides concentration (parts per 10 million)
                    average number of rooms per dwelling
3.71125235e+00
                    proportion of owner-occupied units built prior to 1940
7.15862492e-03
-1.59900210e+00
                    weighted distances to five Boston employment centres
                    index of accessibility to radial highways
3.73623375e-01
-1.57564197e-02
                    full-value property-tax rate per $10,000
                    pupil-teacher ratio by town
-1.02417703e+00
                    1000(Bk - 0.63)^2 where Bk is the proportion of blacks by town
9.69321451e-03
-5.85969273e-01
                    % lower status of the population
```

- 2. Training Dataset ASE: 22.081273187 Test Dataset ASE: 22.6382562966
- 3. Training Dataset ASE (Without Dummy): 24.4758827846 Test Dataset ASE (Without Dummy): 24.2922381757

The reason the dummy variable improves the accuracy of the optimal weight vector is because it provides the v intercept (or b) for the regression.

4. The addition of random features increases the accuracy of the regression when applying it to the training data, but also decreases the accuracy of the regression when applied to other data. Adding more features leads to worse performance when it comes to applying the learned weight vector to other datasets. This is because the addition of features allows the weight vector to be trained more precisely, but it comes at the expense of overfitting the regression to the specific case of the training data.




Figure 1: Plot of ASEs




Figure 2: Plot of Batch Accuracys