Material Design Bootstrap 4 and Angular 5 Tutorial - MdBootstrap

BY GARY SIMON - JAN 31, 2018

With Bootstrap 4.0 just releasing, I thought it would be worth taking a look at how to integrate it into an Angular 5 app. **MdBootstrap.com** offers a package built specifically for Angular 5 that allows you to use Bootstrap 4 along with Material Design for the frontend of your app.

I'm going to walk you through exactly how to get up and running with this setup, along with how to start creating layouts based on the **MdBootstrap documentation**.

Let's get started!

Learn Angular 5 from Scratch - Angular 5 Tutorial

Build a Beautiful CryptoCurrency App using Ionic 3

Create a MEAN App Called CodePost - Full Stack

Learn Angular 4 from Scratch

Create a Personal Portfolio using Angular 2 & Behance

If you prefer watching a video..

Be sure to **Subscribe to the Official Coursetro Youtube Channel** for more videos.

MdBootstrap Tutorial - Integrating Material Design, Bootstrap 4 & Angular 5

Starting the Project

You can either clone the MdBootstrap github, or integrate it custom with the help of npm. We're going to go the npm route, simply because it will help you better understand what's being altered within Angular to integrate MdBootstrap.

As always, being that we're going to use npm to install some packages, you're going to need Nodejs. If you don't have it, visit Nodejs.org and download the appropriate installer. Then, load up your console or command line.

You're going to need the Angular CLI to start a new Angular project, and if you don't have it already, install it by typing:

```
> npm install -g @angular/cli
```

Then, we're going to use it to create a new project:

```
> ng new mdbs --style=scss
```

This creates a new Angular project called *mdbs* and we're telling it that we want to use the Sass preprocessor. Next, hop into the new folder:

```
> cd mdbs
```

Next, we will install a few packages:

```
> npm i --save angular-bootstrap-md chart.js@2.5.0 font-awesome hammerjs
```

- **angular-bootstrap-md** is the package from MdBootstrap for Angular

```
import { BrowserModule } from '@angular/platform-browser';
import { NgModule, NO_ERRORS_SCHEMA } from '@angular/core';
import { MDBBootstrapModule } from 'angular-bootstrap-md';
```

- **NO_ERRORS_SCHEMA** tells the compiler to not error based on unknown elements, which are used by MdBootstrap

Then, in the *@NgModule* we add:

```
imports: [
  BrowserModule,
  MDBBootstrapModule.forRoot()
],
schemas: [ NO_ERRORS_SCHEMA ],
```

Next, open up **/angular-cli.json** and modify the **styles** and **scripts** properties:

```
"styles": [
  "../node_modules/font-awesome/scss/font-awesome.scss",
  "../node_modules/angular-bootstrap-md/scss/bootstrap/bootstrap.scss",
  "../node_modules/angular-bootstrap-md/scss/mdb-free.scss",
  "styles.scss"
],
"scripts": [
  "../node_modules/chart.js/dist/Chart.js",
  "../node_modules/hammerjs/hammer.min.js"
],
```

This imports a few of the required sass files and also necessary JavaScript files for MdBootstrap to work properly.

The last step requires opening up **/tsconfig.json** and adding a single line as shown:

```
{
  "compileOnSave": // removed for brevity,
  "compilerOptions": {
    // removed for brevity
  },
  "include": ["node_modules/angular-bootstrap-md/**/*.ts",  "src/**/*.ts"] // add this line
}
```

Now, in the console, run:

```
> ng serve --open
```

Here are some links to help you start:

- Tour of Heroes
- CLI Documentation
- Angular blog

If you're familiar with this starter template, you will notice that the type is different. This means that MdBootstrap is now working!

Integrating a Bootstrap Navigation

Because we're dealing with 3 different technologies (Bootstrap 4, Material Design & Angular 5), I will not be covering each in much detail with this tutorial. Instead, I'm going to pick out a few pieces of the MdBootstrap Angular Documentation to help you get a quick feel for how you can use the documentation to build a layout based on your needs.

If you want to know more about Bootstrap 4 though, I did just release a Free Bootstrap 4 Crash Course.

Let's say you want a quick navigation, visit the Layouts > Navigation section in the Documentation and you will see a bunch of HTML code with associated examples.

Copy and paste the first one into /src/app/app.component.html (replace the existing HTML):

```html
<mdb-navbar SideClass="navbar fixed-top navbar-expand-lg navbar-dark bg-pink scrolling-navbar" [containerInside]="false">
    <logo>
        <a class="logo navbar-brand" href="#"><strong>Navbar</strong></a>
    </logo>
    <links>
        <ul class="navbar-nav mr-auto">
            <li class="nav-item active waves-light" mdbRippleRadius>
                <a class="nav-link">Home <span class="sr-only">(current)</span></a>
            </li>
            <li class="nav-item waves-light" mdbRippleRadius>
                <a class="nav-link">Features</a>
            </li>
            <li class="nav-item waves-light" mdbRippleRadius>
                <a class="nav-link">Pricing</a>
            </li>
            <li class="nav-item waves-light" mdbRippleRadius>
                <a class="nav-link">Opinions</a>
            </li>
        </ul>
        <ul class="navbar-nav nav-flex-icons">
            <li class="nav-item waves-light" mdbRippleRadius>
```

```
                       <a class="nav-link"><i class="fa fa-instagram"></i></a>
               </li>
           </ul>
       </links>
   </mdb-navbar>
   <!-- Main -->
   <main>
       <div class="container" style="height:1300px;">

       </div>
   </main>
```

This is the result after saving:

| Navbar | Home | Features | Pricing | Opinions | | f | y | ⊙ |

Also, try shrinking the width of the browser to simulate a mobile viewport; you will notice it's also responsive!

Let's say we want to use a different color instead of pink. MdBootstrap has a Colors section that provides you with a list of the possible colors you can use.

Let's say we want to use blue instead. Simply change the first line of the code above from:

```
<!-- From -->
bg-pink

<!-- To -->
bg-blue
```

While we're here, let's also remove the fixed-top class.

Let's also say we also want the navigation to be confined within a fixed centered navigation. On the same line, adjust:

```
<!-- From -->
[containerInside]="false"

<!-- To -->
[containerInside]="true"
```

The result:

| Navbar | Home | Features | Pricing | Opinions | | f | y | ⊙ |

MdBootstrap Sections

MdBootstrap features a variety of elements that are considered *sections*. One such section is the **Features section**.

If you browse around on this page, you will find a variety of different layout options to showcase features of your app, product or service.

Let's use the *Features v.3* example HTML and paste it between the *.container* class div:

```html
<!--Section: Features v.3-->
<section class="section feature-box">

    <!--Section heading-->
    <h1 class="section-heading pt-4">Why is it so great?</h1>
    <!--Section description-->
    <p class="section-description lead grey-text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Fugit, error amet numq

    <!--Grid row-->
    <div class="row features-small pt-2">

        <!--Grid column-->
        <div class="col-lg-5 mb-r center-on-small-only">
            <img src="https://mdbootstrap.com/img/Mockups/Transparent/Small/ipad-portfolio2.png" alt="" class="img-fluid z-depth-0">
        </div>
        <!--Grid column-->

        <!--Grid column-->
        <div class="col-lg-7">

            <!--Grid row-->
            <div class="row pb-3">
                <div class="col-2 col-md-1">
                    <i class="fa fa-bank blue-text"></i>
                </div>
                <div class="col-10">
                    <h5 class="feature-title">Safety</h5>
                    <p class="grey-text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Reprehenderit maiores nam, aper
                </div>
            </div>
            <!--Grid row-->

            <!--Grid row-->
            <div class="row pb-3">
                <div class="col-2 col-md-1">
                    <i class="fa fa-code blue-text"></i>
                </div>
                <div class="col-10">
                    <h5 class="feature-title">Technology</h5>
                    <p class="grey-text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Reprehenderit maiores nam, aper
                </div>
            </div>
            <!--Grid row-->

            <!--Grid row-->
            <div class="row pb-3">
                <div class="col-2 col-md-1">
                    <i class="fa fa-money blue-text"></i>
                </div>
                <div class="col-10">
                    <h5 class="feature-title">Finance</h5>
                    <p class="grey-text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Reprehenderit maiores nam, aper
                </div>
```

```
      </div>
      <!--Grid row-->

  </section>
  <!--Section: Features v.3-->
```

The result:

While this looks good, what if we wanted to add some margin or padding to separate our elements a bit more?

This is where it helps to understand a little Bootstrap 4, as they provide you with easy to use classes for both margin and padding.

We will simply add the **pt-5** class to a couple elements:

```
  <!--Section: Features v.3-->
  <section class="section feature-box pt-5">
```

...and a few lines down:

```
  <!--Grid row-->
  <div class="row features-small pt-5">
```

The result:

Why is it so great?

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Fugit, error amet numquam iure provident voluptate esse quasi, veritatis totam voluptas nostrum quisquam eum porro a pariatur accusamus veniam. Quia, minima?

🏛 **Safety**

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Reprehenderit maiores nam, aperiam minima assumenda deleniti hic.

</> **Technology**

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Reprehenderit maiores nam, aperiam minima assumenda deleniti hic.

Much better. As you can see, it's easy to make adjustments.

MdBootstrap Animation

Let's say that we want the tablet graphic to animate in some unique manner. MdBootstrap has an **Animation section** that provides you with predefined animation classes.

Let's add the **animated bounce** classes onto the image:

```
img src="https://mdbootstrap.com/img/Mockups/Transparent/Small/ipad-portfolio2.png" alt="" class="img-fluid z-depth-0 animated bounce">
```

Now, if you refresh the browser, you will see that it animates. Easy!

Adding a Final Section

Just for a little more muscle memory, let's add a **Team section** to the layout. Copy and paste the **Team v.2** HTML underneath the closing **</section>** element in our HTML. Remove the **<h2>** and **<p>** elemnts near the top.

The result should look like:

Maria Kate	John Doe	Sarah Melyah
Photographer	Front-end Developer	Web Developer

Notice how it doesn't look quite as good as in the actual documentation? That's because this is a pro component, *as is the features section above this element*.

This means if you don't pay for MdBootstrap Angular Pro, you will need to make custom CSS adjustments yourself to make these elements look better.

For instance, if we wanted to make the social media icons look better along with their names, we could use the Chrome Inspector (CTRL-SHIFT-I), find a common class they share, and modify it within our **/src/app/app.component.scss** file:

```scss
h4 {
    font-weight: bold;
    margin-top: 15px;
}

.btn-floating {
    padding: 5px 10px;
    background: #fff;
    margin: 10px 3px;
}
```

Now, the result should look like the following:

Why is it so great?

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Fugit, error amet numquam iure provident voluptate esse quasi, veritatis totam voluptas nostrum quisquam eum porro a pariatur accusamus veniam. Quia, minima?

🏛 Safety

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Reprehenderit maiores nam, aperiam minima assumenda deleniti hic.

</> Technology

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Reprehenderit maiores nam, aperiam minima assumenda deleniti hic.

💵 Finance

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Reprehenderit maiores nam, aperiam minima assumenda deleniti hic.

Maria Kate
Photographer
f ⊕ 🐦

John Doe
Front-end Developer
✉ f ⌗

Sarah Melyah
Web Developer
in 🐦 📌

Conclusion

Hopefully, you found some use out of this tutorial and you're excited to start working with Angular 5, Bootstrap 4 and Material Design!

See you next time!

Like | 12 people like this. Sign Up to see what your friends like.

Tweet

Say something about this awesome post!

3 Comments   **Coursetro**   🔴 **Login** ⌄

♡ Recommend   ⤴ **Share**   Sort by Best ⌄

> **Join the discussion…**
>
> **LOG IN WITH**   **OR SIGN UP WITH DISQUS** (?)
>
> [Name   ]

Nastia • 6 hours ago
Great tutorial that taught me how to start using sass and bootstrap 4 in Angular 5 projects. Thank you!
⌃ | ⌄ • Reply • Share ›

Brian Lowe • 6 days ago
My first attempt at building threw up a missing package "@angular-devkit/core". I guess it's global on your machine, but I fixed it with

npm install --save-dev @angular-devkit/core

Excellent introduction to merging bootstrap, angular and material design. Well done!
⌃ | ⌄ • Reply • Share ›

James Line • 6 days ago
Awesome tutorial.
⌃ | ⌄ • Reply • Share ›

ALSO ON COURSETRO

How to Build an Angular 5 Material App
20 comments • 3 months ago

Muhammad Rehan Qadri — Awesome tutorial! You don't need to worry about your competitors dude, you're awesome. The quality, design and style of your work is simply amazing, and the best part is, it's Free!

Electron App Deployment Tutorial
3 comments • 2 months ago

shyam sasi — please remove =true from this --asar=true and put asset folder(or create path from root) in root directory.

13. Prototyping the Mobile Artboards
1 comment • 3 months ago

Eldar Najafov — Great course

7. Desktop Notifications
1 comment • 2 months ago

Behnam Nikkhah — Hey I followed every step of this tutorial and I still don't receive any desktop notifications. I checked with a diff checker and downloaded your source files, but it doesn't work. Any help kindly

✉ Subscribe   Ⓓ Add Disqus to your siteAdd DisqusAdd   🔒 Privacy

HOME   TUTORIALS

COURSES   CONTACT US

CHALLENGES   CHAT WITH US

LOGIN

JOIN