

# Flexible Steel Conduit and Fittings

## Esnek Çelik Boru ve Aksesuarları

# Flexible Steel Conduit and Fittings

## Esnek Çelik Boru ve Aksesuarları



EMT 41-601101

### Galvanised Steel Flexible Conduits

#### Galvaniz Kaplı Esnek Boru

Order Code Sipariş Kodu	Stock Code Stok Kodu	Nominal Size Nominal Ölçü	Inch Size Inch Ölçü	ID İç Ölçü (mm)	OD Dış Ölçü (mm)	Radius Radyüs	Packing (m) Paket (m)
EMT 41-601101	14008EMT41601101	11	1/4"	10.0	13.0	30.0	50
EMT 41-601401	14008EMT41601401	14	3/8"	13.0	16.0	35.0	50
EMT 41-601601	14008EMT41601601	16	1/2"	16.0	20.0	60.0	50
EMT 41-602101	14008EMT41602101	21	3/4"	21.0	25.0	70.0	50
EMT 41-602601	14008EMT41602601	26	1"	26.0	31.0	85.0	25
EMT 41-603501	14008EMT41603501	35	1 1/4"	35.0	40.0	100.0	25
EMT 41-604001	14008EMT41604001	40	1 1/2"	40.0	46.0	110.0	25
EMT 41-605001	14008EMT41605001	50	2"	52.0	58.0	160.0	25
EMT 41-606301	14008EMT41606301	63	2 1/2"	63.0	71.0	180.0	10
EMT 41-608001	14008EMT41608001	80	3"	78.0	86.0	240.0	10
EMT 41-610001	14008EMT41610001	100	4"	102.0	109.0	320.0	10

**Material : Galvanised Steel** Malzeme : Galvanizli Çelik

**Application: Used for protecting cables in electrical lines**

Kullanım Alanı: Fleksible Boru



EMT 39-601102

### Tin Coated Steel Flexible Conduits

#### Kalay Kaplı Esnek Boru

Order Code Sipariş Kodu	Stock Code Stok Kodu	Nominal Size Nominal Ölçü	Inch Size Inch Ölçü	ID İç Ölçü (mm)	OD Dış Ölçü (mm)	Radius Radyüs	Packing (m) Paket (m)
EMT 39-601102	14005EMT39601102	11	1/4"	10.0	13.0	30.0	50
EMT 39-601402	14005EMT39601402	14	3/8"	13.0	16.0	35.0	50
EMT 39-601602	14005EMT39601602	16	1/2"	16.0	20.0	60.0	50
EMT 39-602102	14005EMT39602102	21	3/4"	21.0	25.0	70.0	50
EMT 39-602602	14005EMT39602602	26	1"	26.0	31.0	85.0	25
EMT 39-603502	14005EMT39603502	35	1 1/4"	35.0	40.0	100.0	25
EMT 39-604002	14005EMT39604002	40	1 1/2"	40.0	46.0	110.0	25
EMT 39-605002	14005EMT39605002	50	2"	52.0	58.0	160.0	25
EMT 39-606302	14005EMT39606302	63	2 1/2"	63.0	71.0	180.0	10
EMT 39-608002	14005EMT39608002	80	3"	78.0	86.0	240.0	10
EMT 39-610002	14005EMT39610002	100	4"	102.0	109.0	320.0	10

**Material : Tin Coated Steel** Malzeme : Kalay kaplı çelik

**Application: Used for protecting cables in electrical lines**

Kullanım Alanı: Fleksible Boru



# Flexible Steel Conduit and Fittings

## Esnek Çelik Boru ve Aksesuarları

### PVC Coating Isolated Galvanised Steel Flexible Conduits (Black/Grey)

Galvaniz Kaplı İzoleli Esnek Boru PVC kaplı (Siyah-Gri)

Order Code Sipariş Kodu	Stock Code Stok Kodu	Nominal Size Nominal Ölçü	Inch Size Inch Ölçü	ID İç Ölçü (mm)	OD Dış Ölçü (mm)	Radius Radyüs	Packing (m) Paket (m)
EMT 39-601103	14005EMT39601103	11	1/4"	10.0	14.0	40.0	50
EMT 39-601403	14005EMT39601403	14	3/8"	13.0	17.0	45.0	50
EMT 39-601603	14005EMT39601603	16	1/2"	16.0	21.0	70.0	50
EMT 39-602103	14005EMT39602103	21	3/4"	21.0	26.0	70.0	50
EMT 39-602603	14005EMT39602603	26	1"	26.0	32.0	95.0	25
EMT 39-603503	14005EMT39603503	35	1 1/4"	35.0	41.0	110.0	25
EMT 39-604003	14005EMT39604003	40	1 1/2"	40.0	47.0	120.0	25
EMT 39-605003	14005EMT39605003	50	2"	52.0	59.0	180.0	25
EMT 39-606303	14005EMT39606303	63	2 1/2"	63.0	72.0	200.0	10
EMT 39-608003	14005EMT39608003	80	3"	78.0	88.0	280.0	10
EMT 39-610003	14005EMT39610003	100	4"	102.0	112.0	350.0	10

**Material : PVC Coated Galvanised Steel** Malzeme : PVC Kaplı Galvanizli Çelik

**Application: Used for protecting cables in electrical lines**

Kullanım Alanı: Fleksible Boru

### Liquid Tight Halogen Free LSZH Coated Galvanized Steel Flexible Conduits (Black)

Sıvı Geçirmez ve Halojen İçermeyen LSZH Kaplı Galvanizli Çelik Esnek Boru

Order Code Sipariş Kodu	Stock Code Stok Kodu	Nominal Size Nominal Ölçü	Inch Size Inch Ölçü	ID İç Ölçü (mm)	OD Dış Ölçü (mm)	Radius Radyüs	Packing (m) Paket (m)
EMT 39-601104	14005EMT39601104	11	1/4"	10.0	15.0	60.0	50
EMT 39-601404	14005EMT39601404	14	3/8"	13.0	18.0	100.0	50
EMT 39-601604	14005EMT39601604	16	1/2"	16.0	22.0	120.0	50
EMT 39-602104	14005EMT39602104	21	3/4"	21.0	27.0	140.0	50
EMT 39-602604	14005EMT39602604	26	1"	26.0	33.0	180.0	25
EMT 39-603504	14005EMT39603504	35	1 1/4"	35.0	42.0	220.0	25
EMT 39-604004	14005EMT39604004	40	1 1/2"	40.0	48.0	270.0	25
EMT 39-605004	14005EMT39605004	50	2"	52.0	60.0	310.0	10
EMT 39-606304	14005EMT39606304	63	2 1/2"	63.0	73.0	360.0	10
EMT 39-608004	14005EMT39608004	80	3"	78.0	89.0	450.0	5
EMT 39-610004	14005EMT39610004	100	4"	102.0	113.0	600.0	5

**Material : LSZH Coated Galvanised Steel** Malzeme : LSZH Kaplı Galvanizli Çelik

**Application: Used for protecting cables in electrical lines**

Kullanım Alanı: Fleksible Boru



EMT 39-601103



Please indicate color in your orders.  
Siparişlerinizde renk belirtiniz.



EMT 39-601104

WaterProff



Hallogen-Free  
Low Smoke Zero Halogen

# Flexible Steel Conduit and Fittings

## Esnek Çelik Boru ve Aksesuarları

### Halogen Free Coating Isolated Stainless Steel Flexible Conduits (Black)

Paslanmaz Çelik İzoleli Esnek Boru Halogen Free kaplı (Siyah)

Order Code Sipariş Kodu	Stock Code Stok Kodu	Nominal Size Nominal Ölçü	Inch Size Inch Ölçü	ID İç Ölçü (mm)	OD Dış Ölçü (mm)	Radius Radyüs	Packing (m) Paket (m)
EMT 39-601106	14005EMT39601106	11	1/4"	10.0	14.0	40.0	50
EMT 39-601406	14005EMT39601406	14	3/8"	13.0	17.0	45.0	50
EMT 39-601606	14005EMT39601606	16	1/2"	16.0	21.0	70.0	50
EMT 39-602106	14005EMT39602106	21	3/4"	21.0	26.0	70.0	50
EMT 39-602606	14005EMT39602606	26	1"	26.0	32.0	95.0	25
EMT 39-603506	14005EMT39603506	35	1 1/4"	35.0	41.0	110.0	25
EMT 39-604006	14005EMT39604006	40	1 1/2"	40.0	47.0	120.0	25
EMT 39-605006	14005EMT39605006	50	2"	52.0	59.0	180.0	25
EMT 39-606306	14005EMT39606306	63	2 1/2"	63.0	72.0	200.0	10
EMT 39-608006	14005EMT39608006	80	3"	78.0	88.0	280.0	10
EMT 39-610006	14005EMT39610006	100	4"	102.0	112.0	350.0	10

**Material: FREE Coated 304 Stainless Steel**

Malzeme: FREE Kaplı 304 Paslanmaz Çelik

**Application: Used for protecting cables in electrical lines**

Kullanım Alanı: Fleksible Boru

### Halogen Free Coating Isolated Galvanized Steel Flexible Conduits (Black)

Galvaniz Kaplı İzoleli Esnek Boru Halogen Free kaplı (Siyah)

Order Code Sipariş Kodu	Stock Code Stok Kodu	Nominal Size Nominal Ölçü	Inch Size Inch Ölçü	ID İç Ölçü (mm)	OD Dış Ölçü (mm)	Radius Radyüs	Packing (m) Paket (m)
EMT 39-601107	14005EMT39601107	11	1/4"	10.0	14.0	40.0	50
EMT 39-601407	14005EMT39601407	14	3/8"	13.0	17.0	45.0	50
EMT 39-601607	14005EMT39601607	16	1/2"	16.0	21.0	70.0	50
EMT 39-602107	14005EMT39602107	21	3/4"	21.0	26.0	70.0	50
EMT 39-602607	14005EMT39602607	26	1"	26.0	32.0	95.0	25
EMT 39-603507	14005EMT39603507	35	1 1/4"	35.0	41.0	110.0	25
EMT 39-604007	14005EMT39604007	40	1 1/2"	40.0	47.0	120.0	25
EMT 39-605007	14005EMT39605007	50	2"	52.0	59.0	180.0	25
EMT 39-606307	14005EMT39606307	63	2 1/2"	63.0	72.0	200.0	10
EMT 39-608007	14005EMT39608007	80	3"	78.0	88.0	280.0	10
EMT 39-610007	14005EMT39610007	100	4"	102.0	112.0	350.0	10

**Material : Galvanised Steel FREE Coated** Malzeme : FREE Kaplı Galvanizli Çelik

**Application: Used for protecting cables in electrical lines**

Kullanım Alanı: Fleksible Boru



EMT 39-601106

**WaterProff**



**Hallogen-Free**  
Low Smoke Zero Halogen



EMT 39-601107

**WaterProff**



**Hallogen-Free**  
Low Smoke Zero Halogen





# Flexible Steel Conduit and Fittings

## Esnek Çelik Boru ve Aksesuarları



EMT 39-601105



Please indicate color in your orders.  
Siparişlerinizde renk belirtiniz.

### PVC Coating Isolated Tinned Steel Flexible Conduits (Black/Grey)

Kalay Kaplı İzoleli Esnek Boru (Siyah-Gri)

Order Code Sipariş Kodu	Stock Code Stok Kodu	Nominal Size Nominal Ölçü	Inch Size Inch Ölçü	ID İç Ölçü (mm)	ID Dış Ölçü (mm)	Radius Radyüs	Packing Paket
EMT 39-601105	14005EMT39601105	11	1/4"	10.0	14.0	40.0	50
EMT 39-601405	14005EMT39601405	14	3/8"	13.0	17.0	45.0	50
EMT 39-601605	14005EMT39601605	16	1/2"	16.0	21.0	70.0	50
EMT 39-602105	14005EMT39602105	21	3/4"	21.0	26.0	70.0	50
EMT 39-602605	14005EMT39602605	26	1"	26.0	32.0	95.0	25
EMT 39-603505	14005EMT39603505	35	1 1/4"	35.0	41.0	110.0	25
EMT 39-604005	14005EMT39604005	40	1 1/2"	40.0	47.0	120.0	25
EMT 39-605005	14005EMT39605005	50	2"	52.0	59.0	180.0	25
EMT 39-606305	14005EMT39606305	63	2 1/2"	63.0	72.0	200.0	10
EMT 39-608005	14005EMT39608005	80	3"	78.0	88.0	280.0	10
EMT 39-610005	14005EMT39610005	100	4"	102.0	112.0	350.0	10

Material : PVC Coated Tinned Steel

Malzeme : PVC Kaplı Kalaylı Çelik

Application: Used for protecting cables in electrical lines

Kullanım Alanı: Fleksible Boru

## Combination Couplings

### Ara Bağlantı Parçası



EMT 39-201401

### Universal One-Piece Conduit Clamp

Universal Boru Kelepçesi

Order Code Sipariş Kodu	Stock Code Stok Kodu	Nominal Size Nominal Ölçü	Packing Paket
EMT 39-201401	14005EMT39201401	1/4"	100
EMT 39-203801	14005EMT39203801	3/8"	100
EMT 39-201201	14005EMT39201201	1/2"	100
EMT 39-203401	14005EMT39203401	3/4"	50
EMT 39-201001	14005EMT39201001	1"	50
EMT 39-211401	14005EMT39211401	1 1/4"	25
EMT 39-211201	14005EMT39211201	1 1/2"	20
EMT 39-202001	14005EMT39202001	2"	10
EMT 39-221201	14005EMT39221201	2 1/2"	10
EMT 39-203001	14005EMT39203001	3"	5
EMT 39-204001	14005EMT39204001	4"	5



# Flexible Steel Conduit and Fittings

## Esnek Çelik Boru ve Aksesuarları



EMT 39-501002



### Swivel Type Nickel Plated Brass Connector

Döner Tip - Rakor - Nikel Kaplama

Order Code Sipariş Kodu	Stock Code Stok Kodu	NPT Size NPT Ölçü	Metric Size PG Inch Ölçü	İç Ölçü (mm)	Compatible Flexible Conduit Size Uygun Esnek Boru Boyutu	Packing Paket
EMT 39-501002	14005EMT39501002	1/8"	M12x1,5	Pg 7	10	50
EMT 39-501202	14005EMT39501202	1/4"	M16x1,5	Pg 9	12	50
EMT 39-501602	14005EMT39501602	3/8"	M16x1,5	Pg 11	16	50
EMT 39-502002	14005EMT39502002	1/2"	M20x1,5	Pg 16	20	50
EMT 39-502502	14005EMT39502502	3/4"	M25x1,5	Pg 21	25	25
EMT 39-503202	14005EMT39503202	1"	M32x1,5	Pg 29	32	10
EMT 39-504002	14005EMT39504002	1 1/4"	M40x1,5	Pg 36	40	5
EMT 39-505002	14005EMT39505002	1 1/2"	M50x1,5	Pg 42	50	5
EMT 39-506302	14005EMT39506302	2"	M63x1,5	Pg 48	63	4



EMT 42-501001



### Fixed Type Nickel Plated Brass Connector

Sabit Tip - Rakor - Nikel Kaplamalı Piring

Order Code Sipariş Kodu	Stock Code Stok Kodu	NPT Size NPT Ölçü	Metric Size PG Inch Ölçü	İç Ölçü (mm)	Compatible Flexible Conduit Size Uygun Esnek Boru Boyutu	Packing Paket
EMT 39-501001	14005EMT39501001	1/8"	M12x1,5	Pg 7	10	50
EMT 39-501201	14005EMT39501201	1/4"	M16x1,5	Pg 9	12	50
EMT 39-501601	14005EMT39501601	3/8"	M16x1,5	Pg 11	16	50
EMT 39-502001	14005EMT39502001	1/2"	M20x1,5	Pg 16	20	50
EMT 39-502501	14005EMT39502501	3/4"	M25x1,5	Pg 21	25	25
EMT 39-503201	14005EMT39503201	1"	M32x1,5	Pg 29	32	10
EMT 39-504001	14005EMT39504001	1 1/4"	M40x1,5	Pg 36	40	5
EMT 39-505001	14005EMT39505001	1 1/2"	M50x1,5	Pg 42	50	5
EMT 39-506301	14005EMT39506301	2"	M63x1,5	Pg 48	63	4




# Flexible Steel Conduit and Fittings

## Esnek Çelik Boru ve Aksesuarları



EMT 39-501003



### Fixed Type Nickel Plated Brass Adaptor

Sabit Tip - Rakor - Piriç Kaplama

Order Code Sipariş Kodu	Stock Code Stok Kodu	NPT Size NPT Ölçü	Metric Size Inch Ölçü	PG İç Ölçü (mm)	Compatible Flexible Conduit Size Uygun Esnek Boru Boyutu	Packing Paket
EMT 39-501003	14005EMT39501003	1/8"	M12x1,5	Pg 7	10	50
EMT 39-501203	14005EMT39501203	1/4"	M16x1,5	Pg 9	12	50
EMT 39-501603	14005EMT39501603	3/8"	M16x1,5	Pg 11	16	50
EMT 39-502003	14005EMT39502003	1/2"	M20x1,5	Pg 16	20	50
EMT 39-502503	14005EMT39502503	3/4"	M25x1,5	Pg 21	25	25
EMT 39-503203	14005EMT39503203	1"	M32x1,5	Pg 29	32	10
EMT 39-504003	14005EMT39504003	1 1/4"	M40x1,5	Pg 36	40	5
EMT 39-505003	14005EMT39505003	1 1/2"	M50x1,5	Pg 42	50	5
EMT 39-506303	14005EMT39506303	2"	M63x1,5	Pg 48	63	4



EMT 39-501004

### Flexible Couduit Connector

Order Code Sipariş Kodu	Stock Code Stok Kodu	NPT Size NPT Ölçü	Metric Size Inch Ölçü	PG İç Ölçü (mm)	Compatible Flexible Conduit Size Uygun Esnek Boru Boyutu	Packing Paket
EMT 39-501004	14005EMT39501004	1/8"	M12x1,5	Pg 7	10	50
EMT 39-501204	14005EMT39501204	1/4"	M16x1,5	Pg 9	12	50
EMT 39-501604	14005EMT39501604	3/8"	M16x1,5	Pg 11	16	50
EMT 39-502004	14005EMT39502004	1/2"	M20x1,5	Pg 16	20	50
EMT 39-502504	14005EMT39502504	3/4"	M25x1,5	Pg 21	25	25
EMT 39-503204	14005EMT39503204	1"	M32x1,5	Pg 29	32	10
EMT 39-504004	14005EMT39504004	1 1/4"	M40x1,5	Pg 36	40	5
EMT 39-505004	14005EMT39505004	1 1/2"	M50x1,5	Pg 42	50	5
EMT 39-506304	14005EMT39506304	2"	M63x1,5	Pg 48	63	4



EMT 39-501005

### Flexible Couduit Coupling

Order Code Sipariş Kodu	Stock Code Stok Kodu	NPT Size NPT Ölçü	Metric Size Inch Ölçü	PG İç Ölçü (mm)	Compatible Flexible Conduit Size Uygun Esnek Boru Boyutu	Packing Paket
EMT 39-501005	14005EMT39501005	1/8"	M12x1,5	Pg 7	10	50
EMT 39-501205	14005EMT39501205	1/4"	M16x1,5	Pg 9	12	50
EMT 39-501605	14005EMT39501605	3/8"	M16x1,5	Pg 11	16	50
EMT 39-502005	14005EMT39502005	1/2"	M20x1,5	Pg 16	20	50
EMT 39-502505	14005EMT39502505	3/4"	M25x1,5	Pg 21	25	25
EMT 39-503205	14005EMT39503205	1"	M32x1,5	Pg 29	32	10
EMT 39-505005	14005EMT39505005	1 1/4"	M40x1,5	Pg 36	40	5
EMT 39-505005	14005EMT39505005	1 1/2"	M50x1,5	Pg 42	50	5
EMT 39-506305	14005EMT39506305	2"	M63x1,5	Pg 48	63	4

Material: Nickel Plated Brass

Malzeme: Nikel kaplı Piriç