

This PDF document was produced:
2019-05-27 15:55:07.033714

NLS GNSS SOFAMESA

GNSS Measurement Accuracy Analysis Software of the National Land Survey of Finland
Beta Version 1.10
2019-05-27

Measurement Report of the File:

20190524-A-99M5040-METHOD3-4



Author: Tuukka Mattila.

Do not hesitate to contact via LinkedIn: <https://www.linkedin.com/in/tuukkamattila/>.

Thank you for the help: Topi Rikkinen, Marko Ollikainen, Antti Laaksonen, Hannu Koivula, and Ari Huvinen.

Statistics Behind the Figures	3
Figures	5
The Number of Satellites (No Outliers or Float Solutions Removed) . . .	6
The DOP Values (No Outliers or Float Solutions Removed)	7
The Reported HRMS and VRMS Values of the Receiver (No Outliers or Float Solutions Removed)	8
KDE Plot for Outlier Recognition (PRECISION, INNER ACCURACY) .	9
KDE Plot for the Distribution of Errors (PRECISION, INNER ACCURACY)	10
Gaussian Distribution Models for the Distributions of Errors (PRECISION, INNER ACCURACY)	11
The PRECISION of the point (INNER accuracy) (m) HORIZONTAL .	12
The PRECISION of the point (INNER accuracy) (m) NORTH	13
The PRECISION of the point (INNER accuracy) (m) EAST	14
The PRECISION of the point (INNER accuracy) (m) VERTICAL . . .	15
The ACCURACY of the point (OUTER accuracy) (m) HORIZONTAL .	16
The ACCURACY of the point (OUTER accuracy) (m) NORTH	17
The ACCURACY of the point (OUTER accuracy) (m) EAST	18
The ACCURACY of the point (OUTER accuracy) (m) VERTICAL . .	19
The Horizontal PRECISION of the point (INNER accuracy) (m) with DOP values	20
The 3D PRECISION of the point (INNER accuracy) (m) with DOP values	
The Vertical PRECISION of the point (INNER accuracy) (m) with DOP values	22
Conclusions	23

Statistics Behind the Figures

Parameter	Value
Total Number of Measurements	11567.0
Number of All Satellites Mean (No Outliers or Float Solutions Removed)	15.3
Number of All Satellites Min and Max (No Outliers or Float Solutions Removed)	Min: 12 and Max: 33
Number of GPS Satellites Mean (No Outliers or Float Solutions Removed)	9.5
Number of GLONASS Satellites Mean (No Outliers or Float Solutions Removed)	5.8
Number of GALILEO Satellites Mean (No Outliers or Float Solutions Removed)	0.0
Number of BEIDOU Satellites Mean (No Outliers or Float Solutions Removed)	0.0
Mean of HDOP Values (No Outliers or Float Solutions Removed)	0.7
Mean of VDOP Values (No Outliers or Float Solutions Removed)	1.4
Mean of PDOP Values (No Outliers or Float Solutions Removed)	1.5
Mean of TDOP Values (No Outliers or Float Solutions Removed)	nan
Mean of GDOP Values (No Outliers or Float Solutions Removed)	1.7
User-Defined Tolerance Values	North and East 0.1m, Height 0.2m
Number of Measurements Above the Set Tolerance Values	26
Above Tolerance Values Percentage	0.22%
Number of All Satellites Mean (Outliers Removed)	15.3
Number of Satellites Min and Max (Outliers Removed)	Min: 12 and Max: 17
Number of GPS Satellites Mean (Outliers Removed)	9.5
Number of GLONASS Satellites Mean (Outliers Removed)	5.8
Number of GALILEO Satellites Mean (Outliers Removed)	0.0
Number of BEIDOU Satellites Mean (Outliers Removed)	0.0
Mean of HDOP Values (Outliers Removed)	0.7
Mean of VDOP Values (Outliers Removed)	1.4
Mean of PDOP Values (Outliers Removed)	1.5
Mean of TDOP Values (Outliers Removed)	nan
Mean of GDOP Values (Outliers Removed)	1.7

Parameter	Precision (m)*	Accuracy (m)**
Horizontal RMSE***	0.009	0.034
Vertical RMSE****	0.021	0.152
Horizontal 2dRMSE***	0.018	0.069
Vertical 2dRMSE****	0.041	0.304
North Coordinate Standard Deviation	0.0074	
East Coordinate Standard Deviation	0.0054	
Height Standard Deviation	0.0205	
North Coordinate Mean	6687768.3636	
East Coordinate Mean	394444.8345	
Height Mean	25.2806	
North Coordinate Median	6687768.363	
East Coordinate Median	394444.835	
Height Median	25.28	

* The precision of the measurements = inner accuracy.

** The accuracy of the measurements = outer accuracy.

*** Horizontal RMSE is 63-68% of the measurements and it depends on the shape of the distribution. Horizontal 2dRMSE is 95-98% of the measurements and it also depends on the shape of the distribution.


**** Vertical RMSE is 63-68% of the measurements and it depends on the shape of the distribution. Vertical 2dRMSE is 95-98% of the measurements and it also depends on the shape of the distribution.

Figures

Please find the figures, which NLS GNSS SOFAMESA produces, on the upcoming pages.


The Number of Satellites (No Outliers or Float Solutions Removed)

METHOD3




The DOP Values (No Outliers or Float Solutions Removed)

METHOD3




The Reported HRMS and VRMS Values of the Receiver (No Outliers or Float Solutions Removed)

METHOD3




KDE Plot for Outlier Recognition (PRECISION, INNER ACCURACY)

METHOD3



KDE Plot for the Distribution of Errors (PRECISION, INNER ACCURACY)




METHOD3



Gaussian Distribution Models for the Distributions of Errors (PRECISION, INNER ACCURACY)


METHOD3

Gaussian Distribution Models for North and East Coordinate Errors, and Height Errors. Precision (Inner Accuracy):
User-Defined Sample Size (n): 10000




The PRECISION of the point (INNER accuracy) (m) HORIZONTAL

METHOD3




The PRECISION of the point (INNER accuracy) (m) NORTH

METHOD3




The PRECISION of the point (INNER accuracy) (m) EAST

METHOD3




The PRECISION of the point (INNER accuracy) (m) VERTICAL

METHOD3




The ACCURACY of the point (OUTER accuracy) (m) HORIZONTAL

METHOD3




The ACCURACY of the point (OUTER accuracy) (m) NORTH

METHOD3




The ACCURACY of the point (OUTER accuracy) (m) EAST

METHOD3



The ACCURACY of the point (OUTER accuracy) (m) VERTICAL


METHOD3



The Horizontal PRECISION of the point (INNER accuracy) (m) with DOP values

METHOD3

The Horizontal PRECISION of the point (INNER accuracy) (m) with DOP values, number of measurements 11541/11567: HORIZONTAL. Date: 2019-05-24



The 3D PRECISION of the point (INNER accuracy) (m) with DOP values

METHOD3


The 3D PRECISION of the point (INNER accuracy) (m) with DOP values, number of measurements 11541/11567: 3D. Date: 2019-05-24



The Vertical PRECISION of the point (INNER accuracy) (m) with DOP values

METHOD3

The Vertical PRECISION of the point (INNER accuracy) (m) with DOP values, number of measurements 11541/11567: VERTICAL. Date: 2019-05-24



Conclusions

This PDF document was produced:
2019-05-27 15:55:07.046640

NLS GNSS SOFAMESA

GNSS Measurement Accuracy Analysis Software of the National Land Survey of Finland

Beta Version 1.10

2019-05-27



Author: Tuukka Mattila.

Do not hesitate to contact via LinkedIn: <https://www.linkedin.com/in/tuukkamattila/>.

Thank you for the help: Topi Rikkinen, Marko Ollikainen, Antti Laaksonen, Hannu Koivula, and Ari Huvinen.